

# Relevant News and Research

## 1.2 Overview of major Australian data sets

Last updated December 2024

Research:.....	2
1.2 Overview of major Australian data sets .....	2
1.2.1 Consistency in the measurement of tobacco use over time .....	7
1.2.2 Additional Australian surveys of smoking behaviour .....	7
News: .....	9
1.2 Overview of major Australian data sets .....	9
1.2.1 Consistency in the measurement of tobacco use over time .....	9
1.2.2 Additional Australian surveys of smoking behaviour .....	9

## Research:

### 1.2 Overview of major Australian data sets

Australian Institute of Health and Welfare. Australia's health 2024: data insights. Canberra: AIHW, 2024. Available from: <https://www.aihw.gov.au/reports/australias-health/australias-health-2024-data-insights>.

Australian Institute of Health and Welfare. National Drug Strategy Household Survey 2022–2023. Canberra: AIHW, 2024. Available from: <https://www.aihw.gov.au/reports/illicit-use-of-drugs/national-drug-strategy-household-survey>.

Australian Institute of Health and Welfare. Data tables: National Drug Strategy Household Survey 2022–2023 – 12. Technical information. Canberra: AIHW, 2024. Available from: <https://www.aihw.gov.au/reports/illicit-use-of-drugs/national-drug-strategy-household-survey/data?&page=2>.

Wakefield M, Haynes A, Tabbakh T, Scollo M, and Durkin S. Current vaping and current smoking in the Australian population aged 14+ years: February 2018 - March 2023. Cancer Council Victoria, 2023. Available from: <https://www.health.gov.au/sites/default/files/2023-06/current-vaping-and-smoking-in-the-australian-population-aged-14-years-or-older-february-2018-to-march-2023.pdf>.

Scully M, Bain E, Koh I, Wakefield M, and Durkin S. ASSAD 2022/2023: Australian secondary school students' use of tobacco and e-cigarettes. Centre of Behavioural Research in Cancer, Cancer Council Victoria, 2023. Available from: <https://www.health.gov.au/sites/default/files/2023-11/secondary-school-students-use-of-tobacco-and-e-cigarettes-2022-2023.pdf>.

Barrett EM, Maddox R, Thandrayen J, Banks E, Lovett R, et al. Clearing the air: underestimation of youth smoking prevalence associated with proxy-reporting compared to youth self-report. BMC Med Res Methodol, 2022; 22(1):108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35410164>

Australian Bureau of Statistics. National Health Survey. 2022. Available from: <https://www.abs.gov.au/statistics/health/health-conditions-and-risks/national-health-survey/2022>

Guerin N and White V. Statistics & Trends: Australian Secondary Students' Use of Tobacco, Alcohol, Over-the-counter Drugs, and Illicit Substances, Second edition. Cancer Council Victoria, 2020. Available from: <https://www.health.gov.au/resources/publications/trends-in-substance-use-among-australian-secondary-school-students-1996-2017>.

Australian Institute of Health and Welfare. National Drug Strategy Household Survey (NDSHS) 2019 - Data Quality Statement. Canberra: AIHW, 2020. Available from: <https://www.aihw.gov.au/reports/illicit-use-of-drugs/national-drug-strategy-household-survey-2019/notes>.

Australian Institute of Health and Welfare. National Drug Strategy Household Survey 2019. Drug Statistics series no. 32 Cat. no. PHE 270 Canberra: AIHW, 2020. Available from: <https://www.aihw.gov.au/getmedia/3564474e-f7ad-461c-b918-7f8de03d1294/aihw-phe-270-NDSHS-2019.pdf.aspx?inline=true>.

Australian Institute of Health and Welfare. National Drug Strategy Household Survey 2019 In brief. Drug Statistics series no. 33 Cat. no. PHE 271 Canberra: AIHW, 2020. Available from: <https://www.aihw.gov.au/reports/illicit-use-of-drugs/national-drug-strategy-household-survey-2019/contents/table-of-contents>.

Wilkinson AL, Scollo MM, Wakefield MA, Spittal MJ, Chaloupka FJ, et al. Smoking prevalence following tobacco tax increases in Australia between 2001 and 2017: an interrupted time-series analysis. *The Lancet Public Health*, 2019; 4(12):e618-e27. Available from: [https://doi.org/10.1016/S2468-2667\(19\)30203-8](https://doi.org/10.1016/S2468-2667(19)30203-8)

Reps JM, Rijnbeek PR, and Ryan PB. Supplementing claims data analysis using self-reported data to develop a probabilistic phenotype model for current smoking status. *J Biomed Inform*, 2019; 97:103264. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31386904>

Nishi SPE, Zhou J, Kuo YF, Sharma G, and Goodwin J. Trends in tobacco use and tobacco cessation counselling codes among Medicare beneficiaries, 2001-2014. *BMC Health Services Research*, 2019; 19(1):548. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31382958>

Thomas DP and Scollo M. Should a smoking question be added to the Australian 2021 census? *Australian and New Zealand Journal of Public Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29697871>

Ross L, Haber PS, and Day CA. Identification of smoking status in the Census is needed, but what about the healthcare system? *Australian and New Zealand Journal of Public Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548949>

Johnson AL, Villanti AC, Glasser AM, Pearson JL, and Delnevo CD. Impact of Question Type and Question Order on Tobacco Prevalence Estimates in U.S. Young Adults: A Randomized Experiment. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29596662>

Australian Bureau of Statistics. 4364.0.55.001 - National Health Survey: First Results, 2017-18 ABS, 2018. Available from: <http://www.abs.gov.au/ausstats/abs@.nsf/Lookup/by%20Subject/4364.0.55.001~2017-18~Main%20Features~Smoking~85>

Australian Institute of Health and Welfare. National Drug Strategy Household Survey (NDSHS) 2016 key findings data tables. Canberra: AIHW, 2017. Available from: <https://www.aihw.gov.au/reports/illicit-use-of-drugs/2016-ndshs-detailed/data>.

Australian Institute of Health and Welfare. National Drug Strategy Household Survey (NDSHS) 2016 key findings. Canberra: AIHW, 2017. Available from:

<https://www.aihw.gov.au/about-our-data/our-data-collections/national-drug-strategy-household-survey/2016-national-drug-strategy-household-survey>.

White V and Williams T. Australian secondary school students' use of tobacco in 2014 Australia 2015. Available from:

<https://www.health.gov.au/resources/publications/secondary-school-students-use-of-tobacco-alcohol-and-other-drugs-in-2014>.

Wakefield M, Coomber K, Durkin S, Scollo M, Bayly M, et al. Which policies reduce adult smoking prevalence? A time series analysis of Australian monthly adult smoking prevalence, 2001-2011. Bulletin of the World Health Organisation, 2014; 92(413–22). Available from:

<http://www.who.int/bulletin/volumes/92/6/13-118448/en/>

Australian Institute of Health and Welfare. National Drug Strategy Household Survey detailed report: 2013. Cat. no. PHE 183 Canberra: AIHW, 2014. Available from:

<http://www.aihw.gov.au/publication-detail/?id=60129549469&tab=3>.

Australian Institute of Health and Welfare. National Drug Strategy Household Survey detailed report: 2013 - Supplementary tables. Canberra: AIHW, 2014. Available from:

<http://www.aihw.gov.au/publication-detail/?id=60129549469&tab=3>.

Australian Institute of Health and Welfare. National Drug Strategy Household Survey: Highlights from the 2013 Survey. Canberra: AIHW, 2014. Available from:

<http://www.aihw.gov.au/alcohol-and-other-drugs/ndshs/>.

Australian Bureau of Statistics. 4364.0.55.003 - Australian Health Survey: Updated Results, 2011-2012. 2013. Available from:

<http://www.abs.gov.au/ausstats/abs@.nsf/Lookup/E3E02505DCAF230CCA257B82001794EB?opendocument>

White V and Bariola E. 3. Tobacco use among Australian secondary students in 2011, in Australian secondary school students' use of tobacco, alcohol, and over-the-counter and illicit substances in 2011. Canberra: Drug Strategy Branch Australian Government Department of Health and Ageing; 2012. Available from: <http://darta.net.au/wordpress-content/uploads/2017/01/ASSAD-2011.pdf>.

Australian Institute of Health and Welfare. 2010 National Drug Strategy Household Survey: survey report. Drug statistics series no. 25, AIHW cat. no. PHE 145. Canberra: AIHW, 2011.

Available from: <https://www.aihw.gov.au/about-our-data/our-data-collections/national-drug-strategy-household-survey/2010-national-drug-strategy-household-survey>.

White V and Smith G. 3. Tobacco use among Australian secondary students, in Australian secondary school students' use of tobacco, alcohol, and over-the-counter and illicit substances in 2008. Canberra: Drug Strategy Branch Australian Government Department of Health and Ageing; 2009. Available from:

<http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/Publishing.nsf/content/school08>

Australian Bureau of Statistics. 4364.0 National Health Survey: summary of results (re-issue), 2007–08. Canberra: ABS, 2009. Available from:

[http://www.abs.gov.au/ausstats/abs@.nsf/Latestproducts/4364.0Main%20Features12007-2008%20\(Reissue\)?opendocument&tabname=Summary&prodno=4364.0&issue=2007-2008%20\(Reissue\)&num=&view=.](http://www.abs.gov.au/ausstats/abs@.nsf/Latestproducts/4364.0Main%20Features12007-2008%20(Reissue)?opendocument&tabname=Summary&prodno=4364.0&issue=2007-2008%20(Reissue)&num=&view=)

Australian Institute for Health and Welfare. 2007 National Drug Strategy Household Survey: Detailed findings. Drug statistics series No. 22, Cat. No. PHE 107 Canberra: AIHW, 2008.

Available from: <https://www.aihw.gov.au/about-our-data/our-data-collections/national-drug-strategy-household-survey/2007-national-drug-strategy-household-survey>.

White V and Hayman J. Smoking behaviours of Australian secondary students in 2005. Report prepared for Drug Strategy Branch, Australian Government Department of Health and Ageing. Monograph Series No 59. Melbourne: Centre for Behavioural Research in Cancer, Cancer Control Research Institute, The Cancer Council Victoria, 2006. Available from:

<http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/mo59>.

The Social Research Centre. National Tobacco Survey: smoking prevalence and consumption, 1997-2005. Prepared for Research and Marketing Group, Information and Communication Division, Department of Health and Ageing, Darlinghurst NSW. Melbourne: The Social Research Centre, 2006.

Australian Bureau of Statistics. National Health Survey 2004-05: Summary of Results. Cat. No. 4364.0. Canberra: Australian Bureau of Statistics, 2006. Available from:

[http://www.ausstats.abs.gov.au/ausstats/subscriber.nsf/0/3B1917236618A042CA25711F00185526/\\$File/43640\\_2004-05.pdf](http://www.ausstats.abs.gov.au/ausstats/subscriber.nsf/0/3B1917236618A042CA25711F00185526/$File/43640_2004-05.pdf).

Australian Institute of Health and Welfare. 2004 National Drug Strategy Household Survey: Detailed Findings Drug Statistics Series No. 16, Cat. No. PHE 66 Canberra: AIHW, 2005.

Available from: <https://www.aihw.gov.au/about-our-data/our-data-collections/national-drug-strategy-household-survey/2004-national-drug-strategy-household-survey>.

White V and Hayman J. Smoking behaviours of Australian secondary students in 2002. National Drug Strategy Monograph Series No 54, Canberra Australian Government Department of Health and Ageing, 2004. Available from:

<http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/mo54>.

White V, Hill D, Siahpush M, and Bobevski I. How has the prevalence of cigarette smoking changed among Australian adults? Trends in smoking prevalence between 1980 and 2001. Tobacco Control, 2003; 12:ii67-74. Available from:

[http://tobaccocontrol.bmj.com/cgi/reprint/12/suppl\\_2/ii67.pdf](http://tobaccocontrol.bmj.com/cgi/reprint/12/suppl_2/ii67.pdf)

Hill D, White V, and Effendi Y. Changes in the use of tobacco among Australian secondary students: results of the 1999 prevalence study and comparisons with earlier years. Aust NZ

J Public Health, 2002; 26:156–63. Available from:

<http://onlinelibrary.wiley.com/doi/10.1111/j.1467-842X.2002.tb00910.x/abstract>

Australian Institute for Health and Welfare. 2001 National Drug Strategy Household Survey: Detailed findings. . Drug Statistics Series No. 11, Cat. No. PHE 41 Canberra: AIHW, 2002.

Available from: <https://www.aihw.gov.au/about-our-data/our-data-collections/national-drug-strategy-household-survey/2001-national-drug-strategy-household-survey>.

Australian Bureau of Statistics. National Health Survey. Summary of Results Australia 2001. Catalogue No. 4364.0., Canberra: AGPS, 2002. Available from:

<http://www.abs.gov.au/AUSSTATS/abs@.nsf/allprimarymainfeatures/OE3F9F6786419026CA25711F0008D22F?opendocument>.

Adhikari P and Summerill A. 1998 National Drug Strategy Household Survey: Detailed findings. Drug Statistics Series No. 6, Cat. No. PHE 27 Canberra: AIHW, 2000. Available from:

<https://www.aihw.gov.au/reports/alcohol-other-drug-treatment-services/1998-ndshs-detailed-findings/contents/table-of-contents>.

Hill D, White V, and Letcher T. Tobacco use among Australian secondary students in 1996. Aust NZ J Public Health, 1999; 23:252-9.

Mullins R and Borland R. Changing the way smoking is measured among Australian adults: a preliminary investigation of Victorian data. Chapter 12, in Quit Evaluation Studies No. 9, 1996-1997. Trotter L and Mullins R, Editors. Melbourne: Victorian Smoking and Health Program; 1998. Available from:

<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.582.9632&rep=rep1&type=pdf>.

Hill D, White V, and Scollo M. Smoking behaviours of Australian adults in 1995: trends and concerns. Medical Journal of Australia, 1998; 168:209-13. Available from:

<https://www.mja.com.au/journal/1998/168/5/smoking-behaviours-australian-adults-1995-trends-and-concerns>

Australian Bureau of Statistics. National Health Survey. Summary of Results, Australia 1995. Cat. No. 4364.0. Canberra: AGPS, 1997. Available from:

[http://www.ausstats.abs.gov.au/ausstats/free.nsf/0/C32B970BCC3E56E0CA257225000495DE/\\$File/43640\\_1995.pdf](http://www.ausstats.abs.gov.au/ausstats/free.nsf/0/C32B970BCC3E56E0CA257225000495DE/$File/43640_1995.pdf).

Commonwealth of Australia. National Drug Strategy Household Survey: Survey Report 1995. Canberra: AGPS, 1996.

Hill D, White V, and Segan C. Prevalence of cigarette smoking among Australian secondary school students in 1993. Australian Journal of Public Health, 1995; 19(5):445–9. Available from:

<http://onlinelibrary.wiley.com/doi/10.1111/j.1753-6405.1995.tb00408.x/full>

Makkai T and McAllister I, Patterns of drug use in Australian society. An analysis of national trend data, 1985-1991. Canberra: Commonwealth Department of Health, Housing, Local Government and Community Services; 1993.

Hill D, White V, Williams R, and Gardner G. Tobacco and alcohol use among Australian secondary school students in 1990. Medical Journal of Australia, 1993; 158:228-34.

Commonwealth Department of Health, Housing, and Local Government and Community Services. 1993 National Drug Household Survey. Conducted on behalf of the National Drug Strategy., Canberra: AGPS, 1993.

Australian Bureau of Statistics, National Health Survey. Summary of Results, Australia 1989-90. Cat. No. 4364.0. Canberra: AGPS; 1992.

Hill D, White V, and Gray N. Australian patterns of tobacco smoking in 1989. Medical Journal of Australia, 1991; 154:797-801.

Hill D, White V, Pain M, and Gardner G. Tobacco and alcohol use among Australian secondary schoolchildren in 1987. Medical Journal of Australia, 1990; 152:124-30.

Hill D, White V, and Gray N. Measures of tobacco smoking in Australia 1974-1986 by means of a standard method. Medical Journal of Australia, 1988; 149:10-2.

Hill D. Australian patterns of tobacco smoking in 1986. Medical Journal of Australia, 1988; 149:6-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/3386578>

Hill D, Willcox S, Gardner G, and Houston J. Tobacco and alcohol use among Australian secondary schoolchildren. Medical Journal of Australia, 1987; 146:125-30.

Hill D and Gray N. Australian patterns of tobacco smoking and related health beliefs in 1983. Community Health Stud, 1984; 8:307-16.

Hill D and Gray N. Patterns of tobacco smoking in Australia. Medical Journal of Australia, 1982; 1:23-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/927253>

Gray N and Hill D. Patterns of tobacco smoking in Australia II. Medical Journal of Australia, 1977; 2(10):327-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/927253>

Australian Bureau of Statistics. 4380.0 Alcohol and tobacco consumption patterns, February 1977. Canberra: ABS, 1977.

Gray N and Hill D. Patterns of tobacco smoking in Australia. Medical Journal of Australia, 1975; 2:819-22.

### **1.2.1 Consistency in the measurement of tobacco use over time**

Mullins R and Borland R. Changing the way smoking is measured among Australian adults: a preliminary investigation of Victorian data. Chapter 12, in Quit Evaluation Studies No. 9, 1996-1997. Trotter L and Mullins R, Editors. Melbourne: Victorian Smoking and Health Program; 1998. Available from:

<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.582.9632&rep=rep1&type=pdf>.

### **1.2.2 Additional Australian surveys of smoking behaviour**

Wakefield M, Haynes A, Tabbakh T, Scollo M, and Durkin S. Current vaping and current smoking in the Australian population aged 14+ years: February 2018 - March 2023. Cancer Council Victoria, 2023. Available from: <https://www.health.gov.au/sites/default/files/2023-06/current-vaping-and-smoking-in-the-australian-population-aged-14-years-or-older-february-2018-to-march-2023.pdf>.

Wilkinson AL, Scollo MM, Wakefield MA, Spittal MJ, Chaloupka FJ, et al. Smoking prevalence following tobacco tax increases in Australia between 2001 and 2017: an interrupted time-series analysis. *The Lancet Public Health*, 2019; 4(12):e618-e27. Available from:

[https://doi.org/10.1016/S2468-2667\(19\)30203-8](https://doi.org/10.1016/S2468-2667(19)30203-8)

Wakefield M, Coomber K, Durkin S, Scollo M, Bayly M, et al. Which policies reduce adult smoking prevalence? A time series analysis of Australian monthly adult smoking prevalence, 2001-2011. *Bulletin of the World Health Organisation*, 2014; 92(413–22). Available from:

<http://www.who.int/bulletin/volumes/92/6/13-118448/en/>

The Social Research Centre. National Tobacco Survey: smoking prevalence and consumption, 1997-2005. Prepared for Research and Marketing Group, Information and Communication Division, Department of Health and Ageing, Darlinghurst NSW. Melbourne: The Social Research Centre, 2006.



## **News:**

### **1.2 Overview of major Australian data sets**

Lyons A. Smoking question unlikely to be included in 2021 census. RACGP News GP, 2019.  
Available from: <https://www1.racgp.org.au/newsgp/clinical/smoking-question-unlikely-to-be-included-in-2021-c>

#### **1.2.1 Consistency in the measurement of tobacco use over time**

#### **1.2.2 Additional Australian surveys of smoking behaviour**