

Recent news and research

18B.3 Extent of Use

Last updated March 2018

News reports:

No authors listed. QuickStats: Percentage* of Adults Aged ≥18 Years Who Currently Use E-Cigarettes,† by Sex and Age Group — National Health Interview Survey,§ 2016. Centres for Disease Control and Prevention, Jan 2018. Available from:

https://www.cdc.gov/mmwr/volumes/66/wr/mm665152a7.htm?s_cid=mm665152a7_w

No authors listed. E-cigarettes are more likely to be used by alcohol drinkers and former cigarette smokers. Medical Xpress, 2017. Nov 15, 2017. Available from:

<https://medicalxpress.com/news/2017-11-e-cigarettes-alcohol-drinkers-cigarette-smokers.html>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. Int J Environ Res Public Health. 2017 Aug 29;14(9). Available from:

<http://www.mdpi.com/1660-4601/14/9/973>

Weaver, Scott, Kemp, Catherine B, Heath, J Wesley , Pechacek, Terry F and Eriksen, Michael P. Use of Nicotine in Electronic Nicotine and Non-Nicotine Delivery Systems by US Adults, 2015. Public Health Reports, 2017. Available from: <http://journals.sagepub.com/doi/abs/10.1177/0033354917723597>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. Int J Environ Res Public Health. 2017 Aug 29;14(9). Available from:

<http://www.mdpi.com/1660-4601/14/9/973>

Caruana, Diane. Survey from Indiana shows that e-cigarette use is on the decline. Vaping Post, 2017. Aug 24, 2017. Available from: <https://www.vapingpost.com/2017/08/24/survey-from-indiana-shows-that-e-cigarette-use-is-on-the-decline/>

No authors listed. QuickStats: Percentage* of Adults Who Ever Used an E-cigarette and Percentage Who Currently Use E-cigarettes, section sign by Age Group - National Health Interview Survey, United States, 2016 paragraph sign. MMWR Morb Mortal Wkly Rep, 2017. Aug 25, 2017. Available from: <https://www.cdc.gov/mmwr/volumes/66/wr/mm6633a6.htm>

No authors listed. High use of electronic cigarettes seen in 8th-9th graders in Oregon. Science Daily, 2017. Aug 14, 2017. Available from:

<https://www.sciencedaily.com/releases/2017/08/170814143101.htm>

Caruana, Diane. Gottlieb fails to credit vaping products for reduction in teen smoking. Vaping Journal, 2017. Jun 20, 2017. Available from: <http://www.vapingpost.com/2017/06/20/gottlieb-fails-to-credit-vaping-products-for-reduction-in-teen-smoking/>

Chaffee, BW, Couch, ET and Gansky, SA. Trends in characteristics and multi-product use among adolescents who use electronic cigarettes, United States 2011-2015. PLoS One. 2017 May 5;12(5):e0177073. Available from:

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0177073>

No authors listed. Special Eurobarometer 458: Attitudes of Europeans towards tobacco and electronic cigarettes. European Commission – Trade, 2017. Available from:

https://data.europa.eu/euodp/en/data/dataset/S2146_87_1_458_ENG

No authors listed. Minnesota Department of Health reissues nicotine advisory, e-cigarette use among teens is double that of cigarettes. KTTC, 2017. May 11, 2017. Available from:

<http://www.kttc.com/story/35400185/minnesota-department-of-health-reissues-nicotine-advisory-e-cigarette-use-among-teens-is-double-that-of-cigarettes>

No authors listed. Teen vaping rates fall in the United States. The Pharmaceutical Journal, 2017. Jun 23, 2017. Available from: <http://www.pharmaceutical-journal.com/news-and-analysis/news-in-brief/teen-vaping-rates-fall-in-the-us/20203019.article>

No authors listed. No longer the hot new thing? Teen vaping falls, study says. Boston Herald, 2017. June 15, 2017. Available from:

http://www.bostonherald.com/news/national/2017/06/no_longer_the_hot_new_thing_teen_vaping_falls_study_says

No authors listed. Teens using marijuana and cigarettes daily at same rate, UW study finds. Canadian Television (CTV), 2017. May 9, 2017. Available from: <http://kitchener.ctvnews.ca/teens-using-marijuana-and-cigarettes-daily-at-same-rate-uw-study-finds-1.3405649>

Reid, Jessica and Hammond, David. Tobacco Use in Canada: Patterns and Trends 2017 EDITION. University of Waterloo, 2017. Available from: https://uwaterloo.ca/tobacco-use-canada/sites/ca.tobacco-use-canada/files/uploads/files/2017_tobaccouseincanada_final_0.pdf

Williams, R. S, Derrick, J, Liebman, AK, LaFleur, K and Ribisl, KM. Content analysis of age verification, purchase and delivery methods of internet e-cigarette vendors, 2013 and 2014. Tob Control, 2017. May 8, 2017. Available from:

<http://tobaccocontrol.bmj.com/content/early/2017/05/11/tobaccocontrol-2016-053616?paperoc=>

Abcede, Angel. Study Shows E-Cig Use Up Dramatically. Convenience Store/Petroleum (CSPNet), 2017. Mar 14, 2017. Available from: <http://www.cspdailynews.com/category-news/tobacco/articles/study-shows-e-cig-use-dramatically>

Allen, Victoria. E-cigarette use falls for the first time as MPs launch inquiry into whether use of the devices should be restricted. Mail Online, 2017. Mar 1, 2017. Available from:

<http://www.mailonsunday.co.uk/news/article-4269822/E-cigarette-use-falls-time.html>

Marynak, KL, Gammon, DG, King, BA, Loomis, BR, Fulmer, EB, Wang, TW, Rogers, T. National and State Trends in Sales of Cigarettes and E-Cigarettes, U.S., 2011-2015. Am J Prev Med. 2017 Jul;53(1):96-101. Available from: [http://www.ajpmonline.org/article/S0749-3797\(17\)30022-3/fulltext](http://www.ajpmonline.org/article/S0749-3797(17)30022-3/fulltext)

Morley, Katie. Britain's e-cigarette boom is over, data suggests. The Telegraph , 2017. Mar 1, 2017. Available from: <http://www.telegraph.co.uk/news/2017/03/01/britains-e-cigarette-boom-data-suggests/>

No authors listed. Fewer people 'using e-cigarettes to quit smoking amid lack of official guidance'. BT News, 2017. Mar 1, 2017. Available from: <http://home.bt.com/news/uk-news/fewer-people-using-e-cigarettes-to-quit-smoking-amid-lack-of-official-guidance-11364160483995>

No authors listed. Many smokers switch to E-cigs after tobacco-related illness. HealthDay [HealthScout], 2017. Feb 28, 2017. Available from: <https://consumer.healthday.com/cancer-information-5/electronic-cigarettes-970/many-smokers-switch-to-e-cigs-after-tobacco-related-illness-719995.html>

Sands, Mark. British smokers are switching to e-cigarettes faster than anyone else in Europe. City A.M., 2017. Feb 6, 2017. Available from: <http://www.cityam.com/258441/british-smokers-switching-e-cigarettes-faster-than-anyone>

Bagot, Martin. Number of smokers at 20-year low as men lead in the fight against fags. Daily Mirror, 2016. Dec 14, 2016. Available from: <http://www.mirror.co.uk/lifestyle/health/number-smokers-20-year-low-9458390>

Donnelly, Laura. 'Clean cut' generation is least likely to have ever had an alcoholic drink. The Telegraph, 2016. Dec 14, 2016. Available from: <http://www.telegraph.co.uk/news/2016/12/14/clean-cut-generation-least-likely-have-ever-had-alcoholic-drink/>

No authors listed. New survey shows both youth smoking and E-cigarette use fell this year. Campaign for Tobacco Free Kids, 2016. Dec 13, 2016. Available from: <http://www.publicnow.com/view/B26AE63A287780C816070D412DD366B6DD4142FF>

Smyth, Chris. Clean-living generation of children snub cigarettes and alcohol. The Times, 2016. Dec 15, 2016. Available from: <http://www.thetimes.co.uk/edition/news/clean-living-generation-of-children-snob-cigarettes-and-alcohol-9n90v72sl>

Myers, Matthew. CDC survey shows large majority of adult E-cigarette users in U.S. also smoke cigarettes. Campaign for Tobacco-Free Kids (CTFK), 2016. Oct 27, 2016. Available from: http://www.tobaccofreekids.org/press_releases/post/2016_10_27_ecigarettes

No author listed. Nearly two-thirds of E-cigarette users also smoke: CDC. Health Day, 2016. Oct 30, 2016. Available from: <https://consumer.healthday.com/cancer-information-5/electronic-cigarettes-970/nearly-two-thirds-of-current-smokers-also-use-e-cigs-cdc-716290.html>

No authors listed. QuickStats: Cigarette Smoking Status* Among Current Adult E-cigarette Users, dagger by Age Group - National Health Interview Survey, section sign United States, 2015. MMWR Morb Mortal Wkly Rep. 2016 Oct 28;65(42):1177. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27787495>

O'Dowd, Adrian. Young people's regular use of e-cigarettes still low. On Medica, 2016. Oct 31, 2016. Available from: <http://www.onmedica.com/newsArticle.aspx?id=ceedfb46-cafe-421b-a52e-ced0b1e0d73c>

18B.3.2 International trends in use of e-cigarettes

No authors listed. Public health study finds sexual minorities more likely to have used E-cigarettes. Medical Xpress, 2018. Jan 17, 2018. Available from: <https://medicalxpress.com/news/2018-01-health-sexual-minorities-e-cigarettes.html>

18B3.3 Trends in use among teenagers

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young People's Use of E-Cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. Int J Environ Res Public Health. 2017 Aug 29;14(9). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28850065>

Glenza, Jessica. More US teens are vaping than smoking cigarettes, study finds. The Guardian, 2017. Dec 14, 2017. Available from: <https://www.theguardian.com/society/2017/dec/13/e-cigarettes-vaping-more-teens-cigarettes-study>

No authors listed. Use of electronic cigarettes (vapourisers) among children in Great Britain. Action on Smoking and Health, 2017. Aug 15, 2017. Available from: <http://ash.org.uk/information-and-resources/fact-sheets/use-of-electronic-cigarettes-vapourisers-among-children-in-great-britain/>

No authors listed. Monitoring the Future Revised December 2017: Trends in Prevalence of Various Drugs. National Institute on Drug Abuse (NIDA), 2017. Available from: <https://www.drugabuse.gov/related-topics/trends-statistics/monitoring-future>

Research:

Hall, MT, Austin, RP, Do, TA, McGlynn, A. Vape and Aviate: Electronic-Cigarette Use and Misuse in Naval Aviation. Mil Med, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29365191>

Sharapova, SR, Singh, T, Agaku, IT, Kennedy, SM, King, BA. Patterns of E-cigarette Use Frequency- National Adult Tobacco Survey, 2012-2014. Am J Prev Med. 2017 Nov 3. pii: S0749-3797(17)30534-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29129463>

Levy, DT, Yuan, Z, Li, Y. The Prevalence and Characteristics of E-Cigarette Users in the U.S. Int J Environ Res Public Health. 2017 Oct 11;14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29019917>

Morean, ME, L'Insalata, A. Electronic cigarette use among individuals with a self-reported eating disorder diagnosis. *Int J Eat Disord*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29076176>

Cavalcante, TM, Szklo, AS, Perez, CA, Thrasher, JF, Szklo, M, Ouimet, J, Gravely, S, Fong, GT, Almeida, LM. Electronic cigarette awareness, use, and perception of harmfulness in Brazil: findings from a country that has strict regulatory requirements. *Cad Saude Publica*. 2017 Sep 21;33Suppl 3(Suppl 3):e00074416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954048>

Mendy, VL, Vargas, R, Cannon-Smith, G, Payton, M, Byambaa, E, Zhang, L. Electronic Cigarette Use among Mississippi Adults, 2015. *J Addict*. 2017;2017:5931736. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28900552>

Park, SH, Duncan, DT, Shahawy, OE, Lee, L, Shearston, JA, Tamura, K, Sherman, SE, Weitzman, M. Characteristics of Adults Who Switched From Cigarette Smoking to E-cigarettes. *Am J Prev Med*. 2017 Aug 22. pii: S0749-3797(17)30363-X. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28864130>

Schneider, S, Gorig, T, Schilling, L, Diehl, K. [E-Cigarettes on Everyone's Lips - Current Representative Data on Use Among Adolescents and Adults]. *Dtsch Med Wochenschr*. 2017 Sep 15. doi: 10.1055/s-0043-111741. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28915519>

Sussan, TE, Shahzad, FG, Tabassum, E, Cohen, JE, Wise, RA, Blaha, MJ, Holbrook, JT, Biswal, S. Electronic cigarette use behaviors and motivations among smokers and non-smokers. *BMC Public Health*. 2017 Sep 8;17(1):686. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28882123>

Venkatesan, P. E-cigarette use in young people in the UK. *Lancet Oncol*. 2017 Sep 7. pii: S1470-2045(17)30674-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28890297>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. *Int J Environ Res Public Health*. 2017 Aug 29;14(9). Available from: <http://www.mdpi.com/1660-4601/14/9/973>

Cassidy, RN, Tidey, JW, Colby, SM, Long, V, Higgins, ST. Initial Development of an E-cigarette Purchase Task: A Mixed Methods Study. *Tob Regul Sci*. 2017 Apr;3(2):139-150. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28824938>

No authors listed. QuickStats: Percentage* of Adults Who Ever Used an E-cigarette and Percentage Who Currently Use E-cigarettes, section sign by Age Group - National Health Interview Survey, United States, 2016 paragraph sign. *MMWR Morb Mortal Wkly Rep*, 2017. Aug 25, 2017. Available from: <https://www.cdc.gov/mmwr/volumes/66/wr/mm6633a6.htm>

Young-Wolff, KC, Klebaner, D, Folck, B, Carter-Harris, L, Salloum, RG, Prochaska, JJ, Fogelberg, R, Tan, ASL. Do you vape? Leveraging electronic health records to assess clinician documentation of electronic nicotine delivery system use among adolescents and adults. *Prev Med*. 2017 Aug 16;105:32-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28823688>

De Genna, NM, Ylioja, T, Schulze, AE, Manta, C, Douaihy, AB, Davis, EM. Electronic Cigarette Use Among Counseled Tobacco Users Hospitalized in 2015. *J Addict Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28753139>

Furlow, B. Are e-cigarettes and tobacco products losing their allure for US teenagers? *Lancet Respir Med*. 2017 Aug;5(8):612. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28689795>

Isaacs, D. Adolescent use of electronic cigarettes. *J Paediatr Child Health*. 2017 Jul;53(7):722. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28670812>

Kalkhoran, S, Alvarado, N, Vijayaraghavan, M, Lum, PJ, Yuan, P, Satterfield, JM. Patterns of and reasons for electronic cigarette use in primary care patients. *J Gen Intern Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710596>

Matilla-Santander, N, Fu, M, Ballbe, M, Bunch, K, Lidon-Moyano, C, Martin-Sanchez, JC, Fernandez, E, Martinez-Sanchez, JM. Use of electronic cigarettes in public and private settings in Barcelona (Spain). *Environ Res*. 2017 Jul 19;158:685-690. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28734255>

Polosa, R, Caponnetto, P, Niaura, R, Abrams, D. Erratum to: Analysis of E-cigarette use in the 2014 Eurobarometer survey: calling out deficiencies in epidemiology methods. *Intern Emerg Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28695454>

Noland, M, Rayens, MK, Wiggins, AT, Huntington-Moskos, L, Rayens, EA, Howard, T, Hahn, EJ. Current Use of E-Cigarettes and Conventional Cigarettes Among US High School Students in Urban and Rural Locations: 2014 National Youth Tobacco Survey. *Am J Health Promot*. 2017 Jan 1;890117117719621. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28731384>

Ayers, JW, Leas, EC, Allem, JP, Benton, A, Dredze, M, Althouse, BM, Cruz, TB, Unger, JB. Why do people use electronic nicotine delivery systems (electronic cigarettes)? A content analysis of Twitter, 2012-2015. *PLoS One*. 2017 Mar 1;12(3):e0170702. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28248987>

Bover Manderski, MT, Giovenco, DP, Delnevo, CD. The Importance of Contextual and Temporal Accuracy When Studying Novel Tobacco Products. *Pediatrics*. 2017 May;139(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28557767>

Burki, TK. Electronic cigarette use in the UK. *Lancet Oncol*. 2017 Jun;18(6):e311. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28528750>

Chaffee, BW, Couch, ET and Gansky, SA. Trends in characteristics and multi-product use among adolescents who use electronic cigarettes, United States 2011-2015. *PLoS One*. 2017 May 5;12(5):e0177073. Available from: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0177073>

Chen, X, Yu, B, Wang, Y. Initiation of Electronic Cigarette Use by Age Among Youth in the U.S. *Am J Prev Med*. 2017 Mar 31. pii: S0749-3797(17)30158-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28372920>

Coleman, BN, Rostron, B, Johnson, SE, Ambrose, BK, Pearson, J, Stanton, CA, Wang, B, Delnevo, C, Bansal-Travers, M, Kimmel, HL, Goniewicz, ML, Niaura, R, Abrams, D, Conway, KP, Borek, N, Compton, WM, Hyland, A. Electronic cigarette use among US adults in the Population Assessment of Tobacco and Health (PATH) Study, 2013-2014. *Tob Control*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28624763>

Collins, LK, Villanti, AC, Pearson, JL, Glasser, AM, Johnson, AL, Niaura, RS, Abrams, DB. Frequency of Youth E-Cigarette, Tobacco, and Poly-Use in the United States, 2015: Update to Villanti et al., "Frequency of Youth E-Cigarette and Tobacco Use Patterns in the United States: Measurement Precision Is Critical to Inform Public Health". *Nicotine Tob Res*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28444309>

Conway, KP, Green, VR, Kasza, KA, Silveira, ML, Borek, N, Kimmel, HL, Sargent, JD, Stanton, C, Lambert, E, Hilmi, N, Reissig, CJ, Jackson, KJ, Tanski, SE, Maklan, D, Hyland, AJ, Compton, WM. Co-occurrence of tobacco product use, substance use, and mental health problems among adults: Findings from Wave 1 (2013-2014) of the Population Assessment of Tobacco and Health (PATH) Study. *Drug Alcohol Depend*. 2017 May 30;177:104-111. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28582698>

Dai, H. Tobacco Product Use Among Lesbian, Gay, and Bisexual Adolescents. *Pediatrics*. 2017 Apr;139(4). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28348201>

Delnevo, CD, Gundersen, DA, Manderski, MT, Giovenco, DP, Giovino, GA. Importance of Survey Design for Studying the Epidemiology of Emerging Tobacco Product Use Among Youth. *Am J Epidemiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28369184>

Dutra, L, Glantz, S. We Agree on the Importance of Contextual and Temporal Accuracy When Studying Novel Tobacco Products. *Pediatrics*. 2017 May;139(5). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28557769>

Eastwood, B, East, K, Brose, LS, Dockrell, MJ, Arnott, D, Cheeseman, H, McNeill, A. Electronic cigarette use in young people in Great Britain 2015-2016. *Public Health*. 2017 May 19;149:45-48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28531448>

El-Toukhy, S, Sabado, M, Choi, K. Trends in tobacco product use patterns among U.S. youth, 1999 – 2014. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28582567>

Farsalinos, KE, Poulas, K, Voudris, V, Le Houezec, J. Prevalence and correlates of current daily use of electronic cigarettes in the European Union: analysis of the 2014 Eurobarometer survey. *Intern Emerg Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260221>

Kaufmann, N, Currie, D. The Scottish adolescent e-cigarette user: profiling from the Scottish Schools Adolescent Lifestyle and Substance Use Survey (SALSUS). *Public Health*. 2017 Jun;147:69-71.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404499>

Kozlowski, LT, Homish, DL, Homish, GG. Daily users compared to less frequent users find vape as or more satisfying and less dangerous than cigarettes, and are likelier to use non-cig-alike vaping

products. *Prev Med Rep*. 2017 Feb 28;6:111-114. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28289597>

Kristjansson, AL, Mann, MJ, Sigfusson, J, Sarbu, EA, Grubliauskiene, J, Daily, SM, Sigfusdottir, ID. Prevalence of e-cigarette use among adolescents in 13 Eastern European towns and cities. *Public Health*. 2017 Jun;147:66-68. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404498>

Levy, DT, Borland, R, Fong, GT, Villanti, AC, Niaura, R, Meza, R, Holford, TR, Cummings, KM, Abrams, DB. Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al. *Nicotine Tob Res*. 2017 Feb;19(2):268-270. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28082477>

Majeed, BA, Stanton, CA, Dube, SR, Sterling, KL, Burns, JD, Eriksen, MP. Electronic Cigarette Use among Current Smokers: A Pilot Qualitative Study. *Health Behav Policy Rev*. 2016 Nov;3(6):590-596. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28393082>

Marynak, KL, Gammon, DG, King, BA, Loomis, BR, Fulmer, EB, Wang, TW, Rogers, T. National and State Trends in Sales of Cigarettes and E-Cigarettes, U.S., 2011-2015. *Am J Prev Med*. 2017 Jul;53(1):96-101. Available from: [http://www.ajpmonline.org/article/S0749-3797\(17\)30022-3/fulltext](http://www.ajpmonline.org/article/S0749-3797(17)30022-3/fulltext)

McCabe, SE, West, BT, Veliz, P, Boyd, CJ. E-cigarette Use, Cigarette Smoking, Dual Use, and Problem Behaviors Among U.S. Adolescents: Results From a National Survey. *J Adolesc Health*. 2017 Apr 5. pii: S1054-139X(17)30070-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28391965>

Montreuil, A, MacDonald, M, Asbridge, M, Wild, TC, Hammond, D, Manske, S, Rutherford, E. Prevalence and correlates of electronic cigarette use among Canadian students: cross-sectional findings from the 2014/15 Canadian Student Tobacco, Alcohol and Drugs Survey. *CMAJ Open*. 2017 Jun 14;5(2):E460-E467. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28625973>

O'Connor, RJ, Rees, VW, Rivard, C, Hatsukami, DK, Cummings, KM. Internalized smoking stigma in relation to quit intentions, quit attempts, and current e-cigarette use. *Subst Abus*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28481713>

Pearson, JL, Hitchman, SC, Brose, LS, Bauld, L, Glasser, AM, Villanti, AC, McNeill, A, Abrams, DB and Cohen, JE. Recommended core items to assess e-cigarette use in population-based surveys. *Tob Control*, 2017. Available from:

<http://tobaccocontrol.bmj.com/content/early/2017/08/22/tobaccocontrol-2016-053541?paperoc>

Polosa, R, Caponnetto, P, Niaura, R, Abrams, D. Analysis of E-cigarette use in the 2014 Eurobarometer survey: calling out deficiencies in epidemiology methods. *Intern Emerg Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28477286>

Rodriguez, E, Parron, T, Alarcon, R. Perceptions and use of the e-cigarette among university students. *Arch Bronconeumol*. 2017 May 30. pii: S0300-2896(17)30081-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28576391>

Simonavicius, E, McNeill, A, Arnott, D, Brose, LS. What factors are associated with current smokers using or stopping e-cigarette use? *Drug Alcohol Depend.* 2017 Apr 1;173:139-143. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28246049>

Temple, JR, Shorey, RC, Lu, Y, Torres, E, Stuart, GL, Le, VD. E-cigarette use of young adults motivations and associations with combustible cigarette alcohol, marijuana, and other illicit drugs. *Am J Addict.* 2017 Jun;26(4):343-348. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28370717>

Westling, E, Rusby, JC, Crowley, R, Light, JM. Electronic Cigarette Use by Youth: Prevalence, Correlates, and Use Trajectories From Middle to High School. *J Adolesc Health.* 2017 Jun;60(6):660-666. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28242187>

Yu, E, Lippert, AM. Race/ethnicity modifies the association between school prevalence of e-cigarette use and student-level use: Results from the 2014 US National Youth Tobacco Survey. *Health Place.* 2017 May 17;46:114-120. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527326>

Hinds, JT, 3rd, Loukas, A, Perry, CL. Sexual and Gender Minority College Students and Tobacco Use in Texas. *Nicotine Tob Res.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28472411>

Bandiera, FC, Loukas, A, Li, X, Wilkinson, AV, Perry, CL. Depressive symptoms predict current E-cigarette use among college students in Texas. *Nicotine Tob Res.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199689>

Brozek, G, Jankowski, M, Zejda, J, Jarosinska, A, Idzik, A, Banka, P. E-smoking among students of medicine - frequency, pattern and motivations. *Adv Respir Med.* 2017;85(1):8-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28198988>

Choi, K, Bestrashniy, J, Forster, J. Trends in awareness, use of, and beliefs about electronic cigarette and snus among a longitudinal cohort of US Midwest young adults. *Nicotine Tob Res.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199683>

de Lacy, E, Fletcher, A, Hewitt, G, Murphy, S, Moore, G. Cross-sectional study examining the prevalence, correlates and sequencing of electronic cigarette and tobacco use among 11-16-year olds in schools in Wales. *BMJ Open.* 2017 Feb 3;7(2):e012784. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28159848>

Farsalinos, KE, Poulas, K, Voudris, V, Le Houezec, J. E-cigarette use in the European Union: millions of smokers claim e-cigarettes helped them quit. *Addiction.* 2017 Mar;112(3):545-546. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28168790>

Webb Hooper, M, Kolar, SK. Racial/ethnic differences in electronic cigarette knowledge, social norms, and risk perceptions among current and former smokers. *Addict Behav.* 2017 Apr;67:86-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28063324>

Miller, BJ, Wang, A, Wong, J, Paletta, N, Buckley, PF. Electronic cigarette use in patients with schizophrenia: Prevalence and attitudes. *Ann Clin Psychiatry.* 2016 Nov 1;28(4):e1-e7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27901521>

Murthy, VH. E-Cigarette use among youth and young adults: a major public health concern. *JAMA Pediatr*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27928577>

Meernik, C, Baker, HM, Lee, JG, Goldstein, AO. The Tobacco 21 Movement and Electronic Nicotine Delivery System Use Among Youth. *Pediatrics*. 2017 Jan;139(1). pii: e20162216. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27940513>

No authors listed. Smoking, vaping and adolescents. *Arch Dis Child*. 2017 Feb 23. pii: archdischild-2017-312880. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28232460>

Amato, MS, Boyle, RG, Levy, D. E-cigarette use 1 year later in a population-based prospective cohort. *Tob Control*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27807298>

Dai, H, Hao, J. Electronic cigarette and marijuana use among youth in the United States. *Addict Behav*. 2016 Nov 18;66:48-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27871045>

Dunbar, MS, Tucker, JS, Ewing, BA, Pedersen, ER, Miles, JN, Shih, RA, D'Amico, EJ. Frequency of E-cigarette use, health status, and risk and protective health behaviors in adolescents. *J Addict Med*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27898495>

Fedele, DA, Barnett, TE, Dekevich, D, Gibson-Young, LM, Martinasek, M, Jagger, MA. Prevalence of and beliefs about electronic cigarettes and hookah among high school students with asthma. *Ann Epidemiol*. 2016 Dec;26(12):865-869. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27839657>

Harrell, MB, Weaver, SR, Loukas, A, Creamer, M, Marti, CN, Jackson, CD, Heath, JW, Nayak, P, Perry, CL, Pechacek, TF, Eriksen, MP. Flavored e-cigarette use: Characterizing youth, young adult, and adult users. *Prev Med Rep*. 2016 Nov 11;5:33-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27896041>

Kinnunen, JM, Ollila, H, Lindfors, PL, Rimpela, AH. Changes in Electronic cigarette use from 2013 to 2015 and reasons for use among Finnish adolescents. *Int J Environ Res Public Health*. 2016 Nov 9;13(11). pii: E1114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27834885>

Larsen, K, Faulkner, GE, Boak, A, Hamilton, HA, Mann, RE, Irving, HM, To, T, Canadian Respiratory Research, Network. Looking beyond cigarettes: Are Ontario adolescents with asthma less likely to smoke e-cigarettes, marijuana, waterpipes or tobacco cigarettes? *Respir Med*. 2016 Nov;120:10-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27817805>

Owusu, D, Aibangbee, J, Collins, C, Robertson, C, Wang, L, Littleton, MA, Boghozian, R, Casenburg, V, Mamudu, HM. The use of E-cigarettes among school-going adolescents in a predominantly rural environment of central Appalachia. *J Community Health*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27868166>

Jeon, C, Jung, KJ, Kimm, H, Lee, S, Barrington-Trimis, JL, McConnell, R, Samet, JM, Jee, SH. E-cigarettes, conventional cigarettes, and dual use in Korean adolescents and university students: Prevalence and risk factors. *Drug Alcohol Depend*. 2016 Sep 5;168:99-103. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27635996>

Robinson, RJ, Hensel, EC, Roundtree, KA, Difrancesco, AG, Nonnemaker, JM, Lee, YO. Week long topography study of young adults using electronic cigarettes in their natural environment. PLoS One. 2016 Oct 13;11(10):e0164038. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27736944>

Seto, JC, Davis, JW, Taira, DA. E-cigarette use related to demographic factors in Hawai'i. Hawaii J Med Public Health. 2016 Oct;75(10):295-302. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27738563>

Kong, G, Idrisov, B, Galimov, A, Masagutov, R, Sussman, S. Electronic cigarette use among adolescents in the Russian Federation. Subst Use Misuse, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27767370>

Jeon, C, Jung, KJ, Kimm, H, Lee, S, Barrington-Trimis, JL, McConnell, R, Samet, JM, Jee, SH. E-cigarettes, conventional cigarettes, and dual use in Korean adolescents and university students: Prevalence and risk factors. Drug Alcohol Depend. 2016 Sep 5;168:99-103. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27635996>

Kim, H, Davis, AH, Dohack, JL, Clark, PI. E-cigarettes use behavior and experience of adults: qualitative research findings to inform E-cigarette use measure development. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613944>

Persoskie, A, Donaldson, EA, King, BA. Ever-use and curiosity about cigarettes, cigars, smokeless tobacco, and electronic cigarettes among US Middle and High School Students, 2012-2014. Prev Chronic Dis. 2016 Sep 22;13:E134. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27657506>

Awan, KH. Experimentation and correlates of electronic nicotine delivery system (electronic cigarettes) among university students - A cross sectional study. Saudi Dent J. 2016 Apr;28(2):91-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27486295>

Chivers, LL, Hand, DJ, Priest, JS, Higgins, ST. E-cigarette use among women of reproductive age: Impulsivity, cigarette smoking status, and other risk factors. Prev Med. 2016 Aug 1. pii: S0091-7435(16)30206-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27492277>

Gubner, NR, Andrews, KB, Mohammad-Zadeh, A, Lisha, NE, Guydish, J. Electronic-cigarette use by individuals in treatment for substance abuse: A survey of 24 treatment centers in the United States. Addict Behav. 2016 Jun 29;63:45-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27423097>

Khoury, M, Manlhiot, C, Fan, CS, Gibson, D, Stearne, K, Chahal, N, Dobbin, S, McCrindle, BW. Reported electronic cigarette use among adolescents in the Niagara region of Ontario. CMAJ, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27431303>

LeVault, K, Mueller-Luckey, G, Waters, EA, Fogleman, A, Crumly, D, Jenkins, WD. E-cigarettes: Who's using them and why? J Fam Pract. 2016 Jun;65(6):390-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27474820>

Wang, Y, Wilson, FA, Larson, J, Chen, LW. The use of E-cigarettes among U.S. immigrants: The 2014 National Health Interview Survey. Public Health Rep. 2016 Jul-Aug;131(4):605-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27453606>

18B3.1 Trends in use of e-cigarettes in Australia

Williams, T, White, V. What Factors are Associated with Electronic Cigarette, Shisha-Tobacco and Conventional Cigarette Use? Findings from a Cross-Sectional Survey of Australian Adolescents? *Subst Use Misuse*. 2018 Jan 16:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29336657>

18B.3.2 International trends in use of e-cigarettes

Miyazaki, Y, Tabuchi, T. Educational gradients in the use of electronic cigarettes and heat-not-burn tobacco products in Japan. *PLoS One*. 2018 Jan 12;13(1):e0191008. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29329351>

No authors listed. QuickStats: Percentage* of Adults Aged ≥ 18 Years Who Currently Use E-Cigarettes,(dagger) by Sex and Age Group - National Health Interview Survey,(section sign) 2016. *MMWR Morb Mortal Wkly Rep*. 2018 Jan 5;66(5152):1412. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29300719>

Unger, JB. Perceived Discrimination as a Risk Factor for Use of Emerging Tobacco Products: More Similarities Than Differences Across Demographic Groups and Attributions for Discrimination. *Subst Use Misuse*. 2018 Jan 17:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29338581>