

Recent news and research

3.30 Mortality

Last updated March 2018

News reports:

Rahhal, Natalie. Cancer death rates continue to fall as more Americans quit smoking, new report reveals. Daily Mail Australia, Jan 2018. Available from: <http://www.dailymail.co.uk/health/article-5235597/Cancer-death-rates-fall-Americans-quit-smoking.html>

Boseley, Sarah. Poor diet is a factor in one in five deaths, global disease study reveals. The Guardian, 2017. Sept 14, 2017. Available from: <https://www.theguardian.com/society/2017/sep/14/poor-diet-is-a-factor-in-one-in-five-deaths-global-disease-study-reveals>

GBD 2016 Mortality Collaborators. Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. The Lancet, 2017. Sept 16, 2017. Available from: [http://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(17\)31833-0/fulltext](http://www.thelancet.com/journals/lancet/article/PIIS0140-6736(17)31833-0/fulltext)

Garcia, MC, Bastian, B, Rossen, LM, Anderson, R, Minino, A, Yoon, PW, Faul, M, Massetti, G, Thomas, CC, Hong, Y and Iademarco, MF. Potentially preventable deaths among the five leading causes of death - United States, 2010 and 2014. MMWR Morb Mortal Wkly Rep. 2016 Nov 18;65(45):1245-1255. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27855145>

Bakalar, Nicholas. A new death toll for smoking. The New York Times, 2016. Oct 31, 2016. Available from: http://www.nytimes.com/2016/11/01/health/smoking-deaths-cancer.html?emc=edit_tnt_20161031&nid=60534081&tntemail0=y&r=2

No authors listed. Living longer, living well: How we can achieve the World Health Organization's '25 by 25' goals in the UK. The Richmond Group of Charities, June 2016. Available from: https://richmondgroupofcharities.org.uk/sites/default/files/rg_living_longer_living_well_report_-_final_pdf_-_24_05_16.pdf

Parry, Lizzie. Early deaths from heart disease set to soar by a THIRD in a decade - unless smoking and obesity are 'aggressively addressed'. Daily Mail, 2016. June 4, 2016. Available from: <http://www.dailymail.co.uk/health/article-3624484/Early-deaths-heart-disease-set-soar-decade-unless-smoking-obesity-aggressively-addressed.html>

Robb, Simon. Drop in number of smokers 'coincides with rise in obesity'. Metro, 2016. June 5, 2016. Available from: <http://metro.co.uk/2016/06/05/drop-in-number-of-smokers-coincides-with-rise-in-obesity-5925183/>

Taghizadeh, N, Vonk, JM and Boezen, HM. Lifetime smoking history and cause-specific mortality in a cohort study with 43 years of follow-up. PLoS One, 2016; 11, 4, e0153310. Available from: <http://journals.plos.org/plosone/article?id=10.1371%2Fjournal.pone.0153310>

Lindmeier, Christian et al. An estimated 12.6 million deaths each year are attributable to unhealthy environments. World Health Organization, 2016. Mar 16, 2016. Available from: <http://who.int/mediacentre/news/releases/2016/deaths-attributable-to-unhealthy-environments/en/>

Parry, Lizzie. Fewer Americans are dying of heart disease, cancer and stroke than ever before amid plunging mortality rates for killer conditions. Daily Mail, 2015. Oct 28, 2015. Available from: <http://www.mailonsunday.co.uk/health/article-3294299/Mortality-rates-leading-causes-early-death-SLOW-fewer-succumb-heart-disease-cancer-stroke.html>

No authors listed. New study shows smoking doesn't always mean a shortened life span or cancer. Medical News Today, 2015. Sept 10, 2015. Available from: <http://www.medicalnewstoday.com/releases/299313.php?tw>

MacGill, Markus. Half of all deaths from 12 cancers 'caused by smoking'. Medical News Today, 2015. June 16, 2015. Available from: <http://www.medicalnewstoday.com/articles/295384.php?tw>

Meikle, James. Fewer adults dying because of smoking, figures for England suggest . The Guardian, 2015. May 29, 2015. Available from: <http://www.theguardian.com/society/2015/may/29/fewer-adults-dying-smoking-england-proportion-deaths-hospital-admissions-tobacco>

Rettner, Rachael. Death in your state: map shows 'most distinctive' causes. Live Science, 2015. May 14, 2015. Available from: <http://www.livescience.com/50837-most-distinctive-causes-death-united-states.html>

Chapman, Simon. Smoking: new Australian data to die (or live) for. The Conversation, 2015. Feb 24, 2015. Available from: <https://theconversation.com/smoking-new-australian-data-to-die-or-live-for-37962>

No authors listed. Tobacco may cause more deaths than currently estimated. Cancer.org, 2015. Feb 11, 2015. Available from: <http://pressroom.cancer.org/SmokingDeathsNEJM2015>

Sax Institute. The numbers are in: As many as two in three smokers will die from their habit, Australian study concludes. Science Daily, 2015. Feb 24, 2015. Available from: <http://www.sciencedaily.com/releases/2015/02/150224083704.htm>

Davies, Madlin. Scared you'll gain weight if you quit smoking? Cigarettes are more deadly than carrying extra pounds, doctors say. Daily Mail, 2014. Nov 19, 2014. Available from: <http://www.dailymail.co.uk/health/article-2840620/Scared-ll-gain-weight-quit-smoking-Cigarettes-deadly-carrying-extra-pounds-doctors-say.html>

Dudnick, Laura. Study: Tobacco use toll drops in California, but smoking still more deadly than AIDS. The Examiner, 2014. Oct 15, 2014. Available from: <http://www.sfexaminer.com/sanfrancisco/study-tobacco-use-toll-drops-in-california-but-smoking-still-more-deadly-than-aids/Content?oid=2909290>

Lopez, Alan D. Video Q&A: Tobacco-related mortality: past, present and future. An interview with Alan Lopez. BMC Medicine, 2014. Oct 21, 2014. Available from: <http://www.biomedcentral.com/1741-7015/12/162>

Research:

Luksiene, D, Tamosiunas, A, Virviciute, D, Radisauskas, R. The Prognostic Value of Combined Smoking and Alcohol Consumption Habits for the Estimation of Cause-Specific Mortality in Middle-Age and Elderly Population: Results from a Long-Term Cohort Study in Lithuania. *Biomed Res Int*. 2017;2017:9654314. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29201917>

Teng, A, Atkinson, J, Disney, G, Wilson, N, Blakely, T. Changing smoking-mortality association over time and across social groups: National census-mortality cohort studies from 1981 to 2011. *Sci Rep*. 2017 Sep 13;7(1):11465. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28904367>

Whitfield, JB, Heath, AC, Madden, PAF, George Landers, J, Martin, NG. Effects of high Alcohol Intake, Alcohol-related Symptoms, and Smoking on Mortality. *Addiction*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28833688>

No authors listed. Smoking prevalence and attributable disease burden in 195 countries and territories, 1990-2015: a systematic analysis from the Global Burden of Disease Study 2015. *Lancet*. 2017 May 13;389(10082):1885-1906. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28390697>

No authors listed. Announcement: World No Tobacco Day - May 31, 2017. *MMWR Morb Mortal Wkly Rep*. 2017 May 26;66(20):545. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28542122>

No authors listed. Smoking and Mortality - Beyond Established Causes. *N Engl J Med*. 2016 Dec 15;375(24):2410. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27974034>

Li, S, Meng, L, Chioloro, A, Ma, C, Xi, B. Trends in smoking prevalence and attributable mortality in China, 1991-2011. *Prev Med*. 2016 Sep 24;93:82-87. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27677441>

Szklo, AS, Iglesias, RM, de Souza, MC, Szklo, M, Cavalcante, TM, de Almeida, LM. Understanding the relationship between sales of legal cigarettes and deaths: A case-study in Brazil. *Prev Med*. 2016 Nov 14. pii: S0091-7435(16)30364-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27856337>

Cundiff, DK, Agutter, PS. Cardiovascular disease death before age 65 in 168 countries correlated statistically with biometrics, socioeconomic status, tobacco, gender, exercise, macronutrients, and Vitamin K. *Cureus*. 2016 Aug 24;8(8):e748. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27688985>

Li, S, Meng, L, Chioloro, A, Ma, C, Xi, B. Trends in smoking prevalence and attributable mortality in China, 1991-2011. *Prev Med*. 2016 Sep 24;93:82-87. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27677441>

Lortet-Tieulent, J, Goding Sauer, A, Siegel, RL, Miller, KD, Islami, F, Fedewa, SA, Jacobs, EJ, Jemal, A. State-level cancer mortality attributable to cigarette smoking in the United States. *JAMA Intern Med*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27775761>

Lindahl-Jacobsen, R, Oeppen, J, Rizzi, S, Moller, S, Zarulli, V, Christensen, K, Vaupel, JW. Why did Danish women's life expectancy stagnate? The influence of interwar generations' smoking behaviour. *Eur J Epidemiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27637782>

Wang, Y, Qi, F, Jia, X, Lin, P, Liu, H, Geng, M, Liu, Y, Li, S, Tan, J. Mortality and burden of disease attributable to cigarette smoking in Qingdao, China. *Int J Environ Res Public Health*. 2016 Sep 9;13(9). pii: E898. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27618084>

Mons, U, Brenner, H. Demographic ageing and the evolution of smoking-attributable mortality: the example of Germany. *Tob Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27377343>

Arbel, Y, FitzGerald, G, Yan, AT, Tan, MK, Fox, KA, Gore, JM, Steg, PG, Eagle, KA et al. Temporal trends in all-cause mortality according to smoking status: Insights from the Global Registry of Acute Coronary Events. *Int J Cardiol*. 2016 May 15;218:291-297. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27240154>

Khazaei, S, Mohammadian-Hafshejani, A, Ahmadi Pishkuhi, M, Salehiniya, H. Proportion of mortality attributable to tobacco worldwide. *Iran J Public Health*. 2016 Mar;45(3):399-400. Available from; <http://www.ncbi.nlm.nih.gov/pubmed/27141508>

Lallukka, T, Lahti, J, Lahelma, E, Rahkonen, O. The contribution of smoking to mortality during working age at different levels of leisure-time physical activity. *Eur J Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27161910>

Taghizadeh, N, Vonk, JM and Boezen, HM. Lifetime smoking history and cause-specific mortality in a cohort study with 43 years of follow-up. *PLoS One*. 2016 Apr 7;11(4):e0153310. Available from: <http://journals.plos.org/plosone/article?id=10.1371%2Fjournal.pone.0153310>

Kelly, LA, Preston, SH. The contribution of a history of heavy smoking to Scotland's mortality disadvantage. *Popul Stud (Camb)*, 2016 Mar; 70(1):59-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26915969>

Kong, KA et al. Comparison of prevalence- and smoking impact ratio-based methods of estimating smoking-attributable fractions of deaths. *J Epidemiol*, 2016 Mar 5; 26(3):145-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26477995>

Li, K et al. Smoking and risk of all-cause deaths in younger and older adults: a population-based prospective cohort study among Beijing adults in China. *Medicine (Baltimore)*, 2016 Jan; 95(3):e2438. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26817876>

Janssen, F, van Poppel, F. The adoption of smoking and its effect on the mortality gender gap in Netherlands: a historical perspective. *Biomed Res Int*, 2015; 2015:370274. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26273613>

de Oliveira, C et al. Mortality risk attributable to smoking, hypertension and diabetes among English and Brazilian older adults (The ELSA and Bambui cohort ageing studies). *Eur J Public Health*, 2015. Dec 14, 2015. [Epub ahead of print]. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26666869>

Muezzinler, A et al. Smoking and all-cause mortality in older adults: results from the CHANCES consortium. *American Journal of Preventive Medicine*, 2015 Nov; 49(5):e53-63. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26188685>

Carreras, G et al. Reduction of risk of dying from tobacco-related diseases after quitting smoking in Italy. *Tumori*, 2015 Nov-Dec;101(6):657-63. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26108248>

Chen, Z et al. Contrasting male and female trends in tobacco-attributed mortality in China: evidence from successive nationwide prospective cohort studies. *Lancet*, 2015 Oct 10;386(10002):1447-56.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26466050>

Siegel, RL et al. Deaths due to cigarette smoking for 12 smoking-related cancers in the United States. *JAMA internal medicine*, 2015 Sep; 175(9):1574-6. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26076120>

Stevens, W et al. Smoking and cancer mortality: the authors reply. *Health Aff (Millwood)*, 2015 Sep; 34(9):1609. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26355068>

Renteria, E et al. The impact of cigarette smoking on life expectancy between 1980 and 2010: a global perspective. *Tob Control*, 2015. Aug 26, 2015. [Epub ahead of print]. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26307052>

Islami, F et al. Global trends of lung cancer mortality and smoking prevalence. *Transl Lung Cancer Res*, 2015 Aug; 4(4):327-38. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26380174>

Creighton, N et al. Smoking-attributable cancer mortality in NSW, Australia, 1972-2008. *Public Health Res Pract*, 2015 Jul 9;25(3):e2531530. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26243489>

Nabi, H et al. Smoking and mortality--beyond established causes. *The New England Journal of Medicine*, 2015 May 28; 372(22):2169. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26017839>

Pedone, C, Incalzi, RA. Smoking and mortality--beyond established causes. *The New England Journal of Medicine*, 2015 May 28; 372(22):2169. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26017838>

Printz, C. Smoking still causes significant number of cancer deaths. *Cancer*, 2015 May 15;121(10):1531. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25946214>

Sareen, J et al. Smoking and mortality--beyond established causes. *The New England Journal of Medicine*, 2015 May 28;372(22):2168-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26017837>

Janssen, F et al. The role of smoking in changes in the survival curve: an empirical study in 10 European countries. *Annals of Epidemiology*, 2015 Apr; 25(4):243-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25700770>

Thompson, J. Smoking-related deaths linked to a wider range of diseases. *Practitioner*, 2015 Apr; 259(1781):5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26529824>

Banks, E et al. Tobacco smoking and all-cause mortality in a large Australian cohort study: findings from a mature epidemic with current low smoking prevalence. *BMC medicine*, 2015. Apr 11, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25857449>

Shalo Wilmont, S et al. Cigarettes still cause a third of U.S. cancer deaths. *The American Journal of Nursing*, 2015 Feb 24; 13:38. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25715205>

Tanuseputro, P et al. Improving the estimation of the burden of risk factors: an illustrative comparison of methods to measure smoking-attributable mortality. *Population Health Metrics*, 2015 Feb 19; 13:5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25717287>

Wang, YY et al. Population attributable risks of cigarette smoking for deaths of all causes, all cancers and other chronic diseases among adults aged 40-74 years in urban Shanghai, China. *Chinese Journal of Cancer Research*, Vol 27 No 1 (Feb 22, 2015.) Available from: <http://cjcr.amegroups.com/article/view/5707/6498>

Carter, BD et al. Smoking and mortality--beyond established causes. *The New England Journal of Medicine*, 2015 Feb 12; 372(7):631-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25671255>

Underwood JM, Richards TB, Henley SJ, Momin B, Houston K, et al. Decreasing Trend in Tobacco-Related Cancer Incidence, United States 2005-2009. *J Community Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25301588>

Stone A. U.S. Surgeon General reports 5.6 million premature deaths expected from smoking. *ONS Connect*, 2014; 29(4):33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25563052>

Stoeldraijer L, Bonneux L, van Duin C, van Wissen L, and Janssen F. The future of smoking-attributable mortality: the case of England & Wales, Denmark and the Netherlands. *Addiction*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25331556>

Ramstrom L and Wikmans T. Mortality attributable to tobacco among men in Sweden and other European countries: an analysis of data in a WHO report. *Tob Induc Dis*, 2014; 12(1):14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25191176>