

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 1.3 Prevalence of smoking – adults

*Last updated December 2024*

Research: .....	2
1.3.1. Latest estimates of smoking prevalence in Australia .....	2
1.3.2 Historical trends in smoking prevalence in Australia.....	2
1.3.3 International comparisons, adult smoking prevalence .....	3
News reports:.....	11
1.3.1. Latest estimates of smoking prevalence in Australia .....	12
1.3.2 Historical trends in smoking prevalence in Australia.....	13
1.3.3 International comparisons of adult smoking prevalence .....	13

## Research:

Burki TK. Tobacco smoking declines in Australia. *Lancet Oncol*, 2014; 15(10): e418. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25328939>

Tobacco, alcohol and drug use: the good and the bad news. *Med J Aust*, 2014; 201(10):564. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25390247>

### *1.3.1. Latest estimates of smoking prevalence in Australia*

Saqib, MAN, Rafique, I, Qureshi, H, Munir, MA, Bashir, R, Arif, BW, Bhatti, K, Khan Ahmed, SA, Bhatti, L. Burden of Tobacco in Pakistan - Findings from Global Adult Tobacco Survey 2014. *Nicotine Tob Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059338>

Syاملal, G, King, BA, Mazurek, JM. Tobacco Use Among Working Adults - United States, 2014-2016. *MMWR Morb Mortal Wkly Rep*. 2017 Oct 27;66(42):1130-1135. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29072865>

Celermajer, D, Nasir-Ahmad, S. Cigarette smoking in Austria - a call for action. *Wien Klin Wochenschr*. 2017 Sep 1. doi: 10.1007/s00508-017-1254-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28864933>

Gagne, T. Estimation of smoking prevalence in Canada: Implications of survey characteristics in the CCHS and CTUMS/CTADS. *Can J Public Health*. 2017 Sep 14;108(3):e331-e334. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28910259>

Malta, DC, Stopa, SR, Santos, MAS, Andrade, Ssca, Oliveira, TP, Cristo, EB, Silva, Mmad. Evolution of tobacco use indicators according to telephone surveys, 2006-2014. *Cad Saude Publica*. 2017 Sep 21;33Suppl 3(Suppl 3):e00134915. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954056>

Roberts, ME, Doogan, NJ, Stanton, CA, Quisenberry, AJ, Villanti, AC, Gaalema, DE, Keith, DR, Kurti, AN, Lopez, AA, Redner, R, Cepeda-Benito, A, Higgins, ST. Rural Versus Urban Use of Traditional and Emerging Tobacco Products in the United States, 2013-2014. *Am J Public Health*. 2017 Aug 17:e1-e6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28817323>

John, U, Hanke, M. [Trends of Tobacco and Alcohol Consumption over 65 Years in Germany]. *Gesundheitswesen*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28746954>

Thi Thanh Huong, L, Khanh Long, T, Xuan Son, P, Thi Tuyet-Hanh, T. Prevalence of Smoking and Associated Factors: Evidence From the CHILILAB Demographic Surveillance System in Vietnam. *Asia Pac J Public Health*. 2017 Jul;29(5\_suppl):53S-61S. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28719769>

### *1.3.2 Historical trends in smoking prevalence in Australia*

Leung, J, Gravely, S, Lim, C., Hall, W, & Chan, G. (2022). Age-period-cohort analysis of trends in tobacco smoking, cannabis use, and their co-use in the Australian population. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35603914>

Vaneckova, P, Wade, S, Weber, M, Murray, JM, Grogan, P, Caruana, M et al (2021). Birth-cohort estimates of smoking initiation and prevalence in 20th century Australia: Synthesis of data from 33 surveys and 385,810 participants. *PLoS One*, 16(5), e0250824. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34019558>

Nishida, A. Adolescent self-organization and adult smoking and drinking over fifty years of follow-up: The British 1946 Birth Cohort. *PLoS One*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26752724>

Napierala, M, Florek, E. [Historical trends in prevalence of tobacco smoking among women]. *Przegl Lek*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26731875>

### *1.3.3 International comparisons, adult smoking prevalence*

**Jackson, SE, Brown, J, Shahab, L, & Cox, S. (2024). Trends in non-daily cigarette smoking in England, 2006-2024. *BMC Med*, 22(1), 426. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39444038>**

**Gupta, S, Mal, P, Bhadra, D, Rajaa, S, & Goel, S. (2024). Trend and determinants of tobacco use among Indian males over a 22-year period (1998-2021) using nationally representative data. *PLoS One*, 19(10), e0308748. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39436913>**

**Yamamoto, T, Abbas, H, Cooray, U, Yokoyama, T, & Tabuchi, T. (2024). Estimating the prevalence of and clarifying factors associated with multiple tobacco product use in Japan: a cross-sectional study in 2022. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39462542>**

Daama, A, Kisaka, S, Mugamba, S, Kyasanku, E, Nalwoga, GK, Kasango, A et al. (2024). Characterisation of Tobacco Use and its Associated Factors Among Older Youths in an Urban Setting: The Case of Wakiso, Uganda. *East Afr Health Res J*, 8(2), 256-263. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39296771>

Deng, S, Li, H, Zuo, W, Liu, Z, & Wu, Y. (2024). Smoking prevalence among adults in China Mainland and their age of smoking initiation during adolescence: a national cross-sectional study. *BMJ Open*, 14(9), e082717. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39299789>

Brouwer, AF, Jeon, J, Jimenez-Mendoza, E, Land, SR, Holford, TR, Friedman, AS et al. (2024). Changing patterns of cigarette and ENDS transitions in the USA: a multistate transition analysis of adults in the PATH Study in 2017-2019 vs 2019-2021. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39174323>

Ji, Y, Cong, S, Fan, J, Wang, N, Wang, W, Song, X, & Fang, L. (2024). Prevalence of nicotine dependence among smokers aged 40 years and older in China. *Chin Med J Pulm Crit Care Med*, 2(2), 119-131. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39169932>

- Liu, S, Zhou, H, He, W, Yang, J, Yin, X, Shalayiding, S et al. (2024). Risk profiling of tobacco epidemic and estimated number of smokers living in China: a cross-sectional study based on PBICR. *BMC Public Health*, 24(1), 2219. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39148035>
- Daba, C, Atamo, A, Debela, SA, Dagne, M, Desye, B, & Gebrehiwot, M. (2024). Prevalence of tobacco smoking and associated factors among adults in Ethiopia: a systematic review and meta-analysis. *Front Public Health*, 12, 1353033. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39026591>
- Salgado, MV, Mok, Y, Jeon, J, Jaffri, M, Tam, J, Holford, TR et al. (2024). Smoking patterns by birth cohort in Argentina: an age-period-cohort population-based modeling study. *Lancet Reg Health Am*, 36, 100823. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39006127>
- Zeng, Q, Zhang, C, Su, F, Wan, Y, Tu, WJ, & Hu, H. (2024). Prevalence, cessation, and geographical variation of smoking among middle-aged and elderly adults in China: A population-based study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39034965>
- Vu, LTH, Bui, QTT, Shelley, D, Niaura, R, Tran, BQ, Pham, NQ et al. (2024). Temporal Trends in Tobacco Smoking Prevalence During the Period 2010-2020 in Vietnam: A Repeated Cross-Sectional Study. *Int J Public Health*, 69, 1607104. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38993179>
- Adebisi, YA, Bafail, DA, & Oni, OE. (2024). Prevalence, demographic, socio-economic, and lifestyle factors associated with cigarette, e-cigarette, and dual use: evidence from the 2017-2021 Scottish Health Survey. *Intern Emerg Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39026065>
- Buszkiewicz, JH, Mok, Y, Mukerjee, R, Fleischer, NL, Meza, R, & Jeon, J. (2024). Cross-sectional patterns and longitudinal transitions of unflavored and flavored cigar use without and with cigarettes among United States adults. *Prev Med*, 185, 108027. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38844050>
- Levy, DT, Issabakhsh, M, Warner, KE, Liber, A, Meza, R, & Cummings, M. (2024). Evaluating trends in cigarette and HTP use in Japan and measurement issues in the National Health and Nutrition Survey. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38906697>
- Izquierdo-Condoy, JS, Naranjo-Lara, P, Morales-Lapo, E, Puglla-Mendoza, A, Hidalgo, MR, Tello-De-la-Torre, A et al. (2024). E-cigarette use among Ecuadorian adults: A national cross-sectional study on use rates, perceptions, and associated factors. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38828079>
- Jackson, SE, Brown, J, Notley, C, Shahab, L, & Cox, S. (2024). Characterising smoking and nicotine use behaviours among women of reproductive age: a 10-year population study in England. *BMC Med*, 22(1), 99. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38632570>
- Donfrancesco, C, Buttari, B, Marcozzi, B, Sieri, S, Di Lonardo, A, Lo Noce, C et al. (2024). Nutrition, Physical Activity and Smoking Habit in the Italian General Adult Population: CUORE Project Health Examination Survey 2018-2019. *Healthcare (Basel)*, 12(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38391850>

Rey-Brandariz, J, Ruano-Ravina, A, Santiago-Perez, MI, Varela-Lema, L, Guerra-Tort, C, Montes, A et al. (2024). Evolution of smoking prevalence in Spain and its 17 autonomous regions (1987-2020). *Med Clin (Barc)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38184463>

Medianfar, CE, & Jemec, GBE. (2023). Global differences in Tobacco Use: Who is using what? *Br J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37768135>

Pacek, LR, Sawdey, MD, Nguyen, KH, Cooper, M, Park-Lee, E, Gross, AL et al (2023). Trends and Associations of Past-30-Day Cigar Smoking in the U.S. by Age, Race/Ethnicity, and Sex, NSDUH 2002-2020. *Int J Environ Res Public Health*, 20(18). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37754576>

Verma, M, Rana, K, Bhatt, G, Sharma, N, & Lal, P. (2023). Trends and determinants of tobacco use initiation in India: analysis of two rounds of the Global Adult Tobacco Survey. *BMJ Open*, 13(9), e074389. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37739473>

Egbe, CO, Gwambe, S, Londani, M, Erinoso, O, & Ayo-Yusuf, OA. (2023). Trends in the use and dual use of factory-made combustible cigarettes, other tobacco products and electronic cigarettes: Results from South African Social Attitudes Surveys during 2007 to 2018. *Tob Induc Dis*, 21, 94. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37465256>

Nargis, N, Xue, Z, Asare, S, Bandi, P, & Jemal, A. (2023). Declining trend in cigarette smoking among U.S. adults over 2008-2018: A decomposition analysis. *Soc Sci Med*, 328, 115982. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37269745>

Shafie Khorassani, F, Brouwer, AF, Hirschtick, JL, Jeon, J, Jimenez-Mendoza, E, Meza, R, & Fleischer, NL. (2023). Patterns of poly tobacco use among adults in the Population Assessment of Tobacco and Health (PATH) study, 2013-2017: a multistate Markov transition analysis. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37094934>

Singh, SK, Kumar, S, & Kashyap, GC. (2023). Tobacco Use and Cessation among a Nationally Representative Sample of Men in India, 2019-2021. *J Smok Cessat*, 2023, 4292647. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37006795>

Keetile, M, Ndlovu, K, Setshegetso, N, Yaya, S, & Serojane, F. (2023). Prevalence and correlates of tobacco use in Botswana: evidence from the 2014 Botswana STEPwise survey. *BMC Public Health*, 23(1), 40. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36609262>

Zyambo, C, Olowski, P, Mulenga, D, Syapiila, P, Mazaba Liwewe, M, Hazemba, A et al. (2023). Prevalence and Factors Associated with Tobacco Smoking in a National Representative Sample of Zambian Adults: Data from the 2017 STEPS - NCDs Survey. *Asian Pac J Cancer Prev*, 24(1), 111-119. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36708559>

Najafipour, H, Mahdavi, A, Kordestani, Z, Zamaninasab, Z, Shadkam Farokhi, M, Shamsadini, A, & Azizi, E. (2022). The Prevalence and 5-Year Incidence Rate of Cigarette Smoking and Water-Pipe Tobacco Smoking and Their Associated Factors among 15 to 80 Years Old Urban Population in Southeast Iran: Results from KERCADR Study. *Addict Health*, 14(3), 205-213. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36544984>

Odani, S, & Tabuchi, T. (2022). Prevalence and denial of current tobacco product use: Combustible and heated tobacco products, Japan, 2022. *Prev Med Rep*, 30, 102031. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36531095>

Shariful Islam, M, Rashid, M, Sizar, MI, Hassan, R, Rahman, M, Parvez, SM et al. (2022). Cigarette smoking and associated factors among men in five South Asian countries: A pooled analysis of nationally representative surveys. *PLoS One*, 17(11), e0277758. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36374917>

Nkosi, L, Agaku, I. T, & Ayo-Yusuf, O. (2022). Prevalence and correlates of roll-your-own cigarette smoking among South African adults during 2010-2011 and 2017-2018. *Tob Induc Dis*, 20, 94. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36381382>

Riazi-Isfahani, S, Abdi, Z, Sheidaei, A, & Ahmadnezhad, E. (2022). Prevalence of Tobacco Use in Adults; 2016 Nationally Representative Household Survey in Iran. *Int J Prev Med*, 13, 104. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36119953>

Ferretti, F, Mariani, M, & Sarti, E. (2022). Testing Club Convergence in Female Smoking Prevalence. *Front Glob Womens Health*, 3, 875813. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35898576>

Mengesha, SD, Teklu, KT, Weldetinsae, A, Serte, MG, Kenea, MA, Dinssa, DA et al. (2022). Tobacco use prevalence and its determinate factor in Ethiopia- finding of the 2016 Ethiopian GATS. *BMC Public Health*, 22(1), 555. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35313839>

Nakkash, R, Khader, Y, Chalak, A, Abla, R, Abu-Rmeileh, NME, Mostafa, A et al. (2022). Prevalence of cigarette and waterpipe tobacco smoking among adults in three Eastern Mediterranean countries: a cross-sectional household survey. *BMJ Open*, 12(3), e055201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35246419>

Cornelius, ME, Loretan, CG, Wang, TW, Jamal, A, & Homa, DM. (2022). Tobacco Product Use Among Adults - United States, 2020. *MMWR Morb Mortal Wkly Rep*, 71(11), 397-405. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35246419>

Ito, Y, Katanoda, K, Yamamoto, S, Hamajima, N, Mochizuki, Y, & Matsuo, K. (2022). Trends in smoking prevalence and attitude toward tobacco control among members of the JCA in 2004-2017. *Cancer Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35172389>

Shaikh, R, Janssen, F, & Vogt, T. (2022). The progression of the tobacco epidemic in India on the national and regional level, 1998-2016. *BMC Public Health*, 22(1), 317. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35168590>

Phan, L, McNeel, TS, & Choi, K. (2021). Prevalence of current large cigar versus little cigar/cigarillo smoking among U.S. adults, 2018-2019. *Prev Med Rep*, 24, 101534. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34976610>

Zhang, G, Zhan, J, & Fu, H. (2022). Trends in Smoking Prevalence and Intensity between 2010 and 2018: Implications for Tobacco Control in China. *Int J Environ Res Public Health*, 19(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35055491>

Rahman, MA, Kundu, S, Ahinkorah, BO, Okyere, J, Halder, HR, Rahman, MM et al. (2021). Was there any change in tobacco smoking among adults in Bangladesh during 2009-2017? Insights from two nationally representative cross-sectional surveys. *BMJ Open*, 11(12), e057896. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34930749>

Opazo Breton, M, Gillespie, D, Pryce, R, Bogdanovica, I, Angus, C, Hernandez Alava, M et al. (2021). Understanding long-term trends in smoking in England, 1972-2019: an age-period-cohort approach. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34590368>

Pelekanakis, A, O'Loughlin, JL, Gagne, T, Callard, C, & Frohlich, KL. (2021). Initiation or cessation: what keeps the prevalence of smoking higher in Quebec than in the rest of Canada? *Health Promot Chronic Dis Prev Can*, 41(10), 306-314. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34668685>

Ahmad, MS, Alslamah, T, Abalkhail, A, Shaik, RA, Ahmad, RK, Yusuf, M et al. (2021). Prevalence, patterns and contributing factors for tobacco usage amongst Saudi population - analysis from SHIS 2013. *Eur Rev Med Pharmacol Sci*, 25(15), 4909-4918. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34355363>

Mistry, R, Bondarenko, I, Jeon, J, Brouwer, AF Mattingly, DT, Hirschtick, JL et al. (2021). Latent class analysis of use frequencies for multiple tobacco products in US adults. *Prev Med*, 153, 106762. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34358593>

No authors listed. Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. (2021). *Lancet*, 397(10292), 2337-2360. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/34051920/>

Chen, DT, Girvalaki, C, Mechili, EA, Millett, C, & Filippidis, F T. (2021). Global Patterns and Prevalence of Dual and Poly-Tobacco Use: A Systematic Review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34009377>

Wang, TW, Walton, K, Reyes-Guzman, C, Cullen, KA, & Jamal, A. (2021). State-Specific Prevalence of Tobacco Product Use Among US Women, Tobacco Use Supplement to the Current Population Survey, 2018-2019. *Preventing Chronic Disease*, 18, E36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33856976>

Elbek, O, Kilinc, O, Salepci, B, Bostan, P, Cetinkaya, PD, Arpaz, S et al (2021). Tobacco Control in Turkey in the Light of the Global Adult Tobacco Survey. *Turk Thorac J*, 22(1), 90-92. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33646111>

Rai, B, & Bramhankar, M. (2021). Tobacco use among Indian states: Key findings from the latest demographic health survey 2019-2020. *Tob Prev Cessat*, 7, 19. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33709043>

- Fouad, H, Commar, A, Hamadeh, R, El-Awa, F, Shen, Z, & Fraser, C. (2021). Estimated and projected prevalence of tobacco smoking in males, Eastern Mediterranean Region, 2000-2025. *East Mediterr Health J*, 27(1), 76-82. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33538322>
- Ghelichkhani, P, Baikpour, M, Mohammad, K, Rahim Fattah, FH, Rezaei, N, Ahmadi, N et al. (2021). Age, Period and Cohort Analysis of Smoking Prevalence in Iranian Population over a 25-Year Period. *Arch Iran Med*, 24(1), 7-14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33588562>
- Maia, E. G., Stopa, S. R., de Oliveira Santos, R., & Claro, R. M. (2021). Trends in Prevalence of Cigarette Smoking in Brazil: 2006-2019. *Am J Public Health*, e1-e9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33600255>
- Jafari, A, Rajabi, A, Gholian-Aval, M, Peyman, N, Mahdizadeh, M, & Tehrani, H. (2021). National, regional, and global prevalence of cigarette smoking among women/females in the general population: a systematic review and meta-analysis. *Environ Health Prev Med*, 26(1), 5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33419408>
- Sohrabi, MR, Abbasi-Kangevari, M, & Kolahi, AA. (2020). Current Tobacco Smoking Prevalence Among Iranian Population: A Closer Look at the STEPS Surveys. *Front Public Health*, 8, 571062. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33415092>
- Jain, V, Rifai, MA, Naderi, S, Barolia, R, Iqbal, S, Taj, M et al (2020). State-Level Temporal Trends in Smokeless Tobacco and Cigarette Use Among U.S. Adults. *Am J Cardiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33359197>
- Cornelius, ME, Wang, TW, Jamal, A, Loretan, CG, & Neff, LJ. (2020). Tobacco Product Use Among Adults - United States, 2019. *MMWR Morb Mortal Wkly Rep*, 69(46), 1736-1742. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33211681>
- Xangsayarath, P, Douangvichith, D, Siengsounthone, L, Phandouangsy, K, Tran, LT, & Bui, TC. (2019). Tobacco use in Lao People's Democratic Republic: Results from the 2015 National Adult Tobacco Survey. *Tob Prev Cessat*, 5, 31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411894>
- Alemi, Q, Stempel, C, & Montgomery, S. (2020). Prevalence and social determinants of tobacco use in Afghanistan. *Int Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32304214>
- Gallus, S, Lugo, A, Liu, X, Behrakis, P, Boffi, R, Bosetti, C et al (2020). Who smokes in Europe? Data from 12 European countries in the TackSHS survey (2017-2018). *J Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32249267>
- Thompson, ME, Boudreau, C, Quah, ACK, Ouimet, J, Li, G, Yan, M et al (2020). Survey Methods of the 2018 International Tobacco Control (ITC) Japan Survey. *Int J Environ Res Public Health*, 17(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32290304>
- Atzendorf, J, Apfelbacher, C, de Matos, EG, Lochbuhler, K, Piontek, D, Seitz, NN, & Kraus, L. (2020). Do smoking, nutrition, alcohol use, and physical activity vary between regions in Germany? - results of a cross-sectional study. *BMC Public Health*, 20(1), 277. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32164635>



Nasser, AMA, Geng, Y, & Al-Wesabi, SA. (2020). The Prevalence of Smoking (Cigarette and Waterpipe) among University Students in Some Arab Countries: A Systematic Review. *Asian Pac J Cancer Prev*, 21(3), 583-591. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32212782>

Abu Seir, R, Kharroubi, A, & Ghannam, I. (2020). Prevalence of tobacco use among young adults in Palestine. *East Mediterr Health J*, 26(1), 75-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32043549>

Fouad, H, Commar, A, Hamadeh, RR, El-Awa, F, Shen, Z, & Fraser, CP. (2020). Smoking prevalence in the Eastern Mediterranean Region. *East Mediterr Health J*, 26(1), 94-101. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32043551>

Kirby, T. (2020). WHO reports decrease in men who use tobacco. *Lancet Respir Med*, 8(2), 137. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32035063>

Adeloye, D, Auta, A, Fawibe, A, Gadanya, M, Ezeigwe, N, Mpazanje, RG et al. (2019). Current prevalence pattern of tobacco smoking in Nigeria: a systematic review and meta-analysis. *BMC Public Health*, 19(1), 1719. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31864324>

Dyer, O. (2019). Fall in male tobacco users is "turning point," says WHO. *BMJ*, 367, l7060. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31862693>

Farooqui, S., Mohammad, S., Mehrotra, D., Mahdi, A. A., Bhattacharya, S., Agarwal, G. G., & Srivastava, S. (2019). Study on prevalence and sociocultural aspects of tobacco use in India. *Natl J Maxillofac Surg*, 10(2), 182-190. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31798253>

Messeri, P., Cantrell, J., Mowery, P., Bennett, M., Hair, E., & Vallone, D. (2019). Examining differences in cigarette smoking prevalence among young adults across national surveillance surveys. *PLoS One*, 14(12), e0225312. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31834881>

Wamamili, B., Wallace-Bell, M., Richardson, A., Grace, R. C., & Coope, P. (2019). Cigarette smoking among university students aged 18-24 years in New Zealand: results of the first (baseline) of two national surveys. *BMJ Open*, 9(12), e032590. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31857310>

Coughlin, LN, Bonar, EE, Bohnert, KM, Jannausch, M, Walton, MA, Blow, FC, & Ilgen, MA. (2019). Changes in urban and rural cigarette smoking and cannabis use from 2007 to 2017 in adults in the United States. *Drug Alcohol Depend*, 205, 107699. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31707265>

Malta, DC, Silva, AGD, Machado, IE, Sa, A, Santos, FMD, Prates, EJS, & Cristo, EB. (2019). Trends in smoking prevalence in all Brazilian capitals between 2006 and 2017. *J Bras Pneumol*, 45(5), e20180384. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31721893>

Habiyaremye, F, Rwunganira, S, Musanabaganwa, C, Muhimpundu, MA, & Omolo, J. (2019). Tobacco use and associated factors among Rwandan youth aged 15-34 years: Findings from a nationwide survey, 2013. *PLoS One*, 14(10), e0212601. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31589619>

- Coleman, SRM, Gaalema, DE, Nighbor, TD, Kurti, AA, Bunn, JY, & Higgins, ST. (2019). Current cigarette smoking among U.S. college graduates. *Prev Med*, 105853. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31654730>
- Shahwan, S, Abdin, E, Shafie, S, Chang, S, Sambasivam, R, Zhang, Y et al. (2019). Prevalence and correlates of smoking and nicotine dependence: results of a nationwide cross-sectional survey among Singapore residents. *BMJ Open*, 9(10), e032198. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31630110>
- Alotaibi, SA, Alsuliman, MA, & Durgampudi, PK. (2019). Smoking tobacco prevalence among college students in the Kingdom of Saudi Arabia: Systematic review and meta-analysis. *Tob Induc Dis*, 17, 35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516478>
- Beard, EV, West, R, Jarvis, M, Michie, S, & Brown, J. (2019). 'S'-shaped curve: modelling trends in smoking prevalence, uptake and cessation in Great Britain from 1973 to 2016. *Thorax*, 74(9), 875-881. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31391317>
- Rabade Castedo, C, de Granda-Orive, JI, & Gonzalez-Barcala, FJ. (2019). Increased Prevalence of Smoking: What is Causing it and How Should we Intervene? *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31371132>
- Bachelet, VC, & Lanas, F. (2018). Smoking and obesity in Chile's Third National Health Survey: light and shade. *Rev Panam Salud Publica*, 42, e132. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31093160>
- Siddiqi, K. (2019). Tobacco use in Sub-Saharan Africa: the risks and challenges. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31112602>
- Nguyen, AB. Disaggregating Asian American and Native Hawaiian and Other Pacific Islander (AANHOP) Adult Tobacco Use: Findings from Wave 1 of the Population Assessment of Tobacco and Health (PATH) Study, 2013-2014. *J Racial Ethn Health Disparities*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30610569>
- Ngaruiya, C, Abubakar, H, Kiptui, D, Kendagor, A, Ntakuka, MW, Nyakundi, P, & Gathecha, G. Tobacco use and its determinants in the 2015 Kenya WHO STEPS survey. *BMC Public Health*, 2018. 18(Suppl 3), 1223. Available from: [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6219013/pdf/12889\\_2018\\_Article\\_6058.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6219013/pdf/12889_2018_Article_6058.pdf)
- Ozer, N, Kilickap, M, Tokgozoglu, L, Goksuluk, H, Karaaslan, D, Kayikcioglu, M et al. Data on smoking in Turkey: Systematic review, meta-analysis and meta-regression of epidemiological studies on cardiovascular risk factors. *Turk Kardiyol Dern Ars*, 2018. 46(7), 602-612. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30391989>
- Wang, TW, Asman, K, Gentzke, AS, Cullen, KA, Holder-Hayes, E, Reyes-Guzman, C et al. Tobacco Product Use Among Adults - United States, 2017. *MMWR Morb Mortal Wkly Rep*, 2018. 67(44), 1225-1232. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6223953/pdf/mm6744a2.pdf>

Atiya, A, Abdullah, P, Ali-Hassan, L, & Tamim, H. Prevalence and characteristics of cigarillo smoking in Canada: results from the Canadian Tobacco Use Monitoring Survey. *Public Health*, 2018. 165, 42-47. Available from: [https://www.publichealthjrnl.com/article/S0033-3506\(18\)30297-X/fulltext](https://www.publichealthjrnl.com/article/S0033-3506(18)30297-X/fulltext)

Zeiber, J, Finger, JD, Kuntz, B, Hoebel, J, Lampert, T, Starker, A. [Trends in smoking among adults in Germany : Evidence from seven population-based health surveys from 1991-2015]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2018 Sep 13. pii: 10.1007/s00103-018-2817-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30215104>

Johnson, AL, Collins, LK, Villanti, AC, Pearson, JL, Niaura, RS. Patterns of Nicotine and Tobacco Product Use in Youth and Young Adults in the United States, 2011-2015. *Nicotine Tob Res*. 2018 Aug 14;20(suppl\_1):S48-S54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30125012>

Peacock, A, Leung, J, Larney, S, Colledge, S, Hickman, M, Rehm, J, Giovino, GA, West, R, Hall, W, Griffiths, P, Ali, R, Gowing, L, Marsden, J, Ferrari, AJ, Grebely, J, Farrell, M, Degenhardt, L. Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. *Addiction*, May 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29749059>

No authors listed. Tobacco-Product Use by Adults and Youths in the United States in 2013 and 2014. *N Engl J Med*. 2018 Feb 1;378(5):492. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29385367>

Jamal, A, Phillips, E, Gentzke, AS, Homa, DM, Babb, SD, King, BA, Neff, LJ. Current Cigarette Smoking Among Adults - United States, 2016. *MMWR Morb Mortal Wkly Rep*. 2018 Jan 19;67(2):53-59. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29346338>

No authors listed. QuickStats: Age-Adjusted Percentages\* of Current Smokers(dagger) Among Adults Aged >=18 Years, by Sex, Race, and Hispanic Origin( section sign) - National Health Interview Survey, 2016( paragraph sign). *MMWR Morb Mortal Wkly Rep*. 2018 Jan 12;67(1):49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29324730>

Odani, S, Armour, BS, Graffunder, CM, Willis, G, Hartman, AM, Agaku, IT. State-Specific Prevalence of Tobacco Product Use Among Adults - United States, 2014-2015. *MMWR Morb Mortal Wkly Rep*. 2018 Jan 26;67(3):97-102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29370150>

Rubin, R. More Than 1 in 5 Working Adults Use Some Form of Tobacco. *JAMA*. 2017 Dec 12;318(22):2174. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29234816>

Phillips, E, Wang, TW, Husten, CG, Corey, CG, Apelberg, BJ, Jamal, A, Homa, DM and King, BA. Tobacco product use among adults - United States, 2015. *MMWR Morb Mortal Wkly Rep*. 2017 Nov 10;66(44):1209-1215. Available from: [https://www.cdc.gov/mmwr/volumes/66/wr/mm6644a2.htm?s\\_cid=mm6644a2\\_w](https://www.cdc.gov/mmwr/volumes/66/wr/mm6644a2.htm?s_cid=mm6644a2_w)

## News reports:

No authors listed. (2023). *Summary of results for the Canadian Student Tobacco, Alcohol and Drugs Survey 2021-22*. Retrieved from <https://www.canada.ca/en/health-canada/services/canadian-student-tobacco-alcohol-drugs-survey/2021-2022-summary.html>

World Health Organization. (2019). *WHO global report on trends in prevalence of tobacco use 2000–2025*. Retrieved from Geneva: <https://apps.who.int/iris/rest/bitstreams/1263754/retrieve>

Australian Institute of Health and Welfare. *Healthy Communities: Tobacco smoking rates across Australia, 2014–15*. Canberra: AIHW, 2016. Available from: <https://www.aihw.gov.au/reports/primary-health-care/mhc-tobacco-smoking-rates-2014-15/contents/summary>

Australian Institute of Health and Welfare. *My Healthy Communities: Health risk factors in 2014–15. 2017*. Available from: <https://www.myhealthycommunities.gov.au/our-reports/health-risk-factors/november-2017>

Burki, TK. Tobacco smoking declines in Australia. *Lancet Oncology*, 2014. Sep 2014. Available from: <http://www.sciencedirect.com/science/article/pii/S1470204514703493>

### 1.3.1. Latest estimates of smoking prevalence in Australia

Australian Bureau of Statistics. (2022). *Smoking and vaping*. Retrieved from Canberra: <https://www.abs.gov.au/statistics/health/health-conditions-and-risks/smoking-and-vaping/latest-release>

Wakefield, M, Haynes, A, Tabbakh, T, Scollo, M, & Durkin, S. (2023). *Current vaping and current smoking in the Australian population aged 14+ years: February 2018 - March 2023*. Retrieved from <https://www.health.gov.au/sites/default/files/2023-06/current-vaping-and-smoking-in-the-australian-population-aged-14-years-or-older-february-2018-to-march-2023.pdf>

Australian Bureau of Statistics. *Smoking: National Health Survey: First Results, 2017-18 ABS, 2018*. Dec 12, 2018. Available from: <http://www.abs.gov.au/ausstats/abs@.nsf/Lookup/by%20Subject/4364.0.55.001~2017-18~Main%20Features~Smoking~85>

No authors listed. *National Drug Strategy Household Survey, 2017*. Available from: <https://www.aihw.gov.au/about-our-data/our-data-collections/national-drug-strategy-household-survey>

No authors listed. *Smoking, 2016*. Statistics Canada Catalogue, 2017. Sept 27, 2017. Available from : <http://www.statcan.gc.ca/pub/82-625-x/2017001/article/54864-eng.htm>

No authors listed. *More smokers lighting up, despite ever-increasing taxes*. *The Australian*, Aug 2017. Available from: <https://duckduckgo.com/?q=more-smokers-lighting-up-despite-everincreasing-taxes&t=ffsb&ia=web>

Johnson, Sian. *Western Victoria smokers sit above the national rate*. *The Standard*, 2017. July 13, 2017. Available from: <http://www.standard.net.au/story/4789683/smokers-sit-above-average/>

No authors listed. 2016 NDSHS key findings: Tobacco smoking. Australian Institute of Health and Welfare, 2017. Available from: <http://www.aihw.gov.au/alcohol-and-other-drugs/data-sources/ndshs-2016/tobacco/>

### 1.3.2 Historical trends in smoking prevalence in Australia

Clarke, Tainya C, Norris, Tina and Schiller, Jeannine S. Early Release of Selected Estimates Based on Data From the 2016 National Health Interview Survey. National Center for Health Statistics, CDC - Centers for Disease Control, 2017. Available from: <https://www.cdc.gov/nchs/data/nhis/earlyrelease/earlyrelease201705.pdf>

### 1.3.3 International comparisons of adult smoking prevalence

**World Health Organization. (2023). *Global Adult Tobacco Survey (GATS) Indonesia Report 2021*. Retrieved from Jakarta, Indonesia: <https://iris.who.int/handle/10665/378343>**

World Health Organization. (2024). *WHO global report on trends in prevalence of tobacco use 2000–2030*. Retrieved from Geneva: <https://www.who.int/publications/i/item/9789240088283>

Foster, A. Smoking decline stalls since Covid as more people take up the habit - study. *BBC News*, 2023. Dec 14, 2023. Retrieved from <https://www.bbc.com/news/health-67703066>

Canada, P. f. a. S.-F.. Updates on smoking behaviours from the Canadian Community Health Survey 2022, 2023. Nov 23, 2023. Retrieved from <https://smoke-free-canada.blogspot.com/2023/11/updates-on-smoking-behaviours-from.html>

Office for National Statistics. (2023). *Adult smoking habits in the UK: 2022*. Retrieved from <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/healthandlifeexpectancies/bulletins/adultsmokinghabitsingreatbritain/2022>

Vital Strategies, & Tobacconomics. (2022). *The Tobacco Atlas: 7th edition*. Retrieved from <https://tobaccoatlas.org/>

*Smoking prevalence in the UK and the impact of data collection changes: 2020*. (2021). Retrieved from <https://www.ons.gov.uk/peoplepopulationandcommunity>

*WHO global report on trends in prevalence of tobacco use 2000-2025, fourth edition*. (2021). Retrieved from Geneva: <https://www.who.int/publications/i/item/9789240039322>

No authors listed. Japan's male smoking rate drops below 30% for first time. *The Japan Times*, 2020. August 9, 2020. Retrieved from <https://www.japantimes.co.jp/news/2020/08/09/national/science-health/japan-male-smoking-rate/#.XzTJhegzY2w>

No authors listed. Adult smoking habits in the UK: 2019. *Office for National Statistics*, 2020. July 7, 2020. Retrieved from <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/healthandlifeexpectancies/bulletins/adultsmokinghabitsingreatbritain/2019>

Cancer Intelligence Team, C. R. U. (2020). *Smoking prevalence projections for England, Scotland, Wales, and Northern Ireland, based on data to 2018/19*. Retrieved from [https://www.cancerresearchuk.org/sites/default/files/cancer\\_research\\_uk\\_smoking\\_prevalence\\_projections\\_february\\_2020.pdf](https://www.cancerresearchuk.org/sites/default/files/cancer_research_uk_smoking_prevalence_projections_february_2020.pdf)

NHS Digital. (2019). *Health Survey for England 2018 Quick Guide*. Available from: <https://files.digital.nhs.uk/25/F4EFC8/HSE18-Quick%20Guide-rep.pdf>

World Health Organization. (2019). *WHO global report on trends in prevalence of tobacco use 2000–2025*. Available from: <https://www.who.int/publications-detail/who-global-report-on-trends-in-prevalence-of-tobacco-use-2000-2025-third-edition>

World Health Organization. Number of males using tobacco globally on the decline, showing that government-led control efforts work to save lives, protect health, beat tobacco. *WHO*, 2019. Dec 19, 2019. Available from: <https://www.who.int/news-room/detail/19-12-2019-who-launches-new-report-on-global-tobacco-use-trends>

Barnes, D. Leading charities join forces to call for target to eradicate smoking in Wales. *South Wales Argus*, 2019. Nov 25, 2019. Available from <https://www.southwalesargus.co.uk/news/18058336.leading-charities-join-forces-call-target-eradicate-smoking-wales/>

West, R, Mohr, G, Proudfoot, H, & Brown, J. (2019). Top-line findings on smoking in England from the Smoking Toolkit Study. *Smoking in England*. United Kingdom: Cancer Research UK. Available from: <http://www.smokinginengland.info/latest-statistics/>

Welsh Government. (2019). National Survey for Wales: April 2018 to March 2019. Available from: <https://gov.wales/national-survey-wales-results-viewer>

No authors listed. Number of smokers in Denmark up for first time in 20 years. *The Local*, 2019. Jan 3, 2019. Available from: <https://www.thelocal.dk/20190103/number-of-smokers-in-denmark-up-for-first-time-in-20-years>

Public Health England. Smoking prevalence in young adults aged 18 to 34 years UK Government, 2019. Jan 31, 2019. Available from: [https://www.gov.uk/government/publications/smoking-prevalence-in-young-adults-aged-18-to-34-years?utm\\_source=The%20King%27s%20Fund%20newsletters%20%28main%20account%29&utm\\_medium=email&utm\\_campaign=10241662\\_NEWSL\\_HMP%202019-02-01&dm\\_i=21A8,63IIM,P57ZTH,NYGTJ,1](https://www.gov.uk/government/publications/smoking-prevalence-in-young-adults-aged-18-to-34-years?utm_source=The%20King%27s%20Fund%20newsletters%20%28main%20account%29&utm_medium=email&utm_campaign=10241662_NEWSL_HMP%202019-02-01&dm_i=21A8,63IIM,P57ZTH,NYGTJ,1)

De Benito, E. Number of smokers in Spain reaches pre-smoking ban levels. *Elpais*, 2018. Dec 11, 2018. Available from: [https://elpais.com/elpais/2018/12/11/inenglish/1544523691\\_230754.html](https://elpais.com/elpais/2018/12/11/inenglish/1544523691_230754.html)

No authors listed. Canadian Tobacco, Alcohol and Drugs Survey (CTADS): summary of results for 2017. Government of Canada, 2018. Oct 30, 2018. Available from: <https://www.canada.ca/en/health-canada/services/canadian-tobacco-alcohol-drugs-survey/2017-summary.html>

No authors listed. Cigarette Smoking Among U.S. Adults Lowest Ever Recorded: 14% in 2017. Centers for Disease Control and Prevention, 2018. Nov 8, 2018. Available from: <https://www.cdc.gov/media/releases/2018/p1108-cigarette-smoking-adults.html>

No authors listed. National Health Interview Survey: 2017 data release. Center for Disease Control and Prevention, 2018. Nov 15, 2018. Available from: [https://www.cdc.gov/nchs/nhis/nhis\\_2017\\_data\\_release.htm](https://www.cdc.gov/nchs/nhis/nhis_2017_data_release.htm)

No authors listed. National Health Interview Survey: NHIS Data, Questionnaires and Related Documentation. Center for Disease Control and Prevention, 2018. Nov 15, 2018. Available from: <https://www.cdc.gov/nchs/nhis/data-questionnaires-documentation.htm>

Wang, T, Asman, K, Gentzke, A, Cullen, K, Holder-Hayes, E, Reyes-Guzman, C et al. 2018. *Tobacco Product Use Among Adults — United States, 2017*. Available from US: [https://www.cdc.gov/nchs/nhis/nhis\\_2017\\_data\\_release.htm](https://www.cdc.gov/nchs/nhis/nhis_2017_data_release.htm)

No authors listed. Asean tobacco atlas reveals how Thailand is fighting back against killer The Nation, 2018. Sept 27, 2018. Available from [http://www.nationmultimedia.com/detail/your\\_say/30355295](http://www.nationmultimedia.com/detail/your_say/30355295)

World Health Organization Regional Office for Europe. (2018). Chapter 2: Health situation in the European region. Available from [http://www.euro.who.int/\\_data/assets/pdf\\_file/0011/379874/who-ehr-2018-02-eng.pdf?ua=1](http://www.euro.who.int/_data/assets/pdf_file/0011/379874/who-ehr-2018-02-eng.pdf?ua=1)

Malcom, Andrew. Quitters: Americans, Even Younger Ones, Drop Smoking To Lowest Rate Ever. Hot Air, 2018. Aug 14, 2018. Available from: <https://hotair.com/archives/2018/08/14/cigarette-smoking-drops-to-record-low/>

University of Waterloo. Canadian Student Tobacco, Alcohol and Drugs Survey. University of Waterloo, 2018. Sept 3, 2018. Available from: <https://uwaterloo.ca/canadian-student-tobacco-alcohol-drugs-survey/>

No authors listed. Young adults shunning smoking, figures suggest. ITV, 2018. July 3, 2018. Available from: <http://www.itv.com/news/2018-07-03/young-adults-shunning-smoking-figures-suggest/>

Public Health England and Office for National Statistics. Adult smoking habits in the UK: 2017. 3 July 2018. Available from: <https://www.ons.gov.uk/releases/adultsmokinghabitsintheuk2017>

Smyth, Chris. One in four smokers has quit since 2011. The Times (UK), 2018. July 4, 2018. Available from: <https://www.thetimes.co.uk/article/one-in-four-smokers-has-quit-since-2011-svwvgv26>

No authors listed. Smoking Hits New Low; About 14 Percent of US Adults Light Up. The New York Times, 2018. 21 June , 2018. Available from: <https://www.nytimes.com/aponline/2018/06/19/health/ap-us-med-smoking-rates.html>

No authors listed. Health body 'disappointed' nearly one fifth of Welsh adults still smoke. itv News, 2018. June 27, 2018. Available from: <http://www.itv.com/news/wales/2018-06-20/health-body-disappointed-nearly-one-fifth-of-welsh-adults-still-smoke/>

World Health Organization. WHO global report on trends in prevalence of tobacco smoking 2000–2025, second edition. World Health Organization, 2018. Available from: <http://apps.who.int/iris/bitstream/handle/10665/272694/9789241514170-eng.pdf?ua=1>

Boyles, Salynn. Smoking Rate Among U.S. Adults Remains at 15% —Racial and ethnic disparities in smoking persist. Medpage Today, Jan 2018. Available from: [https://www.medpagetoday.com/pulmonology/smoking/70611?xid=nl\\_mpt\\_DHE\\_2018-01-20&eun=g220600d0r&pos=0&utm\\_source=Sailthru&utm\\_medium=email&utm\\_campaign=Daily%20Headlines%202018-01-20&utm\\_term=Daily%20Headlines%20-%20Active%20User%20%20180%20days](https://www.medpagetoday.com/pulmonology/smoking/70611?xid=nl_mpt_DHE_2018-01-20&eun=g220600d0r&pos=0&utm_source=Sailthru&utm_medium=email&utm_campaign=Daily%20Headlines%202018-01-20&utm_term=Daily%20Headlines%20-%20Active%20User%20%20180%20days)

Craver, Richard. Adult smoking rate rises slightly in 2016 to 15.5 percent. Winston-Salem Journal, Jan 2018. Available from: [http://www.journalnow.com/news/local/adult-smoking-rate-rises-slightly-in-to-percent/article\\_2e7126c6-3825-5329-a93a-2b8f5d4be962.html](http://www.journalnow.com/news/local/adult-smoking-rate-rises-slightly-in-to-percent/article_2e7126c6-3825-5329-a93a-2b8f5d4be962.html)

No authors listed. Russians cut back on drinking, smoking as fitness trend grows. Medical Xpress, Jan 2018. Available from: <https://medicalxpress.com/news/2018-01-russians-trend.html>

Smith, Helena. Greece stubs out its cigarette habit in record numbers. The Guardian, Jan 2018. Available from: <https://www.theguardian.com/world/2018/jan/20/subversive-greeks-stub-out-cigarette-habit>

Uranaka, Taiga and Shimizu, Ritsuko. Japan Tobacco working on several possible M&A deals: CEO. Reuters, Jan 2018. Available from: <https://www.reuters.com/article/us-japan-tobacco-strategy/japan-tobacco-working-on-several-possible-ma-deals-ceo-idUSKBN1F60VZ>

No authors listed. Cigarette smoking up between 2011, 2016. Mexico News Daily, 2017. Dec 12, 2017. Available from: <https://mexiconewsdaily.com/news/cigarette-smoking-up-between-2011-2016/>

Phillips, E, Wang, TW, Husten, CG, Corey, CG, Apelberg, BJ, Jamal, A, Homa, DM and King, BA. Tobacco product use among adults - United States, 2015. MMWR Morb Mortal Wkly Rep. 2017 Nov 10;66(44):1209-1215. Available from: [https://www.cdc.gov/mmwr/volumes/66/wr/mm6644a2.htm?s\\_cid=mm6644a2\\_w](https://www.cdc.gov/mmwr/volumes/66/wr/mm6644a2.htm?s_cid=mm6644a2_w)

Syamlal, G, King, BA and Mazurek, JM. Tobacco use among working adults - United States, 2014-2016. MMWR Morb Mortal Wkly Rep. 2017 Oct 27;66(42):1130-1135. Available from: [https://www.cdc.gov/mmwr/volumes/66/wr/mm6642a2.htm?s\\_cid=mm6642a2\\_w](https://www.cdc.gov/mmwr/volumes/66/wr/mm6642a2.htm?s_cid=mm6642a2_w)

No authors listed. Alcohol, tobacco and drug consumption rise over last five years. Portugal News, 2017. Sept 18, 2017. Available from: <http://theportugalnews.com/news/alcohol-tobacco-and-drug-consumption-rise-over-last-five-years/43214>

No authors listed. Global Adult Tobacco Survey - Ukraine 2017. Ministry of Health of Ukraine, 2017. Available from: [http://www.euro.who.int/\\_data/assets/pdf\\_file/0007/347632/UKR\\_GATS\\_2017\\_ES\\_17Aug2017\\_Final.pdf?ua=1](http://www.euro.who.int/_data/assets/pdf_file/0007/347632/UKR_GATS_2017_ES_17Aug2017_Final.pdf?ua=1)

No authors listed. Ukraine: 20% reduction in smokers since 2010. World Health Organization, 2017. Sept 4, 2017. Available from: [http://www.euro.who.int/en/countries/ukraine/news/news/2017/09/ukraine-20-reduction-in-smokers-since-2010/\\_recache](http://www.euro.who.int/en/countries/ukraine/news/news/2017/09/ukraine-20-reduction-in-smokers-since-2010/_recache)



Wenyu, Sun. China's tobacco consumption accounts for 44% of world's total. People's Daily Online, 2017. Aug 29, 2017. Available from: <http://en.people.cn/n3/2017/0829/c90000-9261845.html>