

Tobacco in Australia

Facts & Issues

Relevant news and research

12.9 Labelling of tobacco products in Australia

Last updated May 2024

| | |
|---|---|
| Research:..... | 1 |
| 12.9 Labelling of tobacco products in Australia..... | 1 |
| 12.9.1 Labelling of tar, nicotine and carbon monoxide yields of Australian cigarettes in the past ... | 4 |
| 12.9.2 Current labelling requirements for tobacco products in Australia..... | 7 |
| News: | 8 |
| 12.9 Labelling of tobacco products in Australia..... | 8 |
| 12.9.1 Labelling of tar, nicotine and carbon monoxide yields of Australian cigarettes in the past ... | 8 |
| 12.9.2 Current labelling requirements for tobacco products in Australia..... | 8 |

Research:

12.9 Labelling of tobacco products in Australia

Crosbie, E, Erinoso, O, Perez, S, & Sebrie, EM. (2022). Moving in the right direction: tobacco packaging and labeling in the Americas. *Rev Panam Salud Publica, 46*, e196. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36519066>

O'Brien, EK, Ruybal, AL, Koblitz, AR, & Johnson, SE. (2022). The effect of cigarette modified risk claims and brand on perceived risk, product appeal, and use intentions. *PLoS One, 17(10)*, e0274097. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36190944>

Goldstein AO, Jarman KL, Kowitt SD, Queen TL, Kim KS, et al. Effect of cigarette constituent messages with engagement text on intention to quit smoking among adults who smoke cigarettes: A

randomized clinical trial. *JAMA Netw Open*, 2021; 4(2):e210045. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33625509>

Gratale SK, Maloney EK, Sangalang A, and Cappella JN. Influence of Natural American Spirit advertising on current and former smokers' perceptions and intentions. *Tobacco Control*, 2018; 27(5):498-504. Available from:

<https://tobaccocontrol.bmj.com/content/tobaccocontrol/27/5/498.full.pdf>

Crosbie E, Sosa P, and Glantz SA. Defending strong tobacco packaging and labelling regulations in Uruguay: Transnational tobacco control network versus Philip Morris international. *Tobacco Control*, 2018; 27(2):185-94. Available from:

<http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/2/185.full.pdf>

Salloum R, Louviere J, Getz K, Islam F, Anshari D, et al. Evaluation of strategies to communicate harmful and potentially harmful constituent (HPHC) information through cigarette package inserts: A discrete choice experiment. *Tobacco Control*, 2017. Available from:

<http://tobaccocontrol.bmj.com/content/early/2017/07/13/tobaccocontrol-2016-053579?papetoc=>

<http://www.ncbi.nlm.nih.gov/pubmed/28705893>

Epperson AE, Henriksen L, and Prochaska JJ. Natural American Spirit brand marketing casts health halo around smoking. *American Journal of Public Health*, 2017; 107(5):668-70. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28398789>

Pearson J, Richardson A, Feirman S, Villanti A, Cantrell J, et al. American spirit pack descriptors and perceptions of harm: A crowdsourced comparison of modified packs. *Nicotine & Tobacco Research* 2016. Available from: <http://ntr.oxfordjournals.org/content/early/2016/04/29/ntr.ntw097>

<http://www.ncbi.nlm.nih.gov/pubmed/27170707>

Kotnowski K, Fong GT, Gallopel-Morvan K, Islam T, and Hammond D. The impact of cigarette packaging design among young females in Canada: Findings from a discrete choice experiment. *Nicotine & Tobacco Research*, 2016; 18(5):1348-56. Available from:

<http://dx.doi.org/10.1093/ntr/ntv114>

Hoek J, Gendall P, Eckert C, and Louviere J. Dissuasive cigarette sticks: The next step in standardised ('plain') packaging? *Tobacco Control*, 2016; 25(6):699-705. Available from:

<https://tobaccocontrol.bmj.com/content/tobaccocontrol/25/6/699.full.pdf>

Hoek J, Gendall P, Eckert C, Kemper J, and Louviere J. Effects of brand variants on smokers' choice behaviours and risk perceptions. *Tobacco Control*, 2016; 25(2):160-5. Available from:

<https://tobaccocontrol.bmj.com/content/tobaccocontrol/25/2/160.full.pdf>

Bayly M, Freeman B, and Scollo M. Trends in products and packaging, in *Tobacco in Australia: Facts and issues*. Scollo M and Winstanley M, Editors. Melbourne: Cancer Council Victoria; 2016. p 10.8 Available from: <http://www.tobaccoinaustralia.org.au/chapter-10-tobacco-industry/10-8-trends-in-products-and-packaging>

Balmford J, Borland R, and Yong H-H. Impact of the introduction of standardised packaging on smokers' brand awareness and identification in Australia. *Drug and Alcohol Review*, 2016; 35(1):102-9. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/dar.12331>

Scollo M, Zacher M, Coomber K, Bayly M, and Wakefield M. Changes in use of types of tobacco products by pack sizes and price segments, prices paid and consumption following the introduction of plain packaging in Australia. *Tobacco Control*, 2015; 24(Suppl 2):ii66-ii75. Available from: https://tobaccocontrol.bmj.com/content/tobaccocontrol/24/Suppl_2/ii66.full.pdf

Hoek J and Robertson C. How do young adult female smokers interpret dissuasive cigarette sticks?: A qualitative analysis. *Journal of Social Marketing*, 2015; 5(1):21-39. Available from: <https://www.emeraldinsight.com/doi/abs/10.1108/JSOCM-01-2014-0003>

Babineau K and Clancy L. Young people's perceptions of tobacco packaging: A comparison of EU Tobacco products directive & Ireland's standardisation of Tobacco Act. *BMJ Open*, 2015; 5(6):e007352. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26048206>

Agaku IT, Omaduvie UT, Filippidis FT, and Vardavas CI. Cigarette design and marketing features are associated with increased smoking susceptibility and perception of reduced harm among smokers in 27 EU countries. *Tobacco Control*, 2015; 24(e4):e233. Available from: <http://tobaccocontrol.bmj.com/content/24/e4/e233.abstract>

No authors listed. Administrative supplements for tobacco regulatory research on the public display of harmful and potentially harmful constituents (HPHC) information National Institutes of Health, 2014. Available from: <http://grants.nih.gov/grants/guide/pa-files/PA-15-046.html>.

Murphy M. Cigarette descriptor research: Report of qualitative research. Prepared for centre for behavioural research in cancer, cancer council victoria. Cancer Council Victoria, Australia 2014.

Borland R and Savvas S. The effects of variant descriptors on the potential effectiveness of plain packaging. *Tobacco Control*, 2014; 23(1):58-63.

Lee W-cJ, Shimizu M, Kniffin KM, and Wansink B. You taste what you see: Do organic labels bias taste perceptions? *Food Quality and Preference*, 2013; 29(1):33-9.

Hoek J, Gendall P, Gifford H, Pirikahu G, McCool J, et al. Tobacco branding, plain packaging, pictorial warnings, and symbolic consumption. *Qual Health Res*, 2012; 22(5):630-9.

Ford A. The packaging of tobacco products. Stirling: Centre for Tobacco Control Research, University of Stirling 2012. Available from: http://www.cancerresearchuk.org/prod_consump/groups/cr_common/@nre/@new/@pre/documents/generalcontent/cr_086687.pdf.

Cook J and Lewandowsky S. The debunking handbook. St. Lucia, Australia: University of Queensland, 2011. Available from: <http://sks.to/debunk>.

Wright AJ, Whitwell SCL, Takeichi C, Hankins M, and Marteau TM. The impact of numeracy on reactions to different graphic risk presentation formats: An experimental analogue study. *British*

Journal of Health Psychology, 2009; 14(1):107-25. Available from:
<https://onlinelibrary.wiley.com/doi/abs/10.1348/135910708X304432>

Simpson D. Hong kong, China: Marlboro pack sleeves. Tobacco Control, 2006; 15(1):6. Available from: <http://tobaccocontrol.bmj.com/cgi/content/extract/15/1/6>

Willemsen MC. The altered view of tobacco products: The effects of the new health warnings on smokers. The Hague, The Netherlands: DEFACTO for a smoke-free future, 2002.

Wilkenfeld J, Henningfield J, Slade J, Burns D, and Pinney J. It's time for a change: Cigarette smokers deserve meaningful information about their cigarettes. Journal of the National Cancer Institute, 2000; 92(2):90–2. Available from: <http://jnci.oxfordjournals.org/cgi/content/full/92/2/90>

White W, Bolling K, Owen L, and McNeil A. Cigarette labelling: What information do consumers in england want? in Promoting a Future Without Tobacco: 11th World Conference on Tobacco OR Health. Chicago. 2000.

McBride CM, Halabi S, Bepler G, Lyna P, McIntyre L, et al. Maximizing the motivational impact of feedback of lung cancer susceptibility on smokers' desire to quit. Journal of Health Communication, 2000; 5(3):229-41. Available from: <https://doi.org/10.1080/10810730050131406>

enningfield J, Kozolowski LT, and NL B. A proposal to develop meaningful labeling for cigarettes. Journal of the American Medical Association, 1994; 272(4):312–4. Available from: <http://jama.ama-assn.org/cgi/content/citation/272/4/312>

12.9.1 Labelling of tar, nicotine and carbon monoxide yields of Australian cigarettes in the past

Iacobelli M, Cho J, Welding K, Smith K, and Cohen JE. Machine-assessed tar yield marketing on cigarette packages from two cities in south korea. Tobacco induced diseases Tob Induc Dis, 2021; 19:54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34220410>

Wang SQ, Wang WJ, Wu CC, Bao LJ, Yu Y, et al. Low tar level does not reduce human exposure to polycyclic aromatic hydrocarbons in environmental Tobacco smoke. Environmental Science & Technology, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31859494>

Cho YJ, Thrasher JF, Swayampakala K, Lipkus I, Hammond D, et al. Does adding information on toxic constituents to cigarette pack warnings increase smokers' perceptions about the health risks of smoking? A longitudinal study in Australia, Canada, Mexico, and the United States. Health Education and Behavior, 2018; 45(1):32-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28715260>

Alpert HR, Carpenter D, and Connolly GN. Tobacco industry response to a ban on lights descriptors on cigarette packaging and population outcomes. Tobacco Control, 2018; 27(4):390-8. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/4/390.full.pdf>

No authors listed. Listing of ingredients in Tobacco products. US 2017. Available from: https://www.fda.gov/TobaccoProducts/Labeling/RulesRegulationsGuidance/ucm191982.htm?utm_source=Eloqua&utm_medium=email&utm_term=StratComms&utm_campaign=CTP%20News%3A%20IngredientsReminder%20%26%20Tobacco%20Product%20Problem%20Page-%2011217.

Morgan JC, Byron MJ, Baig SA, Stepanov I, and Brewer NT. How people think about the chemicals in cigarette smoke: A systematic review. *J Behav Med*, 2017:1-12. Available from: <http://dx.doi.org/10.1007/s10865-017-9823-5>

DeAtley T, Bianco E, Welding K, and Cohen J. Compliance with uruguay's single presentation requirement. *Tobacco Control*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28416710>

Bernat JK, Ferrer RA, Margolis KA, and Blake KD. US adult tobacco users' absolute harm perceptions of traditional and alternative tobacco products, information-seeking behaviors, and (mis)beliefs about chemicals in tobacco products. *Addictive Behaviors*, 2017; 71:38-45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28259026>

Yong HH, Borland R, Cummings KM, Lindblom EN, Li L, et al. US smokers' beliefs, experiences and perceptions of different cigarette variants before and after the fsptca ban on misleading descriptors such as 'light', 'mild', or 'low'. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27083215>

Lian TY. Southeast asia Tobacco control alliance implementation of WHO Framework Convention on Tobacco Control Article 11 in asean countries Southeast Asia Tobacco Control Alliance Thailand 2016. Available from: http://seatca.org/dmdocuments/SEATCA%20Tobacco%20Packaging%20and%20Labelling%20Index%2019%20May_Final.pdf.

Agnew-Heard KA, Lancaster VA, Bravo R, Watson CH, Walters MJ, et al. Multivariate statistical analysis of cigarette design features influence on ISO tnco yields. *Chemical Research in Toxicology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27222918>

Sharma P, Murthy P, and Shivhare P. Nicotine quantity and packaging disclosure in smoked and smokeless tobacco products in India. *Indian J Pharmacol*, 2015; 47(4):440-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26288479>

Green AC, Fong GT, Borland R, Quah AC, Seo HG, et al. The importance of the belief that "light" cigarettes are smoother in misperceptions of the harmfulness of "light" cigarettes in the republic of korea: A nationally representative cohort study. *BMC Public Health*, 2015; 15(1):1108. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26547549>

Czoli CaH, D. Cigarette packaging: Youth perceptions of 'natural' cigarettes, filter references, and contraband tobacco. *Journal of Adolescent Health*, 2014; 54(1):33-9.

Cohen JE, Yang J, and Donaldson EA. Impact of the removal of light and mild descriptors from cigarette packages in ontario, Canada: Switching to "light replacement" brand variants. *Preventive Medicine*, 2014; 69C:120-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25224153>

O'Connor RJ, Caruso RV, Borland R, Cummings KM, Bansal-Travers M, et al. Relationship of cigarette-related perceptions to cigarette design features: Findings from the 2009 itc U.S. Survey. *Nicotine & Tobacco Research*, 2013; 15(11):1943-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23943847>

Greenland SJ. Cigarette brand variant portfolio strategy and the use of colour in a darkening market. *Tobacco Control*, 2013. Available from:

<http://tobaccocontrol.bmj.com/content/early/2013/08/29/tobaccocontrol-2013-051055.abstract>

Yong HH, Borland R, Cummings KM, Hammond D, O'Connor RJ, et al. Impact of the removal of misleading terms on cigarette pack on smokers' beliefs about 'light/mild' cigarettes: Cross-country comparisons. *Addiction*, 2011; 106(12):2204-13. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/21658140>

Mutti S, Hammond D, Borland R, Cummings MK, O'Connor RJ, et al. Beyond light and mild: Cigarette brand descriptors and perceptions of risk in the International Tobacco Control (itc) four country survey. *Addiction*, 2011; 106(6):1166-75. Available from:

<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1360-0443.2011.03402.x>

King B, Borland R, Abdul-Salaam S, Polzin G, Ashley D, et al. Divergence between strength indicators in packaging and cigarette engineering: A case study of Marlboro varieties in Australia and the USA. *Tobacco Control*, 2010; 19(5):398-402. Available from:

<http://tobaccocontrol.bmj.com/content/19/5/398.abstract>

Gallopel-Morvan K, Moodie C, Hammond D, Eker F, Beguinot E, et al. Consumer understanding of cigarette emission labelling. *European Journal of Public Health*, 2010; [Epub ahead of print].

Available from:

<http://eurpub.oxfordjournals.org/cgi/content/full/ckq087v1?view=long&pmid=20601380>

Wilson N, Weerasekera D, Peace J, Edwards R, Thomson G, et al. Misperceptions of "light" cigarettes abound: National survey data. *BMC Public Health*, 2009; 9(1):126. Available from:

<http://www.biomedcentral.com/content/pdf/1471-2458-9-126.pdf>

Tindle HA, Shiffman S, Hartman AM, and Bost JE. Switching to "lighter" cigarettes and quitting smoking. *Tobacco Control*, 2009; 18(6):485-90. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/19892697>

Hammond D and Parkinson C. The impact of cigarette package design on perceptions of risk. *J Public Health (Oxf)*, 2009; 31(3):345-53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19636066>

Norton K, Wilkins K, O'Connor R, Wilson N, Edwards R, et al. Properties of "light" cigarettes sold in New Zealand. *New Zealand Medical Journal*, 2008; 121(1281):107-10. Available from:

http://www.unboundmedicine.com/medline/ebm/record/18797495/full_citation/Properties_of_%20light%22_cigarettes_sold_in_New_Zealand

Borland R, Fong GT, Yong HH, Cummings KM, Hammond D, et al. What happened to smokers' beliefs about light cigarettes when "light/mild" brand descriptors were banned in the UK? Findings from the International Tobacco Control (itc) four country survey. *Tobacco Control*, 2008; 17(4):256-62.

Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/4/256>

King B and Borland R. What was "light" and "mild" is now "smooth" and "fine": New labelling of Australian cigarettes. *Tobacco Control*, 2005; 14(3):214-5. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/15923475>

Waa A, Gillespie J, and Afzal R. Influence on smoking behaviour and perceptions of cigarette packaging in New Zealand: Preliminary findings. Health Sponsorship Council, The Quit Group Research Team, 2004. Available from:

[www.ndp.govt.nz/moh.nsf/pagescm/910/\\$File/influencesmokingpackagingmay2004.pdf](http://www.ndp.govt.nz/moh.nsf/pagescm/910/$File/influencesmokingpackagingmay2004.pdf).

King B and Borland R. The 'low tar' strategy and the changing construction of Australian cigarettes. *Nicotine & Tobacco Research*, 2004; 6(1):85–94. Available from:

<https://pubmed.ncbi.nlm.nih.gov/14982692>

King W, Carter SM, Borland R, Chapman S, and Gray N. The Australian tar derby: The origins and fate of a low tar harm reduction programme. *Tobacco Control*, 2003; 12 Suppl 3(suppl. 3):iii61-70.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/14645950>

Shiffman S, Pillitteri JL, Burton SL, Rohay JM, and Gitchell JG. Effect of health messages about "light" and "ultra light" cigarettes on beliefs and quitting intent. *Tobacco Control*, 2001; 10(suppl. 1):i24–32.

Available from: http://tobaccocontrol.bmj.com/cgi/content/full/10/suppl_1/i24

Shiffman S, Burton SL, Pillitteri JL, Gitchell JG, Di Marino ME, et al. Test of “light” cigarette counter-advertising using a standard test of advertising effectiveness. *Tobacco Control*, 2001; 10(suppl 1):i33-i40. Available from:

https://tobaccocontrol.bmj.com/content/tobaccocontrol/10/suppl_1/i33.full.pdf

Enviro-nics Research Group. Public attitudes toward toxic constituent labelling on cigarette packages. Ottawa: Health Canada, 1996.

Winstanley M, Woodward S, and Walker N, *Tobacco in Australia: Facts and issues*, 1995. 2nd edn. Carlton South: Victorian Smoking and Health Program; 1995. Available from:

<http://www.quit.org.au/quit/Fandl/welcome.htm>.

John J and Wakeman H. Breakthrough of the high taste, low tar cigarette -- a case history of innovation Bates No 2021566196-2021566216. Richmond, Virginia Philip Morris Research Centre, 1980. Available from: <http://legacy.library.ucsf.edu/tid/pgb68e00/pdf?search=%222021566196%22>

12.9.2 Current labelling requirements for tobacco products in Australia

Skaczkowski G, Durkin, S., Kashima, Y. and Wakefield, M. Influence of premium versus value brand names on the smoking experience in a plain packaging environment: An experimental study. *BMJ Open*, 2017; 7.

Chapman S and Freeman B, *Removing the emperor's clothes : Australia and tobacco plain packaging*. The University of Sydney, N.S.W. : Sydney University Press, 2014.; 2014.

GfK Blue Moon. Market research to determine effective plain packaging of Tobacco products. Sydney: GfK Blue Moon,, 2011. Available from:

<http://www.health.gov.au/internet/publications/publishing.nsf/Content/mr-plainpack-mr-tob-products>.

News:

12.9 Labelling of tobacco products in Australia

No authors listed. FDA Proposes New Requirements for Tobacco Product Manufacturing Practices. US Food and Drug Administration, 2023. March 8, 2023. Retrieved from <https://www.fda.gov/news-events/press-announcements/fda-proposes-new-requirements-tobacco-product-manufacturing-practices>

Hargett R. Florida consumer accuses cigarette makers of deceptive labeling. Legal NewsLine, 2016. Available from: <http://legalnewslines.com/stories/510760941-florida-consumer-accuses-cigarette-makers-of-deceptive-labeling>

World Health Organization. Tobacco packaging and labelling. 2014. Last update: Viewed Available from: http://apps.who.int/iris/bitstream/handle/10665/204198/Fact_Sheet_TFI_2014_EN_15309.pdf;jsessionid=DF29D028C0252291BB841675606689F6?sequence=1.

Australian Government. Competition and consumer (Tobacco) information standard 2011, 2011: Canberra: Australia. Available from: <https://www.legislation.gov.au/Details/F2013C00598>.

12.9.1 Labelling of tar, nicotine and carbon monoxide yields of Australian cigarettes in the past

Virginia Tech. Scientists seek unfiltered truth about 'light' cigarettes. Medical Xpress, 2018. Available from: <https://medicalxpress.com/news/2018-03-scientists-unfiltered-truth-cigarettes.html>

Pieters J. Netherlands withdraws from international cigarette advice committee: Report. NL Times, 2018. Available from: <https://nltimes.nl/2018/05/07/netherlands-withdraws-international-cigarette-advice-committee-report>

listed Na. Order #59-remand, reinstating the descriptor ban. Tobacco On Trial 2015. Available from: <http://www.tobacco-on-trial.com/2015/09/21/order-59-remand-reinstating-the-descriptor-ban-sept-21-2015/>

Durkin S and M W. Response of smokers to the Australian competition and consumer commissions' 'lights and milds' corrective advertising campaign., 2006: Melbourne: Centre for Behavioural Research in Cancer, Cancer Council Victoria.

Bates C. Light branding and graphic design - new docs. GLOBALink, UICC, 2000. Last update: Viewed 19 September 2000.

12.9.2 Current labelling requirements for tobacco products in Australia

Australian Government Department of Health. Tobacco plain packaging: Your guide. 2014. Last update: Viewed Available from: https://www.health.gov.au/sites/default/files/tobacco-plain-packaging-your-guide_0.pdf

Australian Government. Tobacco plain packaging regulations 2011. Australia Government Federal Register of Legislation, 2011. Last update: Viewed Available from: <https://www.legislation.gov.au/Details/F2018C00935>.