

Tobacco in Australia

Facts & Issues

Relevant news and research

14.4 Examining the effectiveness of public education campaigns

Last updated December 2024

Research:	2
14.4.1 Population-level effectiveness.....	12
14.4.1.1 Population-level effectiveness: adults.....	12
14.4.1.2 Population-level effectiveness: youth	13
14.4.2 Campaign content and theme	14
14.4.2.1 Campaign content and theme: adults	15
14.4.2.2 Campaign content and theme: youth	16
14.4.3.2 Campaign exposure: youth	17
News reports:	18
14.4.1 Population-level effectiveness.....	19
14.4.2 Campaign content and theme	20
14.4.2.1 Campaign content and theme: adults	20
14.4.2.2 Campaign content and theme: youth.....	21
14.4.3 Campaign exposure.....	21

Research:

Jackson, SE, Beard, E, & Brown, J. (2024). Evaluation of a regional tobacco control programme (Greater Manchester's Making Smoking History) on quitting and smoking in England 2014 to 2022: a time-series analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38850042>

Chatterjee, S, Gawde, NC, & Gupta, PC. (2024). Prevalence, Reach of Anti-smokeless Tobacco Messages and Quit Attempts by Product Type: A Secondary Data Analysis from the Global Adult Tobacco Survey (GATS - 2016-17). *Asian Pac J Cancer Prev*, 25(4), 1277-1283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38679988>

Lim, CCW, Rutherford, B, Gartner, C, McClure-Thomas, C, Foo, S, Su, FY et al. (2024). A systematic review of second-hand smoking mass media campaigns (2002-2022). *BMC Public Health*, 24(1), 693. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38438990>

Hayes, KA, Brown, EM, Nonnemaker, J, Juster, H, Ortega-Peluso, C, Farrelly, MC, & Davis, K. (2023). Effectiveness of a media campaign promoting health care provider tobacco dependence treatment. *Prev Med Rep*, 36, 102403. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37753382>

Parvanta, C, Hammond, RW, He, W, Zemen, R, Boddupalli, S, Walker, K et al. (2022). Face Value: Remote facial expression analysis adds predictive power to perceived effectiveness for selecting anti-tobacco PSAs. *J Health Commun*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35838201>

Rath, JM, Perks, SN, Williams, KN, Budnik, T, Geraci, J, Vallone, DM, & Hair, EC. (2022). Developing the Message Assessment Scale for Tobacco Prevention Campaigns: Cross-sectional Validation Study. *JMIR Form Res*, 6(7), e38156. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35881429>

Wu, Y. (2022). Tobacco Control Measures' Role in Improving Employees' Health Under the Impact of Health Education and Media Campaign. *Front Public Health*, 10, 904894. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35874977>

Chan, L, El-Haddad, N, Freeman, B, MacKenzie, R, Woodland, L, O'Hara, BJ, & Harris-Roxas, BF. (2022). Evaluation of 'Shisha No Thanks' - a co-design social marketing campaign on the harms of waterpipe smoking. *BMC Public Health*, 22(1), 386. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35197044>

Kim, SC, Zhao, X, Brophy, NS, Walker, MW, & Alexander, TN. (2021). Visual attention to the source matters: Using eye tracking to understand the FDA's "Every Try Counts" campaign message effectiveness. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34520552>

Guignard, R, Andler, R, Richard, JB, Pasquereau, A, Quatremere, G, Arwidson, P et al. (2021). Effectiveness of 'Mois sans tabac 2016': A French social marketing campaign against smoking. *Tob Induc Dis*, 19, 60. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34305506>

Baig, SA, Noar, SM, Gottfredson, NC, Lazard, AJ, Ribisl, KM, & Brewer, NT. (2021). Message perceptions and effects perceptions as proxies for behavioral impact in the context of anti-smoking

messages. *Prev Med Rep*, 23, 101434. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34194959>

Record, RA, Greiner, LH, Wipfli, H, Strickland, J, Owens, J, Pugel, J, & Matt, GE. (2021). Evaluation of a Social Media Campaign Designed to Increase Awareness of Thirdhand Smoke among California Adults. *Health Commun*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34320896>

Inguscio, BMS, Cartocci, G, Modica, E, Rossi, D, Martinez-Levy, AC, Cherubino, P et al. (2021). Smoke signals: A study of the neurophysiological reaction of smokers and non-smokers to smoking cues inserted into antismoking public service announcements. *Int J Psychophysiol*, 167, 22-29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34175349>

Omare, MO, Kibet, JK, Cherutoi, JK, & Kengara, FO. (2021). A review of tobacco abuse and its epidemiological consequences. *Z Gesundh Wiss*, 1-16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33425659>

Beasley, S, Barker, A, Murphy, M, Roderick, T, & Carroll, T. (2020). What makes an effective antismoking campaign – insights from the trenches. *Public Health Research & Practice*. Retrieved from <https://www.phrp.com.au/issues/september-2020-volume-30-issue-3/what-makes-an-effective-antismoking-campaign/>

Hansen, WB. (2020). Relative Reduction in Prevalence (RRP): An Alternative to Cohen's Effect Size Statistics for Judging Alcohol, Cigarette, and Marijuana Use Prevention Outcomes. *J Prim Prev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32857221>

Baig, SA, Noar, SM, Gottfredson, NC, Lazard, AJ, Ribisl, KM, & Brewer, NT. (2020). Incremental criterion validity of message perceptions and effects perceptions in the context of anti-smoking messages. *J Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32519300>

Chan, L, O'Hara, B, Phongsavan, P, Bauman, A, & Freeman, B. (2020). From Likes to Quit Attempts: A Review of Evaluation Metrics Used in Digital and Traditional Tobacco Control Campaigns. *J Med Internet Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32348272>

Dono, J, Miller, C, Ettridge, K, & Wilson, C. (2020). The role of social norms in the relationship between anti-smoking advertising campaigns and smoking cessation: a scoping review. *Health Educ Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32276270>

Durkin, SJ, Schoenaker, D, Brennan, E, Bayly, M, & Wakefield, MA. (2020). Are anti-smoking social norms associated with tobacco control mass media campaigns, tax and policy changes? Findings from an Australian serial cross-sectional population study of smokers. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32269172>

Rohde, JA, Noar, SM, Prentice-Dunn, H, Kresovich, A, & Hall, MG. (2020). Comparison of Message and Effects Perceptions for The Real Cost E-Cigarette Prevention Ads. *Health Commun*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32268799>

Langley, T, Gillespie, D, Lewis, S, Eminson, K, Brennan, A, Docherty, G, & Young, B. (2020). Developing logic models to inform public health policy outcome evaluation: an example from

tobacco control. *J Public Health (Oxf)*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32140716>

Duke, JC, Woodlea, R, Arnold, KY, MacMonegle, AJ, Nonnemaker, JM, & Porter, L. (2020). Effect of a Statewide Media Campaign on Smoking Cessation Among Florida Adults. *Prev Chronic Dis*, 17, E17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32078501>

Kranzler, EC, Schmalzle, R, Pei, R, Hornik, RC, & Falk, EB. (2019). Message-Elicited Brain Response Moderates the Relationship Between Opportunities for Exposure to Anti-Smoking Messages and Message Recall. *J Commun*, 69(6), 589-611. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32009669>

Ruano-Ravina, A, Provencio-Pulla, M, & Fernandez-Villar, JA. (2020). Promotion of Anti-Smoking Strategies as the Most Effective and Efficient Way to Reduce Lung Cancer (and Other Diseases). *Archivos de Bronconeumologia*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32001005>

Zhu, J, Li, J, He, Y, Li, N, Xu, G, & Yu, J. (2019). The influence and interaction of exposure to pro-smoking and anti-smoking messaging on youth smoking behaviour and susceptibility. *Tob Induc Dis*, 17, 86. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31889948>

Agha, S, & Paullin, J. (2019). An illustration of how responsive feedback in a social marketing tobacco control intervention in Ghana enabled managers to make decisions that increased intervention effectiveness. *Gates Open Res*, 3, 1534. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31850399>

Davis, KC, Murphy-Hoefer, R, Levine, B, King, BA, Hu, S, & Rodes, R. (2019). Evidence of the Impact of the Tips From Former Smokers Campaign: Results From the Behavioral Risk Factor Surveillance System. *Prev Chronic Dis*, 16, E137. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31603406>

Lizama, N, Slevin, T, & Pettigrew, S. (2019). Anti-smoking advertisements are perceived differently by smokers and individuals with health or advertising knowledge. *Aust N Z J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31617670>

Kranzler, EC, & Hornik, RC. (2019). The Relationship Between Exogenous Exposure to "The Real Cost" Anti-smoking Campaign and Campaign-Targeted Beliefs. *J Health Commun*, 1-10. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31556348>

Nogueira, SO, Tigova, O, Castellano, Y, Mons, U, Kyriakos, CN, McNeill, A et al. (2018). Cigarette brand loyalty among smokers in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. *Tob Induc Dis*, 16, A12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516461>

Waters, EA, Ackerman, N, & Wheeler, CS. (2019). Cognitive and Affective Responses to Mass-media Based Genetic Risk Information in a Socio-demographically Diverse Sample of Smokers. *J Health Commun*, 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31525122>

Chu, KH, Colditz, J, Malik, M, Yates, T, & Primack, B. (2019). Identifying Key Target Audiences for Public Health Campaigns: Leveraging Machine Learning in the Case of Hookah Tobacco Smoking. *J Med Internet Res*, 21(7), e12443. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31287063>

- Laird, Y, Myers, F, Reid, G, & McAteer, J. (2019). Tobacco Control Policy in Scotland: A Qualitative Study of Expert Views on Successes, Challenges and Future Actions. *Int J Environ Res Public Health*, 16(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31349618>
- Kostygina, G, Szczypka, G, Tran, H, Binns, S, Emery, SL, Vallone, D, & Hair, EC. (2019). Exposure and reach of the US court-mandated corrective statements advertising campaign on broadcast and social media. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31227650>
- Kuipers, MAG, West, R, Beard, E, & Brown, J. (2019). Impact of the 'Stoptober' smoking cessation campaign in England from 2012 to 2017: A quasi-experimental repeat cross-sectional study. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31246257>
- Lee, SJ, Sanders-Jackson, A, & Tan, ASL. (2019). Effects of Current and Enhanced Tobacco Corrective Messages on Smokers' Intention to Quit Smoking and Intention to Purchase Cigarettes. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31045214>
- Troelstra, SA, Kunst, AE, & Harting, J. (2019). "Like you are fooling yourself": how the "Stoptober" temporary abstinence campaign supports Dutch smokers attempting to quit. *BMC Public Health*, 19(1), 522. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31064349>
- Troelstra, SA, Harting, J, & Kunst, AE. Effectiveness of a Large, Nation-Wide Smoking Abstinence Campaign in the Netherlands: A Longitudinal Study. *Int J Environ Res Public Health*, 2019. 16(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30699988>
- Hall, MG, Saffer, AJ, & Noar, SM. A Secondary Audience's Reactions to "The Real Cost" Advertisements: Results From a Study of U.S. Young Adult Smokers and Susceptible Nonsmokers. *Am J Prev Med*, 2019. 56(2S1), S57-S64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30661527>
- Ickes, MJ, Butler, K Wiggins, AT, Kercksmar, S, Rayens, MK, & Hahn, EJ. Truth(R) ads, receptivity, and motivation to use or quit tobacco among college students. *J Am Coll Health*, 2019. 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30645188>
- Kim, M. (2019). When Similarity Strikes Back: Conditional Persuasive Effects of Character-Audience Similarity in Anti-Smoking Campaign. *Hum Commun Res*, 45(1), 52-77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30631219>
- Keating, DM. Extending Efforts to Move Cigarette and e-Cigarette Beliefs: Message Exposure and Belief Structures. *J Health Commun*, 2018. 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30488787>
- Tieks, A, Troelstra, SA, Hoekstra, T, & Kunst, AE. Associations of the Stoptober smoking cessation program with information seeking for smoking cessation: A Google trends study. *Drug Alcohol Depend*, 2018. 194, 97-100. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30419407>
- Yoo, JW, & Jin, YJ. Comparative impact of fear appeals and induced hypocrisy advertising in encouraging intent to quit smoking: Applying self-construal theory to consumers' attitudes. *Glob Health Promot*, 1757975918783425. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30319017>

Fairchild, AL, Bayer, R, Green, SH, Colgrove, J, Kilgore, E, Sweeney, M, Varma, JK. The Two Faces of Fear: A History of Hard-Hitting Public Health Campaigns Against Tobacco and AIDS. *Am J Public Health*. 2018 Sep;108(9):1180-1186. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30088996>

Murphy-Hoefer, R, Davis, KC, Beistle, D, King, BA, Duke, J, Rodes, R, Graffunder, C. Impact of the Tips From Former Smokers Campaign on Population-Level Smoking Cessation, 2012-2015. *Prev Chronic Dis*. 2018 May 31;15:E71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29862960>

Durkin, S, Bayly, M, Brennan, E, Biener, L, Wakefield, M. Fear, Sadness and Hope: Which Emotions Maximize Impact of Anti-Tobacco Mass Media Advertisements among Lower and Higher SES Groups? *J Health Commun*. 2018 Apr 27:1-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29702038>

Cho, KW, Lee, J, Ryu, JH, Kim, SJ. Effects of Anti-Smoking Public Service Announcements on the Attitudes of Korean College Students toward Smoking. *Osong Public Health Res Perspect*. 2017 Dec;8(6):397-404. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29354398>

Guignard, Romain, Gallopel-Morvan, Karine, Mons, Ute, Hummel, Karin and Nguyen-Thanh, Viêt. Impact of a negative emotional antitobacco mass media campaign on French smokers: a longitudinal study. *Tobacco Control*, Jan 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/01/12/tobaccocontrol-2017-053936.full.pdf>

Lazard, AJ, Byron, MJ, Vu, H, Peters, E, Schmidt, A, Brewer, NT. Website Designs for Communicating About Chemicals in Cigarette Smoke. *Health Commun*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29236552>

Martino, SC, Setodji, CM, Dunbar, MS, Gong, M, Shadel, WG. Effects of Antismoking Media on College Students' Smoking-Related Beliefs and Intentions. *Psychol Addict Behav*. 2017 Nov 30. pii: 2017-53601-001. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29189021>

McCullough, A, Meernik, C, Baker, H, Jarman, K, Walsh, B, Goldstein, AO. Perceptions of Tobacco Control Media Campaigns Among Smokers With Lower Socioeconomic Status. *Health Promot Pract*. 2017 Nov 1:1524839917741485. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29190143>

Vallone, D, Greenberg, M, Xiao, H, Bennett, M, Cantrell, J, Rath, J, Hair, E. The Effect of Branding to Promote Healthy Behavior: Reducing Tobacco Use among Youth and Young Adults. *Int J Environ Res Public Health*. 2017 Dec 7;14(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29215555>

Bala, MM, Strzeszynski, L, Topor-Madry, R. Mass media interventions for smoking cessation in adults. *Cochrane Database Syst Rev*. 2017 Nov 21;11:CD004704. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29159862>

Kranzler, EC, Gibson, LA, Hornik, RC. Recall of "The Real Cost" Anti-Smoking Campaign Is Specifically Associated With Endorsement of Campaign-Targeted Beliefs. *J Health Commun*. 2017 Sep 22:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28937865>

Duke, JC, Farrelly, MC, Alexander, TN, MacMonegle, AJ, Zhao, X, Allen, JA, Delahanty, JC, Rao, P, Nonnemaker, J. Effect of a National Tobacco Public Education Campaign on Youth's Risk Perceptions and Beliefs About Smoking. *Am J Health Promot.* 2017 Jan 1:890117117720745. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28759999>

Leshner, G, Clayton, RB, Bolls, PD, Bhandari, M. Deceived, Disgusted, and Defensive: Motivated Processing of Anti-Tobacco Advertisements. *Health Commun.* 2017 Aug 29:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28850253>

Kuipers, MAG, Beard, E, West, R and Brown, J. Associations between tobacco control mass media campaign expenditure and smoking prevalence and quitting in England: a time series analysis. *Tob Control*, Jun 2017. Available from: *Tob Control*.
<http://tobaccocontrol.bmj.com/content/early/2017/08/22/tobaccocontrol-2017-053662>

Houghton, F. Much ado about nothing? Legacy tobacco advertising and the role of public health. *Public Health.* 2017 Jul;148:117-119. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28477523>

Ma, Z, Nan, X. Friends Don't Let Friends Smoke: How Storytelling and Social Distance Influence Nonsmokers' Responses to Antismoking Messages. *Health Commun.* 2017 Jun 6:1-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28586249>

Clayton, RB, Leshner, G, Bolls, PD, Thorson, E. Discard the smoking cues-keep the disgust: an investigation of tobacco smokers' motivated processing of anti-tobacco commercials. *Health Commun*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27690639>

Zhao, X, Alexander, TN, Hoffman, L, Jones, C, Delahanty, J, Walker, M, Berger, AT, Talbert, E. Youth receptivity to FDA's The real cost Tobacco Prevention Campaign: evidence from message pretesting. *J Health Commun*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27736365>

Namkoong, K, Nah, S, Record, RA, Van Stee, SK. Communication, reasoning, and planned behaviors: unveiling the effect of interactive communication in an anti-smoking social media campaign. *Health Commun.* 2016 Apr 27:1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27119592>

Davis, KC, Shafer, PR, Rodes, R, Kim, A, Hansen, H, Patel, D, Coln, C, Beistle, D. Does digital video advertising increase population-level reach of multimedia campaigns? Evidence from the 2013 tips from former smokers campaign. *J Med Internet Res.* 2016 Sep 14;18(9):e235. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27627853>

Xu, J. The impact of smoking cues in antismoking messages among intermittent and light smokers. *Psychol Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27616462>

Bain, J, Weishaar, H, Semple, S, Duffy, S, Hilton, S. Vulnerable children, stigmatised smokers: The social construction of target audiences in media debates on policies regulating smoking in vehicles. *Health (London)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27457688>

Davis, KC, Duke, J, Shafer, P, Patel, D, Rodes, R, Beistle, D. Perceived effectiveness of antismoking ads and association with quit attempts among smokers: evidence from the tips from former smokers campaign. *Health Commun*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27435919>

Zhang, L, Malarcher, A, Babb, S, Mann, N, Davis, K, Campbell, K, Schauer, G, Alexander, R, Debrot, K, Rodes, R. The impact of a National Tobacco Education Campaign on state-specific quitline calls. *Am J Health Promot*. 2016 May;30(5):374-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27404646>

Zhao, X, Cai, X. The association between exposure to "Tips" and smoking-related outcomes among adolescents in the United States. *Health Educ Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27422897>

Wong, NC, Nisbett, GS, Harvell, LA. Smoking is so ew!: College smokers' reactions to health- versus social-focused antismoking threat messages. *Health Commun*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27314311>

Ayers, JW, Westmaas, JL, Leas, EC, Benton, A, Chen, Y, Dredze, M, Althouse, BM. Leveraging big data to improve health awareness campaigns: a novel evaluation of the Great American smokeout. *JMIR Public Health Surveill*. 2016 Mar 31;2(1):e16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27227151>

Jiang, S, Beaudoin, CE. Smoking prevention in China: a content analysis of an anti-smoking social media campaign. *J Health Commun*. 2016 May 27:1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27232655>

Lochbuehler, K, Tang, KZ, Souprontchouk, V, Campetti, D, Cappella, JN, Kozlowski, LT, Strasser, AA. Using eye-tracking to examine how embedding risk corrective statements improves cigarette risk beliefs: Implications for tobacco regulatory policy. *Drug Alcohol Depend*. 2016 May 2. pii: S0376-8716(16)30070-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27160034>

Namkoong, K, Nah, S, Record, RA, Van Stee, SK. Communication, reasoning, and planned behaviors: unveiling the effect of interactive communication in an anti-smoking social media campaign. *Health Commun*. 2016 Apr 27:1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27119592>

Zhang, L, Malarcher, A, Mann, N, Campbell, K, Davis, K, Anderson, C, Alexander, R, Rodes, R. The influence of state-specific quitline numbers on call volume during a National Tobacco Education Campaign promoting 1-800-QUIT-NOW. *Nicotine Tob Res*. Apr 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27073208>

Golechha, M. Health promotion methods for smoking prevention and cessation: a comprehensive review of effectiveness and the way forward. *Int J Prev Med*. 2016 Jan 11;7:7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26941908>

Kim, A, Hansen, H, Duke, J, Davis, K, Alexander, R, Rowland, A, Mitchko, J. Does digital ad exposure influence information-seeking behavior online? Evidence from the 2012 tips from former smokers National Tobacco Prevention Campaign. *J Med Internet Res*. 2016 Mar 16;18(3):e64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26983849>

Neff, LJ, Patel, D, Davis, K, Ridgeway, W, Shafer, P, Cox, S. Evaluation of the National tips from former smokers campaign: the 2014 Longitudinal Cohort. *Prev Chronic Dis*. 2016 Mar 24;13:E42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27010845>

Shrivastava, SR, Shrivastava, PS, Ramasamy, J. Public health interventions to reduce the incidence of tobacco associated cancers. *Int J Prev Med*. 2016 Jan 13;7:19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26941920>

Li, J et al. Evidence for a young adult-targeted tobacco control campaign stimulating cessation-related responses among adult smokers and recent quitters. *N Z Med J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26914422>

Shafer, PR et al. Association between media dose, ad tagging, and changes in web traffic for a National Tobacco Education Campaign: a market-level longitudinal study. *J Med Internet Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26887959>

White, AH, Brown-Johnson, GG, Martinez, SA, Paulson, S, Beebe, LA. Oklahoma "Tobacco Stops with Me" media campaign effects on attitudes toward secondhand smoke. *J Okla State Med Assoc*. 2015 Dec;108(12):583-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27027137>

Duke, JC et al. Youth's awareness of and reactions to the real cost National Tobacco Public Education Campaign. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26679504>

Zhao, X, Cai, X. Exposure to the tips from former smokers campaign among adolescents in the United States. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26647103>

Davis, KC et al. The dose-response relationship between tobacco education advertising and calls to Quitlines in the United States, March-June, 2012. *Prev Chronic Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26542143>

Smith, CT, De Houwer, J. Hooked on a feeling: affective anti-smoking messages are more effective than cognitive messages at changing implicit evaluations of smoking. *Front Psychol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26557099>

Ayers, JW, Althouse, BM. "Tips from former smokers" can benefit from considering all available data: reply to McAfee et al. *Am J Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26456875>

Mays, D et al. The effects of brief waterpipe tobacco use harm and addiction education messages among young adult waterpipe tobacco users. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26438650>

Strelnick, H. Negative ads and smoking prevalence. *Health Aff*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26438761>

Brennan, E et al. Talking about antismoking campaigns: what do smokers talk about, and how does talk influence campaign effectiveness? *J Health Commun*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26376358>

Rayens, MK et al. Recall and effectiveness of messages promoting smoke-free policies in rural communities. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26385925>

Xu, X et al. Evaluation of anti-smoking television advertising on tobacco control among urban community population in Chongqing, China. *Tob Induc Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26339225>

Lewis, S et al. The effectiveness of tobacco control television advertisements in increasing the prevalence of smoke-free homes. *BMC Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26350614>

Brown-Johnson, CG, Prochaska, JJ. Shame-based appeals in a tobacco control public health campaign: potential harms and benefits. *Tob Control*, Sep 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26293382>

Maksimovic, L et al. Evaluation of the pilot phase of the 'Give up smokes for good' social marketing campaign. *Health Promotion Journal of Australia*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25833011>

Piddennavar, R, Krishnappa, R. Preparation and evaluation of information leaflet for tobacco users. *Journal of Education and Health Promotion*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25861664>

Yu, S et al. The effects of antismoking messages from family, school, and mass media on smoking behavior and smoking intention among Chinese adolescents. *Journal of Health Communication*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25876081>

Huang LL, Thrasher JF, Abad EN, Cummings KM, Bansal-Travers M, et al. The U.S. National Tips From Former Smokers Antismoking Campaign: Promoting Awareness of Smoking-Related Risks, Cessation Resources, and Cessation Behaviors. *Health Educ Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25588934>

James SA, Rhoades RR, Mushtaq N, Paulson S, and Beebe LA. Longitudinal evaluation of the tobacco stops with me campaign. *Am J Prev Med*, 2015; 48(1 Suppl 1):S71-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25528712>

Kornfield R, Smith KC, Szczypka G, Vera L, and Emery S. Earned Media and Public Engagement With CDC's "Tips From Former Smokers" Campaign: An Analysis of Online News and Blog Coverage. *J Med Internet Res*, 2015; 17(1):e12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25604520>

Leas EC, Myers MG, Strong DR, Hofstetter CR, and Al-Delaimy WK. Recall of anti-tobacco advertisements and effects on quitting behavior: results from the california smokers cohort. *Am J Public Health*, 2015; 105(2):e90-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25521871>

Maksimovic L, Shen D, Bandick M, Ettridge K, and Eckert M. Evaluation of the pilot phase of the 'Give up smokes for good' social marketing campaign. *Health Promot J Austr*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25833011>

Piddennavar R and Krishnappa P. Preparation and evaluation of information leaflet for tobacco users. *J Educ Health Promot*, 2015; 4:19. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25861664>

Yu S, Koplan J, Eriksen MP, Yao S, Redmon P, et al. The Effects of Antismoking Messages From Family, School, and Mass Media on Smoking Behavior and Smoking Intention Among Chinese Adolescents. *J Health Commun*, 2015:1-9. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25876081>

Zhang L, Vickerman K, Malarcher A, and Carpenter K. Changes in Quitline Caller Characteristics During a National Tobacco Education Campaign. *Nicotine Tob Res*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25561612>

Bethea J, Murtagh B, and Wallace SE. "I don't mind damaging my own body" A qualitative study of the factors that motivate smokers to quit. *BMC Public Health*, 2015; 15(1):4. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25604029>

Kang J and Lin CA. Effects of Message Framing and Visual-Fear Appeals on Smoker Responses to Antismoking Ads. *J Health Commun*, 2015:1-9. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25868549>

Shen L. Targeting smokers with empathy appeal antismoking public service announcements: a field experiment. *J Health Commun*, 2015; 20(5):573-80. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25826606>

Fallin A, Neilands TB, Jordan JW, Hong JS, and Ling PM. Wreaking "havoc" on smoking: social branding to reach young adult "partiers" in oklahoma. *Am J Prev Med*, 2015; 48(1 Suppl 1):S78-85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25528713>

Niederdeppe J, Avery R, Byrne S, and Siam T. Variations in state use of antitobacco message themes predict youth smoking prevalence in the USA, 1999-2005. *Tob Control*, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25550420>

Heydari G, Ebn Ahmady A, Lando HA, Shadmehr MB, and Fadaizadeh L. The Second Study on WHO MPOWER Tobacco Control Scores in Eastern Mediterranean Countries Based on the 2013 Report: Improvements over Two Years. *Arch Iran Med*, 2014; 17(9):621-5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25204478>

Qin Y, Su J, Xiang Q, Hu Y, Xu G, et al. Effectiveness of a Television Advertisement Campaign on Giving Cigarettes in a Chinese Population. *J Epidemiol*, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25196169>

Richardson S, Langley T, Szatkowski L, Sims M, Gilmore A, et al. How does the emotive content of televised anti-smoking mass media campaigns influence monthly calls to the NHS Stop Smoking helpline in England? *Prev Med*, 2014; 69C:43-48. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25197004>

Shi R, Messaris P, and Cappella JN. Effects of Online Comments on Smokers' Perception of Anti-Smoking Public Service Announcements. *J Comput Mediat Commun*, 2014; 19(4):975-990. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25561825>

Campaign aims to get smokers to quit for a month. *Nurs N Z*, 2014; 20(7):9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25255533>

14.4.1 Population-level effectiveness

Mercincavage, M, Wackowski, OA, Johnson, AC, Young, WJ, Tan, ASL, Delnevo, CD et al. (2024). Associations of educational and marketing messages with beliefs about nicotine and reduced nicotine cigarettes. *Prev Med*, 185, 108056. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38944058>

Pei, D, Popova, L, Chowdhury, P, Shi, J, & Njie, G. (2024). Exposure to anti- and pro-smoking messages among adults in China: Results from the Global Adult Tobacco Survey, 2018. *PLoS One*, 19(6), e0304028. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38870150>

Verma, M, Tripathy, JP, & Kumar, M. (2024). Intention to Quit Tobacco due to Media Advertisements in India: Findings from Global Adult Tobacco Survey 2016-17. *Asian Pac J Cancer Prev*, 25(6), 1969-1975. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38918658>

Kite, J, Grunseit, A, Mitchell, G, Cooper, P, Chan, L, Huang, BH et al. (2024). Impact of Traditional and New Media on Smoking Intentions and Behaviors: Secondary Analysis of Tasmania's Tobacco Control Mass Media Campaign Program, 2019-2021. *J Med Internet Res*, 26, e47128. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38441941>

Hair, EC, Niederdeppe, J, Rath, JM, Bennett, M, Romberg, A, Pitzer, L et al (2020). Using Aggregate Temporal Variation in Ad Awareness to Assess the Effects of the truth(R) Campaign on Youth and Young Adult Smoking Behavior. *J Health Commun*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32129727>

Popova, L, So, J, Sangalang, A, Neilands, TB, Ling, PM. Do Emotions Spark Interest in Alternative Tobacco Products? *Health Educ Behav*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28071144>

14.4.1.1 Population-level effectiveness: adults

Mann, NH, Murphy-Hoefer, RL, Davis, KC, Von Jaglinsky, AS, Rodes, RM, & Beistle, D, Tabbakh, T., & Durkin, S. J. (2024). The Effect of Anti-Tobacco Ad Length and Skippability on Perceived Message Effectiveness and Emotional Responsiveness. *Health Commun*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39044313>

Tabbakh, T, & Durkin, SJ. (2024). The Effect of Anti-Tobacco Ad Length and Skippability on Perceived Message Effectiveness and Emotional Responsiveness. *Health Commun*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39053898>

Dutra, LM, Farrelly, MC, Bradfield, B, Mekos, D, Jones, C, & Alexander, T. (2023). Awareness of and receptivity to FDA's point-of-sale tobacco public education campaign. *PLoS One*, 18(7), e0288462. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37440511>

Paul, R, Rashmi, R, & Srivastava, S. (2022). Association of mass media exposure with combustible and smokeless tobacco use among Indian population: findings from a panel survey. *BMC Public Health*, 22(1), 125. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35042493>

So, J. (2021). Counterproductive effects of overfamiliar antitobacco messages on smoking cessation intentions via message fatigue and resistance to persuasion. *Psychol Addict Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34914408>

Umali, E, Tanielu, H, Whittaker, R, Sugden, C, & McCool, J. (2021). I Keep Looking at What I'm Doing to My Organs: Samoans' Responses to Adapted Anti-Tobacco Television Advertisements. *Asia Pac J Public Health*, 10105395211020920. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34075787>

Schmalzle, R, Cooper, N, O'Donnell, MB, Tompson, S, Lee, S, Cantrell, J et al (2020). The Effectiveness of Online Messages for Promoting Smoking Cessation Resources: Predicting Nationwide Campaign Effects From Neural Responses in the EX Campaign. *Front Hum Neurosci*, 14, 565772. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33100997>

Brennan, E, Durkin, SJ, Wakefield, M, Kashima, Y. Why do smokers talk about antismoking campaigns? Predictors of the occurrence and content of campaign-generated conversations. *Health Commun*. 2016 Nov 30:1-18. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27902887>

14.4.1.2 Population-level effectiveness: youth

Aldukhal, S, Alabdulkarim, A, & Agaku, IT. (2023). Population-level impact of 'The Real Cost' campaign on youth smoking risk perceptions and curiosity, United States 2018-2020. *Tob Induc Dis*, 21, 162. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38090739>

Kim, DB, Park, YS, Yun, I, Park, EC, & Jang, SI. (2023). Association between anti-smoking campaign types and smoking cessation attempts. *SSM Popul Health*, 24, 101505. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37692833>

Slocum, E, Xie, Y, Colston, DC, Emery, S, Patrick, ME, Thrasher, JF et al. (2022). Impact of the Tips from Former Smokers Anti-Smoking Media Campaign on Youth Smoking Behaviors and Anti-Tobacco Attitudes. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35749779>

Guillory, J, Curry, LE, Farrelly, M, Henes, A, Homsy, G, Saunders, M et al. (2022). Reach, receptivity, and beliefs associated with the Fresh Empire campaign to prevent and reduce cigarette use among youth in the United States. *Am J Health Promot*, 8901171211069991. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35081751>

- Noar, SM, Gottfredson, N, Vereen, RN, Kurtzman, R, Sheldon, JM, Adams, E et al. (2021). Development of the UNC Perceived Message Effectiveness Scale for Youth. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34930810>
- Oyapero, A, Erinoso, O, Osoba, M, Amure, M, Osibogun, O, Wright, K, & Osibogun, A. (2021). Exposure to Anti-Tobacco Messaging and Quit Attempts among Adolescent and Young Adult in Lagos, Nigeria: A Population-based Study. *West Afr J Med*, Vol. 38(11), 1058-1064. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34919362>
- Colston, DC, Xie, Y, Thrasher, JF, Patrick, ME, Titus, AR, Emery, S et al. (2021). Examining Truth and State-Sponsored Media Campaigns as a Means of Decreasing Youth Smoking and Related Disparities in the U.S. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34718762>
- Colston, DC, Xie, Y, Thrasher, JF, Emery, S, Patrick, ME, Titus, AR et al. (2021). Exploring How Exposure to Truth and State-Sponsored Anti-Tobacco Media Campaigns Affect Smoking Disparities among Young Adults Using a National Longitudinal Dataset, 2002-2017. *Int J Environ Res Public Health*, 18(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34360096>
- Stevens, EM, Hebert, ET, Keller-Hamilton, B, Frank-Pearce, SG, Tackett, AP, Leshner, G, & Wagener, TL. (2021). Associations Between Exposure to The Real Cost Campaign, Pro-Tobacco Advertisements, and Tobacco Use Among Youth in the U.S. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33583677>
- Igartua, JJ, & Rodriguez-Contreras, L. (2020). Narrative Voice Matters! Improving Smoking Prevention with Testimonial Messages through Identification and Cognitive Processes. *Int J Environ Res Public Health*, 17(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33028030>
- Delahanty, J, Ganz, O, Bernat, JK, Trigger, S, Smith, A, Lavinghouze, R, & Rao, P. (2020). Awareness of "The Real Cost" Campaign Among US Middle and High School Students: National Youth Tobacco Survey, 2017. *Public Health Rep*, 135(1), 82-89. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31835009>
- Huang, LL, Lazard, AJ, Pepper, JK, Noar, SM, Ranney, LM, Goldstein, AO. Impact of The Real Cost Campaign on Adolescents' Recall, Attitudes, and Risk Perceptions about Tobacco Use: A National Study. *Int J Environ Res Public Health*. 2017 Jan 4;14(1). pii: E42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28054993>
- Zhao, X, Peterson, E. Effects of Temporal Framing on Response to Antismoking Messages: The Mediating Role of Perceived Relevance. *J Health Commun*. 2017 Jan;22(1):37-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28001492>
- Unal, E, Gokler, ME, Metintas, S, Kalyoncu, C. Effect of anti-smoking advertisements on Turkish adolescents. *East Mediterr Health J*. 2016 Dec 12;22(9):654-661. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27966766>

14.4.2 Campaign content and theme

Sutrisno, RY, Suryana, BH, Sutantri, S, Sugiyo, D, Choliq, I, Aditjondro, E et al. (2024). The Effect of Educational Videos Depicting The Impact of Smoking on Young Adults Smokers: A Qualitative

Study. *Asian Pac J Cancer Prev*, 25(10), 3583-3588. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39471025>

Clark, J, Vincent, A, Wang, X, McGowan, AL, & Lydon-Staley, DM. (2022). Smokers' Curiosity Facilitates Recall of Tobacco-Related Health Information. [MS Top Pick]. *Health Commun*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36453248>

O'Hara, BJ, Owen, KB, Bauman, AE, Dunlop, S, Phongsavan, P, Furestad, E et al. (2022). Hope and sadness: Balancing emotions in tobacco control mass media campaigns aimed at smokers. [MS Top Pick]. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36444612>

Igartua, JJ, Rodriguez-Contreras, L, Marcos-Ramos, M, Gonzalez-de-Garay, B, & Frutos, FJ. (2020). Smoking prevention with narrative messages. An experimental study on the joint effect of audience-character similarity and narrative voice. *Adicciones*, 0(0), 1339. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32100044>

Reis, ES, Arriaga, P, & Postolache, OA. (2019). Fear or Humour in anti-smoking campaigns? Impact on perceived effectiveness and support for tobacco control Policies. *Cien Saude Colet*, 24(12), 4727-4738. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31778522>

Kang, J, Lin, CA. Effects of message framing and visual-fear appeals on smoker responses to antismoking ads. *Journal of Health Communication*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25868549>

Shen, L. Targeting smokers with empathy appeal antismoking public service announcements: a field experiment. *Journal of Health Communication*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25826606>

14.4.2.1 Campaign content and theme: adults

Bonneterre, S, Zerhouni, O, Barre, M, Wiers, R, & Boffo, M. (2024). Effect of content framing in smoking prevention campaigns on recognition and attitudes: a virtual reality study. *Health Psychol Behav Med*, 12(1), 2420810. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39588167>

Ennis, AC, Meadows, A, Jankowski, E, Miller, C, Curran, H, Elson, E et al. (2024). 'Authentic' or 'corny': LGBTQ+ young adults respond to visual, thematic and semantic elements of culturally targeted tobacco public education advertisements. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39613329>

Ntansah, CA, Hackworth, EE, Henderson, KC, Reynolds, R, Yang, B, Ashley, DL et al. (2023). A Focus Group Study of Reactions to Messages about a Nicotine Reduction Policy Among People Who Use Little Cigars and Cigarillos. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37596965>

King, BA, & Toll, BA. (2023). Commentary on Wackowski et al.: Opportunities and Considerations for Addressing Misperceptions About the Relative Risks of Tobacco Products among Adult Smokers. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37581434>

Jeong, JS, Choi, J, & Noh, GY. (2021). Fear appeal effectiveness in antismoking campaigns: do anger and smoking matter? *Psychol Health Med*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34789030>

Pettigrew, S, Jun, M, Roberts, I, Nallaiah, K, Bullen, C, & Rodgers, A. (2021). The Potential Effectiveness of COVID-Related Smoking Cessation Messages in Three Countries. *Nicotine & Tobacco Research*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33782699>

Duarte, DA, & Choi, K. (2020). Psychographic Profiling of Adult Tobacco Users and Implications for Mediated Message Tailoring. *Am J Health Promot*, 890117120967193. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33084349>

Liu, S, & Yang, JZ. (2020). The Role of Temporal Distance Perception in Narrative vs. Non-Narrative Persuasion Related to E-Cigarettes. *J Health Commun*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32673189>

Clayton, RB, Keene, JR, Leshner, G, Lang, A, & Bailey, RL. (2019). Smoking Status Matters: A Direct Comparison of Smokers' and Nonsmokers' Psychophysiological and Self-Report Responses to Secondhand Smoke Anti-Tobacco PSAs. *Health Commun*, 1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30961393>

Wehbe, MS, Basil, M, Basil, D. Reactance and Coping Responses to Tobacco Counter-Advertisements. *J Health Commun*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28586258>

Francis, DB, Noar, SM, Kowitz, SD, Jarman, KL, Goldstein, AO. Believability of new diseases reported in the 2014 Surgeon General's Report on smoking: Experimental results from a national survey of US adults. *Prev Med*. 2017 Feb 9;99:94-98. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28189803>

14.4.2.2 Campaign content and theme: youth

Aienobe-Asekharen, C, Norris, E, & Martin, W. (2024). A Scoping Review of Tobacco Control Health Communication in Africa: Moving towards Involving Young People. *Int J Environ Res Public Health*, 21(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38541261>

Liew, T., Ikhlas, A, Sayed, F, Vincent, A, & Lydon-Staley, DM. (2023). Curiosity, Surprise, and the Recall of Tobacco-Related Health Information in Adolescents. *J Health Commun*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37318238>

Colin, C, & Droulers, O. (2022). Effect of combining fear and anger in anti-smoking messages to discourage young smokers. *Public Health*, 211, 47-52. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36027787>

Mannocci, A, D'Egidio, V, Gualano, MR, Guerra, F, Mascagna, F, De Marco, Y et al (2021). Which is the best communication strategy, based on anti-tobacco ads, to impress teenagers? A multicenter cross-sectional study. *Ann Ig*, 33(1), 86-99. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33354698>

Phan, L, Villanti, AC, Leshner, G, Wagener, TL, Stevens, EM, Johnson, AC, & Mays, D. (2020). Development and Pretesting of Hookah Tobacco Public Education Messages for Young Adults. *Int J Environ Res Public Health*, 17(23). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33255675>

Villanti, AC, LePine, SE, West, JC, Cruz, TB, Stevens, EM, Tetreault, HJ et al (2020). Identifying message content to reduce vaping: Results from online message testing trials in young adult tobacco users. *Addict Behav*, 115, 106778. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33341530>

Hutchinson, P, Leyton, A, Meekers, D, Stoecker, C, Wood, F, Murray, J et al (2020). Evaluation of a multimedia youth anti-smoking and girls' empowerment campaign: SKY Girls Ghana. *BMC Public Health*, 20(1), 1734. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33203403>

Lee, HM, Hsu, YH, & Chen, T. (2020). The Moderating Effects of Self-Referencing and Relational-Interdependent Self-Construal in Anti-Smoking Advertising for Adolescents. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33207698>

Zhao, X, Delahanty, JC, Duke, JC, MacMonegle, AJ, Smith, AA, Allen, JA, & Nonnemaker, J. (2020). Perceived Message Effectiveness and Campaign-Targeted Beliefs: Evidence of Reciprocal Effects in Youth Tobacco Prevention. *Health Commun*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33140985>

Carson, KV, Ameer, F, Sayehmiri, K, Hnin, K, van Agteren, JE, Sayehmiri, F, Brinn, MP, Esterman, AJ, Chang, AB, Smith, BJ. Mass media interventions for preventing smoking in young people. *Cochrane Database Syst Rev*. 2017 Jun 2;6:CD001006. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28574573>

Clayton, RB, Leshner, G, Tomko, RL, Trull, TJ, Piasecki, TM. Countering Craving with Disgust Images: Examining Nicotine Withdrawn Smokers' Motivated Message Processing of Anti-Tobacco Public Service Announcements. *J Health Commun*. 2017 Mar;22(3):254-261. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28248620>

Palmedo, PC, Dorfman, L, Garza, S, Murphy, E, Freudenberg, N. Countermarketing Alcohol and Unhealthy Food: An Effective Strategy for Preventing Noncommunicable Diseases? Lessons from Tobacco. *Annu Rev Public Health*. 2017 Mar 20;38:119-144. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28384081>

14.4.3 Campaign exposure

Davis, K, Curry, L, Bradfield, B, Stuppelbeen, DA, Williams, RJ, Soria, S, & Lautsch, J. (2024). The Validity of Impressions as a Media Dose Metric in a Tobacco Public Education Campaign Evaluation: Observational Study. *J Med Internet Res*, 26, e55311. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39499542>

Keller-Hamilton, B, Stevens, EM, Villanti, AC, Leshner, G, Wagener, TL, & Mays, D. (2023). Messaging to prevent and reduce young adults' waterpipe tobacco smoking: A randomized trial. [MS Top Pick]. *Addict Behav*, 138, 107546. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36455379>

Stevens, EM, Vazquez-Otero, C, Li, X, Arya, M, Vallone, D, Minsky, S et al. (2021). Tobacco messages encountered in real-time among low socio-economic position groups: a descriptive study. *BMC Public Health*, 21(1), 2136. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34801012>

14.4.3.2 Campaign exposure: youth

Kim, DB, Park, YS, Yun, I, Park, EC, & Jang, SI. (2023). Association between anti-smoking campaign types and smoking cessation attempts. *SSM Popul Health*, 24, 101505. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37692833>

Dunbar, MS, Setodji, CM, Martino, SC, & Shadel, WG. (2019). Graphic health warning posters increase some adolescents' future cigarette use susceptibility by changing normative perceptions of smoking: A case of mediated moderation. *Psychol Addict Behav*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31424243>

News reports:

Centers for Disease Control and Prevention, & Department of Health and Human Services. Proposed Data Collection Submitted for Public Comment and Recommendations. Federal Register, 2019. June 24, 2019. Available from: <https://www.federalregister.gov/documents/2019/04/23/2019-08148/proposed-data-collection-submitted-for-public-comment-and-recommendations>

No authors listed. CDC: 'Tips' campaign has helped a number of smokers quit. Medical Xpress, 2018. July 18, 2018. Available from: <https://medicalxpress.com/news/2018-07-cdc-campaign-smokers.html>

No authors listed. NHS 'Stop Smoking' ads working in Essex. Heart, 2018. July 26, 2018. Available from: <https://www.heart.co.uk/essex/news/local/nhs-stop-smoking-ads-working-in-essex/>

Guignard, Romain, Gallopel-Morvan, Karine, Mons, Ute, Hummel, Karin and Nguyen-Thanh, Viêt. Impact of a negative emotional antitobacco mass media campaign on French smokers: a longitudinal study. *Tobacco Control*, Jan 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/01/12/tobaccocontrol-2017-053936.full.pdf>

No authors listed. truth® campaign prevents more than 300,000 young people from smoking in one year. Truth Initiative (American Legacy Foundation), 2017. Dec 7, 2017. Available from: <https://truthinitiative.org/news/truth-campaign-prevents-more-300000-young-people-smoking-one-year>

No authors listed. A State-by-State Look at the 1998 Tobacco Settlement 19 Years Later. Campaign for Tobacco Free Kids, 2017. Dec 13, 2017. Available from: <https://www.tobaccofreekids.org/what-we-do/us/statereport/>

Kuipers, MAG, Beard, E, West, R and Brown, J. Associations between tobacco control mass media campaign expenditure and smoking prevalence and quitting in England: a time series analysis. *Tobacco Control*, Jun 2017. Available from: *Tobacco Control*.

<http://tobaccocontrol.bmj.com/content/early/2017/08/22/tobaccocontrol-2017-053662>

Department of Health and Human Services. Impact of first federally funded anti-smoking ad campaign remains strong after three years. Centers for Disease Control, 2016. Available from:

<http://www.cdc.gov/media/releases/2016/p0324-anti-smoking.html>

No authors listed. Anti-smoking messages can backfire, research suggests. *Medical News Today*, 2015. Nov 3, 2015. Available from: <http://www.medicalnewstoday.com/releases/301931.php?tw>

No authors listed. CDC measures success of tips campaign ads. *Medical News Today*, 2015. Nov 5, 2015. Available from: <http://www.medicalnewstoday.com/releases/302132.php?tw>

No authors listed. Brain imaging can predict the success of large public health campaigns. *Medical News Today*, 2015. Oct 28, 2015. Available from:

<http://www.medicalnewstoday.com/releases/301691.php?tw>

No authors listed. Centers for Disease Control and Prevention honored for tips from former smokers campaign. *PR Newswire*, 2015. June 5, 2015. Available from: <http://www.prnewswire.com/news-releases/centers-for-disease-control-and-prevention-honored-for-tips-from-former-smokers-campaign-300095136.html>

No authors listed. Anti-smoking commercials burn out over time. *Medical News Today*, 2015. May 19, 2015. Available from: <http://www.medicalnewstoday.com/releases/294152.php?tw>

14.4.1 Population-level effectiveness

Dono, Joanne, Bowden, Jacqueline, Kim, Susan and Miller, Caroline. Taking the pressure off the spring: the case of rebounding smoking rates when antitobacco campaigns ceased. *Tobacco Control*, Apr 2018. Available from:

<http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/04/07/tobaccocontrol-2017-054194.full.pdf>

No authors listed. Return of ads prompts increase in smokers seeking help from Cancer Council SA's Quitline. *News.com.au*, 2014. Nov 2, 2014. Available from:

<http://www.news.com.au/national/south-australia/return-of-ads-prompts-increase-in-smokers-seeking-help-from-cancer-council-sas-quitline/story-fnii5yv4-1227110195372>

No authors listed. CDC's Tips From Former Smokers campaign provided outstanding return on investment. Centers for Disease Control and Prevention, 2014. Dec 10, 2014. Available from:

<http://www.cdc.gov/media/releases/2014/p1210-tips-roi.html>

Calnan, Denise. Hard-hitting advert warns of dangers of smoking roll-ups (Warning: Graphic content). *Irish Independent*, 2014. Dec 29, 2014. Available from: <http://www.independent.ie/world-news/europe/hardhitting-advert-warns-of-dangers-of-smoking-rollups-warning-graphic-content-30868048.html>

Burch, Edward. Controversial anti-smoking campaign one year later. abc3340.com, 2015. Feb 6, 2015. Available from: <http://www.abc3340.com/story/28047590/controversial-anti-smoking-campaign-one-year-later>

No authors listed. Return of ads prompts increase in smokers seeking help from Cancer Council SA's Quitline. News.com.au, 2014. Nov 2, 2014. Available from: <http://www.news.com.au/national/south-australia/return-of-ads-prompts-increase-in-smokers-seeking-help-from-cancer-council-sas-quitline/story-fnii5yv4-1227110195372>

14.4.2 Campaign content and theme

Bartlett, Evan. Why eating more hummus could help the world stop smoking. i100.Independent.co.uk, 2014. Available from: http://i100.independent.co.uk/article/why-eating-more-hummus-could-help-the-world-stop-smoking--xkhh_vGEdx

McNamee, David. The Great American Smokeout: a great day to quit smoking. Medical News Today, 2014. Nov 20, 2014. Available from: <http://www.medicalnewstoday.com/articles/285833.php>

No authors listed. Entertainment integrations expand upon anti-tobacco message. Legacy For Health, 2014. Nov 6, 2014. Available from: <http://legacyforhealth.org/newsroom/press-releases/continuing-to-finish-it>

Jonsdottir, HL, Holm, JE, Poltavski, D, Vogeltanz-Holm, N. The role of fear and disgust in predicting the effectiveness of television advertisements that graphically depict the health harms of smoking. Preventing Chronic Disease, 2014. Dec 17, 2014. Available from: http://www.cdc.gov/pcd/issues/2014/14_0326.htm

No authors listed. Anti-smoking campaign: Tobacco makes its victims suffer before it kills them. Montreal Gazette, 2015. Jan 18, 2015. Available from: <http://montrealgazette.com/news/local-news/anti-smoking-campaign-tobacco-makes-its-victims-suffer-before-it-kills-them>

Shank, Sarah, Chagnon, Mickey. truth® named one of the top 15 ad campaigns of 21st century. Legacy for Health, 2015. Jan 12, 2015. Available from: <http://www.legacyforhealth.org/newsroom/press-releases/truth-r-named-one-of-the-top-15-ad-campaigns-of-21st-century>

14.4.2.1 Campaign content and theme: adults

No authors listed. 'worth more' campaign exposes big tobacco for its manipulation of lower-income communities. Truth Initiative, Jan 2018. Available from: <https://truthinitiative.org/news/worth-more-campaign-exposes-big-tobacco-its-manipulation-lower-income-communities>

No authors listed. FACTCHECK: Can e-cigarettes cause an incurable disease? Green Valley (AZ) News, 2017. May 31, 2017. Available from: http://www.gvnews.com/opinion/factcheck-can-e-cigarettes-cause-an-incurable-disease/article_b47df5de-459d-11e7-a638-77245932da82.html

Varandani, Suman . World No Tobacco Day 2017 Quotes: 10 Motivational Sayings That Will Help You Quit Smoking. International Business Times, 2017. May 31, 2017. Available from: <http://www.ibtimes.com/world-no-tobacco-day-2017-quotes-10-motivational-sayings-will-help-you-quit-smoking-2545786>

14.4.2.2 Campaign content and theme: youth

Gagné, Thierry and Veenstra, Gerry. Trends in smoking initiation in Canada: Does non-inclusion of young adults in tobacco control strategies represent a missed opportunity? Canadian Journal of Public Health, 2017. Available from: <http://journal.cpha.ca/index.php/cjph/article/view/5839>

14.4.3 Campaign exposure

No authors listed. A State-by-State Look at the 1998 Tobacco Settlement 19 Years Later. Tobacco Free Kids, Jan 2018. Available from: <https://www.tobaccofreekids.org/what-we-do/us/statereport>

Amazeen, Kimberly, Glantz, Stanton, Knox, Jim,. UCSF report says program to diminish tobacco use in California is fading. California Health Line, 2014, Nov 17, 2014. Available from: <http://www.californiahealthline.org/insight/2014/uc-report-says-program-to-diminish-tobacco-use-in-california-is-fading>

Myers, Matthew L. New studies detail the high costs of smoking in America, and the comparative bargain of convincing people to quit. Campaign for Tobacco-Free Kids, 2014. Dec 109, 2014. Available from: http://www.tobaccofreekids.org/press_releases/post/2014_12_10_study

No authors listed. Broken promises to our children: A state-by-state look at the 1998 State Tobacco Settlement 16 years later. Campaign for Tobacco-Free Kids, 2014. Dec 11, 2014. Available from: http://www.tobaccofreekids.org/content/what_we_do/state_local_issues/settlement/FY2015/2014_12_11_brokenpromises_report.pdf

No authors listed. Highlights: United States. Stateoftobacco.org, 2015. Available from: <http://www.stateoftobaccocontrol.org/federal-grades/highlights.html>