

Tobacco in Australia

Facts & Issues

Relevant news and research

18.12 Public perceptions of the risks and benefits of e-cigarettes

Last updated December 2024

Research:.....	2
18.12 Public perceptions of the risks and benefits of e-cigarettes.....	2
18.12.1 Perceptions among adults	13
18.12.1.1 Reasons for vaping among e-cigarette users.....	19
18.12.1.2 Perceptions of harm and addictiveness.....	23
18.12.1.3 Support for regulations on e-cigarettes.....	27
18.12.2 Perceptions among young people	30
18.12.3 Perceptions among health professionals.....	38
News:	45
18.12 Public perceptions of the risks and benefits of e-cigarettes.....	45
18.12.1 Perceptions among adults	47
18.12.1.1 Reasons for vaping among e-cigarette users.....	47
18.12.1.2 Perceptions of harm and addictiveness.....	47
18.12.1.3 Support for regulations on e-cigarettes.....	48
18.12.2 Perceptions among young people	48
18.12.3 Perceptions among health professionals.....	49

Research:

18.12 Public perceptions of the risks and benefits of e-cigarettes

Khattak, O, Chaudhary, FA, Sakoor, A, Khattak, MU, Ehsan, A, Khan, FH et al . (2024). Oral health status, self-perceptions, and risk awareness among young adult users of electronic cigarettes in Pakistan. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39502625>

Maqsood, A, Shahidan, WNS, Mirza, D, Ahmed, N, & Heboyan, A. (2024). Social Acceptability and Health Concerns of Smoking and Vaping Among University Students: A Cross-Sectional Study. *Tob Use Insights*, 17, 1179173X241300992. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39534376>

Lin, SY, Tulabandu, SK, Koch, JR, Hayes, R, Barnes, A, Purohit, H et al. (2024). Public Response to Federal Electronic Cigarette Regulations Analyzed Using Social Media Data Through Natural Language Processing: Topic Modeling Study. *J Med Internet Res*, 26, e58919. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39352739>

Bansal-Travers, M, Rivard, C, Anesetti-Rothermel, A, Morse, AL, Salim, AH, Xiao, H et al. (2024). Changes in the harm perceptions of different types of tobacco products for youth and adults: Waves 1-5 of the population assessment of tobacco and health (PATH) study, 2013-2019. *Addict Behav*, 160, 108168. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39305709>

Chen, R, Aherrera, A, Jones, MR, Stuart, EA, Davis, MF, & Rule, AM. (2024). Association between prolonged dual use of cigarettes and E-cigarettes and psychosocial factors among U.S. Smokers: Secondary data analysis from the 2013 to 2019 PATH study. *Hyg Environ Health Adv*, 11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39308937>

Rotar Pavlic, D, Maksuti, A, Kopcavar Gucek, N, Albaradi, I, & Stepanovic, A. (2024). The Vaper's Perspective: A Qualitative Study of E-Cigarette Users and Smokers in Slovenia. *Zdr Varst*, 63(4), 198-204. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39319022>

Sarkar, A, Vinayachandran, D, C, G, M, S, Siluvai, S, Gurram, P et al (2024). Knowledge, Attitudes, and Practices of University Students Regarding the Impact of Smokeless Tobacco, Areca Nut, E-cigarette Use on Oral Health. *Cureus*, 16(8), e66828. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39280448>

AlHumaidan, NI, AlZelfawi, LA, AlHindawi, ZA, AlDosari, LM, AlTowaijri, AM, & AlFaisal, NF. (2024). Prevalence, perception, and attitude regarding electronic cigarettes usage among young adults in Riyadh, Saudi Arabia. A cross-sectional study. *Saudi Med J*, 45(8), 857-861. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39074883>

Faeq, DT, Ahmed, DR, Aziz, IA, & Yildirim, M. (2024). Perceptions and usage of traditional cigarettes, electronic cigarettes, and waterpipes among young and middle-aged adults in Iraq: A descriptive study. *J Ethn Subst Abuse*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38949647>

Gallegos Carrillo, K, Vidana-Perez, D, Barrientos-Gutierrez, I, Arillo-Santillan, E, Cruz-Jimenez, L, Rodriguez-Bolanos, R, & Thrasher, JF. (2024). To use or not to use electronic cigarettes? Reasons for use, stopping use and their behavioural sequelae among Mexicans who smoke. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39038950>

Toledo, JPC. (2024). Yosi Kadiri: assessing smokers' perceptions of comparative health risks of cigarettes, e-cigarettes and heated tobacco products in Germany. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39068505>

Correction to "Adult interest in using a hypothetical modified risk tobacco product: findings from wave 1 of the Population Assessment of Tobacco and Health Study (2013-14)". (2024). *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38926290>

Parinyarux, P, Ditsawanon, P, Chanwuthinun, A, Umnuaypornlert, A, Saokaew, S, & Tajai, P. (2024). Perception and the influence of information toward e-cigarette smoking behavior. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38903855>

Alaamri, S, & Naser, AY. (2023). Knowledge and Attitudes Toward E-cigarette Use: A Cross-Sectional Study From Saudi Arabia. *Cureus*, 15(11), e49583. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38156125>

Pebley, K, Mallawaarachchi, I, Krukowski, RA, Morris, JD, & Little, MA. (2023). Sexy, trashy, cool: Perceptions of electronic cigarette users across sociodemographic groups and E-cigarette use among United States Air Force Airmen. *Prev Med Rep*, 34, 102250. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37252065>

Arhiri L, Gherman MA, and Holman AC. A person-centered approach to moralization-the case of vaping. *International Journal of Environmental Research and Public Health*, 2022; 19(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35565020>

Holliday R, McColl E, Weke A, and Sayeed Z. Vaping misrepresentations. *Br Dent J*, 2022; 232(12):840-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35750806>

Wu D, Kasson E, Singh AK, Ren Y, Kaiser N, et al. Topics and sentiment surrounding vaping on Twitter and reddit during the 2019 e-cigarette and vaping use-associated lung injury outbreak: Comparative study. *Journal of Medical Internet Research*, 2022; 24(12):e39460. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36512403>

Kalkhoran S, Chang Y, and Rigotti NA. Online searches for quitting vaping during the 2019 outbreak of e-cigarette or vaping product use-associated lung injury. *Journal of General Internal Medicine*, 2021; 36(2):559–60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32052253>

Froggatt S, Reissland N, and Covey J. Risk perception of cigarette and e-cigarette use during pregnancy: A qualitative postpartum perspective. *Midwifery*, 2021; 94:102917. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33387740>

Hong T, Wu J, Wijaya D, Xuan Z, and Fetterman JL. JUUL the heartbreaker: Twitter analysis of cardiovascular health perceptions of vaping. *Tobacco Induced Diseases*, 2021; 19:01. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33437228>

Karasneh R, Al-Azzam S, Nusair M, and Hawamdeh S. Perceptions, symptoms, and practices of electronic cigarette users: Descriptive analysis and validation of arabic short form vaping consequences questionnaire. *PLoS One*, 2021; 16(1):e0245443. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33481827>

Shi R, Liu J, and Cappella JN. Influence of online comments on smokers' e-cigarette attitude: Opinion climate, review fraud, and resistance to persuasion. *Psychol Health*, 2021:1-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33722112>

White AM, Li D, Snell LM, O'Connor R, Hoetger C, et al. Perceptions of tobacco product-specific COVID-19 risk and changes in tobacco use behaviors among smokers, e-cigarette users, and dual users. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33782707>

Majmundar A, Allem JP, Cruz TB, Unger JB, and Pentz MA. Monitoring health effects of vaping discussed on Twitter in 2018 and 2019. *Journal of General Internal Medicine*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33835311>

Morgan JC, Silver N, and Cappella JN. How did beliefs and perceptions about e-cigarettes change after national news coverage of the EVALI outbreak? *PLoS One*, 2021; 16(4):e0250908. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33930093>

Svenson M, Green J, and Maynard OM. Tackling smoker misperceptions about e-cigarettes using expert videos. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34013354>

Lester D, Torgerson T, Eyabi J, Wayant C, and Vassar M. Electronic cigarettes and public health awareness: A cross-sectional analysis of google search inquiries. *Health Education Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34143188>

Fucito LM, Bold KW, Baldassarri SR, LaVigne JP, Ford B, et al. Use and perceptions of electronic nicotine delivery systems among patients attending lung cancer screening who smoke. *Preventive Medicine Reports*, 2021; 23:101444. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34235048>

Yang B and Jiang S. Intentions to seek information about e-cigarettes: Perceived risk, efficacy, and smoking identity. *J Health Commun*, 2021; 26(5):339-49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34196602>

O'Brien EK, Baig SA, and Persoskie A. Developing and validating measures of absolute and relative e-cigarette product risk perceptions: Single items can be surprisingly comprehensive. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34343322>

Yang Q, Herbert N, Yang S, Alber J, Ophir Y, et al. The role of information avoidance in managing uncertainty from conflicting recommendations about electronic cigarettes. *Commun Monogr*, 2021; 88(3):263-85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34483460>

European Commission. Special eurobarometer 506: Attitudes of europeans towards tobacco and electronic cigarettes (s2240_506_eng). 2021. Available from: http://data.europa.eu/88u/dataset/S2240_506_ENG.

Kwon M and Park E. Perceptions and sentiments about electronic cigarettes on social media platforms: Systematic review. *JMIR Public Health Surveill*, 2020; 6(1):e13673. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31939747>

Aghar H, El-Khoury N, Reda M, Hamadeh W, Krayem H, et al. Knowledge and attitudes towards e-cigarette use in Lebanon and their associated factors. *BMC Public Health*, 2020; 20(1):278. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32111186>

Wilson GL, Grogan S, Powell S, Gee I, Porcellato L, et al. A thematic analysis of smokers' and non-smokers' accounts of e-cigarettes. *Journal of Health Psychology*, 2020:1359105320909877. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32131638>

Abdulrahman SA, Ganasegeran K, Loon CW, and Rashid A. An online survey of malaysian long-term e-cigarette user perceptions. *Tobacco Induced Diseases*, 2020; 18:26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32292316>

Ahmed W, Marin-Gomez X, and Vidal-Alaball J. Contextualising the 2019 e-cigarette health score: Insights from Twitter. *International Journal of Environmental Research and Public Health*, 2020; 17(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32225020>

Cassidy RN, Long V, Tidey JW, and Colby SM. Validation of an e-cigarette purchase task in advanced generation device users. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32267947>

Hammond S and Phillips J. E-cigarettes and vaping. *Workplace Health Saf*, 2020:2165079920914635. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32295497>

Kim K, Gibson LA, Williams S, Kim Y, Binns S, et al. Valence of media coverage about electronic cigarettes and other Tobacco products from 2014-2017: Evidence from automated content analysis. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32428214>

Churchill V, Nyman AL, Weaver SR, Yang B, Huang J, et al. Perceived risk of electronic cigarettes compared with combustible cigarettes: Direct versus indirect questioning. *Tobacco Control*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32546665>

Hoyt DL, Kinsler BE, Otto MW, Garey L, Mayorga NA, et al. An investigation of racial and ethnic differences in e-cigarette beliefs and use characteristics. *J Ethn Subst Abuse*, 2020:1-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32543305>

Manning K, Garey L, Viana AG, Smit T, and Zvolensky MJ. The moderating role of anxiety sensitivity in terms of fatigue severity and e-cigarette use expectancies. *Journal of Health Psychology*, 2020:1359105320926534. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32498566>

Pfeiffer JA, Tompkins LK, Hart JL, Kesh A, Groom A, et al. Relationship between population characteristics, e-cigarette and tobacco-related perceptions, and likelihood of ever using e-cigarettes. *Tob Prev Cessat*, 2020; 6:20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32548357>

Selekoglu Ok Y, Bektas M, and Pokhrel P. Psychometric properties of turkish version of the e-cigarette use outcome expectancies scale. *Journal of Addictions Nursing*, 2020; 31(2):124-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32487939>

Hwang J, Lee C, Mastrodonato E, and Frasso R. Where there's smoke, there's fire: What current and future providers do and do not know about electronic cigarettes. *BMC Public Health*, 2020; 20(1):1145. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32689998>

Abdel-Qader DH and Al Meslamani AZ. Knowledge and beliefs of Jordanian community toward e-cigarettes: A national survey. *Journal of Community Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32772206>

Al-Balas HI, Al-Balas M, Al-Balas H, Almehaiza S, Melhem HB, et al. Electronic cigarettes prevalence and awareness among Jordanian individuals. *Journal of Community Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32776292>

Sabbagh HJ, Khogeer LN, Hassan MHA, and Allaf HK. Parental knowledge and attitude regarding e-cigarette use in Saudi Arabia and the effect of parental smoking: A cross-sectional study. *Risk Management Health Policy*, 2020; 13:1195-205. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32884380>

DiPiazza J, Caponnetto P, Askin G, Christos P, Maglia MLP, et al. Sensory experiences and cues among e-cigarette users. *Harm Reduction Journal*, 2020; 17(1):75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33059666>

Dixit D, Herbst E, and Das S. E-cigarette use and perceptions among veterans receiving outpatient treatment in Veterans Affairs substance use and mental health clinics. *Military Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33005932>

Leas EC, Nobles AL, Caputi TL, Dredze M, Zhu SH, et al. News coverage of the e-cigarette, or vaping, product use associated lung injury (EVALI) outbreak and internet searches for vaping cessation. *Tobacco Control*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33051278>

Wang D, Lyu JC, and Zhao X. Public opinion about e-cigarettes on Chinese social media: A combined study of text mining analysis and correspondence analysis. *Journal of Medical Internet Research*, 2020; 22(10):e19804. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33052127>

Helgertz S, St Claire A, and Kingsbury J. Statewide prevalence of smoke-free and vape-free homes, by tobacco product use, Minnesota, 2018. *Preventing Chronic Disease*, 2020; 17:E141. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33180690>

Maclean JC and Buckell J. Information and sin goods: Experimental evidence on cigarettes. *Health Economics*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33220157>

Naidoo M, Mbonane TP, and Mathee A. Risk factors and perceptions of e-cigarette use among selected users in Johannesburg, South Africa. *Journal of Community Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33175264>

Evans AT, Henderson KC, Geier A, Weaver SR, Spears CA, et al. What motivates smokers to switch to ENDS? A qualitative study of perceptions and use. *International Journal of Environmental Research and Public Health*, 2020; 17(23). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33260570>

Gao Y, Xie Z, and Li D. A perspective of electronic cigarette users on the COVID-19 pandemic in Twitter: Observational study. *JMIR Public Health Surveill*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33347422>

Chu KH, Allem JP, Unger JB, Cruz TB, Akbarpour M, et al. Strategies to find audience segments on Twitter for e-cigarette education campaigns. *Addictive Behaviors*, 2019; 91:222–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30497815>

Annechino R and Antin TMJ. Truth telling about Tobacco and nicotine. *International Journal of Environmental Research and Public Health*, 2019; 16(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30781769>

Nahas GJ, Braak D, Cummings KM, Heckman BW, Alberg AJ, et al. Rules about smoking and vaping in the home: Findings from the 2016 International Tobacco Control four country smoking and vaping survey. *Addiction*, 2019; 114 Suppl 1(Suppl 1):107–14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30710468>

Voos N, Kaiser L, Mahoney MC, Bradizza CM, Kozlowski LT, et al. Randomized within-subject trial to evaluate smokers' initial perceptions, subjective effects, and nicotine delivery across six vaporized nicotine products. *Addiction*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30851137>

DeHart WB, Mellis AM, Kaplan BA, Pope DA, and Bickel WK. The experimental Tobacco marketplace: Narratives engage cognitive biases to increase electronic cigarette substitution. *Drug and Alcohol Dependence*, 2019; 197:203-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30849645>

Glantz SA. The evidence of electronic cigarette risks is catching up with public perception. *JAMA Netw Open*, 2019; 2(3):e191032. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30924882>

Chaffee BW. Electronic cigarettes: Trends, health effects and advising patients amid uncertainty. *J Calif Dent Assoc*, 2019; 47(2):85-92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30976150>

Baltz GM and Lach HW. Perceptions, knowledge, and use of electronic cigarettes: A survey of mental health patients. *Issues Ment Health Nurs*, 2019:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31058546>

Riahi F, Rajkumar S, and Yach D. Tobacco smoking and nicotine delivery alternatives: Patterns of product use and perceptions in 13 countries. *F1000Res*, 2019; 8:80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31131094>

Brown A, Sweeting H, Semple S, Bauld L, Demou E, et al. Views of prison staff in Scotland on the potential benefits and risks of e-cigarettes in smoke-free prisons: A qualitative focus group study. *BMJ Open*, 2019; 9(6):e027799. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31243033>

Jun J, Kim SH, and Wu L. Tobacco risk information and comparative risk assessment of e-cigarettes vs. Cigarettes: Application of the reinforcing spirals model. *J Health Commun*, 2019:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31210588>

Garey L, Smit T, Mayorga NA, Peraza N, Nizio P, et al. Differential effects of anxiety sensitivity on e-cigarette processes: The importance of e-cigarette quit attempt history. *American Journal on Addictions*, 2019; 28(5):390-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31381212>

Kale D, Pickering A, and Cooper A. Examining the psychometric properties of the ceac (comparing e-cigarette and cigarette) questionnaire and its usefulness as a predictor of e-cigarette use. *Substance Use and Misuse*, 2019:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31474172>

Lequy E, Wiernik E, Cyr D, Nadif R, Lemogne C, et al. Poor perceived health is associated with current use of electronic cigarette among current and former smokers: Findings from the constances cohort. *Eur Addict Res*, 2019:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31484193>

Blackwell AKM, Kosite D, Marteau TM, and Munafo MR. Policies for tobacco and e-cigarette use: A survey of all higher education institutions and nhs trusts in England. *Nicotine & Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31586403>

Barker JO and Rohde JA. Topic clustering of e-cigarette submissions among reddit communities: A network perspective. *Health Education & Behavior*, 2019; 46(2_suppl):59-68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31742448>

Yingst J, Foulds J, Zurlo J, Steinberg MB, Eissenberg T, et al. Acceptability of electronic nicotine delivery systems (ENDS) among HIV positive smokers. *AIDS Care*, 2019:1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31698920>

Zvolensky MJ, D'Souza J, Garey L, Alfano CA, Mayorga NA, et al. Subjective sleep quality and electronic cigarette dependence, perceived risks of use, and perceptions about quitting electronic cigarettes. *Addictive Behaviors*, 2019; 102:106199. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31783248>

Visconti MJ and Ashack KA. Reply to: "Promoting accurate public health messages about electronic cigarettes: E-cigs contain carcinogens". *J Am Acad Dermatol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31811878>

Lee SJ, Liu J, Gibson LA, and Hornik RC. Rating the valence of media content about electronic cigarettes using crowdsourcing: Testing rater instructions and estimating the optimal number of raters. *Health Commun*, 2019:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31830827>

Yang B, Owusu D, and Popova L. Effects of a nicotine fact sheet on perceived risk of nicotine and e-cigarettes and intentions to seek information about and use e-cigarettes. *International Journal of Environmental Research and Public Health*, 2019; 17(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31878111>

He G, Lin X, Ju G, and Chen Y. Mapping public concerns of electronic cigarettes in China. *J Psychoactive Drugs*, 2019:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31888426>

Smit T, Olofsson H, Nizio P, Garey L, and Zvolensky MJ. Pain severity and e-cigarette health literacy: The moderating role of sex. *Subst Abuse*, 2019; 13:1178221819897070. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31908468>

Lacobucci G. Many smokers overestimate e-cigarette risks, MPs hear. *British Medical Journal*, 2018. Available from: <http://www.bmj.com/content/360/bmj.k133?variant=full-text&hwshib2=authn%3A1515756643%3A20180111%253A00026fd9-daf6-41f1-9ff9-b2d6bcd7d58f%3A0%3A0%3A0%3A0e%2BKSENSV1dmoYjAYVgzkg%3D%3D>.

Doescher MP, Wu M, Rainwater E, Khan AS, and Rhoades DA. Patient perspectives on discussions of electronic cigarettes in primary care. *Journal of the American Board of Family Medicine*, 2018; 31(1):73-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29330242>

lacobucci G. Many smokers overestimate e-cigarette risks, MPs hear. *British Medical Journal*, 2018; 360:k133. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29321148>

Sussan TE, Shahzad FG, Tabassum E, Cohen JE, Wise RA, et al. Correction to: Electronic cigarette use behaviors and motivations among smokers and non-smokers. *BMC Public Health*, 2018; 18(1):175. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29368600>

Merry S and Bullen CR. E-cigarette use in New Zealand-a systematic review and narrative synthesis. *New Zealand Medical Journal*, 2018; 131(1470):37–50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29470471>

Strekalova YA, Karimipour N, James V, and Treise D. Assessing risk perceptions of e-smoking devices: A cross-sectional consumer survey. *J Behav Health Serv Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29476386>

Truman P, Glover M, and Fraser T. An online survey of New Zealand vapers. *International Journal of Environmental Research and Public Health*, 2018; 15(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29382129>

Heckman BW, Cummings KM, Nahas GJ, Willemsen MC, O'Connor RJ, et al. Behavioral economic purchase tasks to estimate demand for novel nicotine/Tobacco products and prospectively predict future use: Evidence from the Netherlands. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29547973>

Harvanko AM, McCubbin AK, Ashford KB, and Kelly TH. Electronic cigarette liquid and device parameters and aerosol characteristics: A survey of regular users. *Addictive Behaviors*, 2018; 84:201-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29723803>

Bowker K, Orton S, Cooper S, Naughton F, Whitemore R, et al. Views on and experiences of electronic cigarettes: A qualitative study of women who are pregnant or have recently given birth. *BMC Pregnancy Childbirth*, 2018; 18(1):233. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29902987>

Couraud S, Cortot AB, Pivot XB, Touboul C, Lhomel C, et al. Beliefs and behavior regarding e-cigarettes in a large cross-sectional survey. *Preventive Medicine Reports*, 2018; 10:332–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29868388>

Hepworth S and Fell G. Polarising the e-cigarette debate confuses people. *British Medical Journal*, 2018; 361:k2282. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29853543>

King B, Ndoen E, and Borland R. Smokers' risk perceptions and misperceptions of cigarettes, e-cigarettes and nicotine replacement therapies. *Drug Alcohol Rev*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29920819>

Stein JS, Koffarnus MN, Stepanov I, Hatsukami DK, and Bickel WK. Cigarette and e-liquid demand and substitution in e-cigarette-naive smokers. *Experimental and Clinical Psychopharmacology*, 2018; 26(3):233-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29863381>

English TM, Smith TB, Song X, and Whitman MV. Barriers to electronic cigarette use. *Public Health Nurs*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29984426>

Martinez LS, Hughes S, Walsh-Buhi ER, and Tsou MH. "Okay, we get it. You vape": An analysis of geocoded content, context, and sentiment regarding e-cigarettes on Twitter. *J Health Commun*, 2018; 23(6):550-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29979920>

Vasconcelos V and Gilbert H. Smokers' knowledge and perception of electronic cigarettes (e-cigarettes): A qualitative study of non-quitting smokers in a north london general practice. *Prim Health Care Res Dev*, 2018;1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29961433>

Li Q, Wang C, Liu R, Wang L, Zeng DD, et al. Understanding users' vaping experiences from social media: Initial study using sentiment opinion summarization techniques. *Journal of Medical Internet Research*, 2018; 20(8):e252. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30111530>

Maloney SF, Soule EK, Palafox S, McFadden K, Guy MC, et al. A longitudinal analysis of electronic cigarette forum participation. *Addictive Behaviors*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30126681>

Cano S, Chrea C, Salzberger T, Alfieri T, Emilien G, et al. Development and validation of a new instrument to measure perceived risks associated with the use of tobacco and nicotine-containing products. *Health Qual Life Outcomes*, 2018; 16(1):192. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30241527>

Morean ME, Krishnan-Sarin S, Sussman S, Foulds J, Fishbein H, et al. Development and psychometric validation of a novel measure of sensory expectancies associated with e-cigarette use. *Addictive Behaviors*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30197032>

Menakuru S and Inzamam Ali M. Beliefs and reality of e-cigarette smoking. *BMJ Case Rep*, 2018; 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30279252>

<http://casereports.bmj.com/content/2018/bcr-2018-225683.long>

Buczek EJ, Harrington KF, Hendricks PS, and Schmalbach CE. Electronic cigarette awareness, use, and perceptions among cancer patients. *OTO Open*, 2018; 2(2):2473974X18774543. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30480216>

Mayorga NA, Garey L, and Zvolensky MJ. Differences in perceptions of e-cigarettes across daily and non-daily users. *Addictive Behaviors*, 2018; 90:415-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30537655>

Hart JL, Walker KL, Sears CG, Lee AS, Ridner SL, et al. E-cigarette use and perceived health change: Better health through vaping? *Tobacco Induced Diseases*, 2018; 16:48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516445>

Hammett E, Veldheer S, Yingst J, Hrabovsky S, and Foulds J. Characteristics, use patterns and perceptions of electronic cigarette users who were never traditional cigarette smokers. *Addictive Behaviors*, 2017; 65:92-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27816045>

Dai H and Hao J. Mining social media data for opinion polarities about electronic cigarettes. *Tobacco Control*, 2017; 26(2):175-80. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/2/175.full.pdf>

Hershberger AR, Karyadi KA, VanderVeen JD, and Cyders MA. Beliefs about the direct comparison of e-cigarettes and cigarettes. *Substance Use and Misuse*, 2017; 52(8):982-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28296556>

Miller ME, Tidey JW, Rohsenow DJ, and Higgins ST. Electronic cigarette expectancies in smokers with psychological distress. *Tobacco Regulatory Science*, 2017; 3(1):108-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28653023>

Smiley SL, DeAtley T, Rubin LF, Harvey E, Kierstead EC, et al. Early subjective sensory experiences with “cigalike” e-cigarettes among African American menthol smokers: A qualitative study. *Nicotine & Tobacco Research*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28549156>

Snider SE, Cummings KM, and Bickel WK. Behavioral economic substitution between conventional cigarettes and e-cigarettes differs as a function of the frequency of e-cigarette use. *Drug and Alcohol Dependence*, 2017; 177:14-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28550711>

Soule EK, Maloney SF, Guy MC, Eissenberg T, and Fagan P. User identified positive outcome expectancies of electronic cigarette use: A concept mapping study. *Psychology of Addictive Behaviors*, 2017; 31(3):343-53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28277706>

Xie J, Liu X, and Dajun Zeng D. Mining e-cigarette adverse events in social media using bi-lstm recurrent neural network with word embedding representation. *J Am Med Inform Assoc*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28505280>

Heckman BW, Cummings KM, Hirsch AA, Quisenberry A, Borland R, et al. A novel method for evaluating the acceptability of substitutes for cigarettes: The experimental tobacco marketplace. *Tobacco Regulatory Science*, 2017.

Hartwell G, Thomas S, Egan M, Gilmore A, and Petticrew M. E-cigarettes and equity: A systematic review of differences in awareness and use between sociodemographic groups. *Tobacco Control*, 2017; 26(e2):e85-e91. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/e2/e85.full.pdf>

Almeida LM, Silva RPD, Santos A, Andrade JD, and Suarez MC. Mists, vapors and other illusory volatilities of electronic cigarettes. *Cad Saude Publica*, 2017; 33Suppl 3(Suppl 3):e00139615. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954059>

Kim J and Lee S. Using focus group interviews to analyze the behavior of users of new types of Tobacco products. *J Prev Med Public Health*, 2017; 50(5):336-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29020756>

Trumbo CW. Influence of risk perception on attitudes and norms regarding electronic cigarettes. *Risk Anal*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29023906>

Wackowski OA, Giovenco DP, Singh B, Lewis MJ, Steinberg MB, et al. Content analysis of US news stories about e-cigarettes in 2015. *Nicotine & Tobacco Research*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29065205>

Gibson LA, Creamer MR, Breland AB, Giachello AL, Kaufman A, et al. Measuring perceptions related to e-cigarettes: Important principles and next steps to enhance study validity. *Addictive Behaviors*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29175027>

Park A, Zhu SH, and Conway M. The readability of electronic cigarette health information and advice: A quantitative analysis of web-based information. *JMIR Public Health Surveill*, 2017; 3(1):e1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28062390>

Allem JP, Ferrara E, Uppu SP, Cruz TB, and Unger JB. E-cigarette surveillance with social media data: Social bots, emerging topics, and trends. *JMIR Public Health Surveill*, 2017; 3(4):e98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29263018>

Rooke C, Cunningham-Burley S, and Amos A. Smokers' and ex-smokers' understanding of electronic cigarettes: A qualitative study. *Tobacco Control*, 2016; 25(e1):e60–e6. Available from: <http://tobaccocontrol.bmj.com/content/25/e1/e60.abstract>

Alexander JP, Coleman BN, Johnson SE, Tessman GK, Tworek C, et al. Smoke and vapor: Exploring the terminology landscape among electronic cigarette users. *Tobacco Regulatory Science*, 2016; 2(3):204-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27430008>

Allem JP and Ferrara E. The importance of debiasing social media data to better understand e-cigarette-related attitudes and behaviors. *Journal of Medical Internet Research*, 2016; 18(8):e219. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27507563>

Wackowski OA, O'Connor RJ, Strasser AA, Hammond D, Villanti AC, et al. Smokers' and e-cigarette users' perceptions of modified risk warnings for e-cigarettes. *Preventive Medicine Reports*, 2016; 4:309-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27486560>

Czoli CD, Fong GT, Mays D, and Hammond D. How do consumers perceive differences in risk across nicotine products? A review of relative risk perceptions across smokeless tobacco, e-cigarettes, nicotine replacement therapy and combustible cigarettes. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27625408>

O'Connor R, Rousu MC, Bansal-Travers M, Vogl L, and Corrigan JR. Using experimental auctions to examine demand for e-cigarettes. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27663782>

Wigginton B, Gartner C, and Rowlands IJ. Is it safe to vape? Analyzing online forums discussing e-cigarette use during pregnancy. *Womens Health Issues*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27773530>

Baweja R, Curci KM, Yingst J, Veldheer S, Hrabovsky S, et al. Views of experienced electronic cigarette users. *Addict Res Theory*, 2016; 24(1):80-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29176939>

Yingst JM, Veldheer S, Hrabovsky S, Nichols TT, Wilson SJ, et al. Factors associated with electronic cigarette users' device preferences and transition from first generation to advanced generation devices. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25744966>

European Commission. Attitudes of europeans towards tobacco and electronic cigarettes Eurobarometer 429, Europe 2015. Available from: http://ec.europa.eu/public_opinion/archives/ebs/ebs_429_en.pdf.

Chen AT, Zhu SH, and Conway M. What online communities can tell us about electronic cigarettes and hookah use: A study using text mining and visualization techniques. *Journal of Medical Internet Research*, 2015; 17(9):e220. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26420469>

Cole-Lewis H, Pugatch J, Sanders A, Varghese A, Posada S, et al. Social listening: A content analysis of e-cigarette discussions on Twitter. *Journal of Medical Internet Research*, 2015; 17(10):e243. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26508089>

Nonnemaker J, Kim AE, Lee YO, and MacMonegle A. Quantifying how smokers value attributes of electronic cigarettes. *Tobacco Control*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26546152>

Zhu SH, Gamst A, Lee M, Cummins S, Yin L, et al. The use and perception of electronic cigarettes and snus among the U.S. Population. *PLoS One*, 2013; 8(10):e79332. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24250756>

18.12.1 Perceptions among adults

Almugti, HS, & Alzahrani, NA. (2024). Perceptions Regarding the Use of E-cigarettes Among Smokers in Saudi Arabia. *Cureus*, 16(9), e70393. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39469354>

Edwards, S, Puljevic, C, Dean, JA, Gilks, C, Boyd, MA, Watts, P et al. (2024). Perceptions of nicotine vaping products among Australians living with HIV. *AIDS Care*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39102745>

Weiger, C, Kennedy, RD, Villanti, AC, Cohen, JE, & Moran, MB. (2024). A Descriptive Analysis of Beliefs About Nicotine and Switching to Noncombustibles Among Adults Who Smoke Cigarettes and Believe Nicotine Causes Cancer. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39172103>

Chandi, J, Soundararajan, S, Bukowski, W, Britt, W, Weiss, K, Matulewicz, RS et al (2024). Patterns of Smoking Cessation Strategies and Perception of E-cigarette Harm Among Bladder Cancer Survivors. *Bladder Cancer*, 10(1), 61-69. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38911483>

East, K, Vu, G, Sun, T, D'Mello, K, Perman-Howe, PR, Taylor, E et al. (2024). Harm perceptions across vaping product features: An on-line cross-sectional survey of adults who smoke and/or vape in the United Kingdom. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38839597>

Yoon, W, Seo, HG, Lee, S, Lee, ES, Xu, SS, Meng, G et al. (2024). Reasons for using e-cigarettes among adults who smoke: comparing the findings from the 2016 and 2020 ITC Korea Surveys. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38879182>

Klosterhalfen, S, Kotz, D, & Kastaun, S. (2024). Smokers' perception of the comparative health risks of cigarettes, e-cigarettes and heated tobacco products: a survey among the German population. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38741461>

Qureshey, AK, Nawawi, AF, Alsaedi, JR, Alzahrani, YA, Alkhlaqi, HA, Filfilan, FF et al. (2024). Knowledge, Perception, and Associated Factors of Electronic Cigarette Consumption Among the Saudi Population in Jeddah City. *Cureus*, 16(5), e60155. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38736764>

Qureshi, M, & Mumtaz, M. (2024). Adult perceptions of cigarettes and e-cigarettes: A Pakistan focus group study. *Prev Med Rep*, 38, 102619. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38375170>

Action on Smoking and Health. (2023). *Fact Sheet: Use of e-cigarettes (vapes) among adults in Great Britain*. Retrieved from <https://ash.org.uk/uploads/Use-of-e-cigarettes-among-adults-in-Great-Britain-2023.pdf>

- Vedoy, TF, & Lund, KE. (2023). How do smokers in a snus-prevalent society consider e-cigarettes, snus and NRT as relevant replacements for cigarettes in the event they should stop smoking? *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37410922>
- Wackowski, OA, Bover Manderski, MT, Gratale, SK, Weiger, CV, & O'Connor, RJ. (2023). Perceptions about levels of harmful chemicals in e-cigarettes relative to cigarettes, and associations with relative e-cigarette harm perceptions, e-cigarette use and interest. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37218410>
- Arshad, H, Jackson, SE, Kock, L, Ide-Walters, C, & Tattan-Birch, H. (2023). What drives public perceptions of e-cigarettes? A mixed-methods study exploring reasons behind adults' perceptions of e-cigarettes in Northern England. *Drug Alcohol Depend*, 245, 109806. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36907122>
- Lee, SC, Maglalang, DD, Avila, JC, Leavens, ELS, Nollen, NL, Pulvers, K, & Ahluwalia, JS. (2023). Change in E-cigarette risk perception and smoking behavior of Black and Latinx individuals who smoke. *Drug Alcohol Depend*, 245, 109824. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36857841>
- Maglia, M, Quattropani, MC, Polosa, R, Panassidi, A, Caruso, M, Mangione, M et al. (2023). Qualitative study on the perception of combustible cigarettes, e-cigarettes and heated tobacco cigarettes among pregnant women. *J Addict Dis*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36892131>
- Larcombe, AN, Chivers, EK, Huxley, RR, Musk, ABW, Franklin, PJ, & Mullins, BJ. (2023). Electronic Cigarette Usage Patterns and Perceptions in Adult Australians. *Toxics*, 11(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36977055>
- Hussain S and Sreeramareddy CT. Smoking cessation behaviors and reasons for use of electronic cigarettes and heated tobacco products among romanian adults. *Scientific Reports*, 2022; 12(1):5446. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35361852>
- Bandi P, Asare S, Majmundar A, Nargis N, Jemal A, et al. Relative harm perceptions of e-cigarettes versus cigarettes, U.S. Adults, 2018-2020. *American Journal of Preventive Medicine*, 2022; 63(2):186–94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35868816>
- Streck JM, Regan S, Kalkhoran S, Kalagher KM, Bearnot B, et al. Perceptions of e-cigarettes among adults in treatment for opioid use disorder. *Drug Alcohol Depend Rep*, 2022; 2:100023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36845890>
- Barakat M, Assaf AM, Al-Qudah R, Thiab S, Alhamed M, et al. Perception of adults toward electronic cigarettes: A cross-sectional study from Jordan. *Prim Health Care Res Dev*, 2021; 22:e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33504409>
- El-Shahawy O, Schatz D, Sherman S, Shelley D, Lee JD, et al. E-cigarette use and beliefs among adult smokers with substance use disorders. *Addictive Behaviors Reports*, 2021; 13:100329. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33385062>
- Kingsley M, Song G, Henley P, and Ursprung WWS. Perceptions of vape product restrictions among adult vapers. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33452209>

Alber JM, Ganjooi K, Gibbs S, Almeida R, and Jackson LD. E-cigarette beliefs and intentions among U.S. Adults before and after EVALI outbreak. *American Journal of Health Promotion*, 2021; 35(8):1071–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33977783>

Iles IA, Gillman AS, Klein WMP, Ferrer RA, and Kaufman A. Associations between absolute and relative electronic cigarette harm perceptions and information-seeking behaviours among US adult current, former and never smokers. *Drug Alcohol Rev*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34342384>

Weaver SR, Heath JW, Ashley DL, Huang J, Pechacek TF, et al. What are the reasons that smokers reject ENDS? A national probability survey of U.S. Adult smokers, 2017-2018. *Drug and Alcohol Dependence*, 2020:107855. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32057533>

Cruz-Jimenez L, Barrientos-Gutierrez I, Coutino-Escamilla L, Gallegos-Carrillo K, Arillo-Santillan E, et al. Adult smokers' awareness and interest in trying heated Tobacco products: Perspectives from Mexico, where https and e-cigarettes are banned. *International Journal of Environmental Research and Public Health*, 2020; 17(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32218161>

Elton-Marshall T, Driezen P, Fong GT, Cummings KM, Persoskie A, et al. Adult perceptions of the relative harm of tobacco products and subsequent tobacco product use: Longitudinal findings from waves 1 and 2 of the population assessment of tobacco and health (path) study. *Addictive Behaviors*, 2020; 106:106337. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32145496>

Gravelly S, Driezen P, Kyriakos CN, Thompson ME, Balmford J, et al. European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: Cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. *European Journal of Public Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32191332>

Shang C, Weaver SR, White JS, Huang J, Nonnemaker J, et al. E-cigarette product preferences among adult smokers: A discrete choice experiment. *Tobacco Regulatory Science*, 2020; 6(1):66-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32190716>

Zhao D, Zuo Y, Urmi DS, Liu Y, Zheng P, et al. Perception of e-cigarette use among adult users in China: A mixed-method study. *International Journal of Environmental Research and Public Health*, 2020; 17(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32316185>

Chen-Sankey JC, Tan ASL, Moran MB, Soneji S, Lee SJ, et al. Sources of awareness, perceptions, and use of JUUL e-cigarettes among adult cigarette smokers. *PLoS One*, 2020; 15(9):e0238377. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32870924>

Malt L, Verron T, Cahours X, Guo M, Weaver S, et al. Perception of the relative harm of electronic cigarettes compared to cigarettes amongst US adults from 2013 to 2016: Analysis of the population assessment of Tobacco and health (path) study data. *Harm Reduct J*, 2020; 17(1):65. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32948187>

Czaplicki L, Simpson R, Zhou Y, Patel M, Cuccia AF, et al. Public support for e-cigarette-related policies among a nationally representative sample of US adults. *Tob Use Insights*, 2020; 13:1179173X20959700. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33100830>

Sutanto E, Miller CR, Smith DM, O'Connor RJ, Gravelly S, et al. Perceived relative harm of heated tobacco products (iqos), e-cigarettes, and cigarettes among adults in Canada: Findings from the itc

project. Tobacco Induced Diseases, 2020; 18:81. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33013277>

Navas-Nacher EL, Estrella ML, Giachello AL, Payne TJ, Kandi L, et al. Perceptions of electronic cigarettes among ethno-culturally diverse Latino adults in four US urban centers. *Ethn Health*, 2020;1-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33249917>

Rostron BL, Chang JT, Chang CM, Jackson RA, and Ambrose BK. ENDS flavor preference by menthol cigarette smoking status among US adults, 2018-2019. *International Journal of Environmental Research and Public Health*, 2020; 18(1). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33396201>

Draman S, Ab Rahman NS, Nik Mohamed MH, Ab Rahman J, and Kartiwi M. Perceived safety and effectiveness of electronic cigarettes among Malaysian adults and public support for regulations. *J Pharm Bioallied Sci*, 2020; 12(Suppl 2):S718-S27. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33828367>

Owusu D, Weaver SR, Yang B, Ashley DL, and Popova L. Trends in trust in the sources of health information on e-cigarettes among US adults, 2015-2017. *American Journal of Public Health*, 2019; 109(1):145–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30496009>

Marti J, Buckell J, Maclean JC, and Sindelar J. To “vape” or smoke? Experimental evidence on adult smokers. *Econ Inq*, 2019; 57(1):705-25. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30559550>

Fong GT, Elton-Marshall T, Driezen P, Kaufman AR, Cummings KM, et al. US adult perceptions of the harmfulness of tobacco products: Descriptive findings from the 2013-14 baseline wave 1 of the path study. *Addictive Behaviors*, 2019; 91:180-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30502927>

Abafalvi L, Penzes M, Urban R, Foley KL, Kaan R, et al. Perceived health effects of vaping among Hungarian adult e-cigarette-only and dual users: A cross-sectional internet survey. *BMC Public Health*, 2019; 19(1):302. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30866897>

Huang J, Feng B, Weaver SR, Pechacek TF, Slovic P, et al. Changing perceptions of harm of e-cigarette vs cigarette use among adults in 2 US national surveys from 2012 to 2017. *JAMA Netw Open*, 2019; 2(3):e191047. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30924893>

Chan CMH, Ab Rahman J, Guat Hiong T, Lei Hum W, Bee Kiau H, et al. Perception of harms and benefits of electronic cigarettes among adult Malaysian men: A comparison by electronic cigarette use and smoking status. *Asia Pac J Public Health*, 2019:1010539519860730. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31328531>

Persoskie A, O’Brien EK, and Poonai K. Perceived relative harm of using e-cigarettes predicts future product switching among US adult cigarette and e-cigarette dual users. *Addiction*, 2019; 114(12):2197–205. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31278802>

Rhoades DA, Comiford AL, Dvorak JD, Ding K, Hopkins M, et al. Perceptions of smoking and vaping on weight control among adult American Indians who smoke. *Journal of Community Health*, 2019.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31273619>

Landry RL, Groom AL, Vu TT, Stokes AC, Berry KM, et al. The role of flavors in vaping initiation and satisfaction among U.S. Adults. *Addictive Behaviors*, 2019; 99:106077. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31437770>

Lewis-Thames MW, Langston ME, Fuzzell L, Khan S, Moore JX, et al. Rural-urban differences e-cigarette ever use, the perception of harm, and e-cigarette information seeking behaviors among U.S. Adults in a nationally representative study. *Preventive Medicine*, 2019:105898. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31760117>

Boyle RG, Richter S, and Helgertz S. Who is using and why: Prevalence and perceptions of using and not using electronic cigarettes in a statewide survey of adults. *Addictive Behaviors Reports*, 2019; 10:100227. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31832535>

Sarfraz M, Rahim Khan HA, Urooba A, Manan Z, Irfan O, et al. Awareness, use and perceptions about e-cigarettes among adult smokers in karachi, pakistan. *J Pak Med Assoc*, 2018; 68(1):147-53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29371741>

Zainol Abidin N, Abidin EZ, Zulkifli A, Syed Ismail SN, Karuppiah K, et al. Vaping topography and reasons of use among adults in klang valley, malaysia. *Asian Pac J Cancer Prev*, 2018; 19(2):457-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29480664>

Popova L, Owusu D, Weaver SR, Kemp CB, Mertz CK, et al. Affect, risk perception, and the use of cigarettes and e-cigarettes: A population study of US adults. *BMC Public Health*, 2018; 18(1):395. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29566752>

Zvolensky MJ, Mayorga NA, and Garey L. Positive expectancies for e-cigarette use and anxiety sensitivity among adults. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29800464>

Gentzke AS, Homa DM, Kenemer JB, Gomez Y, and King BA. Rules to prohibit the use of electronic vapor products inside homes and personal vehicles among adults in the US, 2017. *Preventive Medicine*, 2018; 114:47-53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29857024>

Bigman CA, Mello S, Sanders-Jackson A, and Tan ASL. Assertive communication about others' smoking and vaping in public venues: Results from a national survey of US adults. *Addictive Behaviors*, 2018; 87:196-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30053705>

Zvolensky MJ, Mayorga NA, and Garey L. Worry, anxiety sensitivity, and electronic cigarettes among adults. *Psychiatry Res*, 2018; 269:321-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30173037>

Wiseman KP, Margolis KA, Bernat JK, and Grana RA. The association between perceived e-cigarette and nicotine addictiveness, information-seeking, and e-cigarette trial among U.S. Adults. *Preventive Medicine*, 2018; 118:66-72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30315847>
https://ac.els-cdn.com/S0091743518303086/1-s2.0-S0091743518303086-main.pdf?_tid=96dfd104-0755-42d5-a5dd-bd6b464b36c3&acdnat=1543450584_d1b714e259234f47d274e88ac27316a4

Wang TW, Marynak KM, Gentzke AS, and King BA. U.S. Adult attitudes about electronic vapor product use in indoor public places. *American Journal of Preventive Medicine*, 2018. Available from: [https://www.ajpmonline.org/article/S0749-3797\(18\)32231-1/pdf](https://www.ajpmonline.org/article/S0749-3797(18)32231-1/pdf)

Bauhoff S, Montero A, and Scharf D. Perceptions of e-cigarettes: A comparison of adult smokers and non-smokers in a mechanical turk sample. *American Journal of Drug and Alcohol Abuse*, 2017; 43(3):311–23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27712126>

Majeed BA, Weaver SR, Gregory KR, Whitney CF, Slovic P, et al. Changing perceptions of harm of e-cigarettes among U.S. Adults, 2012-2015. *American Journal of Preventive Medicine*, 2017; 52(3):331–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28341303>

Pearson JL, Johnson AL, Johnson SE, Stanton CA, Villanti AC, et al. Adult interest in using a hypothetical modified risk tobacco product: Findings from wave 1 of the Population Assessment of Tobacco and Health Study (2013-2014). *Addiction*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28734111>

Pericot-Valverde I, Gaalema DE, Priest JS, and Higgins ST. E-cigarette awareness, perceived harmfulness, and ever use among U.S. Adults. *Preventive Medicine*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28729198>

Tomashefski A. The perceived effects of electronic cigarettes on health by adult users: A state of the science systematic literature review. *Journal of the American Association of Nurse Practitioners*, 2016; 28(9):510–5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26997487>

Hall MG, Pepper JK, Morgan JC, and Brewer NT. Social interactions as a source of information about e-cigarettes: A study of U.S. Adult smokers. *International Journal of Environmental Research and Public Health*, 2016; 13(8). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27527199>

Morean ME and L'Insalata A. The short form vaping consequences questionnaire: Psychometric properties of a measure of vaping expectancies for use with adult e-cigarette users. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613904>

Patel D, Davis KC, Cox S, Bradfield B, King BA, et al. Reasons for current e-cigarette use among U.S. Adults. *Preventive Medicine*, 2016; 93:14-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27612572>

Tan AS, Mello S, Sanders-Jackson A, and Bigman CA. Knowledge about chemicals in e-cigarette secondhand vapor and perceived harms of exposure among a national sample of U.S. Adults. *Risk Anal*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27595498>

Simmons VN, Quinn GP, Harrell PT, Meltzer LR, Correa JB, et al. E-cigarette use in adults: A qualitative study of users' perceptions and future use intentions. *Addict Res Theory*, 2016; 24(4):313-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27725794>

Morean ME and Wedel AV. Vaping to lose weight: Predictors of adult e-cigarette use for weight loss or control. *Addictive Behaviors*, 2016; 66:55-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27875790>

Xu Y, Guo Y, Liu K, Liu Z, and Wang X. E-cigarette awareness, use, and harm perception among adults: A meta-analysis of observational studies. *PLoS One*, 2016; 11(11):e0165938. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27861501>

Berg CJ, Haardoerfer R, Escoffery C, Zheng P, and Kegler M. Cigarette users' interest in using or switching to electronic nicotine delivery systems or smokeless Tobacco for harm reduction,

cessation, or novelty: A cross-sectional survey of U.S. Adults. *Nicotine & Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24951496>

18.12.1.1 Reasons for vaping among e-cigarette users

Etter, J. F. (2023). An 8-year longitudinal study of long-term, continuous users of electronic cigarettes. *Addict Behav*, 149, 107891. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37866230>

Kim, I, Begay, C, Ma, HJ, Orozco, FR, Rogers, CJ, Valente, TW, & Unger, J B. (2023). E-Cigarette-Related Health Beliefs Expressed on Twitter Within the U.S. *AJPM Focus*, 2(2), 100067. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37790637>

Gravelly, S, Yong, HH, Reid, JL, East, KA, Liber, AC, Michael Cummings, K et al. (2023). An examination of quitting smoking as a reason for vaping by the type of nicotine vaping device used most often among adults who smoke and vape: Findings from the Canada, England and the United States 2020 ITC Smoking and Vaping Survey. *Prev Med Rep*, 33, 102201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37223550>

Lund, I, & Saebo, G. (2023). Vaping among Norwegians who smoke or formerly smoked: reasons, patterns of use, and smoking cessation activity. *Harm Reduct J*, 20(1), 35. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36944994>

Russell, C, McKinney, WJ, & Fearon, IM. (2023). Behavioral intentions assessment of a disposable e-cigarette among adult current, former, and non-smokers in the United States. *Drug Test Anal*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36880156>

Morphett K, Puljevic C, Borland R, Carter A, Hall W, et al. Attitudes towards a hypothetical 'clean nicotine' product and harm reduction among smokers. *Int J Drug Policy*, 2021; 88:103020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33161296>

Patterson JG, LaPolt DT, Miranda AR, Zettler PJ, Berman M, et al. Switching stories: User testimonials on juul.Com continue to contradict juul's switch not equal cessation narrative. *Tobacco Control*, 2021; 30(e1):e37-e40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33154067>

Baker AN, Wilson SJ, and Hayes JE. Flavor and product messaging are the two most important drivers of electronic cigarette selection in a choice-based task. *Scientific Reports*, 2021; 11(1):4689. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33633330>

Barakat M, Jirjees F, Al-Tammemi AB, Al-Qudah R, Alfoteih Y, et al. The era of e-cigarettes: A cross-sectional study of vaping preferences, reasons for use and withdrawal symptoms among current e-cigarette users in the united Arab emirates. *Journal of Community Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33559828>

Lin W, Martinez SA, Ding K, and Beebe LA. Knowledge and perceptions of Tobacco-related harm associated with intention to quit among cigarette smokers, e-cigarette users, and dual users: Findings from the US population assessment of Tobacco and health (path) wave 1. *Substance Use and Misuse*, 2021; 56(4):464-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33594931>

Mason TB and Leventhal AM. Weight status and effects of non-Tobacco flavors on e-cigarette product appeal. *Substance Use and Misuse*, 2021;1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33754940>

Wackowski OA, O'Connor RJ, Diaz D, Rashid M, Lewis MJ, et al. '95% less harmful'? Exploring reactions to quantitative modified risk claims for snus and e-cigarettes. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33753549>

Jackson SE, Beard E, and Brown J. Smokers' use of e-cigarettes in situations where smoking is not permitted in England: Quarterly trends 2011-2020 and associations with sociodemographic and smoking characteristics. *Nicotine & Tobacco Research*, 2021; 23(11):1831–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34089607>

Lorensia A, Pratama AM, and Hersandio R. Knowledge and attitudes on smoking cessation of e-cigarettes: A mixed-methods study of pharmacy students in surabaya, Indonesia. *J Prev Med Hyg*, 2021; 62(4):E918-E25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35603251>

Du P, Bascom R, Fan T, Sinharoy A, Yingst J, et al. Changes in flavor preference in a cohort of long-term electronic cigarette users. *Annals of the American Thoracic Society*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31978316>

Erku D, Gartner CE, Morphett K, Snoswell CL, and Steadman KJ. Nicotine vaping products as a harm reduction tool among smokers: Review of evidence and implications for pharmacy practice. *Research in Social and Administrative Pharmacy*, 2020; 16(9):1272-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32061550>

Zvolensky MJ, Shepherd JM, Garey L, Case K, and Gallagher MW. The influence of neuroticism in terms of e-cigarette dependence and beliefs about use and quitting among dual users of combustible and electronic cigarettes. *Addictive Behaviors*, 2020; 107:106396. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32208324>

Chen L, Lu X, Yuan J, Luo J, Luo J, et al. A social media study on the associations of flavored electronic cigarettes with health symptoms: Observational study. *Journal of Medical Internet Research*, 2020; 22(6):e17496. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32568093>

Lu X, Chen L, Yuan J, Luo J, Luo J, et al. User perceptions of different electronic cigarette flavors on social media: Observational study. *Journal of Medical Internet Research*, 2020; 22(6):e17280. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32579123>

Dobbie F, Uny I, Jackson SE, Brown J, Aveyard P, et al. Vaping for weight control: Findings from a qualitative study. *Addictive Behaviors Reports*, 2020; 12:100275. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32637557>

Alzalabani AA and Eltahir SM. Perceptions and reasons of e-cigarette use among medical students: An internet-based survey. *J Egypt Public Health Assoc*, 2020; 95(1):21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32813062>

Baker AN, Bakke AJ, Branstetter SA, and Hayes JE. Harsh and sweet sensations predict acute liking of electronic cigarettes, but flavor does not affect acute nicotine intake: A pilot laboratory study in men. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33047127>

Katsaounou PA. Electronic cigarettes for smoking cessation: An opportunity to readdress smoking cessation treatment. *European Respiratory Journal*, 2020; 56(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33122291>

Khouja JN, Taylor AE, and Munafo MR. Associations between reasons for vaping and current vaping and smoking status: Evidence from a UK based cohort. *Drug and Alcohol Dependence*, 2020:108362. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33109458>

McCausland K, Jancey J, Leaver T, Wolf K, Freeman B, et al. Motivations for use, identity and the vaper subculture: A qualitative study of the experiences of Western Australian vapers. *BMC Public Health*, 2020; 20(1):1552. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33059652>

Sapru S, Vardhan M, Li Q, Guo Y, Li X, et al. E-cigarettes use in the United States: Reasons for use, perceptions, and effects on health. *BMC Public Health*, 2020; 20(1):1518. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33032554>

Yimsaard P, McNeill A, Yong HH, Cummings KM, Chung-Hall J, et al. Gender differences in reasons for using electronic cigarettes and product characteristics: Findings from the 2018 itc four country smoking and vaping survey. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32996566>

Little MA, Pebley K, Porter K, Talcott GW, and Krukowski RA. 'I think smoking's the same, but the toys have changed.' Understanding facilitators of e-cigarette use among air force personnel. *J Addict Prev*, 2020; 8(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33204766>

Zare S and Zheng Y. Consumer preferences for e-cigarette flavor, nicotine strength, and type: Evidence from nielsen scanner data. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33245356>

Amin S, Dunn AG, and Laranjo L. Why do people start or stop using e-cigarettes in Australia? A qualitative interview-based study. *Health Promotion Journal of Australia*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33251638>

Blank ML and Hoek J. Choice and variety-seeking of e-liquids and flavor categories by New Zealand smokers using an electronic cigarette: A longitudinal study. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33748862>

Yong HH, Borland R, Cummings KM, Gravely S, Thrasher JF, et al. Reasons for regular vaping and for its discontinuation among smokers and recent ex-smokers: Findings from the 2016 itc four country smoking and vaping survey. *Addiction*, 2019; 114 Suppl 1(Suppl 1):35–48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30821861>

Jackson SE, Brown J, Aveyard P, Dobbie F, Uny I, et al. Vaping for weight control: A cross-sectional population study in England. *Addictive Behaviors*, 2019; 95:211-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30981033>

Pullicin AJ, Kim H, Brinkman MC, Buehler SS, Clark PI, et al. Impacts of nicotine and flavoring on the sensory perception of e-cigarette aerosol. *Nicotine & Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30997500>

Queloz S and Etter JF. An online survey of users of tobacco vaporizers, reasons and modes of utilization, perceived advantages and perceived risks. BMC Public Health, 2019; 19(1):642. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31133009>

Luzius A, Dobbs PD, and Jozkowski KN. College students' reasons for using different e-cigarette products: A mixed methods analysis. J Am Coll Health, 2019:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31157606>

Krusemann EJZ, Wenng FM, Pennings JLA, de Graaf K, Talhout R, et al. Sensory evaluation of e-liquid flavors by smelling and vaping yields similar results. Nicotine & Tobacco Research, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31437266>

Phua J. Participation in electronic cigarette-related social media communities: Effects on attitudes toward quitting, self-efficacy, and intention to quit. Health Mark Q, 2019; 36(4):322-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31642738>

Romijnders KA, Krusemann EJ, Boesveldt S, Graaf K, Vries H, et al. E-liquid flavor preferences and individual factors related to vaping: A survey among dutch never-users, smokers, dual users, and exclusive vapers. International Journal of Environmental Research and Public Health, 2019; 16(23). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31766776>

Zare S, Nemati M, and Zheng Y. A systematic review of consumer preference for e-cigarette attributes: Flavor, nicotine strength, and type. PLoS One, 2018; 13(3):e0194145. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29543907>

Cioe PA, Gordon REF, Guthrie KM, Freiberg MS, and Kahler CW. Perceived barriers to smoking cessation and perceptions of electronic cigarettes among persons living with HIV. AIDS Care, 2018; 30(11):1469-75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29927614>

Romijnders K, van Osch L, de Vries H, and Talhout R. Perceptions and reasons regarding e-cigarette use among users and non-users: A narrative literature review. International Journal of Environmental Research and Public Health, 2018; 15(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29882828>

Melin K, Conte-Schmidt N, Martinez-Arroyo K, Rosa-Perez K, Soto-Aviles AE, et al. Knowledge and perceptions of e-cigarettes and the motivations for their use: Talking to smokers (e-cigarettes and/or conventional cigarettes) and non-smokers in puerto rico. P R Health Sci J, 2018; 37(3):148-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30188558>

Bloom EL, Farris SG, DiBello AM, and Abrantes AM. Smoking-related weight and appetite concerns and use of electronic cigarettes among daily cigarette smokers. Psychol Health Med, 2018:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30346797>

Goldberg RL, Dankiewicz C, and Cataldo JK. Older smokers' beliefs about e-cigarettes and intent to quit conventional cigarettes. Journal of Gerontological Nursing, 2018; 44(12):17-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30484844>

Mumford EA, Stillman FA, Tanenbaum E, Doogan NJ, Roberts ME, et al. Regional rural-urban differences in e-cigarette use and reasons for use in the United States. J Rural Health, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30430643>

Pearson JL, Amato MS, Wang X, Zhao K, Cha S, et al. How US smokers refer to e-cigarettes: An examination of user-generated posts from a web-based smoking cessation intervention, 2008-2015. *Nicotine & Tobacco Research*, 2017; 19(2):253-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27613899>

Vandrevala T, Coyle A, Walker V, Cabrera Torres J, Ordonez I, et al. 'A good method of quitting smoking' or 'just an alternative to smoking'? Comparative evaluations of e-cigarette and traditional cigarette usage by dual users. *Health Psychol Open*, 2017; 4(1):2055102916684648. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28680694>

Dunlop S, Lyons C, Dossaix A, and Currow D. How are tobacco smokers using e-cigarettes? Patterns of use, reasons for use and places of purchase in new south Wales. *Medical Journal of Australia*, 2016; 204(9):355. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27169972>

Wadsworth E, Neale J, McNeill A, and Hitchman SC. How and why do smokers start using e-cigarettes? Qualitative study of vapers in London, UK. *International Journal of Environmental Research and Public Health*, 2016; 13(7). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27376312>

Elkalmi RM, Bhagavathul AS, Ya'u A, Al-Dubai SA, Elsayed TM, et al. Familiarity, perception, and reasons for electronic-cigarette experimentation among the general public in Malaysia: Preliminary insight. *J Pharm Bioallied Sci*, 2016; 8(3):240-7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27413354>

Bold KW, Kong G, Cavallo DA, Camenga DR, and Krishnan-Sarin S. Reasons for trying e-cigarettes and risk of continued use. *Pediatrics*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27503349>

Webb Hooper M and Kolar SK. Racial/ethnic differences in electronic cigarette use and reasons for use among current and former smokers: Findings from a community-based sample. *International Journal of Environmental Research and Public Health*, 2016; 13(10). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27754449>

Wong LP, Mohamad Shakir SM, Alias H, Aghamohammadi N, and Hoe VC. Reasons for using electronic cigarettes and intentions to quit among electronic cigarette users in Malaysia. *Journal of Community Health*, 2016; 41(6):1101-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27147418>

Berg CJ. Preferred flavors and reasons for e-cigarette use and discontinued use among never, current, and former smokers. *International Journal of Public Health*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26582009>

18.12.1.2 Perceptions of harm and addictiveness

Snell, LM, Barnes, AJ, & Eissenberg, T. (2024). Variation in Relative Risk Perceptions and Tobacco Use by Race and Socioeconomic Status among Older Adults who Smoke: Evidence from the Population Assessment of Tobacco and Health (PATH) Study. *Nicotine Tob Res*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/39404138>

Galimov, A, Leventhal, AM, Hamoud, J, Meza, L, Unger, JB, Huh, J et al. (2024). Adult harm perceptions, purchase, and use related to synthetic vs. tobacco-derived nicotine vaping products: A

mixed-methods study. *Prev Med Rep*, 41, 102692. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38524276>

Liu, AH, Hootman, J, Li, D, & Xie, Z. (2024). Public perceptions of synthetic cooling agents in electronic cigarettes on Twitter. *PLoS One*, 19(3), e0292412. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38470869>

Jackson, SE, Tattan-Birch, H, East, K, Cox, S, Shahab, L, & Brown, J. (2024). Trends in Harm Perceptions of E-Cigarettes vs Cigarettes Among Adults Who Smoke in England, 2014-2023. *JAMA Netw Open*, 7(2), e240582. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38416490>

Kim, SJ, & Park, BY. (2024). Changes in smoking patterns and characteristics of Koreans using the Korea National Health and Nutrition Examination Survey 2013-2021 data. *Public Health*, 227, 259-266. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38301303>

Mzhavanadze, G. (2023). Perceived relative harm of e-cigarettes among Ukrainian adults. *Cent Eur J Public Health*, 31(4), 271-278. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38309705>

Ceasar, RC, Braymiller, JL, Kechter, A, Simpson, KA, Schiff, SJ, Yamaguchi, N, & Barrington-Trimis, JL. (2024). Perceiving E-Cigarettes as Safe and Safer Alternative to Cigarettes Among Young Adults. *Subst Use Addctn J*, 29767342231218533. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38281133>

Weiger, C, Cohen, JE, David Kennedy, R, & Moran, MB. (2024). Testing messaging strategies to correct beliefs about nicotine and relative harm perceptions of non-cigarette tobacco products compared to cigarettes: A 2 x 2 factorial experiment of factsheets. *Addict Behav*, 150, 107915. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38042048>

Jiang, L, Wei, S, Sam Saji, A, Li, J, & Che, G. (2023). An Analysis of Public Perception and Concern Toward Electronic Cigarettes: Exploring Attitudes and Profiles. *Cureus*, 15(10), e47983. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38034205>

King, B, Borland, R, Le Grande, M, Diaz, D, O'Connor, R, East, K et al. (2023). Associations between smokers' knowledge of causes of smoking harm and related beliefs and behaviors: Findings from the International Tobacco Control (ITC) Four Country Smoking and Vaping Survey. *PLoS One*, 18(10), e0292856. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37874820>

Liu, AH, Hootman, J, Li, D, & Xie, Z. (2023). Public perceptions of synthetic cooling agents in electronic cigarettes on Twitter. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37808831>

Selya, A, & Shiffman, S. (2023). Comparative risk perceptions of switching to JUUL vs. continued smoking and subsequent switching away from cigarettes: a longitudinal observational study. *BMC Psychol*, 11(1), 305. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37798775>

Kim, I, Begay, C, Ma, HJ, Orozco, FR, Rogers, CJ, Valente, TW, & Unger, J B. (2023). E-Cigarette-Related Health Beliefs Expressed on Twitter Within the U.S. *AJPM Focus*, 2(2), 100067. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37790637>

- Etter, J. F. (2023). An 8-year longitudinal study of long-term, continuous users of electronic cigarettes. *Addict Behav*, 149, 107891. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37866230>
- Keller-Hamilton, B, Curran, H, Stevens, EM, Zettler, PJ, Mays, D, & Ferketich, AK. (2023). Effects of "Tobacco Free" Language in Warning Labels on Perceptions of Electronic Cigarettes and Nicotine Pouches among Young Adult Men: A Randomized Trial. *Subst Use Misuse*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37227265>
- Li, W, & Osibogun, O. (2023). Time-Varying Determinants of Changes in E-Cigarette Relative Harm Perception Among US Young Adults. *Int J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37184820>
- Jaswal N, Bhatt G, and Goel S. Awareness of electronic cigarettes in India: Findings from the 2016-2017 global adult Tobacco survey (gats). *Tob Prev Cessat*, 2023; 9:03. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36743405>
- Lohner V, McNeill A, Schneider S, Vollstadt-Klein S, Andreas M, et al. Understanding perceived addiction to and addictiveness of electronic cigarettes among electronic cigarette users: A cross-sectional analysis of the International Tobacco Control smoking and vaping (itc 4cv) England survey. *Addiction*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36772958>
- Svenson MRE, Freeman TP, and Maynard OM. The effect of conflicting public health guidance on smokers' and vapers' e-cigarette harm perceptions. *Nicotine & Tobacco Research*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35793536>
- Morgan JC and Cappella JN. Harm perceptions and beliefs about potential modified risk Tobacco products. *International Journal of Environmental Research and Public Health*, 2021; 18(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33445525>
- Jankowski M, Wrzesniewska-Wal I, Ostrowska A, Lusawa A, Wierzba W, et al. Perception of harmfulness of various Tobacco products and e-cigarettes in Poland: A nationwide cross-sectional survey. *International Journal of Environmental Research and Public Health*, 2021; 18(16). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34444541>
- Bjurlin MA, Basak R, Zambrano I, Schatz D, El Shahawy O, et al. Perceptions of e-cigarette harm among cancer survivors: Findings from a nationally representative survey. *Cancer Epidemiol*, 2021:102037. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34561186>
- Smith CA, Shahab L, McNeill A, Jackson SE, Brown J, et al. Harm perceptions of e-cigarettes among smokers with and without mental health conditions in England: A cross-sectional population survey. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31970407>
- Haggart K, Robertson L, Blank ML, Popova L, and Hoek J. It's just steam: A qualitative analysis of New Zealand ENDS users' perceptions of secondhand aerosol. *Tobacco Control*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32047101>
- Mahase E. Half of smokers think nicotine vaping products are at least as harmful as smoking. *British Medical Journal*, 2020; 368:m873. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32131998>

Perski O, Beard E, and Brown J. Association between changes in harm perceptions and e-cigarette use among current tobacco smokers in England: A time series analysis. *BMC Medicine*, 2020; 18(1):98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32370755>

Tattan-Birch H, Brown J, Shahab L, and Jackson SE. Association of the US outbreak of vaping-associated lung injury with perceived harm of e-cigarettes compared with cigarettes. *JAMA Netw Open*, 2020; 3(6):e206981. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32539148>

Stevens EM, Hebert ET, Tackett AP, Leavens ELS, and Wagener TL. Harm perceptions of the JUUL e-cigarette in a sample of ever users. *International Journal of Environmental Research and Public Health*, 2020; 17(13). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32630647>

Wackowski OA and Jeong M. Comparison of a general and conditional measure of e-cigarette harm perceptions. *International Journal of Environmental Research and Public Health*, 2020; 17(14). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32708854>

Yong HH, Karmakar C, Motin MA, Borland R, Elton-Marshall T, et al. Identifying factors that jointly influence nicotine vaping product relative harm perception among smokers and recent ex-smokers: Findings from the 2016 itc four country smoking and vaping survey. *Drug and Alcohol Dependence*, 2020:108370. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33139154>

Alcala HE and Shimoga SV. It is about trust: Trust in sources of Tobacco health information, perceptions of harm, and use of e-cigarettes. *Nicotine & Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30715455>

Rohde JA, Noar SM, Mendel JR, Hall MG, Baig SA, et al. E-cigarette health harm awareness and discouragement: Implications for health communication. *Nicotine & Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31593586>

Nyman AL, Huang J, Weaver SR, and Eriksen MP. Perceived comparative harm of cigarettes and electronic nicotine delivery systems. *JAMA Netw Open*, 2019; 2(11):e1915680. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31747029>

Ma JZ, Hart JL, Walker KL, Giachello AL, Groom A, et al. Perceived health risks of electronic nicotine delivery systems (ENDS) users: The role of cigarette smoking status. *Addictive Behaviors*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30420103>

Parker MA, Villanti AC, Quisenberry AJ, Stanton CA, Doogan NJ, et al. Tobacco product harm perceptions and new use. *Pediatrics*, 2018; 142(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30397167>

Huerta TR, Walker DM, Mullen D, Johnson TJ, and Ford EW. Trends in e-cigarette awareness and perceived harmfulness in the u.S. *American Journal of Preventive Medicine*, 2017; 52(3):339–46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27890516>

Donaldson EA, Hoffman AC, Zandberg I, and Blake KD. Media exposure and tobacco product addiction beliefs: Findings from the 2015 health information national trends survey (hints-FDA 2015). *Addictive Behaviors*, 2017; 72:106-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28390232>

Tan ASL, Lee CJ, Nagler RH, and Bigman CA. To vape or not to vape? Effects of exposure to conflicting news headlines on beliefs about harms and benefits of electronic cigarette use: Results from a

randomized controlled experiment. *Preventive Medicine*, 2017; 105:97-103. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28882742>

Volesky KD, Maki A, Scherf C, Watson LM, Cassol E, et al. Characteristics of e-cigarette users and their perceptions of the benefits, harms and risks of e-cigarette use: Survey results from a convenience sample in Ottawa, Canada. *Health Promot Chronic Dis Prev Can*, 2016; 36(7):130-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27409988>

Brown-Johnson CG, Burbank A, Daza EJ, Wassmann A, Chieng A, et al. Online patient-provider e-cigarette consultations: Perceptions of safety and harm. *American Journal of Preventive Medicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27576005>

Brose LS, Brown J, Hitchman SC, and McNeill A. Perceived relative harm of electronic cigarettes over time and impact on subsequent use. A survey with 1-year and 2-year follow-ups. *Drug and Alcohol Dependence*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26507173>

18.12.1.3 Support for regulations on e-cigarettes

Galimov, A, Albers, L, Rahman, T, Vassey, J, Kirkpatrick, MG, & Unger, JB. (2024). Assessing the public discourse on Twitter: Reactions to the JUUL e-cigarettes ban in the United States. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38410122>

Trigg, J, Rich, J, Williams, E, Gartner, CE, Guillaumier, A, & Bonevski, B. (2023). Perspectives on limiting tobacco access and supporting access to nicotine vaping products among clients of residential drug and alcohol treatment services in Australia. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37821220>

Jongenelis, MI, Robinson, A, Hughes, A, & Pettigrew, S. (2023). Perceptions of a prescription model for accessing nicotine vaping products: an examination of submissions made by self-reported e-cigarette users to an Australian consultation. *Health Promot Int*, 38(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37555700>

Soule, EK, Mayne, S, Snipes, W, Heym, M, Coffey, AD, Guy, MC et al. (2023). Electronic Cigarette Users' Reactions and Responses to a Hypothetical Nicotine Concentration Reduction in Electronic Cigarette Liquids. *Subst Use Misuse*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37222484>

Weiger, C, Chen-Sankey, J, Jeong, M, Delnevo, C, & Wackowski, O. (2023). Awareness and beliefs about FDA e-cigarette regulation in the premarket application review era. *Addict Behav*, 144, 107748. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37182238>

Lou X, Liu P, Xie Z, and Li D. Public perceptions on the policy of electronic cigarettes as medical products on Twitter. *International Journal of Environmental Research and Public Health*, 2023; 20(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36767983>

Patel M, Donovan EM, Liu M, Solomon-Maynard M, and Schillo BS. Policy support for smoke-free and e-cigarette free multiunit housing. *American Journal of Health Promotion*, 2022; 36(1):106–16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34344161>

Lee A, Chang AA, Lyu JC, Ling PM, and Hsia SL. Characterizing participant perceptions about smoking-cessation pharmacotherapy and e-cigarettes from Facebook smoking-cessation support groups.

International Journal of Environmental Research and Public Health, 2022; 19(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35742557>

Saebo G and Lund I. Public support for further regulating smoking, snus and e-cigarettes in Norway, and its associations with risk perceptions and tobacco use. *Int J Drug Policy*, 2021; 101:103559. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34952281>

Wackowski OA, Sontag JM, Singh B, King J, Lewis MJ, et al. From the deeming rule to JUUL-US news coverage of electronic cigarettes, 2015-2018. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32053188>

Wipfli H, Bhuiyan MR, Qin X, Gainullina Y, Palaganas E, et al. Tobacco use and e-cigarette regulation: Perspectives of university students in the Asia-Pacific. *Addictive Behaviors*, 2020; 107:106420. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32251875>

Ward E, Anholt C, Gentry S, Dawkins L, Holland R, et al. A qualitative exploration of consumers' perceived impacts, behavioural reactions, and future reflections of the EU Tobacco products directive (2017) as applied to electronic cigarettes. *Tob Use Insights*, 2020; 13:1179173X20925458. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32612402>

Rosshem ME, Zhao X, Soule EK, Thombs DL, Suzuki S, et al. Aerosol, vapor, or chemicals? College student perceptions of harm from electronic cigarettes and support for a tobacco-free campus policy. *J Am Coll Health*, 2020;1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32931725>

Shih CS and Etter JF. Public attitudes towards e-cigarette regulations and policies in Taiwan. *J Public Health Res*, 2020; 9(4):1698. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33244463>

Wamamili B, Wallace-Bell M, Richardson A, Grace RC, and Coope P. Attitudes towards the New Zealand government's smokefree 2025 goal associated with smoking and vaping in university students aged 18 to 24 years: Results of a 2018 national cross-sectional survey. *BMJ Open*, 2020; 10(11):e037362. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33154044>

Dobbs PD, Rolfe DT, and Cheney MK. Cigarettes vs. E-cigarettes: Policy implications from a focus group study. *Substance Use and Misuse*, 2019;1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31190599>

Majmundar A, Chou CP, Cruz TB, and Unger JB. Relationship between social media engagement and e-cigarette policy support. *Addictive Behaviors Reports*, 2019; 9:100155. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193757>

Scott JG, Jhetam S, Chen R, and Daghish M. Should psychiatrists support the availability of nicotine e-cigarettes in Australia? *Australas Psychiatry*, 2019:1039856219859271. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31246116>

Erku DA, Gartner CE, Tengphakwaen U, Morphet K, and Steadman KJ. Nicotine vaping product use, harm perception and policy support among pharmacy customers in Brisbane, Australia. *Drug Alcohol Rev*, 2019; 38(6):703–11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31486151>

Wu YS, Wang MP, Ho SY, Cheung YT, Kwong A, et al. Positive perceptions of electronic cigarettes relative to combustible cigarettes are associated with weaker support for endgame policies on combustible cigarettes: A population-based cross-sectional study in Hong Kong. *Tobacco Induced Diseases*, 2019; 17:61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582950>

Mendelsohn CP. Should psychiatrists support the availability of nicotine e-cigarettes in Australia? *Australas Psychiatry*, 2019; 27(6):657-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31842607>

Shih CS and Etter JF. Stakeholders' views on e-cigarette legislation: A qualitative study in taiwan. *Front Public Health*, 2019; 7:354. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31850295>

Nayak P, Barker DC, Huang J, Kemp CB, Wagener TL, et al. 'No, the government doesn't need to, it's already self-regulated': A qualitative study among vape shop operators on perceptions of electronic vapor product regulation. *Health Education Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29590316>

Chung-Hall J, Fong GT, Driezen P, and Craig L. Smokers' support for tobacco endgame measures in Canada: Findings from the 2016 International Tobacco Control smoking and vaping survey. *CMAJ Open*, 2018; 6(3):E412-E22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30266779>

Wong LP, Alias H, Agha Mohammadi N, Ghadimi A, and Hoe VCW. E-cigarette users' attitudes on the banning of sales of nicotine e-liquid, its implication on e-cigarette use behaviours and alternative sources of nicotine e-liquid. *Journal of Community Health*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28589268>

Lazard AJ, Wilcox GB, Tuttle HM, Glowacki EM, and Pikowski J. Public reactions to e-cigarette regulations on Twitter: A text mining analysis. *Tobacco Control*, 2017; 26(e2):e112-e6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28341768>

Thavarajah R, Mohandoss AA, Ranganathan K, and Kondalsamy-Chennakesavan S. Influence of legislations and news on Indian internet search query patterns of e-cigarettes. *J Oral Maxillofac Pathol*, 2017; 21(2):194-202. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28932027>

Halpern-Felsher B and Kim H. Measuring e-cigarette use, dependence, and perceptions: Important principles and considerations to advance tobacco regulatory science. *Addictive Behaviors*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29175026>

Brose L, Partos T, Hitchman S, and McNeill A. Support for e-cigarette policies: A survey of smokers and ex-smokers in Great Britain. *Tobacco Control*, 2016. Available from: <http://tobaccocontrol.bmj.com/content/early/2016/06/16/tobaccocontrol-2016-052987?papetoc>
<http://www.ncbi.nlm.nih.gov/pubmed/27312824>

Brose LS, Partos TR, Hitchman SC, and McNeill A. Support for e-cigarette policies: A survey of smokers and ex-smokers in Great Britain. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27312824>

Fraser D, Weier M, Keane H, and Gartner C. Vapers' perspectives on electronic cigarette regulation in Australia. *Int J Drug Policy*, 2015; 26(6):589-94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25724266>

Wackowski OA and Delnevo CD. Smokers' attitudes and support for e-cigarette policies and regulation in the USA. *Tobacco Control*, 2015; 24(6):543-6. Available from: <http://tobaccocontrol.bmj.com/content/24/6/543.abstract>

Polosa R and Caponnetto P. Regulation of e-cigarettes: The users' perspective. *The Lancet Respiratory Medicine*, 2013; 1(7):e26. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24461619>

18.12.2 Perceptions among young people

Phan, L, & Choi, K. (2023). Awareness of electronic cigarette industry practices and their associations with anti-electronic cigarette attitudes among susceptible US young adults. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38071582>

Balzer, G, Landrus, A, Ovestrud, I, Singer, JM, Lu, B, Wagner, DD et al. (2023). What do young people know about the nicotine in their e-cigarettes? *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37973361>

Pinho-Gomes, AC, Alvin Santos, J, Jones, A, Raj Thout, S, & Pettigrew, S. (2023). Attitudes and behaviours regarding e-cigarettes in people aged 15-30 years in the UK: a cross-sectional study. *Lancet*, 402 Suppl 1, S76. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37997121>

Rams, A, Kowitt, S, Ritchie, C, Sutfin, EL, Sheeran, P, & Noar, SM. (2023). Awareness and perceptions of FDA's JUUL Marketing Denial Order: A national study of US adolescents. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37813094>

Truong, M, & Cotton, E. (2023). *The impact of vaping on adolescent mental health*. Retrieved from <https://aifs.gov.au/resources/policy-and-practice-papers/impact-vaping-adolescent-mental-health>

Gwon, SH, Thongpriwan, V, Mobarki, A, Eyadat, A, & Noonan, D. (2023). Experiences and Perceptions of E-Cigarette Cessation for Young Adults in Rural Communities. *Nurs Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37768961>

Caponnetto, P, Triscari, S, Vitale, NM, & Polosa, R. (2023). Letter to the Editors of Substance Abuse: Research and Treatment; Adolescents Who Vape Nicotine and Their Experiences Vaping: A Qualitative Study; Regarding Dube et al. (2023). *Subst Abuse*, 17, 11782218231197959. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37706069>

Kim, K. (2023). Scanned information exposure and support for tobacco regulations among US youth and young adult tobacco product users and non-users. *Health Educ Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37565566>

Pinho-Gomes, AC, Santos, JA, Jones, A, Thout, SR, & Pettigrew, S. (2023). E-cigarette attitudes and behaviours amongst 15-30-year-olds in the UK. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37525566>

Crane, L A, Asdigian, NL, & Fitzgerald, MD. (2023). Looking Cool, Doing Tricks, Managing Stress, and Nicotine Addiction: Youth Perspectives on Nicotine Vaping and Implications for Prevention. *Am J Health Promot*, 8901171231189560. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37462022>

Song, A, Zhang, Z, & Liu, Z. (2023). Psychoactive Comfort Products or Snacks: How Chinese Young Adults Perceive the Potentially Addictive Nature of E-Cigarettes. *Healthcare (Basel)*, 11(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37239726>

Cho, EJ, Hill, B, Lehew, C, Rahmandar, M, & Fadavi, S. (2023). Adolescents' Awareness of E-Cigarette or Vaping Product Use-Associated Lung Injury (EVALI) and E-Cigarette Use Impact on Health. *Pediatr Dent*, 45(2), 125-132. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37106548>

Harrell, PT, Brandon, TH, Stark, SE, Simmons, VN, Barnett, TE, Quinn, GP, & Chun, S. (2023). Measuring vaping-related expectancies in young adults: Psychometric evaluation of the Electronic Nicotine Vaping Outcomes (ENVO) scale. *Drug Alcohol Depend*, 246, 109861. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37028105>

Ma, H, Gaudiello, E, Sheeran, P, Sanzo, N, Sutfin, EL, & Noar, SM. (2023). National Youth tobacco surveys (2014-2019) show increasing beliefs in the harm and relative addiction of e-cigarettes but decreasing associations between those beliefs and e-cigarette use. *Addict Behav*, 144, 107713. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37086609>

Phan, L, & Choi, K. (2023). U.S. young adults' awareness of the Master Settlement Agreement and cigarette industry practices and their associations with electronic cigarette industry and health risk perceptions. *BMC Public Health*, 23(1), 615. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37004012>

Rayes, BT, Alalwan, A, AbuDujain, NM, Darraj, A, Alammar, MA, & Jradi, H. (2023). Prevalence, Trends, and Harm Perception Associated with E-Cigarettes and Vaping among Adolescents in Saudi Arabia. *Arch Clin Biomed Res*, 7(2), 147-156. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37008304>

Ahuja, NA, Kedia, SK, Regmi, S, & Dillon, PJ. (2023). Disparities in E-Cigarette Harm and Addiction Perceptions Among Adolescents in the United States: a Systematic Review of the Literature. *J Racial Ethn Health Disparities*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36877379>

Obisesan, OH, Uddin, SMI, Boakye, E, Osei, AD, Mirbolouk, M, Orimoloye, OA et al. (2023). Pod-based e-cigarette use among US college-aged adults: A survey on the perception of health effects, sociodemographic correlates, and interplay with other tobacco products. *Tob Induc Dis*, 21, 34. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36875734>

Smith, MJ, MacKintosh, AM, Ford, A, & Hilton, S. (2023). Youth's engagement and perceptions of disposable e-cigarettes: a UK focus group study. *BMJ Open*, 13(3), e068466. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36948552>

Thongsutt, T, Yusote, C, Jubprang, S, Sasisuwan, A, Poonchuay, N, Chanawong, A et al. (2023). Factors Associated with Knowledge and Attitude towards E-Cigarettes among Undergraduate Students in Thailand: A Cross-Sectional Study. *Asian Pac J Cancer Prev*, 24(2), 559-567. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36853305>

Alonso F, Rath J, Ramirez AS, Cantrell J, Jordan A, et al. Perceptions of and experiences with cigarette and e-cigarette use among a diverse population of US Latino adolescents and young adults.

American Journal of Health Promotion, 2023;8901171221151125. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36608694>

Pettigrew S, Santos JA, Li Y, Miller M, Anderson C, et al. E-cigarette-related beliefs, behaviors, and policy support among young people in China. *Tobacco Induced Diseases*, 2023; 21:09. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36741540>

Sanchez-Sanchez E, Garcia-Ferrer L, Ramirez-Vargas G, Diaz-Jimenez J, Rosety-Rodriguez M, et al. Knowledge, attitudes and behaviours of adolescents and young adult population on the use of e-cigarettes or personal vaporizer. *Healthcare (Basel)*, 2023; 11(3). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36766957>

Thanh PQ, Tuyet-Hanh TT, Khue LN, Hai PT, Van Can P, et al. Perceptions and use of electronic cigarettes among young adults in vietnam 2020. *Journal of Community Health*, 2022. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/35764721>

Stubbs T, Thomas S, Pitt H, and Daube M. Do health halos and conspicuous consumption influence the appeal and risk perceptions of e-cigarettes among young cambodian men? *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33504583>

McGee LU, Parker S, Bulsara S, Escobar B, Kline KN, et al. Adolescent electronic cigarette counselling: Knowledge, attitudes and perceived barriers among clinical staff in a primary care setting. *J Eval Clin Pract*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33624429>

Krusemann EJZ, van Tiel L, Pennings JLA, Vaessen W, de Graaf K, et al. Both non-smoking youth and smoking adults like sweet and minty e-liquid flavors more than tobacco flavor. *Chem Senses*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33687446>

Mason TB and Leventhal AM. Relations among sweet taste preference, body mass index, and use of e-cigarettes for weight control motives in young adults. *Eat Behav*, 2021; 41:101497. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33714925>

Sharma A, McCausland K, and Jancey J. Adolescent's health perceptions of e-cigarettes: A systematic review. *American Journal of Preventive Medicine*, 2021; 60(5):716–25. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33775514>

Weemer MM, Ketner MA, and Crecelius SA. Exploring knowledge, beliefs and behaviors of parents regarding teen electronic cigarette use. *Tob Prevalence Cessation*, 2021; 7:17. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33681538>

Zhao D, Abdullah AS, Wen T, Chen X, Xiao X, et al. Perceptions of e-cigarettes among smokers and non-smokers in households with children in rural China: A cross-sectional study. *Tobacco Induced Diseases*, 2021; 19:25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33850512>

Monzon J, Islam F, Mus S, Thrasher JF, and Barnoya J. Effects of tobacco product type and characteristics on appeal and perceived harm: Results from a discrete choice experiment among guatemalan adolescents. *Preventive Medicine*, 2021; 148:106590. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33930431>

Gupta PS and Kalagher KM. Where there is (no) smoke, there is still fire: A review of trends, reasons for use, preferences and harm perceptions of adolescent and young adult electronic cigarette use.

Curr Pediatr Rep, 2021; 9(3):47–51. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33996271>

Yang JS, Sou A, Faruqui A, and Mackey TK. A qualitative examination of e-cigarette use among California young adults during the EVALI outbreak. Preventive Medicine Reports, 2021; 24:101506.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34401219>

Milella MS, Sansone A, Basili S, Battaglia G, La Torre G, et al. E-learning course improves knowledge in tobacco dependence, electronic nicotine delivery systems and heat-not-burn products in medical school students. Clin Ter, 2021; 172(5):427-34. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34625774>

Al-Sawalha NA, Almomani BA, Mokhmer E, Al-Shatnawi SF, and Bdeir R. E-cigarettes use among university students in Jordan: Perception and related knowledge. PLoS One, 2021; 16(12):e0262090.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34972196>

Kinouani S, Leflot C, Vanderkam P, Auriacombe M, Langlois E, et al. Motivations for using electronic cigarettes in young adults: A systematic review. Substance Abuse, 2020; 41(3):315–22. Available

from: <https://www.ncbi.nlm.nih.gov/pubmed/31638872>

Czaplicki L, Perks SN, Liu M, Cuccia A, Patel M, et al. Support for e-cigarette and Tobacco control policies among parents of adolescents. Nicotine & Tobacco Research, 2020; 22(7):1139–47. Available

from: <https://www.ncbi.nlm.nih.gov/pubmed/31793996>

Moore GF, Angel L, Gray L, Copeland L, Van Godwin J, et al. Associations of socioeconomic status, parental smoking and parental e-cigarette use with 10-11-year-old children’s perceptions of Tobacco cigarettes and e-cigarettes: Cross sectional analysis of the chets Wales 3 survey. International Journal of Environmental Research and Public Health, 2020; 17(3). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31973060>

Pang RD, Goldenson NI, Kirkpatrick M, Barrington-Trimis JL, Cho J, et al. Sex differences in the appeal of flavored e-cigarettes among young adult e-cigarette users. Psychology of Addictive Behaviors, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31961168>

Pokhrel P, Bennett B, and Boushey C. Body esteem, weight control outcome expectancies, and e-cigarette use among young adults. Nicotine & Tobacco Research, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31927589>

Vu TT, Groom A, Hart JL, Tran H, Landry RL, et al. Socioeconomic and demographic status and perceived health risks of e-cigarette product contents among youth: Results from a national survey. Health Promotion Practice, 2020; 21(1_suppl):148S–56S. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31908196>

The Royal Children’s Hospital. E-cigarettes, vaping and teens: Do parents know the dangers? , 2020.

Available from: <https://www.rchpoll.org.au/polls/e-cigarettes-vaping-and-teens-do-parents-know-the-dangers/>.

Manzione LC, Shan L, and Azagba S. Associations between risk perceptions and cigarette, e-cigarette, and dual-product use among canadian adolescents. Tob Use Insights, 2020; 13:1179173X20903784.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32180684>

McGruder H, Walton K, Sharapova S, and King BA. US adults' perceptions about the harms of nicotine in electronic vapor products on the adolescent brain, United States, 2016-2017. *Preventing Chronic Disease*, 2020; 17:E27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32213263>

Strombotne K, Buckell J, and Sindelar JL. Do JUUL and e-cigarette flavours change risk perceptions of adolescents? Evidence from a national survey. *Tobacco Control*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32300029>

Porcellato L, Ross-Houle K, Quigg Z, Harris J, Bigland C, et al. Welsh primary schoolchildren's perceptions of electronic cigarettes: A mixed methods study. *International Journal of Environmental Research and Public Health*, 2020; 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32455786>

Laestadius LI, Penndorf K, Seidl M, Pokhrel P, Patrick R, et al. Young adult identification and perception of hashtag-based vaping claims on Instagram. *Health Education & Behavior*, 2020:1090198120928992. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32506949>

Shilco P, Golshan T, Lande S, Nickfardjam K, Roitblat Y, et al. Knowledge and attitudes of adolescents to e-cigarettes: An international prospective study. *International Journal of Adolescent Medicine and Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32474455>

Brown R, Van Godwin J, Copeland L, Hallingberg B, Angel L, et al. Ecological exploration of knowledge and attitudes towards Tobacco and e-cigarettes among primary school children, teachers, and parents in Wales: A qualitative study. *Tob Use Insights*, 2020; 13:1179173X20938770. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32848489>

Al-Hamdani M, Hopkins DB, Hardardottir A, and Davidson M. Perceptions and experiences of vaping among youth and young adult e-cigarette users: Considering age, gender, and Tobacco use. *The Journal of Adolescent Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32943292>

Aqeeli AA, Makeen AM, Al Bahhawi T, Ryani MA, Bahri AA, et al. Awareness, knowledge and perception of electronic cigarettes among undergraduate students in jazan region, saudi arabia. *Health Soc Care Community*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32974976>

Chaffee BW, Couch ET, Urata J, Cash D, Werts M, et al. Electronic cigarette and moist snuff product characteristics independently associated with youth tobacco product perceptions. *Tobacco Induced Diseases*, 2020; 18:71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32934617>

Burnley A, Bold KW, Kong G, Wu R, and Krishnan-Sarin S. E-cigarette use perceptions that differentiate e-cigarette susceptibility and use among high school students. *American Journal of Drug and Alcohol Abuse*, 2020:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33058696>

Katz SJ, Cohen EL, and Kinzer HT. "Can i hit that?" Vaping knowledge, attitudes and practices of college students. *J Am Coll Health*, 2020:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33048639>

Kikut A, Williams S, and Hornik R. A toxic blend: Assessing the effects of cross-source media coverage of flavored e-cigarettes on youth and young adult perceptions. *J Health Commun*, 2020:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33104493>

Martell KM, Boyd LD, Giblin-Scanlon LJ, and Vineyard J. Knowledge, attitudes, and practices of young adults regarding the impact of electronic cigarette use on oral health. *J Am Dent Assoc*, 2020; 151(12):903-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33228883>

Gupta V, Sharma M, Srikant N, and Manaktala N. Assessment of knowledge of use of electronic cigarette and its harmful effects among young adults. *Open Med (Wars)*, 2020; 15(1):796-804. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33336037>

Hanafin J and Clancy L. A qualitative study of e-cigarette use among young people in Ireland: Incentives, disincentives, and putative cessation. *PLoS One*, 2020; 15(12):e0244203. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33370351>

Pulvers K, Correa JB, Krebs P, El Shahawy O, Marez C, et al. JUUL e-cigarette quit attempts and cessation perceptions in college student JUUL e-cigarette users. *American Journal of Health Promotion*, 2020:890117120982408. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33353369>

Dang YH. Attitudes and perceptions of Tobacco-related products in college students. *Innov Pharm*, 2020; 11(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34007628>

Jongenelis MI, Kameron C, Rudaizky D, Slevin T, and Pettigrew S. Perceptions of the harm, addictiveness, and smoking cessation effectiveness of e-cigarettes among Australian young adults. *Addictive Behaviors*, 2019; 90:217–21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30447513>

Katz SJ, Erkinen M, Lindgren B, and Hatsukami D. Beliefs about e-cigarettes: A focus group study with college students. *American Journal of Health Behavior*, 2019; 43(1):76-87. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30522568>

Antin TMJ, Hunt G, Kaner E, and Lipperman-Kreda S. Youth perspectives on concurrent smoking and vaping: Implications for tobacco control. *Int J Drug Policy*, 2019; 66:57-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30703608>

Mitchko J, Lewis S, Marynak KL, Shannon C, Burnette D, et al. E-cigarettes and young people: Communicating an emerging public health risk. *American Journal of Health Promotion*, 2019:890117119835519. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30871329>

Barker JO, Kelley DE, Noar SM, Reboussin BA, Cornacchione Ross J, et al. E-cigarette outcome expectancies among nationally representative samples of adolescents and young adults. *Substance Use and Misuse*, 2019:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31188055>

Park E, Kwon M, Gaughan MR, Livingston JA, and Chang YP. Listening to adolescents: Their perceptions and information sources about e-cigarettes. *Journal of Pediatric Nursing*, 2019; 48:82-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31362205>

Harrell PT, Brandon TH, England KJ, Barnett TE, Brockenberry LO, et al. Vaping expectancies: A qualitative study among young adult nonusers, smokers, vapers, and dual users. *Subst Abuse*, 2019; 13:1178221819866210. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31456638>

Correa JB, Tully LK, and Doran N. Expectancies and reasons for use of e-cigarettes among young adults: A longitudinal analysis. *Psychology of Addictive Behaviors*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31535871>

Kanyadan V and Ganti L. E-cigarette awareness among young adults: A pilot survey study. *Cureus*, 2019; 11(7):e5234. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31555497>

Boccio CM, Jackson DB, and Leal WE. Nicotine and marijuana attitudes among flavor-only vaping youth: New evidence from Monitoring the Future. *Addictive Behaviors*, 2019; 102:106186. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31731050>

Calabro KS, Khalil GE, Chen M, Perry CL, and Prokhorov AV. Pilot study to inform young adults about the risks of electronic cigarettes through text messaging. *Addictive Behaviors Reports*, 2019; 10:100224. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31828203>

Kong G, Simon P, Mayer ME, Barrington-Trimis JL, Pacek LR, et al. Harm perceptions of alternative Tobacco products among US adolescents. *Tobacco Regulatory Science*, 2019; 5(3):242–52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31840041>

Leventhal A, Cho J, Barrington-Trimis J, Pang R, Schiff S, et al. Sensory attributes of e-cigarette flavours and nicotine as mediators of interproduct differences in appeal among young adults. *Tobacco Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31852818>

Leung LT, Ho SY, Chen J, Wang MP, and Lam TH. Favourable perceptions of electronic cigarettes relative to cigarettes and the associations with susceptibility to electronic cigarette use in Hong Kong Chinese adolescents. *International Journal of Environmental Research and Public Health*, 2018; 15(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29301254>

Stanley SJ and Pitts MJ. “I’m scared of the disappointment”: Young adult smokers’ relational identity gaps and management strategies as sites of communication intervention. *Health Commun*, 2018:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29469651>

Camenga DR, Fiellin LE, Pendergrass T, Miller E, Pentz MA, et al. Adolescents’ perceptions of flavored tobacco products, including e-cigarettes: A qualitative study to inform FDA tobacco education efforts through videogames. *Addictive Behaviors*, 2018; 82:189-94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29573891>

Hinderaker K, Power DV, Allen S, Parker E, and Okuyemi K. What do medical students know about e-cigarettes? A cross-sectional survey from one U.S. Medical school. *BMC Med Educ*, 2018; 18(1):32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29499682>

Bennett BL and Pokhrel P. Weight concerns and use of cigarettes and e-cigarettes among young adults. *International Journal of Environmental Research and Public Health*, 2018; 15(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29843377>

Kristjansson AL, Allegrante JP, and Sigfusdottir ID. Perceived parental reactions to substance use among adolescent vapers compared with tobacco smokers and non-users in iceland. *Public Health*, 2018; 164:115-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30268032>

East K, Brose LS, McNeill A, Cheeseman H, Arnott D, et al. Harm perceptions of electronic cigarettes and nicotine: A nationally representative cross-sectional survey of young people in Great Britain. *Drug and Alcohol Dependence*, 2018; 192:257–63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30300799>

Hefner KR, Sollazzo A, Mullaney S, Coker KL, and Sofuoglu M. E-cigarettes, alcohol use, and mental health: Use and perceptions of e-cigarettes among college students, by alcohol use and mental

health status. Addictive Behaviors, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30396534>

McKelvey K, Popova L, Pepper JK, Brewer NT, and Halpern-Felsher B. Adolescents have unfavorable opinions of adolescents who use e-cigarettes. PLoS One, 2018; 13(11):e0206352. Available from:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6221340/pdf/pone.0206352.pdf>

Napolitano MA, Lynch SB, and Stanton CA. Young adult e-cigarette users: Perceptions of stress, body image, and weight control. Eat Weight Disord, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30554326>

Cooper M, Loukas A, Harrell MB, and Perry CL. College students' perceptions of risk and addictiveness of e-cigarettes and cigarettes. J Am Coll Health, 2017; 65(2):103–11. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27805472>

Popova L, McDonald EA, Sidhu S, Barry R, Richers Maruyama TA, et al. Perceived harms and benefits of tobacco, marijuana, and electronic vaporizers among young adults in colorado: Implications for health education and research. Addiction, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28449191>

Shaikh A, Ansari HT, Ahmad Z, Shaikh MY, Khalid I, et al. Knowledge and attitude of teenagers towards electronic cigarettes in karachi, pakistan. Cureus, 2017; 9(7):e1468. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28936380>

Abadi S, Couch ET, Chaffee BW, and Walsh MM. Perceptions related to use of electronic cigarettes among California college students. J Dent Hyg, 2017; 91(1):35-43. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29118149>

Lucherini M, Rooke C, and Amos A. "They're thinking, well it's not as bad, i probably won't get addicted to that. But it's still got the nicotine in it, so...": Maturity, control and socialising: Negotiating identities in relation to smoking and vaping. A qualitative study of young adults in Scotland. Nicotine & Tobacco Research, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29126149>

Pokhrel P, Lam TH, Pagano I, Kawamoto CT, and Herzog TA. Young adult e-cigarette use outcome expectancies: Validity of a revised scale and a short scale. Addictive Behaviors, 2017; 78:193-9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29195147>

Gowin M, Cheney MK, and Wann TF. Knowledge and beliefs about e-cigarettes in straight-to-work young adults. Nicotine & Tobacco Research, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27613919>

Kaleta D, Polanska K, Bak-Romaniszyn L, and Wojtysiak P. Perceived relative harm of selected cigarettes and non-cigarette Tobacco products-a study of young people from a socio-economically disadvantaged rural area in Poland. International Journal of Environmental Research and Public Health, 2016; 13(9). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27608034>

Cooper M, Harrell MB, Perez A, Delk J, and Perry CL. Flavorings and perceived harm and addictiveness of e-cigarettes among youth. Tobacco Regulatory Science, 2016; 2(3):278–89. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27722185>

Trumbo CW and Harper R. A comparison of students and non-students with respect to orientation toward e-cigarettes. *J Public Health Res*, 2016; 5(2):595. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27747198>

Hilton S, Weishaar H, Sweeting H, Trevisan F, and Katikireddi SV. E-cigarettes, a safer alternative for teenagers? A UK focus group study of teenagers' views. *BMJ Open*, 2016; 6(11):e013271. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27852721>

18.12.3 Perceptions among health professionals

Mostafa, OA, & Taha, MA. (2024). Knowledge, attitude, and use of electronic cigarettes among Cairo University medical students. *J Egypt Public Health Assoc*, 99(1), 29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39586909>

Pandey, S, Singh, BK, Marasini, S, Sharma, S, Humagain, U, Bista, PR et al. (2024). Assessing the knowledge, attitude and practice of electronic cigarettes and their associated factors among undergraduate students of Institute of Medicine, Nepal: a cross-sectional study. *BMC Public Health*, 24(1), 3107. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39529044>

Dilektasli, AG, Guclu, OA, Ozpehlivan, A, Durak, VA, Gezmis, I, Ozgur, A et al. (2024). Electronic cigarette use and consumption patterns in medical university students. *Front Public Health*, 12, 1403737. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39403440>

Quinn, SA, Olszewski, K, & Wolf, DM. (2024). E-Cigarette and Vaping Perspectives: Recommendations for Occupational Health Nurses. *Workplace Health Saf*, 21650799241279991. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39367833>

Singh, R, Burke, M, Towns, S, Rahman, MA, Bittoun, R, Shah, S et al. (2024). Exploring General Practitioners' Knowledge, Attitudes, and Practices towards E-Cigarette Use/Vaping in Children and Adolescents: A Pilot Cross-Sectional Study in Sydney. *Int J Environ Res Public Health*, 21(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39338099>

Chinwong, S, Penthinapong, T, Tengcharoenphongthorn, P, Pingkaew, S, Siritwattana, K, Phrommintikul, A., & Chinwong, D. (2024). Electronic Cigarettes and Tobacco Product Cessation: A Survey of Healthcare Providers' Opinions on Safety and Recommendation. *Healthcare (Basel)*, 12(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39057553>

Kelsh, S, Young, M, Ottney, A, Sohn, M, & Kelly, M. (2024). Impact of tobacco education on pharmacy students' perceptions of electronic nicotine delivery systems. *Curr Pharm Teach Learn*, 16(11), 102158. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39033561>

McMaine, T, & Kolokythas, A. (2024). The many dangers of e-cigarettes and vaping and our responsibilities to educate our patients. *Oral Surg Oral Med Oral Pathol Oral Radiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38632034>

Otieno, LA, Baiju, J, & Trigg, J. (2024). Attitudes of people diagnosed with cancer and cancer care providers towards use of nicotine vaping products in high-income countries: a scoping review. *J Cancer Surviv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38630332>

Toll, BA, Smith, TT, & King, BA. (2024). Nicotine e-cigarettes: considerations for healthcare providers. *Nat Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38627561>

Bruno, FP, Degani-Costa, LH, Kandipudi, KLP, Gushken, F, Szejf, C, Tokeshi, AB et al. (2024). Medical Trainees' Knowledge and Attitudes Towards Electronic Cigarettes and Hookah: A Multinational Survey Study. *Respir Care*, 69(3), 306-316. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38416660>

Morphett, K, Holland, A, Ward, S, Steadman, KJ, Zwar, NA, & Gartner, C. (2024). Evaluating the implementation of a prescription only regulatory model for nicotine vaping products: A qualitative study on the experiences and views of healthcare professionals. *Int J Drug Policy*, 125, 104353. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38364356>

Otsuka, Y, Kaneita, Y, Itani, O, & Nakajima, S. (2024). Prevalence, knowledge, and concerns regarding the use of heated tobacco products and electronic cigarettes among young Japanese physicians. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38370494>

Selamoglu, M, Erbas, B, Wilson, H, & Barton, C. (2024). 'Why do we have to be the gatekeepers?' Australian general practitioners' knowledge, attitudes and prescribing intentions on e-cigarettes as a smoking cessation aid. *BMC Prim Care*, 25(1), 53. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38326738>

Hatsukami, DK, & Prochaska, JJ. (2024). Electronic Cigarettes for Smoking Cessation-A Clinician's Dilemma. *JAMA Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38285557>

Nayyab, D, & Sameed, MT. (2023). The Emergence of e-Cigarettes Among Medical Students. *Asia Pac J Public Health*, 10105395231222535. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38160245>

Zhong, Q, An, K, Wu, Z, Zhang, H, Li, S, Zhang, L et al. (2023). Knowledge and awareness of nicotine, nicotine replacement therapy, and electronic cigarettes among general practitioners with a special interest in respiratory medicine in China. *Front Med (Lausanne)*, 10, 1236453. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38264047>

Turkistani, YA, Dahlawi, M, Bukhari, RI, Aldabbagh, M, Turkistani, YA, & Malosh, A. (2023). Electronic Cigarette Prevalence and Knowledge Among Medical Students in Saudi Arabia and Bahrain: A Cross-National Study. *Cureus*, 15(9), e45583. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37868497>

Busher, A, McAvoy, H, Cox, DW, & Kavanagh, PM. (2023). Knowledge, attitudes and practices of Irish doctors regarding stop smoking care and electronic cigarettes. *Ir J Med Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37698805>

Notley, C, Barry, S, & Parrott, S. (2023). Do respiratory physicians not care about people who smoke? *Clin Med (Lond)*, 23(5), 531-532. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37775168>

Stubbs, T, White, V, Yong, HH, & Toumbourou, JW. (2023). Implications of nicotine vaping products for tobacco control in ASEAN low-income and middle-income countries: in-depth interviews with experts from the region. *BMJ Open*, 13(9), e073106. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37730408>

Sundstrom, RM, Boyd, LD, Martell, KM, & Vineyard, J. (2023). Dental Hygienists Knowledge, Beliefs, and Intentions Regarding Asking Adolescents About Electronic Nicotine Delivery Systems Use. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37656104>

Smith, MJ, Katikireddi, SV, Skivington, K, & Hilton, S. (2023). Contextual influences on the role of evidence in e-cigarette recommendations: a multi-method analysis of international and national jurisdictions. *Evid Policy*, 19(3), 400-422. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37529415>

Lobbe, C, Bahnisch, J, Lin, C, Demirkol, A, & Murnion, B. (2023). How do patients and staff in an opioid agonist treatment service view smoking cessation medications and e-cigarettes? *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36877583>

Tanriover O, Hidiroglu S, Ay P, and Cook RL. Do family physicians perceive electronic cigarette use as a harm reduction strategy for smokers? A survey from istanbul. *Prim Health Care Res Dev*, 2022; 23:e15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35307043>

Delnevo CD, Jeong M, Teotia A, Bover Manderski MM, Singh B, et al. Communication between US physicians and patients regarding electronic cigarette use. *JAMA Netw Open*, 2022; 5(4):e226692. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35426926>

Bostan P and Gorek Dilektasli A. The knowledge and attitude about new generation Tobacco products among physicians. *Turk Thorac J*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35957565>

AlMuhaisen S, Mohammad H, Dabobash A, Nada MQ, and Suleiman ZM. Prevalence, knowledge, and attitudes among health professions students toward the use of electronic cigarettes. *Healthcare (Basel)*, 2022; 10(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36553944>

Huang P, Zheng W, Shi Y, Shi L, Wu W, et al. Beliefs and perceptions of electronic cigarettes among medical staff in respiratory departments of fujian province, China, in 2021. *Tobacco Induced Diseases*, 2022; 20:111. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36561425>

Selamoglu M, Erbas B, Kasiviswanathan K, and Barton C. General practitioners' knowledge, attitudes, beliefs and practices surrounding the prescription of e-cigarettes for smoking cessation: A mixed-methods systematic review. *BMC Public Health*, 2022; 22(1):2415. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36550439>

Mendelsohn CP. The role of vaping nicotine in psychiatry practice. *Australas Psychiatry*, 2021; 29(1):5-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33530755>

Salloum RG, LeLaurin JH, Lee JH, Lafata JE, Williams M, et al. Primary care physician perspectives on recommending e-cigarettes to smokers: A best-worst discrete choice experiment. *Journal of General Internal Medicine*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33523343>

Afzal M, Ellis-Parkinson M, Holdsworth L, Sykes DL, and Crooks MG. Electronic cigarette use and perceptions amongst UK medical students: A cross-sectional study. *Tob Prev Cessat*, 2021; 7:13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33644495>

Marti KM, Marti KE, and Salvo MC. A call for student pharmacist education on vaping and vaping device use. *Curr Pharm Teach Learn*, 2021; 13(3):203-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33641728>

Skelton E, Guillaumier A, Tzelepis F, Walsberger S, Paul CL, et al. Alcohol and other drug health-care providers and their client's perceptions of e-cigarette use, safety and harm reduction. *Drug Alcohol Rev*, 2021; 40(6):998–1002. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33774886>

Ruppel T, Alexander B, and Mayrovitz HN. Assessing vaping views, usage, and vaping-related education among medical students: A pilot study. *Cureus*, 2021; 13(2):e13614. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33816013>

Alzaharani SH, Alghamdi RA, Almutairi AM, Alghamdi AA, Aljuhani AA, et al. Knowledge and attitudes among medical students toward the clinical usage of e-cigarettes: A cross-sectional study in a university hospital in Saudi Arabia. *Risk Manag Healthc Policy*, 2021; 14:1969-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34017206>

Barrett R and Aldamkhi H. An evaluation of the knowledge and perceptions of pharmacy staff and pre-registration students of e-cigarettes use: A systematic review. *Tob Use Insights*, 2021; 14:1179173X211016867. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34188579>

Koo EY, Jin V, Weinreich HM, and Wenig BL. Otolaryngology resident education and perceptions of e-cigarettes. *Ann Otol Rhinol Laryngol*, 2021:34894211037415. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34365835>

Selamoglu M, Erbas B, Kasiviswanathan K, and Barton C. General practitioner knowledge, attitudes, beliefs and practices surrounding the prescription of e-cigarettes for smoking cessation: Protocol for a mixed-method systematic review. *BJGP Open*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34497095>

Albury C, Barnes R, Ferrey A, Coleman T, Gilbert H, et al. The old and familiar meets the new and unknown: Patient and clinician perceptions on e-cigarettes for smoking reduction in UK general practice, a qualitative interview study. *Addiction*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34859526>

Koo EY, Kozak KJ, Achim V, and Wenig BL. E-cigarette use and tobacco harm reduction: A pilot survey study evaluating perspectives of head and neck surgeons. *Head Neck*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34904754>

Mitchell TB, Shah S, and Zink L. The need for nationwide electronic cigarette smoking cessation curricula across the healthcare spectrum. *American Journal of Pharmaceutical Education*, 2021; 85(10):8212. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34965912>

Palmes M, Trajera SM, and Sajjani AK. Knowledge and attitude related to use of electronic cigarettes among undergraduate nursing students in an urban university setting in Philippines. *J Prev Med Hyg*, 2021; 62(3):E770-E5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34909507>

Erku DA, Gartner CE, Morphett K, and Steadman KJ. Beliefs and self-reported practices of health care professionals regarding electronic nicotine delivery systems: A mixed-methods systematic review and synthesis. *Nicotine & Tobacco Research*, 2020; 22(5):619–29. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30938442>

Gaeta C. Collegiate ems providers' role in vaping education. *American Journal of Emergency Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31973933>

Gallegos-Carrillo K, Barrientos-Gutierrez I, Arillo-Santillan E, Zavala-Arciniega L, Cho YJ, et al. Health professionals' counseling about electronic cigarettes for smokers and vapers in a country that bans the sales and marketing of electronic cigarettes. *International Journal of Environmental Research and Public Health*, 2020; 17(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31936477>

Natto ZS. Dental students' knowledge and attitudes about electronic cigarettes: A cross-sectional study at one saudi university. *Journal of Dental Education*, 2020; 84(1):27-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31977086>

Novotny TE and van Schalkwyk MCI. How should physicians in low- and middle-income countries regard electronic nicotine delivery systems to facilitate smoking cessation? *AMA J Ethics*, 2020; 22(2):E82-92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32048578>

Price S. Clearing the haze: Texas physicians demystify vaping. *Tex Med*, 2020; 116(2):16-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32083714>

Traynor K. Pharmacists help lead on vaping, tobacco cessation. *American Journal of Health System Pharmacy*, 2020; 77(4):248-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32031210>

Erku DA, Zhang R, Gartner CE, Morphett K, and Steadman KJ. How are nicotine vaping products represented to pharmacists? A content analysis of Australian pharmacy news sources. *Int J Pharm Pract*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32311165>

Zhou SS and Baptist AP. Electronic cigarettes: How confident and effective are allergists, pulmonologists, and primary care physicians in their practice behavior? *Allergy Asthma Proc*, 2020; 41(3):192-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32375963>

Koprivnikar H, Zupanic T, and Farkas JL. Beliefs and practices regarding electronic cigarettes in smoking cessation among healthcare professionals in slovenia. *Tob Prev Cessat*, 2020; 6:3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32548340>

Huey S, Tierney C, Granitto M, and Brien L. The vaping epidemic: Calling nurses to action. *Nursing*, 2020; 50(8):1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32701899>

Hunter A, Yargawa J, Notley C, Ussher M, Bobak A, et al. Healthcare professionals' beliefs, attitudes, knowledge and behaviour around vaping in pregnancy and postpartum: A qualitative study. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32621745>

Habib E, Helaly M, Elshaer A, Sriwi D, Ahmad MS, et al. Prevalence and perceptions of e-cigarette use among medical students in a saudi university. *J Family Med Prim Care*, 2020; 9(6):3070-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32984175>

Erku DA, Zhang R, Gartner CE, Morphett K, and Steadman KJ. How are nicotine vaping products represented to pharmacists? A content analysis of Australian pharmacy news sources. *International Journal of Pharmacy Practice*, 2020; 28(4):390-4. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/ijpp.12623>

Baldassarri SR. Electronic cigarettes: Past, present, and future: What clinicians need to know. *Clin Chest Med*, 2020; 41(4):797-807. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33153696>

Farber HJ, Conrado Pacheco GM, Galiatsatos P, Folan P, Lamphere T, et al. Harms of electronic cigarettes: What the health care provider needs to know. *Annals of the American Thoracic Society*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33284731>

Ofei-Doodoo S, Wiperman J, Nutting R, Gilchrist K, and Kellerman R. Changes in family physicians' perceptions of electronic cigarettes in Tobacco use counseling between 2016 and 2019. *Kans J Med*, 2020; 13:311-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33343825>

Brett J, Davies EL, Matley F, Aveyard P, Wells M, et al. Electronic cigarettes as a smoking cessation aid for patients with cancer: Beliefs and behaviours of clinicians in the UK. *BMJ Open*, 2020; 10(11):e037637. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33444179>

Erku DA, Gartner CE, Do JT, Morphett K, and Steadman KJ. Electronic nicotine delivery systems (e-cigarettes) as a smoking cessation aid: A survey among pharmacy staff in queensland, Australia. *Addictive Behaviors*, 2019; 91:227–33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30224155>

Gravelly S, Thrasher JF, Cummings KM, Ouimet J, McNeill A, et al. Discussions between health professionals and smokers about nicotine vaping products: Results from the 2016 itc four country smoking and vaping survey. *Addiction*, 2019; 114 Suppl 1(Suppl 1):71–85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548374>

Kollath-Cattano C, Dorman T, Albano AW, Jr., Jindal M, Strayer SM, et al. E-cigarettes and the clinical encounter: Physician perspectives on e-cigarette safety, effectiveness, and patient educational needs. *J Eval Clin Pract*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30784164>

Stone E and Marshall H. Electronic cigarettes in physician practice: A complex debate. *Intern Med J*, 2019; 49(4):438-45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30957372>

Ferrara P, Shantikumar S, Cabral Verissimo V, Ruiz-Montero R, Masuet-Aumatell C, et al. Knowledge about e-cigarettes and Tobacco harm reduction among public health residents in Europe. *International Journal of Environmental Research and Public Health*, 2019; 16(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31212756>

Smith CA, McNeill A, Kock L, Ahmed Z, and Shahab L. Mental health professionals' perceptions, judgements and decision-making practices regarding the use of electronic cigarettes as a tobacco harm reduction intervention in mental healthcare: A qualitative focus group study. *Addictive Behaviors Reports*, 2019; 10:100184. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193875>

Canzan F, Finocchio E, Moretti F, Vincenzi S, Tchepnou-Kouaya A, et al. Knowledge and use of e-cigarettes among nursing students: Results from a cross-sectional survey in north-eastern italy. *BMC Public Health*, 2019; 19(1):976. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31331316>

Zgliczynski WS, Jankowski M, Rostkowska O, Gujski M, Wierzba W, et al. Knowledge and beliefs of e-cigarettes among physicians in Poland. *Medical Science Monitor*, 2019; 25:6322-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31439826>

Feng Y, Wang F, Abdullah AS, Wang X, Wang J, et al. Beliefs, attitudes, and confidence to deliver electronic cigarette counseling among 1023 Chinese physicians in 2018. *International Journal of Environmental Research and Public Health*, 2019; 16(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31480401>

Jankowski M, Kaleta D, Zgliczynski WS, Grudziak-Sekowska J, Wrzesniewska-Wal I, et al. Cigarette and e-cigarette use and smoking cessation practices among physicians in Poland. *International Journal of Environmental Research and Public Health*, 2019; 16(19). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31557913>

Fielding-Singh P, Brown-Johnson C, Oppedazzo M, Das S, Jackler R, et al. E-cigarettes: Harmful or harm-reducing? Evaluation of a novel online cme program for health care providers. *Journal of General Internal Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31630366>

Newton JN. Time for the lancet to realign with the evidence on e-cigarettes? *Lancet*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31635884>

Dwedar I, Ruby D, and Mostafa A. A survey exploring knowledge and beliefs about electronic cigarettes between health care providers and the general population in egypt. *Int J Chron Obstruct Pulmon Dis*, 2019; 14:1943-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32021137>

Iqbal N, Khan ZA, Anwar SMH, Irfan O, Irfan B, et al. Electronic cigarettes use and perception amongst medical students: A cross sectional survey from sindh, pakistan. *BMC Res Notes*, 2018; 11(1):188. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29566743>

Fraser T, Glover M, and Truman P. Government and public health responses to e-cigarettes in New Zealand: Vapers' perspectives. *Harm Reduct J*, 2018; 15(1):13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29618352>

Baldassarri SR, Chupp GL, Leone FT, Warren GW, and Toll BA. Practice patterns and perceptions of chest health care providers on electronic cigarette use: An in-depth discussion and report of survey results. *J Smok Cessat*, 2018; 13(2):72-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29881469>

Mughal F, Rashid A, and Jawad M. Tobacco and electronic cigarette products: Awareness, cessation attitudes, and behaviours among general practitioners. *Prim Health Care Res Dev*, 2018:1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29880076>

Hurst S and Conway M. Exploring physician attitudes regarding electronic documentation of e-cigarette use: A qualitative study. *Tob Use Insights*, 2018; 11:1179173X18782879. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30046257>

Farrimond H and Abraham C. Developing e-cigarette friendly smoking cessation services in England: Staff perspectives. *Harm Reduct J*, 2018; 15(1):38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30075724>

Martin Carreras-Presas C, Naeim M, Hsiou D, Somacarrera Perez ML, and Messadi DV. The need to educate future dental professionals on e-cigarette effects. *Eur J Dent Educ*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30125441>

Luxton NA, Shih P, and Rahman MA. Electronic cigarettes and smoking cessation in the perioperative period of cardiothoracic surgery: Views of Australian clinicians. *International Journal of Environmental Research and Public Health*, 2018; 15(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30405035>

Stepney M, Aveyard P, and Begh R. Gps' and nurses' perceptions of electronic cigarettes in England: A qualitative interview study. *British Journal of General Practice*, 2018. Available from: <https://bjgp.org/content/bjgp/early/2018/11/05/bjgp18X699821.full.pdf>

Vereen RN, Westmaas JL, Bontemps-Jones J, Jackson K, and Alcaraz KI. Trust of information about Tobacco and e-cigarettes from health professionals versus Tobacco or electronic cigarette companies: Differences by subgroups and implications for Tobacco messaging. *Health Commun*, 2018;1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30422690>

Ofei-Dodoo S, Kellerman R, Nilsen K, Nutting R, and Lewis D. Family physicians' perceptions of electronic cigarettes in Tobacco use counseling. *Journal of the American Board of Family Medicine*, 2017; 30(4):448-59. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28720626>

Milcarz M, Polanska K, Bak-Romaniszyn L, and Kaleta D. How social care beneficiaries in Poland rate relative harmfulness of various Tobacco and nicotine-containing products. *International Journal of Environmental Research and Public Health*, 2017; 14(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28880223>

Franks AM, Hawes WA, McCain KR, and Payakachat N. Electronic cigarette use, knowledge, and perceptions among health professional students. *Curr Pharm Teach Learn*, 2017; 9(6):1003-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29233367>

Pippard BJ and Shipley MD. Healthcare staff attitudes towards the use of electronic cigarettes ('e-cigarettes') compared with a local trust policy. *Perspect Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27507870>

Fraser T, Chee N, and Laugesen M. Perspectives of New Zealand health professionals and smokers on e-cigarettes. *New Zealand Medical Journal*, 2016; 129(1441):98-100. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27607093>

Nickels AS, Warner DO, Jenkins SM, Tilburt J, and Hays JT. Beliefs, practices, and self-efficacy of US physicians regarding smoking cessation and electronic cigarettes: A national survey. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613879>

Wackowski OA, Delnevo CD, and Steinberg MB. Perspectives for clinicians on regulation of electronic cigarettes. *Annals of Internal Medicine*, 2016; 165(9):665-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27571380>

News:

18.12 Public perceptions of the risks and benefits of e-cigarettes

Electric Tobacconist. Most brits are put off vaping by negative media coverage, poll reveals Cision, 2020. Available from: <https://www.prnewswire.co.uk/news-releases/most-brits-are-put-off-vaping-by-negative-media-coverage-poll-reveals-851525272.html>

Dionne M. Vaping: Poll. In Brampton, 2020. Available from: <https://www.inbrampton.com/canadians-concerned-about-number-of-youths-vaping-poll>

No authors listed. Half of yorkshire smokers and ex-smokers would not try vaping, new research shows. *Yorkshire Cancer Research*, 2019. Available from: <https://yorkshirecancerresearch.org.uk/news/half-of-yorkshire-smokers-and-ex-smokers-would-not-try-vaping-new-research-shows>

Ronayne K. California campaign will warn public of vaping dangers. MedicalXpress, 2019. Available from: <https://medicalxpress.com/news/2019-09-california-campaign-vaping-dangers.html>

Kahn C. More americans say vaping is as dangerous as smoking cigarettes: Reuters poll. Reuters, 2019. Available from: <https://www.reuters.com/article/us-health-vaping-poll/more-americans-say-vaping-is-as-dangerous-as-smoking-cigarettes-reuters-poll-idUSKBN1W9136>

Murad Y. Juul takes a hit after a long year. Morning Consult, 2019. Available from: <https://morningconsult.com/2019/09/16/juul-takes-a-hit-after-a-long-year/>

Williams S. Poll: Most new yorkers see vaping as danger. The Daily Gazette, 2019. Available from: <https://dailygazette.com/article/2019/10/07/poll-most-new-yorkers-see-vaping-as-danger>

No authors listed. 43% of brits think vaping is better than smoking: Yougov PR Newswire, 2018. Available from: <http://www.prnewswire.co.uk/news-releases/43-of-brits-think-vaping-is-better-than-smoking-yougov-670550453.html>

Chapman S. On-line abuse and trolling by pro-tobacco and vaping activists. 2018. Available from: <https://ses.library.usyd.edu.au/bitstream/2123/18483/2/ECigTrollingFinal2.pdf>

Caruana D. Most U.S. Citizens are still misinformed about e-cigarettes. Vaping Post, 2018. Available from: <https://www.vapingpost.com/2018/09/19/most-u-s-citizens-are-still-misinformed-about-e-cigarettes/>

Philip Morris International. Multi-country opinion research survey: Topline results – global average. PMI, 2018. Available from: https://www.pmi.com/resources/docs/default-source/newsroom/2018-multi-country-opinion-research-survey-topline-results.pdf?sfvrsn=46cc9cb5_2

Varela A. Trust in e-cigarette safety varies by worldview, source of messaging. Medical XPress, 2017. Available from: <https://medicalxpress.com/news/2017-12-e-cigarette-safety-varies-worldview-source.html>

No authors listed. E-cigarettes not meeting potential as ‘disruptive technology,’ study shows. Science Daily 2016. Available from: <https://www.sciencedaily.com/releases/2016/05/160509120402.htm>

Attwood K. E-shisha: How the new vaping pipe is rejuvenating the UK’s shisha-bar scene. The Independent 2015 Available from: <http://www.independent.co.uk/news/uk/home-news/e-shisha-how-the-new-vaping-pipe-is-rejuvenating-the-uks-shisha-bar-scene-a6668446.html>

No authors listed. Philip Morris’ iqos ‘smells like an ashtray’: Imperial Tobacco. NASDAQ, 2015 Available from: <http://www.nasdaq.com/article/philip-morris-iqos-smells-like-an-ashtray-imperial-tobacco-cm524936>

Mickle T. Take a deep breath if you want to try competitive vaping. The Wall Street Journal, 2015. Available from: <http://www.wsj.com/articles/take-a-deep-breath-if-you-want-to-try-competitive-vaping-1429646394>

Rapaport L. Consumers unclear about risks or benefits of e-cigarettes. Reuters, 2015. Available from: <http://uk.reuters.com/article/2015/06/26/us-health-ecigs-consumer-perceptions-idUKKBN0P621N20150626>

Chambers S. Philip Morris device criticized by imperial researcher. Bloomberg News, 2015. Available from: <http://www.bloomberg.com/news/articles/2015-09-25/philip-morris-device-criticized-by-imperial-tobacco-researcher>

No authors listed. Study shows more guidance needed for smokers using e-cigarettes. Health Canal, 2014. Available from: <http://www.healthcanal.com/public-health-safety/56986-study-shows-more-guidance-needed-for-smokers-using-e-cigarettes.html>

Nelson J. How to know which e-cig liquid is best for vaping. Epoch Times, 2014. Available from: <http://www.theepochtimes.com/n3/blog/how-to-know-which-e-cig-liquid-is-best-for-vaping/>

No authors listed. Hands off my e-cigarette! New vaporizer comes with biometric lock. NBC News, 2014. Available from: <http://www.nbcnews.com/technology/hands-my-e-cigarette-new-vaporizer-comes-biometric-lock-2D11874499>

18.12.1 Perceptions among adults

Pike, R. (2024). *Standing Committee on Community Affairs: Therapeutic Goods and Other Legislation Amendment (Vaping Reforms) Bill 2024*. Retrieved from

Noy, S. (2024). *Therapeutic Goods and Other Legislation Amendment (Vaping Reforms) Bill 2024 [Provisions] Submission*. Retrieved from

Kyriakou, J. (2024). *Therapeutic Goods and Other Legislation Amendment (Vaping Reforms) Bill 2024 [Provisions] Submission*. Retrieved from

No author listed. Study finds perception of e-cigarette harm growing among US adults. Medical XPress, 2016. Available from: <http://medicalxpress.com/news/2016-10-perception-e-cigarette-adults.html>

18.12.1.1 Reasons for vaping among e-cigarette users

Galindo G. Nearly 40% of belgian smokers see vaping as a good way to quit smoking. The Brussels Times, 2019. Available from: <https://www.brusselstimes.com/belgium/83982/nearly-40-of-belgian-smokers-see-vaping-as-a-good-way-to-quit-smoking/>

Henry D. New Zealand survey finds stopping smoking main reason to start vaping. NZ Herald, 2018. Available from: http://www.nzherald.co.nz/nz/news/article.cfm?c_id=1&objectid=11986025

Hazlehurst B. Is vaping actually the secret to weight control? Vice.Com, 2016. Available from: http://www.vice.com/en_au/read/is-vaping-actually-the-secret-to-weight-loss

Shanahan A. Vaping: It's like smoking, only more manly. The Telegraph, 2015. Available from: <http://www.telegraph.co.uk/men/thinking-man/11555417/Vaping-its-like-smoking-only-more-manly.html>

18.12.1.2 Perceptions of harm and addictiveness

Quit, & Cancer Council Australia. (2024). New survey shows most people who vape want to quit, and Bill before Parliament must be supported to end non-therapeutic vape sales [Press release]. Retrieved from <https://www.cancer.org.au/media-releases/2024/new-survey-shows-most-people-who-vape-want-to-quit-and-bill-before-parliament-must-be-supported-to-end-non-therapeutic-vape-sales>

No authors listed. US smokers don't believe vaping is less harmful than smoking Erek Alert!, 2018. Available from: https://www.eurekaalert.org/pub_releases/2018-06/fv-usd061418.php

Walter C. Canadians think vapes are doing more harm than good: Poll. Daily Hive, 2018. Available from: <http://dailyhive.com/montreal/canadians-vaping-harm-angus-reid-poll>

18.12.1.3 Support for regulations on e-cigarettes

Freeman, B, Egger, S, Watts, C, Jenkinson, E, Madigan, C, Brooks, A, & Dessaix, A. (2024). *Support for vaping policy reforms among Australian young adults aged 18-24 years*. Retrieved from https://www.cancercouncil.com.au/wp-content/uploads/2024/05/Support-for-Vaping-Policy-Reforms-Among-Australian-Young-Adults_Short-Report_May-2024.pdf

Fidler. Three-quarters of Brits think disposable vapes should be banned. *Metro*, 2023. March 22, 2023. Retrieved from <https://metro.co.uk/2023/03/22/three-quarters-of-brits-think-disposable-vapes-should-be-banned-18486048/>

Campaign for Tobacco-Free Kids. New poll: Voters overwhelmingly support Trump administration's plan to take flavored e-cigarettes off the market. Tobacco Free Kids, 2019. Available from: https://www.tobaccofreekids.org/press-releases/2019_10_10_ecig_poll

Godde C. Aussies want vapes, e-cigs legalised: Poll. The Daily Telegraph, 2018. Available from: <https://www.dailytelegraph.com.au/news/breaking-news/aussies-want-vapes-legalised-poll/news-story/6fe52bc05d1a5720ea4f7e1b4d277b6d>

18.12.2 Perceptions among young people

Freeman, B, Egger, S, Watts, C, Jenkinson, E, Madigan, C, Brooks, A, & Dessaix, A. (2024). *Support for vaping policy reforms among Australian young adults aged 18-24 years*. Retrieved from https://www.cancercouncil.com.au/wp-content/uploads/2024/05/Support-for-Vaping-Policy-Reforms-Among-Australian-Young-Adults_Short-Report_May-2024.pdf

Pym, H., & Watkinson, L. Vapes '95% safer' than cigarettes messaging backfired. *BBC News*, 2023. Sept 27, 2023. Retrieved from <https://www.bbc.com/news/health-66852503>

Callard, C. Six take-aways from Canada's student smoking survey. *Physicians for a Smoke-Free Canada*, 2023. June 24, 2023. Retrieved from <https://gem.godaddy.com/p/6f60661>

Kekatos M. Four out of five young adult vapers say they feel 'safe' using e-cigarettes despite the epidemic of lung illnesses that have killed 55 - but half say they plan to quit as a new year's resolution. The Daily Mail Australia, 2020. Available from: <https://www.dailymail.co.uk/health/article-7846207/80-young-vapers-say-feel-safe-using-e-cigarettes-HALF-say-plan-quit.html>

No authors listed. Youth across America rally over vaping epidemic for truth® national day of action. Truth Initiative, 2019. Available from: <https://truthinitiative.org/press/press-release/youth-across-america-rally-over-vaping-epidemic-truth-national-day-action>

Smyth C. Teenagers wrongly think vaping is as bad as smoking. *The Times*, 2018. Available from: <https://www.thetimes.co.uk/article/teenagers-wrongly-think-vaping-is-as-bad-as-smoking-t0mcm6hv3>

Ubelacker S. Most Canadians worried about vaping among youth: Survey CTV News Vancouver, 2018. Available from: <https://bc.ctvnews.ca/most-canadians-worried-about-vaping-among-youth-survey-1.4100843>

Reinberg S. 3 in 4 teens think e-cigarettes safer than tobacco: Survey. HealthDay [HealthScout], 2016. Available from: <https://consumer.healthday.com/cancer-information-5/electronic-cigarettes-970/teens-think-e-cigarettes-are-safer-than-tobacco-716148.html>

Nelson C. E-cigarettes poisoning children. News Channel 10 2014. Available from: <http://www.newschannel10.com/story/24721576/e-cigarettes-poisoning-children>

18.12.3 Perceptions among health professionals

Davey, M. More than half of WA pharmacies choosing not to stock vapes, survey shows. Oct 26, 2024. Retrieved from <https://www.theguardian.com/australia-news/2024/oct/26/more-than-half-of-wa-pharmacies-choosing-not-to-stock-vapes-survey-shows>

Bates, C. (2024). *Therapeutic Goods and Other Legislation Amendment (Vaping Reforms) Bill 2024: Comment to Senate Standing Committees on Community Affairs*. Retrieved from

Butler, J, & Davey, M. Pharmacists say they were not consulted on 'rushed' Labor-Greens vape deal. *The Guardian*, 2024. June 25, 2024. Retrieved from <https://www.theguardian.com/society/article/2024/jun/25/labor-greens-vape-deal-pharmacists>

Martin, J. (2024). *Submission of Dr James Martin To the Community Affairs Legislation Committee inquiry Therapeutic Goods and Other Legislation Amendment (Vaping Reforms) Bill 2024*. Retrieved from

Gartner, C. (2024). *Submission to the Community Affairs Legislation Committee for inquiry on the Therapeutic Goods and Other Legislation Amendment (Vaping Reforms) Bill 2024*. Retrieved from

Hall, W. (2024). *Therapeutic Goods and Other Legislation Amendment (Vaping Reforms) Bill 2024 [Provisions] Submission*. Retrieved from

Evans, J. Major pharmacy chains reject vape laws, signalling franchisees shouldn't sell vaping products. *ABC News*, 2024. June 28, 2024. Retrieved from <https://www.abc.net.au/news/2024-06-28/big-pharmacy-brands-reject-vape-sales-ban/104031894>

Somerville, E. Research on vaping during pregnancy limited as midwives call for answers and involvement in studies. *ABC News*, 2023. April 17th, 2023. Retrieved from <https://www.abc.net.au/news/2023-04-17/research-vaping-pregnancy-midwives-call-for-involvement-studies/102228994>

Frost and Sullivan. Health professionals increasingly accept tobacco alternatives. Scoop, 2019. Available from: <http://www.scoop.co.nz/stories/GE1905/S00072/health-professionals-increasingly-accept-tobacco-alternatives.htm>

Merhab B. Health dept 'cautious' over e-cigarettes AAP (Australian Associated Press) 2016. Available from: <https://au.news.yahoo.com/a/32948716/health-dept-cautious-over-e-cigarettes/#page1>

