

# Tobacco in Australia

## Facts & Issues

### Relevant news and research

#### 18.3 Prevalence of e-cigarette use

*Last updated December 2024*

Research:	3
18.3 Prevalence of e-cigarette use	3
18.3.1 Trends in use of e-cigarettes in Australia	11
18.3.1.1 Ever use of e-cigarettes	13
18.3.1.2 Current use of e-cigarettes	13
18.3.1.3 Frequency of e-cigarette use	13
18.3.1.4 Use of e-cigarettes by state/territory	13
18.3.1.5 E-cigarette use among Aboriginal and Torres Strait Islander peoples	13
18.3.1.6 E-cigarette use among priority populations	14
18.3.1.7 E-cigarette use among Australian teenagers	14
18.3.1.7.1 E-cigarette use among Aboriginal and Torres Strait Islander teenagers	15
18.3.2 International prevalence of e-cigarette use	15
18.3.2.1 International prevalence of e-cigarette use among adolescents	44
News:	68
18.3 Prevalence of e-cigarette use	68
18.3.1 Trends in use of e-cigarettes in Australia	77
18.3.1.1 Ever use of e-cigarettes	77
18.3.1.2 Current use of e-cigarettes	77
18.3.1.3 Frequency of e-cigarette use	77
18.3.1.4 Use of e-cigarettes by state/territory	77

18.3.1.5 E-cigarette use among Aboriginal and Torres Strait Islander peoples .....	77
18.3.1.6 E-cigarette use among priority populations .....	77
18.3.1.7 E-cigarette use among Australian teenagers .....	78
18.3.1.7.1 E-cigarette use among Aboriginal and Torres Strait Islander teenagers .....	78
18.3.2 International prevalence of e-cigarette use .....	78
18.3.2.1 International prevalence of e-cigarette use among adolescents .....	80

## Research:

### *18.3 Prevalence of e-cigarette use*

Foxon, F. (2023). Discordant device/brand reporting among adolescents who used e-cigarettes in the National Youth Tobacco Survey. *Nicotine Tob Res*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37975730>

Gwon, SH, Lee, HJ, Cho, YI, & Noonan, D. (2023). Recruitment of Young Adults: Lessons Learned From Research on Rural E-Cigarette Use and Cessation. *West J Nurs Res*, 1939459231196434.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37646373>

Dowd, AN, John, L, Betts, JM, Belsare, P, Sazonov, E, & Tiffany, ST. (2023). An Examination of Objective and Self-Report Measures of Ad libitum Electronic Cigarette Use: Identifying Patterns of Puffing Behavior and Evaluating Self-Report Items. *Nicotine Tob Res*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/36905322>

Osibogun, O, Erinoso, O, Li, W, Bursac, Z, & Osibogun, A. (2023). E-cigarette, cigarette, dual e-cigarette with cigarette use, and disability status among reproductive-aged women. *Public Health*, 218, 33-38. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36963366>

Brys, Z, Toth, G, Urban, R, Vitrai, J, Magyar, G, Bakacs, M et al. (2022). The epidemiology of smoking and e-cigarette use in the Hungarian adult population in 2018. *Orv Hetil*, 163(1), 31-38. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34974430>

Koyama, S, Tabuchi, T, & Miyashiro, I. (2022). E-Cigarettes Use Behaviors in Japan: An Online Survey. *Int J Environ Res Public Health*, 19(2).

Jose, T, Hays, JT, & Warner, DO. (2020). Improved Documentation of Electronic Cigarette Use in an Electronic Health Record. *Int J Environ Res Public Health*, 17(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32823985>

Lev, S, Louis, SS, Collier, R, & Britton, GR. (2020). Tabs: The Development and Testing of a Nicotine and Tobacco use Research tool. *J Nurs Meas*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32444421>

Dai, H, & Leventhal, AM. (2019). Prevalence of e-Cigarette Use Among Adults in the United States, 2014-2018. *JAMA*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31524940>

Parker, MA, Pearson, JL, & Villanti, AC. (2019). Limited utility of detailed e-cigarette use measures: An analysis of NESARC-III. *Addict Behav*, 97, 56-62. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31150991>

Hall, MT, Austin, RP, Do, TA, McGlynn, A. Vape and Aviate: Electronic-Cigarette Use and Misuse in Naval Aviation. *Mil Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29365191>

Sharapova, SR, Singh, T, Agaku, IT, Kennedy, SM, King, BA. Patterns of E-cigarette Use Frequency National Adult Tobacco Survey, 2012-2014. *Am J Prev Med*. 2017 Nov 3. pii: S0749-3797(17)30534-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29129463>

Levy, DT, Yuan, Z, Li, Y. The Prevalence and Characteristics of E-Cigarette Users in the U.S. *Int J Environ Res Public Health*. 2017 Oct 11;14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29019917>

Morean, ME, L'Insalata, A. Electronic cigarette use among individuals with a self-reported eating disorder diagnosis. *Int J Eat Disord*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29076176>

Cavalcante, TM, Szklo, AS, Perez, CA, Thrasher, JF, Szklo, M, Ouimet, J, Gravely, S, Fong, GT, Almeida, LM. Electronic cigarette awareness, use, and perception of harmfulness in Brazil: findings from a country that has strict regulatory requirements. *Cad Saude Publica*. 2017 Sep 21;33Suppl 3(Suppl 3):e00074416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954048>

Mendy, VL, Vargas, R, Cannon-Smith, G, Payton, M, Byambaa, E, Zhang, L. Electronic Cigarette Use among Mississippi Adults, 2015. *J Addict*. 2017;2017:5931736. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28900552>

Park, SH, Duncan, DT, Shahawy, OE, Lee, L, Shearston, JA, Tamura, K, Sherman, SE, Weitzman, M. Characteristics of Adults Who Switched From Cigarette Smoking to E-cigarettes. *Am J Prev Med*. 2017 Aug 22. pii: S0749-3797(17)30363-X. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28864130>

Schneider, S, Gorig, T, Schilling, L, Diehl, K. [E-Cigarettes on Everyone's Lips - Current Representative Data on Use Among Adolescents and Adults]. *Dtsch Med Wochenschr*. 2017 Sep 15. doi: 10.1055/s0043-111741. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28915519>

Sussan, TE, Shahzad, FG, Tabassum, E, Cohen, JE, Wise, RA, Blaha, MJ, Holbrook, JT, Biswal, S. Electronic cigarette use behaviors and motivations among smokers and non-smokers. *BMC Public Health*. 2017 Sep 8;17(1):686. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28882123>

Venkatesan, P. E-cigarette use in young people in the UK. *Lancet Oncol*. 2017 Sep 7. pii: S14702045(17)30674-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28890297>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. *Int J Environ Res Public Health*. 2017 Aug 29;14(9). Available from: <http://www.mdpi.com/1660-4601/14/9/973>

Cassidy, RN, Tidey, JW, Colby, SM, Long, V, Higgins, ST. Initial Development of an E-cigarette Purchase Task: A Mixed Methods Study. *Tob Regul Sci*. 2017 Apr;3(2):139-150. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28824938>

No authors listed. QuickStats: Percentage\* of Adults Who Ever Used an E-cigarette and Percentage Who Currently Use E-cigarettes, section sign by Age Group - National Health Interview Survey, United States, 2016 paragraph sign. *MMWR Morb Mortal Wkly Rep*, 2017. Aug 25, 2017. Available from: <https://www.cdc.gov/mmwr/volumes/66/wr/mm6633a6.htm>

Young-Wolff, KC, Klebaner, D, Folck, B, Carter-Harris, L, Salloum, RG, Prochaska, JJ, Fogelberg, R, Tan, ASL. Do you vape? Leveraging electronic health records to assess clinician documentation of

electronic nicotine delivery system use among adolescents and adults. *Prev Med*. 2017 Aug 16;105:32-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28823688>

De Genna, NM, Ylioja, T, Schulze, AE, Manta, C, Douaihy, AB, Davis, EM. Electronic Cigarette Use Among Counselled Tobacco Users Hospitalized in 2015. *J Addict Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28753139>

Furlow, B. Are e-cigarettes and tobacco products losing their allure for US teenagers? *Lancet Respir Med*. 2017 Aug;5(8):612. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28689795>

Isaacs, D. Adolescent use of electronic cigarettes. *J Paediatr Child Health*. 2017 Jul;53(7):722. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28670812>

Kalkhoran, S, Alvarado, N, Vijayaraghavan, M, Lum, PJ, Yuan, P, Satterfield, JM. Patterns of and reasons for electronic cigarette use in primary care patients. *J Gen Intern Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710596>

Matilla-Santander, N, Fu, M, Ballbe, M, Bunch, K, Lidon-Moyano, C, Martin-Sanchez, JC, Fernandez, E, Martinez-Sanchez, JM. Use of electronic cigarettes in public and private settings in Barcelona (Spain). *Environ Res*. 2017 Jul 19;158:685-690. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28734255>

Polosa, R, Caponnetto, P, Niaura, R, Abrams, D. Erratum to: Analysis of E-cigarette use in the 2014 Eurobarometer survey: calling out deficiencies in epidemiology methods. *Intern Emerg Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28695454>

Noland, M, Rayens, MK, Wiggins, AT, Huntington-Moskos, L, Rayens, EA, Howard, T, Hahn, EJ. Current Use of E-Cigarettes and Conventional Cigarettes Among US High School Students in Urban and Rural Locations: 2014 National Youth Tobacco Survey. *Am J Health Promot*. 2017 Jan 1;890117117719621. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28731384>

Ayers, JW, Leas, EC, Allem, JP, Benton, A, Dredze, M, Althouse, BM, Cruz, TB, Unger, JB. Why do people use electronic nicotine delivery systems (electronic cigarettes)? A content analysis of Twitter, 2012-2015. *PLoS One*. 2017 Mar 1;12(3):e0170702. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28248987>

Bover Manderski, MT, Giovenco, DP, Delnevo, CD. The Importance of Contextual and Temporal Accuracy When Studying Novel Tobacco Products. *Pediatrics*. 2017 May;139(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28557767>

Burki, TK. Electronic cigarette use in the UK. *Lancet Oncol*. 2017 Jun;18(6):e311. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28528750>

Chaffee, BW, Couch, ET and Gansky, SA. Trends in characteristics and multi-product use among adolescents who use electronic cigarettes, United States 2011-2015. *PLoS One*. 2017 May 5;12(5):e0177073. Available from: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0177073>

Chen, X, Yu, B, Wang, Y. Initiation of Electronic Cigarette Use by Age Among Youth in the U.S. *Am J Prev Med*. 2017 Mar 31. pii: S0749-3797(17)30158-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28372920>

Coleman, BN, Rostron, B, Johnson, SE, Ambrose, BK, Pearson, J, Stanton, CA, Wang, B, Delnevo, C, Bansal-Travers, M, Kimmel, HL, Goniewicz, ML, Niaura, R, Abrams, D, Conway, KP, Borek, N, Compton, WM, Hyland, A. Electronic cigarette use among US adults in the Population Assessment of Tobacco and Health (PATH) Study, 2013-2014. *Tob Control*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28624763>

Collins, LK, Villanti, AC, Pearson, JL, Glasser, AM, Johnson, AL, Niaura, RS, Abrams, DB. Frequency of Youth E-Cigarette, Tobacco, and Poly-Use in the United States, 2015: Update to Villanti et al., "Frequency of Youth E-Cigarette and Tobacco Use Patterns in the United States: Measurement Precision Is Critical to Inform Public Health". *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28444309>

Conway, KP, Green, VR, Kasza, KA, Silveira, ML, Borek, N, Kimmel, HL, Sargent, JD, Stanton, C, Lambert, E, Hilmi, N, Reissig, CJ, Jackson, KJ, Tanski, SE, Maklan, D, Hyland, AJ, Compton, WM. Cooccurrence of tobacco product use, substance use, and mental health problems among adults: Findings from Wave 1 (2013-2014) of the Population Assessment of Tobacco and Health (PATH) Study. *Drug Alcohol Depend*. 2017 May 30;177:104-111. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28582698>

Dai, H. Tobacco Product Use Among Lesbian, Gay, and Bisexual Adolescents. *Pediatrics*. 2017 Apr;139(4). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28348201>

Delnevo, CD, Gundersen, DA, Manderski, MT, Giovenco, DP, Giovino, GA. Importance of Survey Design for Studying the Epidemiology of Emerging Tobacco Product Use Among Youth. *Am J Epidemiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28369184>

Dutra, L, Glantz, S. We Agree on the Importance of Contextual and Temporal Accuracy When Studying Novel Tobacco Products. *Pediatrics*. 2017 May;139(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28557769>

Eastwood, B, East, K, Brose, LS, Dockrell, MJ, Arnott, D, Cheeseman, H, McNeill, A. Electronic cigarette use in young people in Great Britain 2015-2016. *Public Health*. 2017 May 19;149:45-48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28531448>

El-Toukhy, S, Sabado, M, Choi, K. Trends in tobacco product use patterns among U.S. youth, 1999 – 2014. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28582567>

Farsalinos, KE, Poulas, K, Voudris, V, Le Houezec, J. Prevalence and correlates of current daily use of electronic cigarettes in the European Union: analysis of the 2014 Eurobarometer survey. *Intern Emerg Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260221>

Kaufmann, N, Currie, D. The Scottish adolescent e-cigarette user: profiling from the Scottish Schools Adolescent Lifestyle and Substance Use Survey (SALSUS). *Public Health*. 2017 Jun;147:69-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404499>

Kozlowski, LT, Homish, DL, Homish, GG. Daily users compared to less frequent users find vape as or more satisfying and less dangerous than cigarettes, and are likelier to use non-cig-alike vaping products. *Prev Med Rep*. 2017 Feb 28;6:111-114. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28289597>

Kristjansson, AL, Mann, MJ, Sigfusson, J, Sarbu, EA, Grubliauskiene, J, Daily, SM, Sigfusdottir, ID. Prevalence of e-cigarette use among adolescents in 13 Eastern European towns and cities. *Public Health*. 2017 Jun;147:66-68. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404498>

Levy, DT, Borland, R, Fong, GT, Villanti, AC, Niaura, R, Meza, R, Holford, TR, Cummings, KM, Abrams, DB. Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al. *Nicotine Tob Res*. 2017 Feb;19(2):268-270. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28082477>

Majeed, BA, Stanton, CA, Dube, SR, Sterling, KL, Burns, JD, Eriksen, MP. Electronic Cigarette Use among Current Smokers: A Pilot Qualitative Study. *Health Behav Policy Rev*. 2016 Nov;3(6):590-596. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28393082>

Marynak, KL, Gammon, DG, King, BA, Loomis, BR, Fulmer, EB, Wang, TW, Rogers, T. National and State Trends in Sales of Cigarettes and E-Cigarettes, U.S., 2011-2015. *Am J Prev Med*. 2017 Jul;53(1):96-101. Available from: [http://www.ajpmonline.org/article/S0749-3797\(17\)300223/fulltext](http://www.ajpmonline.org/article/S0749-3797(17)300223/fulltext)

McCabe, SE, West, BT, Veliz, P, Boyd, CJ. E-cigarette Use, Cigarette Smoking, Dual Use, and Problem Behaviors Among U.S. Adolescents: Results From a National Survey. *J Adolesc Health*. 2017 Apr 5. pii: S1054-139X(17)30070-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28391965>

Montreuil, A, MacDonald, M, Asbridge, M, Wild, TC, Hammond, D, Manske, S, Rutherford, E. Prevalence and correlates of electronic cigarette use among Canadian students: cross-sectional findings from the 2014/15 Canadian Student Tobacco, Alcohol and Drugs Survey. *CMAJ Open*. 2017 Jun 14;5(2):E460-E467. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28625973>

O'Connor, RJ, Rees, VW, Rivard, C, Hatsukami, DK, Cummings, KM. Internalized smoking stigma in relation to quit intentions, quit attempts, and current e-cigarette use. *Subst Abus*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28481713>

Pearson, JL, Hitchman, SC, Brose, LS, Bauld, L, Glasser, AM, Villanti, AC, McNeill, A, Abrams, DB and Cohen, JE. Recommended core items to assess e-cigarette use in population-based surveys. *Tob Control*, 2017. Available from:

<http://tobaccocontrol.bmj.com/content/early/2017/08/22/tobaccocontrol-2016-053541?papetoc>

Polosa, R, Caponnetto, P, Niaura, R, Abrams, D. Analysis of E-cigarette use in the 2014 Eurobarometer survey: calling out deficiencies in epidemiology methods. *Intern Emerg Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28477286>

Rodriguez, E, Parron, T, Alarcon, R. Perceptions and use of the e-cigarette among university students. *Arch Bronconeumol*. 2017 May 30. pii: S0300-2896(17)30081-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28576391>

Simonavicius, E, McNeill, A, Arnott, D, Brose, LS. What factors are associated with current smokers using or stopping e-cigarette use? *Drug Alcohol Depend.* 2017 Apr 1;173:139-143. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28246049>

Temple, JR, Shorey, RC, Lu, Y, Torres, E, Stuart, GL, Le, VD. E-cigarette use of young adults motivations and associations with combustible cigarette alcohol, marijuana, and other illicit drugs. *Am J Addict.* 2017 Jun;26(4):343-348. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28370717>

Westling, E, Rusby, JC, Crowley, R, Light, JM. Electronic Cigarette Use by Youth: Prevalence, Correlates, and Use Trajectories From Middle to High School. *J Adolesc Health.* 2017 Jun;60(6):660-666. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28242187>

Yu, E, Lippert, AM. Race/ethnicity modifies the association between school prevalence of e-cigarette use and student-level use: Results from the 2014 US National Youth Tobacco Survey. *Health Place.* 2017 May 17;46:114-120. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527326>

Hinds, JT, 3rd, Loukas, A, Perry, CL. Sexual and Gender Minority College Students and Tobacco Use in Texas. *Nicotine Tob Res.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28472411>

Bandiera, FC, Loukas, A, Li, X, Wilkinson, AV, Perry, CL. Depressive symptoms predict current E-cigarette use among college students in Texas. *Nicotine Tob Res.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199689>

Brozek, G, Jankowski, M, Zejda, J, Jarosinska, A, Idzik, A, Banka, P. E-smoking among students of medicine - frequency, pattern and motivations. *Adv Respir Med.* 2017;85(1):8-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28198988>

Choi, K, Bestrashniy, J, Forster, J. Trends in awareness, use of, and beliefs about electronic cigarette and snus among a longitudinal cohort of US Midwest young adults. *Nicotine Tob Res.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199683>

de Lacy, E, Fletcher, A, Hewitt, G, Murphy, S, Moore, G. Cross-sectional study examining the prevalence, correlates and sequencing of electronic cigarette and tobacco use among 11-16-year olds in schools in Wales. *BMJ Open.* 2017 Feb 3;7(2):e012784. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28159848>

Farsalinos, KE, Poulas, K, Voudris, V, Le Houezec, J. E-cigarette use in the European Union: millions of smokers claim e-cigarettes helped them quit. *Addiction.* 2017 Mar;112(3):545-546. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28168790>

Webb Hooper, M, Kolar, SK. Racial/ethnic differences in electronic cigarette knowledge, social norms, and risk perceptions among current and former smokers. *Addict Behav.* 2017 Apr;67:86-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28063324>

Miller, BJ, Wang, A, Wong, J, Paletta, N, Buckley, PF. Electronic cigarette use in patients with schizophrenia: Prevalence and attitudes. *Ann Clin Psychiatry.* 2016 Nov 1;28(4):e1-e7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27901521>



Murthy, VH. E-Cigarette use among youth and young adults: a major public health concern. JAMA Pediatr, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27928577>

Meernik, C, Baker, HM, Lee, JG, Goldstein, AO. The Tobacco 21 Movement and Electronic Nicotine Delivery System Use Among Youth. Pediatrics. 2017 Jan;139(1). pii: e20162216. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27940513>

No authors listed. Smoking, vaping and adolescents. Arch Dis Child. 2017 Feb 23. pii: archdischild2017-312880. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28232460>

Amato, MS, Boyle, RG, Levy, D. E-cigarette use 1 year later in a population-based prospective cohort. Tob Control, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27807298>

Dai, H, Hao, J. Electronic cigarette and marijuana use among youth in the United States. Addict Behav. 2016 Nov 18;66:48-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27871045>

Dunbar, MS, Tucker, JS, Ewing, BA, Pedersen, ER, Miles, JN, Shih, RA, D'Amico, EJ. Frequency of Ecigarette use, health status, and risk and protective health behaviors in adolescents. J Addict Med, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27898495>

Fedele, DA, Barnett, TE, Dekevich, D, Gibson-Young, LM, Martinasek, M, Jagger, MA. Prevalence of and beliefs about electronic cigarettes and hookah among high school students with asthma. Ann Epidemiol. 2016 Dec;26(12):865-869. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27839657>

Harrell, MB, Weaver, SR, Loukas, A, Creamer, M, Marti, CN, Jackson, CD, Heath, JW, Nayak, P, Perry, CL, Pechacek, TF, Eriksen, MP. Flavored e-cigarette use: Characterizing youth, young adult, and adult users. Prev Med Rep. 2016 Nov 11;5:33-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27896041>

Kinnunen, JM, Ollila, H, Lindfors, PL, Rimpela, AH. Changes in Electronic cigarette use from 2013 to 2015 and reasons for use among Finnish adolescents. Int J Environ Res Public Health. 2016 Nov 9;13(11). pii: E1114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27834885>

Larsen, K, Faulkner, GE, Boak, A, Hamilton, HA, Mann, RE, Irving, HM, To, T, Canadian Respiratory Research, Network. Looking beyond cigarettes: Are Ontario adolescents with asthma less likely to smoke e-cigarettes, marijuana, waterpipes or tobacco cigarettes? Respir Med. 2016 Nov;120:10-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27817805>

Owusu, D, Aibangbee, J, Collins, C, Robertson, C, Wang, L, Littleton, MA, Boghozian, R, Casenburg, V, Mamudu, HM. The use of E-cigarettes among school-going adolescents in a predominantly rural environment of central Appalachia. J Community Health, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27868166>

Jeon, C, Jung, KJ, Kimm, H, Lee, S, Barrington-Trimis, JL, McConnell, R, Samet, JM, Jee, SH. Ecigarettes, conventional cigarettes, and dual use in Korean adolescents and university students: Prevalence and risk factors. Drug Alcohol Depend. 2016 Sep 5;168:99-103. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27635996>

Robinson, RJ, Hensel, EC, Roundtree, KA, Difrancesco, AG, Nonnemaker, JM, Lee, YO. Week long topography study of young adults using electronic cigarettes in their natural environment. PLoS One. 2016 Oct 13;11(10):e0164038. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27736944>

Seto, JC, Davis, JW, Taira, DA. E-cigarette use related to demographic factors in Hawai'i. Hawaii J Med Public Health. 2016 Oct;75(10):295-302. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27738563>

Kong, G, Idrisov, B, Galimov, A, Masagutov, R, Sussman, S. Electronic cigarette use among adolescents in the Russian Federation. Subst Use Misuse, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27767370>

Jeon, C, Jung, KJ, Kimm, H, Lee, S, Barrington-Trimis, JL, McConnell, R, Samet, JM, Jee, SH. E-cigarettes, conventional cigarettes, and dual use in Korean adolescents and university students: Prevalence and risk factors. Drug Alcohol Depend. 2016 Sep 5;168:99-103. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27635996>

Kim, H, Davis, AH, Dohack, JL, Clark, PI. E-cigarettes use behavior and experience of adults: qualitative research findings to inform E-cigarette use measure development. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613944>

Persoskie, A, Donaldson, EA, King, BA. Ever-use and curiosity about cigarettes, cigars, smokeless tobacco, and electronic cigarettes among US Middle and High School Students, 2012-2014. Prev Chronic Dis. 2016 Sep 22;13:E134. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27657506>

Awan, KH. Experimentation and correlates of electronic nicotine delivery system (electronic cigarettes) among university students - A cross sectional study. Saudi Dent J. 2016 Apr;28(2):91-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27486295>

Chivers, LL, Hand, DJ, Priest, JS, Higgins, ST. E-cigarette use among women of reproductive age: Impulsivity, cigarette smoking status, and other risk factors. Prev Med. 2016 Aug 1. pii: S00917435(16)30206-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27492277>

ubner, NR, Andrews, KB, Mohammad-Zadeh, A, Lisha, NE, Guydish, J. Electronic-cigarette use by individuals in treatment for substance abuse: A survey of 24 treatment centers in the United States. Addict Behav. 2016 Jun 29;63:45-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27423097>

Khoury, M, Manlhiot, C, Fan, CS, Gibson, D, Stearne, K, Chahal, N, Dobbin, S, McCrindle, BW. Reported electronic cigarette use among adolescents in the Niagara region of Ontario. CMAJ, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27431303>

LeVault, K, Mueller-Luckey, G, Waters, EA, Fogleman, A, Crumly, D, Jenkins, WD. E-cigarettes: Who's using them and why? J Fam Pract. 2016 Jun;65(6):390-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27474820>

Wang, Y, Wilson, FA, Larson, J, Chen, LW. The use of E-cigarettes among U.S. immigrants: The 2014 National Health Interview Survey. Public Health Rep. 2016 Jul-Aug;131(4):605-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27453606>

### 18.3.1 Trends in use of e-cigarettes in Australia

Nogrady, B. (2024). Smoking rates in Australia drop below 10%, but vaping increases. *BMJ*, 384, q559. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38443072>

Australian Institute of Health and Welfare. National Drug Strategy Household Survey 2022–2023. Canberra: AIHW, 2024. Available from: <https://www.aihw.gov.au/reports/illicit-use-of-drugs/national-drug-strategy-household-survey>.

Australian Institute of Health and Welfare. Data tables: National Drug Strategy Household Survey 2022–2023 – 3. Electronic cigarettes and vapes. Canberra: AIHW, 2024. Available from: <https://www.aihw.gov.au/reports/illicit-use-of-drugs/national-drug-strategy-household-survey/data>.

Wang Z, Zheng Q, O'Brien JW, Tschärke BJ, Chan G, et al. Analysis of wastewater from 2013 to 2021 detected a recent increase in nicotine use in Queensland, Australia. *Water Res*, 2023; 250:121040. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38154341>

Wakefield M, Haynes A, Tabbakh T, Scollo M, and Durkin S. Current vaping and current smoking in the Australian population aged 14+ years: February 2018 - March 2023. Cancer Council Victoria, 2023. Available from: <https://www.health.gov.au/sites/default/files/2023-06/current-vaping-and-smoking-in-the-australian-population-aged-14-years-or-older-february-2018-to-march-2023.pdf>.

Larcombe AN, Chivers EK, Huxley RR, Musk ABW, Franklin PJ, et al. Electronic Cigarette Usage Patterns and Perceptions in Adult Australians. *Toxics*, 2023; 11(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36977055>

Jongenelis MI. E-cigarette product preferences of Australian adolescent and adult users: a 2022 study. *BMC Public Health*, 2023; 23(1):220. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36726091>

Chief Health Officer Queensland. Electronic cigarettes. Queensland Government 2023. Available from: <https://www.choreport.health.qld.gov.au/our-lifestyle/electronic-cigarettes>.

Australian Institute of Health and Welfare. Alcohol, tobacco & other drugs in Australia. Canberra: AIHW, 2023. Available from: <https://www.aihw.gov.au/reports/alcohol/alcohol-tobacco-other-drugs-australia>.

NSW Health. New South Wales population health survey. NSW Government, 2022. Available from: <https://www.health.nsw.gov.au/surveys/adult/Pages/default.aspx>.

Freeman B, Owen K, Rickards S, Brooks A, Clare PJ, et al. E-cigarette use by people who smoke or have recently quit, New South Wales, 2016-2020. *Medical Journal of Australia*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36494187>

Bayly M, Mitsopoulos E, Durkin S, and Scollo M. E-cigarette use and purchasing behaviour among Victorian adults: Findings from the 2018-19 and 2022 Victorian Smoking and Health Surveys. Prepared for: Quit Victoria. Centre for Behavioural Research in Cancer, Cancer Council Victoria: Melbourne, Australia, 2022. Available from:

[https://www.cancervic.org.au/downloads/cbrc/R22\\_MB\\_E-cigarette%20use%20and%20purchasing%20behaviour%20among%20Victorian%20adults.pdf](https://www.cancervic.org.au/downloads/cbrc/R22_MB_E-cigarette%20use%20and%20purchasing%20behaviour%20among%20Victorian%20adults.pdf).

Australian Bureau of Statistics. Smoking and vaping. Canberra: ABS, 2022. Available from: <https://www.abs.gov.au/statistics/health/health-conditions-and-risks/smoking-and-vaping/latest-release>.

Australian Bureau of Statistics. Microdata and TableBuilder: National Health Survey. ABS, 2022. Available from: <https://www.abs.gov.au/statistics/health/health-conditions-and-risks/smoking/2020-21>.

Australian Bureau of Statistics. Smoking: 2020-21 financial year. 2022. Available from: <https://www.abs.gov.au/statistics/health/health-conditions-and-risks/smoking/2020-21>.

Wamamili B, Lawler S, Wallace-Bell M, Gartner C, Sellars D, et al. Cigarette smoking and e-cigarette use among university students in Queensland, Australia and New Zealand: results of two cross-sectional surveys. *BMJ Open*, 2021; 11(2):e041705. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33563621>

Australian Institute of Health and Welfare. Alcohol, tobacco & other drugs in Australia. Cat. no: PHE 221 Canberra: AIHW, 2021. Available from: <https://www.aihw.gov.au/reports/alcohol/alcohol-tobacco-other-drugs-australia/contents/about>.

Thurber K, Walker J, Maddox R, Marmor A, Heris C, et al. A review of evidence on the prevalence of and trends in cigarette and e-cigarette use by Aboriginal and Torres Strait Islander youth and adults. The Australian National University: Aboriginal and Torres Strait Islander Health Program; National Centre for Epidemiology and Population Health; Research School of Population Health, 2020. Available from: [https://openresearch-repository.anu.edu.au/bitstream/1885/210569/1/Aboriginal%20cigarette%20ecigarette%20prevalence%20trends\\_2020.pdf](https://openresearch-repository.anu.edu.au/bitstream/1885/210569/1/Aboriginal%20cigarette%20ecigarette%20prevalence%20trends_2020.pdf).

Thomas DP, Lusic N, Van der Sterren AE, and Borland R. Electronic Cigarette Use and Understanding Among a National Sample of Australian Aboriginal and Torres Strait Islander Smokers. *Nicotine & Tobacco Research*, 2019; 21(10):1434–40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30053109>

Melka A, Chojenta C, Holliday E, and Loxton D. Adverse childhood experiences and electronic cigarette use among young Australian women. *Preventive Medicine* 2019:105759. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31251947>

Jongenelis MI, Brennan E, Slevin T, Kameron C, Jardine E, et al. Factors associated with intentions to use e-cigarettes among Australian young adult non-smokers. *Drug Alcohol Rev*, 2019; 38(5):579–87. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31317596>

Chan G, Leung J, Gartner C, Yong HH, Borland R, et al. Correlates of electronic cigarette use in the general population and among smokers in Australia - Findings from a nationally representative survey. *Addictive Behaviors*, 2019; 95:6–10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30784874>

Williams T and White V. What Factors are Associated with Electronic Cigarette, Shisha-Tobacco and Conventional Cigarette Use? Findings from a Cross-Sectional Survey of Australian Adolescents? Substance Use and Misuse, 2018; 53(9):1433–43. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29336657>

Twyman L, Watts C, Chapman K, and Walsberger SC. Electronic cigarette use in New South Wales, Australia: reasons for use, place of purchase and use in enclosed and outdoor places. Australian and New Zealand Journal of Public Health, 2018; 42(5):491–6. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30152006>

Melka AS, Chojenta CL, Holliday EG, and Loxton DJ. Predictors of E-cigarette Use Among Young Australian Women. American Journal of Preventive Medicine, 2018. Available from:

[https://www.ajpmonline.org/article/S0749-3797\(18\)32326-2/fulltext](https://www.ajpmonline.org/article/S0749-3797(18)32326-2/fulltext)

Lee C, Yong HH, Borland R, McNeill A, and Hitchman SC. Acceptance and patterns of personal vaporizer use in Australia and the United Kingdom: Results from the International Tobacco Control survey. Drug and Alcohol Dependence, 2018; 185:142–8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29448147>

Jongenelis MI, Kameron C, Brennan E, Rudaizky D, Slevin T, et al. E-cigarette product preferences among Australian young adult e-cigarette users. Australian and New Zealand Journal of Public Health, 2018; 42(6):572-4. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/1753-6405.12842>

Jongenelis MI, Brennan E, Slevin T, Kameron C, Rudaizky D, et al. Differences in use of electronic nicotine delivery systems by smoking status and demographic characteristics among Australian young adults. Health Promotion Journal of Australia, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30191637>

#### *18.3.1.1 Ever use of e-cigarettes*

#### *18.3.1.2 Current use of e-cigarettes*

#### *18.3.1.3 Frequency of e-cigarette use*

#### *18.3.1.4 Use of e-cigarettes by state/territory*

#### *18.3.1.5 E-cigarette use among Aboriginal and Torres Strait Islander peoples*

Maddox, R, O'Brien, K, Xavier, CG, Wolfe, S, Bourgeois, C, & Smylie, J. (2024). Our Health Counts Toronto: Commercial tobacco use among Indigenous peoples in Toronto. *Can J Public Health*, 115(Suppl 2), 273-287. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39511106>

Thurber K, Walker J, Maddox R, Marmor A, Heris C, et al. A review of evidence on the prevalence of and trends in cigarette and e-cigarette use by Aboriginal and Torres Strait Islander youth and adults.

The Australian National University: Aboriginal and Torres Strait Islander Health Program; National Centre for Epidemiology and Population Health; Research School of Population Health, 2020. Available from: [https://openresearch-repository.anu.edu.au/bitstream/1885/210569/1/Aboriginal%20cigarette%20ecigarette%20prevalence%20trends\\_2020.pdf](https://openresearch-repository.anu.edu.au/bitstream/1885/210569/1/Aboriginal%20cigarette%20ecigarette%20prevalence%20trends_2020.pdf).

Thomas DP, Lusic N, Van der Sterren AE, and Borland R. Electronic Cigarette Use and Understanding Among a National Sample of Australian Aboriginal and Torres Strait Islander Smokers. *Nicotine & Tobacco Research*, 2019; 21(10):1434–40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30053109>

### *18.3.1.6 E-cigarette use among priority populations*

#### *18.3.1.7 E-cigarette use among Australian teenagers*

Wakefield M, Haynes A, Tabbakh T, Scollo M, and Durkin S. Current vaping and current smoking in the Australian population aged 14+ years: February 2018 - March 2023. Cancer Council Victoria, 2023. Available from: <https://www.health.gov.au/sites/default/files/2023-06/current-vaping-and-smoking-in-the-australian-population-aged-14-years-or-older-february-2018-to-march-2023.pdf>.

Scully M, Bain E, Koh I, Wakefield M, and Durkin S. ASSAD 2022/2023: Australian secondary school students' use of tobacco and e-cigarettes. Centre of Behavioural Research in Cancer, Cancer Council Victoria, 2023. Available from: <https://www.health.gov.au/sites/default/files/2023-11/secondary-school-students-use-of-tobacco-and-e-cigarettes-2022-2023.pdf>.

Pettigrew S, Miller M, Alvin Santos J, Raj TS, Brown K, et al. E-cigarette attitudes and use in a sample of Australians aged 15-30 years. *Australian and New Zealand Journal of Public Health*, 2023:100035. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36977623>

Jongenelis MI. E-cigarette product preferences of Australian adolescent and adult users: a 2022 study. *BMC Public Health*, 2023; 23(1):220. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36726091>

Jenkinson E, Madigan C, Egger S, A, Brooks A, Dessaix A, et al. Generation Vape Findings Summary: National (Wave 4). Cancer Council New South Wales, 2023. Available from: <https://www.cancercouncil.com.au/cancer-prevention/smoking/generation-vape/>

Gardner LA, O'Dean S, Champion KE, Stockings E, Rowe AL, et al. Prevalence, patterns of use, and socio-demographic features of e-cigarette use by Australian adolescents: a survey. *Medical Journal of Australia*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37606587>

Centre for Behavioural Research in Cancer. Australian Secondary Students' Alcohol and Drug (ASSAD) survey: E-cigarette ever use and past month use 2014-2022/23: customised report. Melbourne, Australia: Cancer Council Victoria, 2023.

Watts C, Egger S, Dessaix A, Brooks A, Jenkinson E, et al. Vaping product access and use among 14-17-year-olds in New South Wales: a cross-sectional study. *Australian and New Zealand Journal of Public Health*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36156328>

Heris C, Scully M, Chamberlain C, and White V. E-cigarette use and the relationship to smoking among Aboriginal and Torres Strait Islander and non-Indigenous Australian Secondary Students, 2017. Australian and New Zealand Journal of Public Health, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36121281>

Connolly H and Commissioner for Children and Young People. Vaping Survey: Key Findings – What do young people in South Australia think about current responses to vaping and how to better respond? 2022. Available from: <https://www.cyp.com.au/wp-content/uploads/2022/07/Screen-Vaping-Survey-Key-Findings-Report.pdf>.

Barrett E, Marmor A, Maddox R, Thandrayen J, Johnson F, et al. Prevalence by proxy: Estimating youth smoking prevalence using nationally representative household surveys. International Journal of Epidemiology, 2021; 50(Supplement\_1). Available from: <https://doi.org/10.1093/ije/dyab168.061>

White V and Williams T. Australian secondary school students' use of tobacco, alcohol, and over-the-counter and illicit substances in 2014. 2016. Available from: [http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/Publishing.nsf/content/E9E2B337CF94143CCA25804B0005BEAA/%24File/National-report\\_ASSAD\\_2014.pdf](http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/Publishing.nsf/content/E9E2B337CF94143CCA25804B0005BEAA/%24File/National-report_ASSAD_2014.pdf)

#### *18.3.1.7.1 E-cigarette use among Aboriginal and Torres Strait Islander teenagers*

Heris C, Scully M, Chamberlain C, and White V. E-cigarette use and the relationship to smoking among Aboriginal and Torres Strait Islander and non-Indigenous Australian Secondary Students, 2017. Australian and New Zealand Journal of Public Health, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36121281>

Barrett E, Marmor A, Maddox R, Thandrayen J, Johnson F, et al. Prevalence by proxy: Estimating youth smoking prevalence using nationally representative household surveys. International Journal of Epidemiology, 2021; 50(Supplement\_1). Available from: <https://doi.org/10.1093/ije/dyab168.061>

#### *18.3.2 International prevalence of e-cigarette use*

**Pacek, LR, Sawdey, MD, Gross, A, Cowan, H, & Cullen, KA. (2024). Nicotine-Containing Electronic Nicotine Delivery Systems (ENDS) Use in the United States, Stratified by Age, National Survey on Drug Use and Health, 2021. *Subst Use Misuse*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39543870>**

Hellyer, P. (2024). E-cigarette use is increasing. *Br Dent J*, 237(5), 414. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39271885>

Lieu, TA, & Bibbins-Domingo, K. (2024). E-Cigarette Use in Adolescents and Adults-A JAMA Collection. *JAMA*, 332(9), 709-710. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39110585>

Sreeramareddy, CT, Shu Syuen, MO, Hon, MI, & Daher, AM. (2024). Electronic Cigarette and Heated Tobacco Product Use and Their Association With Tobacco Control Factors Among Adults in Indonesia, Kazakhstan, and the Philippines. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39110887>

Izquierdo-Condoy, JS, Naranjo-Lara, P, Morales-Lapo, E, Puglla-Mendoza, A, Hidalgo, MR, Tello-De-la-Torre, A et al. (2024). E-cigarette use among Ecuadorian adults: A national cross-sectional study on use rates, perceptions, and associated factors. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38828079>

Algassim, FA, Alhowaiti, ME, Alotaibi, AS, Alanazi, IM, Almutairi, AA, Alanezi, A A et al. (2024). Prevalence of Electronic Cigarette Smoking Among Students of Shaqra University, Saudi Arabia. *Cureus*, 16(4), e58996. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38800143>

Ghanim, M, Rabayaa, M, Abuawad, M, Saeedi, M, & Amer, J. (2024). E-cigarette use among university students in Palestine: Prevalence, knowledge, and determinant factors. *PLoS One*, 19(5), e0302946. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38718008>

Jackson, SE, Brown, J, Notley, C, Shahab, L, & Cox, S. (2024). Characterising smoking and nicotine use behaviours among women of reproductive age: a 10-year population study in England. *BMC Med*, 22(1), 99. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38632570>

Ganz, O, LaVake, M, Hrywna, M, King Jensen, JL, & Delnevo, CD. (2024). National Trends in Sales and Price for Commercial Tobacco and Nicotine Products, 2018-2022. *JAMA Netw Open*, 7(3), e241384. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38451527>

Alhalafi, A. (2024). The Use of Electronic Cigarettes in Saudi Arabia: A Narrative Review. *Cureus*, 16(2), e54167. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38496178>

Yang JJ, Ou TS, Lin HC, Nam JK, Piper ME, et al. Retrospective and real-time measures of the quantity of e-cigarette use: an ecological momentary assessment study. *Nicotine & Tobacco Research*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37327251>

Wharram CE, Kyko JM, Ruterbusch JJ, Beebe-Dimmer JL, Schwartz AG, et al. Use of electronic cigarettes among African American cancer survivors. *Cancer*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37395113>

Wedel AV, Patterson JG, Lee DN, Stevens EM, Wagener TL, et al. E-Cigarette Use among Sexual Minoritized Women and Nonbinary People Assigned Female at Birth: Assessing the Roles of Discrimination, Perceived Stress, and Social Support. *Substance Use and Misuse*, 2023; 58(9):1102-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37199173>

Wang J, Xie CC, Jia XX, Xu K, Gong ZY, et al. E-cigarette awareness and use, among adult residents in Shanghai, China. *Tobacco Induced Diseases*, 2023; 21:104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37581174>

Thorne SL, Caraballo RS, Tie Y, Harris NS, Shouse RL, et al. E-Cigarette Use Among persons With Diagnosed HIV in the U.S. *AJPM Focus*, 2023; 2(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37206980>

Sindhoo Z, Sindhoo S, Ghosh A, Kaur S, Soyiri I, et al. Online Interest for Electronic Cigarettes Using Google Trends in the UK: A Correlation Analysis. *Substance Use and Misuse*, 2023:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37671780>



Shafie Khorassani F, Brouwer AF, Hirschtick JL, Jeon J, Jimenez-Mendoza E, et al. Patterns of poly tobacco use among adults in the Population Assessment of Tobacco and Health (PATH) study, 2013-2017: a multistate Markov transition analysis. *Tobacco Control*, 2023. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37094934>

Rousseau C, Pourchez J, Leclerc L, Neka M, and Barjat TR. [Pregnant women's use of tobacco and electronic cigarettes: a cross sectional survey]. *Gynecol Obstet Fertil Senol*, 2023. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37482190>

Romm KF, Cohn AM, Wang Y, Williams R, and Berg CJ. Disparities in trajectories of cigarette and E-cigarette use across sexual orientation groups of young adult men and women in the US. *Addictive Behaviors*, 2023; 145:107763. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37295384>

Menezes AMB, Wehrmeister FC, Sardinha LMV, Paula P, Costa TA, et al. Use of electronic cigarettes and hookah in Brazil: a new and emerging landscape. The Covitel study, 2022. *J Bras Pneumol*, 2023; 49(1):e20220290. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36753212>

Manglallan KS, Johnson DL, Rosario MH, An KJ, Carson AB, et al. A Systematic Literature Review of Asian American, Native Hawaiian, and Pacific Islander Youth Electronic Nicotine Delivery Systems (ENDS) Use. *Hawaii J Health Soc Welf*, 2023; 82(7):151-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37465472>

Mamudu HM, Adzrago D, Dada O, Odame EA, Ahuja M, et al. Examining Disparities in Current E-Cigarette Use among U.S. Adults before and after the WHO Declaration of the COVID-19 Pandemic in March 2020. *International Journal of Environmental Research and Public Health*, 2023; 20(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37174168>

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37174168>

Kramarow EA and Elgaddal N. Current Electronic Cigarette Use Among Adults Aged 18 and Over: United States, 2021. *NCHS Data Brief*, 2023; (475):1-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37486729>

Kim M, Cho W, Lee J, Choi YS, Yeo SG, et al. Nationwide Trends in the Prevalence of Cigarette and E-cigarette Smoking among Korean Adults between 2014-2021: A Representative Serial Study of 1.2 Million Individuals. *Biomed Environ Sci*, 2023; 36(10):996-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37932070>

Khanal G, Karna A, Kandel S, and Sharma HK. Prevalence, Correlates, and Perception of E-cigarettes among Undergraduate Students of Kathmandu Metropolitan City, Nepal: A Cross-Sectional Study. *J Smok Cessat*, 2023; 2023:1330946. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/38029059>

Jirjees F, Dallal Bashi YH, Kharaba Z, Ahmadi K, Barakat M, et al. Public awareness, prevalence, and regulations for the sale of electronic cigarettes in Arab countries: A narrative review. *Tobacco Induced Diseases*, 2023; 21:143. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37901882>

Jenkinson E, Madigan C, Egger S, A, Brooks A, Dessaix A, et al. Generation Vape Findings Summary: National (Wave 4). *Cancer Council New South Wales*, 2023. Available from:

<https://www.cancercouncil.com.au/cancer-prevention/smoking/generation-vape/>.

Hanewinkel R and Hansen J. [Use of tobacco cigarettes, e-cigarettes, and shishas among children and adolescents: Results of the 'Praventionsradar' from 2016 to 2023]. *Pneumologie*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37758039>

Hair EC, Do EK, Liu SM, Tulsiani S, Vallone DM, et al. Patterns of Daily Cigarette and E-cigarette Use among United States Youth and Young Adults: Insights from the Truth Longitudinal Cohort between 2018 and 2019. *Preventive Medicine Reports*, 2023; 36:102416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37753384>

Graham R, Bharthi K, Williams J, Sharifi V, Pedram P, et al. Trends in vaping and smoking behavior before and during the COVID-19 pandemic in Canada: Beneficial and potentially detrimental changes. *Addictive Behaviors*, 2023; 149:107839. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37839145>

Erhabor J, Boakye E, Obisesan O, Osei AD, Tasdighi E, et al. E-Cigarette Use Among US Adults in the 2021 Behavioral Risk Factor Surveillance System Survey. *JAMA Netw Open*, 2023; 6(11):e2340859. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37921768>

Egbe CO, Gwambe S, Londani M, Erinoso O, and Ayo-Yusuf OA. Trends in the use and dual use of factory-made combustible cigarettes, other tobacco products and electronic cigarettes: Results from South African Social Attitudes Surveys during 2007 to 2018. *Tobacco Induced Diseases*, 2023; 21:94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37465256>

Ebrahimi Kalan M and Brewer NT. Longitudinal transitions in e-cigarette and cigarette use among US adults: prospective cohort study. *Lancet Reg Health Am*, 2023; 22:100508. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37229421>

Doumi R, Khaytan S, Alobaidan AS, Alqahtany BM, Aldosari NM, et al. Knowledge, Attitude, and Practice of E-Cigarettes of Adolescents and Adults in Saudi Arabia: A Cross-Sectional Study. *Healthcare (Basel)*, 2023; 11(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37998490>

Dos Santos Maximino G, Andrade ALM, de Andrade AG, and de Oliveira LG. Profile of Brazilian Undergraduates Who Use Electronic Cigarettes: a Cross-Sectional Study on Forbidden Use. *Int J Ment Health Addict*, 2023:1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37363763>

Dalibalta S, Makhoul Z, Rabah L, Samara F, and Elsayed Y. A literature review addressing midwakh and e-cigarette use in the Gulf region. *J Egypt Public Health Assoc*, 2023; 98(1):21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38110669>

Bouttier-Esprit T, Dobson R, Saxton P, and McCool J. Use of e-cigarettes among young queer men living in Aotearoa New Zealand. *J Prim Health Care*, 2023; 15(2):172-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37390039>

Boakye E, Erhabor J, Obisesan O, Tasdighi E, Mirbolouk M, et al. Comprehensive review of the national surveys that assess E-cigarette use domains among youth and adults in the United States. *Lancet Reg Health Am*, 2023; 23:100528. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37497394>

Bertani AL, Tanni SE, and Godoy I. Dual and Poly Use of Tobacco Products in a Sample of Pregnant Smokers: A Cross-sectional Study. *Maternal and Child Health Journal*, 2023; 27(9):1616-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37395976>

Bandi P, Star J, Minihan AK, Patel M, Nargis N, et al. Changes in E-Cigarette Use Among U.S. Adults, 2019-2021. *American Journal of Preventive Medicine*, 2023; 65(2):322-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37479423>

Bandi P, Star J, Minihan AK, Patel M, Nargis N, et al. Changes in E-Cigarette Use Among U.S. Adults, 2019–2021. *American Journal of Preventive Medicine*, 2023. Available from: [https://www.ajpmonline.org/article/S0749-3797\(23\)00122-8/pdf](https://www.ajpmonline.org/article/S0749-3797(23)00122-8/pdf)

April-Sanders AK, Daviglus ML, Lee UJ, Perreira KM, Kaplan RC, et al. Prevalence of electronic cigarette use and its determinants in us persons of Hispanic/Latino background: The Hispanic community health study / study of Latinos (HCHS/SOL). *Am J Med Open*, 2023; 9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37388413>

Alshaibani M, Alajmi M, Alabduljalil N, Alajmi H, Alsalem Y, et al. Prevalence of use, perceptions of harm and addictiveness, and dependence of electronic cigarettes among adults in Kuwait: A cross-sectional study. *Tobacco Induced Diseases*, 2023; 21:90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37456607>

Al-Hamdani M and Brett Hopkins D. E-cigarettes in the Middle East: The known, unknown, and what needs to be known next. *Preventive Medicine Reports*, 2023; 31:102089. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36530454>

Adzrago D, Harrell MB, Fujimoto K, Jones A, and Wilkerson JM. Association between E-Cigarette Use Behaviors and Anxiety/Depression among Black/African American Adults Based on Sexual Identity. *International Journal of Environmental Research and Public Health*, 2023; 20(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36767446>

QuickStats: Percentage Distribution\* of Cigarette Smoking Status(dagger) Among Current Adult E-Cigarette Users,( section sign) by Age Group - National Health Interview Survey, United States, 2021( paragraph sign). *Morbidity and Mortality Weekly Report*, 2023; 72(10):270. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36893067>

Tehrani H, Rajabi A, Ghelichi-Ghojogh M, Nejatian M, and Jafari A. The prevalence of electronic cigarettes vaping globally: a systematic review and meta-analysis. *Archives of Public Health*, 2022; 80(1):240. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36415010>

Statistic Canada. Canadian Tobacco and Nicotine Survey, 2021. 2022. Available from: <https://www150.statcan.gc.ca/n1/daily-quotidien/220505/dq220505c-eng.htm>.

Sreeramareddy CT and Manoharan A. Awareness About and E-Cigarette Use Among Adults in 15 Low- and Middle-Income Countries, 2014-2018 Estimates From Global Adult Tobacco Surveys. *Nicotine & Tobacco Research*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35596725>

Patil S, Fageeh HN, Mushtaq S, Ajmal M, Chalikkandy SN, et al. Prevalence of electronic cigarette usage among medical students in Saudi Arabia - A systematic review. *Niger J Clin Pract*, 2022; 25(6):765-72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35708416>

Park E, Kwon M, Chacko T, Zhou Y, Chen C, et al. Instruments to measure e-cigarette related constructs: a systematic review. *BMC Public Health*, 2022; 22(1):1135. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35668485>

Pan L, Morton J, Mbulo L, Dean A, and Ahluwalia IB. Electronic cigarette use among adults in 14 countries: A cross-sectional study. *EClinicalMedicine*, 2022; 47:101401. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35497060>

Martins B, Normando AGC, Rodrigues-Fernandes CI, Wagner VP, Kowalski LP, et al. Global frequency and epidemiological profile of electronic cigarette users: a systematic review. *Oral Surg Oral Med Oral Pathol Oral Radiol*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36182650>

Kraus L, Mockl J, Lochbuhler K, Rauschert C, Seitz NN, et al. Changes in the Use of Tobacco, Alternative Tobacco Products, and Tobacco Alternatives in Germany. *Dtsch Arztebl Int*, 2022; 119(31-32):535-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36384922>

Koyama S, Tabuchi T, and Miyashiro I. E-Cigarettes Use Behaviors in Japan: An Online Survey. *International Journal of Environmental Research and Public Health*, 2022; 19(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35055714>

Kondracki AJ, Li W, Kalan ME, Ben Taleb Z, Ibrahimou B, et al. Changes in the National Prevalence of Current E-Cigarette, Cannabis, and Dual Use among Reproductive Age Women (18-44 Years Old) in the United States, 2013-2016. *Substance Use and Misuse*, 2022:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35258396>

Jankowski M, Ostrowska A, Sierpinski R, Skowron A, Sytnik-Czetwertynski J, et al. The Prevalence of Tobacco, Heated Tobacco, and E-Cigarette Use in Poland: A 2022 Web-Based Cross-Sectional Survey. *International Journal of Environmental Research and Public Health*, 2022; 19(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35457771>

Hu SS, Wang TW, Homa DM, Tsai J, and Neff L. Cigarettes, Smokeless Tobacco, and E-Cigarettes: State-Specific Use Patterns Among U.S. Adults, 2017-2018. *American Journal of Preventive Medicine*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35393145>

Driezen P, Nordin ASA, Hairi FM, Yee A, Tajuddin NAA, et al. E-cigarette prevalence among Malaysian adults and types and flavors of e-cigarette products used by cigarette smokers who vape: Findings from the 2020 ITC Malaysia Survey. *Tobacco Induced Diseases*, 2022; 20:32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35431719>

Chen-Sankey J and Bover-Manderski MT. Importance of a Balanced Public Health Approach When Assessing Recent Patterns in the Prevalence of Adult e-Cigarette Use in the US. *JAMA Netw Open*, 2022; 5(7):e2223274. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35867066>

Carreras G, Minardi V, Lugo A, Gallus S, Masocco M, et al. Italians are still loyal to conventional cigarettes, despite novel tobacco products. *Ann Ist Super Sanita*, 2022; 58(4):264-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36511197>

Brys Z, Toth G, Urban R, Vitrai J, Magyar G, et al. The epidemiology of smoking and e-cigarette use in the Hungarian adult population in 2018. *Orv Hetil*, 2022; 163(1):31-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34974430>

Boakye E, Osuji N, Erhabor J, Obisesan O, Osei AD, et al. Assessment of Patterns in e-Cigarette Use Among Adults in the US, 2017-2020. *JAMA Netw Open*, 2022; 5(7):e2223266. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35867060>

Althobaiti NK and Mahfouz MEM. Prevalence of Electronic Cigarette Use in Saudi Arabia. *Cureus*, 2022; 14(6):e25731. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35812546>

Xu G, Snetselaar LG, Strathearn L, Ryckman K, Nothwehr F, et al. Association of Attention-Deficit/Hyperactivity Disorder With E-Cigarette Use. *American Journal of Preventive Medicine*, 2021; 60(4):488-96. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33745521>

Xiao L, Yin X, Di X, Nan Y, Lyu T, et al. Awareness and prevalence of e-cigarette use among Chinese adults: policy implications. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33608465>

Wylie BJ, Hauptman M, Hacker MR, and Hawkins SS. Understanding Rising Electronic Cigarette Use. *Obstetrics & Gynecology*, 2021; 137(3):521-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33543893>

Wattick RA, Olfert IM, and Olfert MD. Psychosocial Factors Associated with E-Cigarette Use among Young Adults in a 4-Year University in Appalachia. *Substance Use and Misuse*, 2021; 56(8):1182-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33941034>

Wamamili B, Coope P, and Grace RC. Cigarette smoking and e-cigarette use among university students in New Zealand before and after nicotine-containing e-cigarettes became widely available: results from repeat cross-sectional surveys. *New Zealand Medical Journal*, 2021; 134(1543):90-102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34695080>

Unger JB and Falcon A. E-cigarette use among Hispanics: Reducing risk or recruiting new tobacco users? *Addictive Behaviors*, 2021; 125:107149. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34678711>

Tripathi GK, Kathirvel S, and Singh RJ. Electronic nicotine delivery system use among current smokers in India. *Int J Tuberc Lung Dis*, 2021; 25(12):1038-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34886936>

Testa A, Jackson DB, and Boccio C. Stressful life events and electronic cigarette use during pregnancy. *Social Science & Medicine*, 2021; 276:113845. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33761384>

Tattan-Birch H, Brown J, Shahab L, and Jackson SE. Trends in use of e-cigarette device types and heated tobacco products from 2016 to 2020 in England. *Scientific Reports*, 2021; 11(1):13203. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34168216>

Syamlal G, Clark KA, Blackley DJ, and King BA. Prevalence of Electronic Cigarette Use Among Adult Workers - United States, 2017-2018. *Morbidity and Mortality Weekly Report*, 2021; 70(9):297-303. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33661865>

Smucker S, Meadows SO, and Beckman R. Use of Electronic Cigarettes and Other Tobacco Products Among Active Component Services Members. *Military Medicine*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34164676>

Ramirez-Cervantes KL and Garcia-Rodriguez E. [Patterns of electronic cigarette and tobacco heating products use in Spain.]. *Rev Esp Salud Publica*, 2021; 95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34548469>

Prakash S, Hatcher C, and Shiffman S. Prevalence of ENDS and JUUL Use, by Smoking Status, in National Samples of Young Adults and Older Adults in the U.S. *American Journal of Health Behavior*, 2021; 45(3):402-18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33894792>

Pougnnet R, Chapalain D, Fortin C, Lodde B, Eniafe-Eveilard BM, et al. [Cigarette and e-cigarette use among a sample of French health students]. *Rev Mal Respir*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33583645>

O'Cleirigh C, King D, Stanton AM, Goldin A, Kirakosian N, et al. Patterns of E-Cigarette Use Among Primary Care Patients at an Urban Community Center. *Journal of Community Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34215994>

New Zealand Ministry of Health. Annual Update of Key Results 2020/21: New Zealand Health Survey. 2021. Available from: <https://www.health.govt.nz/publication/annual-update-key-results-2020-21-new-zealand-health-survey>.

Ministry of Health and Welfare's Health Promotion Administration. Adult Smoking Behavior Survey (ASBS). 2021. Available from: <https://www.hpa.gov.tw/EngPages/Detail.aspx?nodeid=1077&pid=6202>.

Loukas A, Marti CN, Pasch KE, Harrell MB, Wilkinson AV, et al. Rising Vape Pod Popularity Disrupted Declining Use of Electronic Nicotine Delivery Systems among Young Adults in Texas, USA from 2014-2019. *Addiction*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34159679>

Liu ST, Newsome J, Castleman V, Poonai K, Creamer MR, et al. Qualitative insights on how adult e-cigarette users describe quantity of e-cigarettes used - PATH Study 2018. *Preventive Medicine Reports*, 2021; 23:101421. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34150479>

Liu B, Du Y, Wu Y, Sun Y, Santillan MK, et al. Prevalence and Distribution of Electronic Cigarette Use Before and During Pregnancy among Women in 38 States of the United States. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33693836>

Liautaud MM, Barrington-Trimis JL, Liu F, Stokes A, Krueger EA, et al. E-cigarette, cigarette, and cannabis use patterns as a function of sexual identity in a sample of Southern California young adults. *Addictive Behaviors Reports*, 2021; 13:100338. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33644294>

Li L, Borland R, Cummings KM, Gravely S, Quah ACK, et al. Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. *Nicotine & Tobacco Research*, 2021; 23(9):1611-6.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33693833>

Kreslake JM, Simard BJ, O'Connor KM, Patel M, Vallone DM, et al. E-Cigarette Use Among Youths and Young Adults During the COVID-19 Pandemic: United States, 2020. *American Journal of Public Health*, 2021:e1-e9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33856888>

Keltner CH, Kao TC, Ahmed A, and Mancuso JD. E-cigarette and dual product use as an emerging health threat to the US military. *Tob Prevalence*, 2021; 7:43. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34141958>

Jerzynski T, Stimson GV, Shapiro H, and Krol G. Estimation of the global number of e-cigarette users in 2020. *Harm Reduct J*, 2021; 18(1):109. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34688284>

Jankowski M, Gujski M, Pinkas J, Opoczynska-Swiezewska D, Krzych-Falta E, et al. The prevalence of cigarette, e-cigarette and heated tobacco use among police employees in Poland: a 2020 cross-sectional survey. *Int J Occup Med Environ Health*, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33882052>

Hillyer GC, Nazareth M, Lima S, Schmitt KM, Reyes A, et al. E-cigarette Use Among Young Adult Patients: The Opportunity to Intervene on Risky Lifestyle Behaviors to Reduce Cancer Risk. *Journal of Community Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34453225>

Godby S, Dierst-Davies R, Kogut D, Degiorgi Winslow L, Truslow MM, et al. Correlates of e-cigarette use among active duty US military personnel: implications for cessation policy. *BMJ Mil Health*, 2021.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33664088>

Ganson KT, Lavender JM, Rodgers RF, Cunningham M, and Nagata JM. Compulsive exercise and vaping among a sample of U.S. College students aged 18-26 years. *Eat Weight Disord*, 2021.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34181209>

Gallus S, Lugo A, Stival C, Cerrai S, Clancy L, et al. Electronic cigarette use in 12 European countries. Results from the TackSHS survey. *J Epidemiol*, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34776500>

Felicione NJ, Fix BV, McNeill A, Cummings KM, Goniewicz ML, et al. Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. *Tobacco Control*, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33753550>

Fahey MC, Morris JD, Robinson LA, and Pebley K. Association between Perceived Discrimination and Vaping among College Students. *Substance Use and Misuse*, 2021; 56(5):738-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33682601>

East KA, Reid JL, Rynard VL, and Hammond D. Trends and Patterns of Tobacco and Nicotine Product Use Among Youth in Canada, England, and the United States From 2017 to 2019. *The Journal of Adolescent Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33839006>

East KA, Reid JL, and Hammond D. Smoking and vaping among Canadian youth and adults in 2017 and 2019. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34272339>

Durazo A, Hartman-Filson M, Elser H, Alizaga NM, and Vijayaraghavan M. E-Cigarette Use among Current Smokers Experiencing Homelessness. *International Journal of Environmental Research and Public Health*, 2021; 18(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33916203>

Dewar EO, Dee EC, Arega MA, Ahn C, and Sanford NN. Trends in frequency of e-cigarette use among cancer patients and survivors in the United States, 2014-2018. *Addictive Behaviors*, 2021; 119:106913. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33798916>

Correa-Fernandez V, Tavakoli N, Motsenbocker M, and Kim H. Hispanics/Latinos' Cigarette and E-cigarette Use: Behavioral and Self-rated Health. *American Journal of Health Behavior*, 2021; 45(1):95-110. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33402241>

Christian WJ, Valvi NR, and Walker CJ. Examining Adult E-cigarette Use in Kentucky and Its Appalachian Region Using the Behavioral Risk Factor Surveillance System, 2016-2017. *Public Health Rep*, 2021:333549211029972. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34270384>

Chen DT and Kyriakos CN. Cigarette and e-cigarettes dual users, exclusive users and COVID-19: Findings from four UK birth cohort studies. *International Journal of Environmental Research and Public Health*, 2021; 18(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33918098>

Chavez J, Smit T, Olofsson H, Mayorga NA, Garey L, et al. Substance Use among Exclusive Electronic Cigarette Users and Dual Combustible Cigarette Users: Extending Work to Adult Users. *Substance Use and Misuse*, 2021:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33726615>

Chague F, Reboursiere E, Israel J, Hager JP, Ngassa P, et al. Smoking and Vaping in Amateur Rugby Players, Coaches and Referees: Findings from a Regional Survey Might Help to Define Prevention Targets. *International Journal of Environmental Research and Public Health*, 2021; 18(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34073509>

Cardona S, Calixte R, Rivera A, Islam JY, Vidot DC, et al. Perceptions and Patterns of Cigarette and E-Cigarette Use among Hispanics: A Heterogeneity Analysis of the 2017-2019 Health Information National Trends Survey. *International Journal of Environmental Research and Public Health*, 2021; 18(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34204687>

Burnell K, Kwiatek SM, and Hoyle RH. Are Exclusive e-Cigarette Users Unique? Comparing Predictors of Exclusive e-Cigarette Use with Traditional Tobacco Use and Dual Use among U.S. Adolescents. *Substance Use and Misuse*, 2021:1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33761814>



Boozary LK, Frank-Pearce SG, Alexander AC, Waring JJC, Ehlke SJ, et al. Correlates of e-cigarette use among adults initiating smoking cessation treatment. *Drug and Alcohol Dependence*, 2021; 224:108724. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33940324>

Blondino CT, Clifford JS, Lu J, and Prom-Wormley EC. The association between internalizing and externalizing severity with current use of cigarettes, e-cigarettes, and alcohol in adults: Wave 1 of the Population Assessment of Tobacco and Health (PATH) study. *Addictive Behaviors*, 2021; 119:106890. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33901812>

Bertoni N and Szklo AS. [Electronic nicotine delivery systems in Brazilian state capitals: prevalence, profile of use, and implications for the National Tobacco Control Policy]. *Cad Saude Publica*, 2021; 37(7):e00261920. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34259751>

Bartholomew RD, Kerry-Barnard S, Beckley-Hoelscher ND, Phillips R, Reid F, et al. Alcohol use, cigarette smoking, vaping and number of sexual partners: A cross-sectional study of sexually active, ethnically diverse, inner city adolescents. *Health Expect*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33774898>

Azagba S and Shan L. Examining the Role of Acculturation in E-Cigarette Use among U.S. Immigrant Adults. *International Journal of Environmental Research and Public Health*, 2021; 18(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33915781>

Atuegwu NC, Litt MD, Krishnan-Sarin S, Laubenbacher RC, Perez MF, et al. E-Cigarette Use in Young Adult Never Cigarette Smokers with Disabilities: Results from the Behavioral Risk Factor Surveillance System Survey. *International Journal of Environmental Research and Public Health*, 2021; 18(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34065407>

Alzahrani Z, Zaidi SF, Alsolami H, Bashrahil B, Alghamdi N, et al. Electronic cigarettes consumption and associated factors among general population in Western Saudi Arabia. *J Public Health Res*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34558883>

Alshanberi AM, Baljoon T, Bokhari A, Alarif S, Madani A, et al. The prevalence of E-cigarette uses among medical students at Umm Al-Qura University; a cross-sectional study 2020. *J Family Med Prim Care*, 2021; 10(9):3429-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34760769>

Al-Balas H, Al-Balas M, Al-Balas HI, Khamees A, Talafha M, et al. Electronic Smoking Behavior Among Adult Males in Jordan. *Journal of Community Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33387148>

Ahmed LA, Verlinden M, Alobeidli MA, Alahbabi RH, AlKatheeri R, et al. Patterns of Tobacco Smoking and Nicotine Vaping among University Students in the United Arab Emirates: A Cross-Sectional Study. *International Journal of Environmental Research and Public Health*, 2021; 18(14). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34300103>

Action on Smoking and Health. Use of e-cigarettes among adults in Great Britain. Action on Smoking and Health (ASH), 2021. Available from: <https://ash.org.uk/wp-content/uploads/2021/06/Use-of-e-cigarettes-vapes-among-adults-in-Great-Britain-2021.pdf>.

Zhou PJ, Wei X, Chen RY, Leng Y, Liu T, et al. [Prevalence and associated factors regarding electronic cigarette smoking among adults in Shandong province]. *Zhonghua Liu Xing Bing Xue Za Zhi*, 2020; 41(10):1681-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33297626>

Zhao Z, Zhang M, Wu J, Xu X, Yin P, et al. E-cigarette use among adults in China: findings from repeated cross-sectional surveys in 2015-16 and 2018-19. *Lancet Public Health*, 2020; 5(12):e639–e49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33271077>

Wetzel TJ and Wyatt TA. Dual Substance Use of Electronic Cigarettes and Alcohol. *Front Physiol*, 2020; 11:593803. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33224040>

Weinberger AH, Zhu J, Barrington-Trimis JL, Wyka K, and Goodwin RD. Cigarette use, e-cigarette use, and dual product use is higher among adults with serious psychological distress in the United States: 2014-2017. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32285121>

Wang W, Lu M, Cai Y, and Feng N. Awareness and use of e-cigarettes among university students in Shanghai, China. *Tobacco Induced Diseases*, 2020; 18:76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32994762>

Wang Q. High-intensity binge drinking is associated with cigarette smoking and e-cigarette use among US adults aged 40-64 years: Findings from the 2017 BRFSS survey. *Tobacco Induced Diseases*, 2020; 18:54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32587485>

Visweswaran S, Colditz JB, O'Halloran P, Han NR, Taneja SB, et al. Machine Learning Classifiers for Twitter Surveillance of Vaping: Comparative Machine Learning Study. *Journal of Medical Internet Research*, 2020; 22(8):e17478. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32784184>

Villarroel MA, Cha AE, and Vahratian A. Electronic Cigarette Use Among U.S. Adults, 2018. *NCHS Data Brief*, 2020; (365):1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32487293>

Vallone DM, Cuccia AF, Briggs J, Xiao H, Schillo BA, et al. Electronic Cigarette and JUUL Use Among Adolescents and Young Adults. *JAMA Pediatrics*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31961395>

Tabuchi T, Shinozaki T, Kunugita N, Nakamura M, and Tsuji I. Erratum to 'Study Profile: The Japan "Society and New Tobacco" Internet Survey (JASTIS): A Longitudinal Internet Cohort Study of Heat-Not-Burn Tobacco Products, Electronic Cigarettes, and Conventional Tobacco Products in Japan' [*J Epidemiol* 29 (11) (2019) 444-450]. *J Epidemiol*, 2020; 30(1):55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31902823>

Sugiyama T and Tabuchi T. Use of Multiple Tobacco and Tobacco-Like Products Including Heated Tobacco and E-Cigarettes in Japan: A Cross-Sectional Assessment of the 2017 JASTIS Study. *International Journal of Environmental Research and Public Health*, 2020; 17(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32213924>

Simonavicius E, McNeill A, Cheeseman H, Arnott D, and Brose LS. Smokers who have not tried alternative nicotine products: a 2019 survey of adults in Great Britain. *Harm Reduct J*, 2020; 17(1):46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32664883>

- Shi M, Gette JA, Gissandaner TD, Cooke JT, and Littlefield AK. E-cigarette use among Asian Americans: a systematic review. *J Ethn Subst Abuse*, 2020:1-34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33346722>
- Sharma P, Philpot LM, Rosedahl JK, Jose TT, and Ebbert JO. Electronic Vaping Product Use among Young Adults Who Receive Care at a Major Medical Institution. *Substance Use and Misuse*, 2020:1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33356754>
- Sharan RN, Chanu TM, Chakrabarty TK, and Farsalinos K. Patterns of tobacco and e-cigarette use status in India: a cross-sectional survey of 3000 vapers in eight Indian cities. *Harm Reduct J*, 2020; 17(1):21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32228623>
- Rostron BL, Cheng YC, Gardner LD, and Ambrose BK. Prevalence and Reasons for Use of Flavored Cigars and ENDS among US Youth and Adults: Estimates from Wave 4 of the PATH Study, 2016-2017. *American Journal of Health Behavior*, 2020; 44(1):76–81. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31783934>
- Romberg AR, Diaz MC, Briggs J, Stephens DK, Rahman B, et al. Vaping in the Workplace: Prevalence and Attitudes Among Employed US Adults. *J Occup Environ Med*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33105399>
- Roberts W, Verplaetse T, Peltier MKR, Moore KE, Gueorguieva R, et al. Smoking history and the association between alcohol and e-cigarette use: Authors' reply. *Addiction*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33220148>
- Roberts W, Verplaetse T, Peltier MKR, Moore KE, Gueorguieva R, et al. Prospective association of e-cigarette and cigarette use with alcohol use in 2 waves of the Population Assessment of Tobacco and Health. *Addiction*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31977106>
- Rifai MA, Kianoush S, Saeed A, Krittanawong C, Merchant AT, et al. Temporal Trends in the Prevalence of Current E-Cigarette and Cigarette Use by Annual Household Income from 2016 to 2018 (From the Behavioral Risk Factor Surveillance System [BRFSS] Survey). *Am J Cardiol*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33080211>
- Reile R and Parna K. E-Cigarette Use by Smoking Status in Estonia, 2012-2018. *International Journal of Environmental Research and Public Health*, 2020; 17(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31947610>
- Rebuli ME, Liu F, Urman R, Barrington-Trimis JL, Eckel SP, et al. Compliance in controlled e-cigarette studies. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31993664>
- Prigitano A, Binda S, Pariani E, Destrebecq A, Castaldi S, et al. Tobacco and e-cigarette smoking habits among Italian healthcare students. *Annali Di Igiene*, 2020; 32(6):608-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33175072>
- Phyo Y, Kumar AMV, Kyaw K WY, Kaung KK, Nwe ML, et al. Prevalence of e-cigarette use among tobacco smokers in six states and regions of Myanmar. *Addictive Behaviors Reports*, 2020; 11:100248. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32467837>

Pebley K, Krukowski RA, Porter K, and Little MA. Descriptive and Injunctive Norms Related to E-Cigarettes. *Military Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32803243>

Patten SB, Williams JVA, Wiens K, Lukmanji A, Dores AK, et al. Emerging Patterns of E-Cigarette Use in the General Population. *Can J Psychiatry*, 2020;706743720975591. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33242994>

Patrounova V, Yoon JH, Schmitz JM, Nguyen K, Alaniz J, et al. Combustible and electronic cigarette use among patients at a large academic dental school clinic: A preimplementation needs assessment survey. *J Am Dent Assoc*, 2020; 151(7):510-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32593353>

Parsons HM, Jewett PI, Sadak K, Turcotte LM, Vogel RI, et al. e-Cigarette Use Among Young Adult Cancer Survivors Relative to the US Population. *JAMA Oncol*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32271357>

Parekh T and Desai R. A Comparative Analysis of E-cigarette Users and State-Specific Prevalence Change in the United States Between 2017 and 2018. *Cureus*, 2020; 12(12):e12079. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33489497>

Obisesan OH, Osei AD, Uddin SMI, Dzaye O, Mirbolouk M, et al. Trends in e-Cigarette Use in Adults in the United States, 2016-2018. *JAMA Internal Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32897288>

Nguyen N, Holmes LM, Kim M, and Ling PM. Using Peer Crowd Affiliation to Address Dual Use of Cigarettes and E-Cigarettes among San Francisco Bay Area Young Adults: A Cross Sectional Study. *International Journal of Environmental Research and Public Health*, 2020; 17(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33092106>

Meghea CI. Electronic Nicotine Delivery Systems Use and Cigarette Smoking Frequency and Intensity Among Young Adult Smokers. *JAMA Netw Open*, 2020; 3(11):e2016121. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33231632>

McNeill A, Brose L, Calder R, Bauld L, and Robson D. Vaping in England: an evidence update including mental health and pregnancy, March 2020. *Public Health England London* 2020. Available from: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/869401/Vaping\\_in\\_England\\_evidence\\_update\\_March\\_2020.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/869401/Vaping_in_England_evidence_update_March_2020.pdf).

McKelvey K and Halpern-Felsher B. How and Why California Young Adults Are Using Different Brands of Pod-Type Electronic Cigarettes in 2019: Implications for Researchers and Regulators. *The Journal of Adolescent Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32192827>

Mayer M, Reyes-Guzman C, Grana R, Choi K, and Freedman ND. Demographic Characteristics, Cigarette Smoking, and e-Cigarette Use Among US Adults. *JAMA Netw Open*, 2020; 3(10):e2020694. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33048127>

Li Z, Benowitz-Fredericks C, Ling PM, Cohen JE, and Thrul J. Assessing young adults' ENDS use via Ecological Momentary Assessment and a Smart Bluetooth enabled ENDS device. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33031497>

Leventhal AM and Dai H. Prevalence of Flavored e-Cigarette Use Among Subpopulations of Adults in the United States. *Journal of the National Cancer Institute*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32785659>

Leavens ELS, Ford BR, Ojo-Fati O, Winkelman TNA, Vickery KD, et al. Electronic cigarette use patterns and chronic health conditions among people experiencing homelessness in MN: a statewide survey. *BMC Public Health*, 2020; 20(1):1889. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33297999>

Leas EC, Trinidad DR, Pierce JP, and Benmarhnia T. The effect of college attendance on young adult cigarette, e-cigarette, cigarillo, hookah and smokeless tobacco use and its potential for addressing tobacco-related health disparities. *Preventive Medicine*, 2020; 132:105954. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31917304>

Lanza HI, Leventhal AM, Cho J, Braymiller JL, Krueger EA, et al. Young adult e-cigarette use: A latent class analysis of device and flavor use, 2018-2019. *Drug and Alcohol Dependence*, 2020; 216:108258. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32906038>

Kock L, Brown J, and Shahab L. Association of Socioeconomic Position With e-Cigarette Use Among Individuals Who Quit Smoking in England, 2014 to 2019. *JAMA Netw Open*, 2020; 3(6):e204207. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32501491>

Kianersi S, Zhang Y, Rosenberg M, and Macy JT. Prevalence of e-cigarette use (2016 to 2018) and cigarette smoking (2012 to 2019) among U.S. adults by state: An interactive data visualization dashboard. *Drug and Alcohol Dependence*, 2020:108361. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33121868>

Kcomt L, Evans-Polce RJ, Veliz PT, Boyd CJ, and McCabe SE. Use of Cigarettes and E-Cigarettes/Vaping Among Transgender People: Results From the 2015 U.S. Transgender Survey. *American Journal of Preventive Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32826126>

Kava CM, Soule EK, Seegmiller L, Gold E, Snipes W, et al. "Taking Up a New Problem": Context and Determinants of Pod-Mod Electronic Cigarette Use Among College Students. *Qual Health Res*, 2020:1049732320971236. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33213262>

Kava CM, Hannon PA, and Harris JR. Use of Cigarettes and E-Cigarettes and Dual Use Among Adult Employees in the US Workplace. *Preventing Chronic Disease*, 2020; 17:E16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32078502>

Kapan A, Stefanac S, Sandner I, Haider S, Grabovac I, et al. Use of Electronic Cigarettes in European Populations: A Narrative Review. *International Journal of Environmental Research and Public Health*, 2020; 17(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32192139>

Kale D, Pickering A, and Cooper A. Examining the relationship between impulsivity-related personality traits and e-cigarette use in adults. *Addictive Behaviors*, 2020; 106:106348. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32087475>

Jordan Health Ministry and World Health Organization. Jordan smoking rates highest in world amid claims of big tobacco interference. 2020. Available from: <https://www.theguardian.com/world/2020/jun/23/jordan-smoking-rates-highest-in-world-amid-claims-of-big-tobacco-interference>.

Jankowski M, Minarowski L, Mroz RM, Guziejko K, Mojsak D, et al. E-cigarette use among young adults in Poland: Prevalence and characteristics of e-cigarette users. *Adv Med Sci*, 2020; 65(2):437-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32979795>

Gunasekaran K, Singh Rahi M, Rajasurya V, and Wolff A. Trends in E-Cigarette Use Among Various Subgroups. *American Journal of Medicine*, 2020; 133(10):e607. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33004180>

Grzywacz A, Suchanecka A, Chmielowiec J, Chmielowiec K, Szumilas K, et al. Personality Traits or Genetic Determinants-Which Strongly Influences E-Cigarette Users? *International Journal of Environmental Research and Public Health*, 2020; 17(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31948125>

Green MJ, Gray L, Sweeting H, and Benzeval M. Socioeconomic patterning of vaping by smoking status among UK adults and youth. *BMC Public Health*, 2020; 20(1):183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32036787>

Gimm G, Parekh T, and Rossheim ME. Prevalence and risk factors of e-cigarette use among working-age adults with and without disabilities in 2017-2018. *Disabil Health J*, 2020:101048. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33309537>

Gallus S, Borroni E, Liu X, Carrozzi L, Dalla Pietra G, et al. Electronic cigarette use among Italian smokers: patterns, settings, and adverse events. *Tumori*, 2020:300891620915784. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32338200>

Gagne T, Lee JGL, and O'Loughlin J. Cigarette smoking and E-cigarette use among young adults in the United States: Findings from the 2016-18 behavioral risk factor surveillance system. *Addictive Behaviors*, 2020; 113:106675. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33038680>

Gagne T and Brown J. Socioeconomic distribution of e-cigarette use among recent former regular smokers and current smokers at ages 25-26 in England. *Addiction*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33220094>

European Publishing Production T. Erratum: Electronic cigarette use in China: Awareness, prevalence and regulation. *Tobacco Induced Diseases*, 2020; 18:15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32256279>

Edwards R, Stanley J, Waa AM, White M, Kaai SC, et al. Patterns of Use of Vaping Products Among Smokers: Findings from the 2016-2018 International Tobacco Control (ITC) New Zealand Surveys.

International Journal of Environmental Research and Public Health, 2020; 17(18). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32932952>

Duan Z, Wang Y, Huang J, Redmon PB, and Eriksen MP. Reasons why Chinese smokers prefer not to use electronic cigarettes. Tobacco Induced Diseases, 2020; 18:104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33328836>

Du Y, Liu B, Xu G, Rong S, Sun Y, et al. Association of Electronic Cigarette Regulations With Electronic Cigarette Use Among Adults in the United States. JAMA Netw Open, 2020; 3(1):e1920255. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32003818>

Doxbeck CR, Jaeger JA, and Bleasdale JM. Understanding pathways to e-cigarette use across sexual identity: A multi-group structural equation model. Addictive Behaviors, 2020; 114:106748. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33296821>

Cwalina SN, Braymiller JL, Leventhal AM, Unger JB, McConnell R, et al. Prevalence of Young Adult Vaping, Substance Vaped, and Purchase Location Across 5 Categories of Vaping Devices. Nicotine & Tobacco Research, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33196838>

Corrigan JR, O'Connor RJ, and Rousu MC. Which smokers adopt e-cigarettes and at what price? An experimental estimation of price elasticity of demand and factors correlated with e-cigarette adoption. Addictive Behaviors, 2020; 105:106324. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32045835>

Cornelius ME, Wang TW, Jamal A, Loretan CG, and Neff LJ. Tobacco product use among adults—United States, 2019. Morbidity and Mortality Weekly Report, 2020; 69(46):1736.

Comiford AL, Rhoades DA, Dvorak JD, Ding K, Mehta T, et al. Use of Potentially Reduced Exposure Tobacco Products Among American Indian Smokeless Tobacco Users: Associations With Cessation Behaviors and Cotinine Levels. Public Health Rep, 2020; 135(1):141-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31835016>

Choi K and Chen-Sankey JC. Will Electronic Nicotine Delivery System (ENDS) use reduce smoking disparities? Prevalence of daily ENDS use among cigarette smokers. Preventive Medicine Reports, 2020; 17:101020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31871881>

Carnazza G, Liberati P, Resce G, and Molinaro S. Smoking and income distribution: Inequalities in new and old products. Health Policy, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33358596>

Boyle RG, Richter S, and St Claire AW. Defining adult e-cigarette prevalence: comparing a categorical definition with days of use. Tobacco Control, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32675251>

Bowker K, Lewis S, Phillips L, Orton S, Ussher M, et al. Pregnant women's use of e-cigarettes in the UK: a cross-sectional survey. BJOG, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33012050>

Bandi P, Cahn Z, Goding Sauer A, Douglas CE, Drope J, et al. Trends in E-Cigarette Use by Age Group and Combustible Cigarette Smoking Histories, U.S. Adults, 2014-2018. *American Journal of Preventive Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33032869>

Balogh E, Wagner Z, Faubl N, Riemenschneider H, Voigt K, et al. Increasing Prevalence of Electronic Cigarette Use among Medical Students. Repeated Cross-Sectional Multicenter Surveys in Germany and Hungary, 2016-2018. *Substance Use and Misuse*, 2020;1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32646285>

Assari S, Mistry R, and Bazargan M. Race, Educational Attainment, and E-Cigarette Use. *J Med Res Innov*, 2020; 4(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32090188>

Aljandaleh H, Bolze C, El-Khoury Lesueur F, Melchior M, and Mary-Krause M. Factors Associated with Electronic Cigarette Use among Young Adults: The French "Trajectoires EpideMiologiques en POpulation" (TEMPO) Cohort Study. *Substance Use and Misuse*, 2020; 55(6):964–72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31997695>

Al Rifai M, Mirbolouk M, Jia X, Nasir K, Pickett JK, et al. E-cigarette Use and Risk Behaviors among Lesbian, Gay, Bisexual, and Transgender Adults: The Behavioral Risk Factor Surveillance System (BRFSS) Survey. *Kans J Med*, 2020; 13:318-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33343826>

Al Rifai M, Merchant AT, Nambi V, Jia X, Gulati M, et al. Temporal Trends in E-Cigarette Use Among U.S. Adults: Behavioral Risk Factor Surveillance System, 2016 to 2018. *American Journal of Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32222250>

Al Rifai M, Merchant AT, Nambi V, Jia X, Gulati M, et al. Temporal Trends in E-Cigarette and Cigarette Use Among US Adults by US State: Behavioral Risk Factor Surveillance System, 2016 to 2018. *Popul Health Manag*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32941106>

Airagnes G, Lemogne C, Goldberg M, Limosin F, and Zins M. The role of being a former smoker in the association between electronic cigarette and alcohol use. *Addiction*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33220093>

Ministry of Health. New Zealand Health Survey. New Zealand Government, 2019–20. Available from: <https://www.health.govt.nz/nz-health-statistics/national-collections-and-surveys/surveys/new-zealand-health-survey>.

Zvolensky MJ, Manning K, Garey L, Mayorga NA, and Peraza N. Fatigue severity and electronic cigarette beliefs and use behavior. *Addictive Behaviors*, 2019; 97:1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31108412>

Zvolensky MJ, Garey L, Mayorga NA, Peraza N, Rogers AH, et al. Pain Severity and Anxiety Sensitivity Interplay Among Exclusive and Dual Electronic Cigarette Users. *J Stud Alcohol Drugs*, 2019; 80(2):211-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31014466>

Zhu J, Shi F, Xu G, Li N, Li J, et al. Conventional Cigarette and E-Cigarette Smoking among School Personnel in Shanghai, China: Prevalence and Determinants. *International Journal of Environmental*



Research and Public Health, 2019; 16(17). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31480564>

Zhao L, Mbulo L, Palipudi K, Wang J, and King B. Awareness and use of e-cigarettes among urban residents in China. *Tobacco Induced Diseases*, 2019; 17:53. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31582942>

Zhan Y, Etter JF, Leischow S, and Zeng D. Electronic cigarette usage patterns: a case study combining survey and social media data. *J Am Med Inform Assoc*, 2019; 26(1):9-18. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30544163>

Wang Y, Laestadius L, Stimpson JP, and Wilson FA. Association Between E-Cigarette Use and Acculturation Among Adult Immigrants in the United States. *Subst Abuse*, 2019;

13:1178221819855086. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31223233>

Wang X, Zhang X, Xu X, and Gao Y. Perceptions and use of electronic cigarettes among young adults in China. *Tobacco Induced Diseases*, 2019; 17:17. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31582928>

Wang W, He Z, Feng N, and Cai Y. Electronic cigarette use in China: Awareness, prevalence and regulation. *Tobacco Induced Diseases*, 2019; 17:30. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31516473>

Wanasinghe D, Shah S, Bamanikar A, Aboudi D, Mikkilineni S, et al. Lifestyle characteristics of parental electronic cigarette and marijuana users: healthy or not? *J Perinat Med*, 2019; 48(1):59-66.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31855571>

Thrul J, Vijayaraghavan M, Kalkhoran S, and Satterfield JM. Patterns of cigarette, e-cigarette, and cannabis use among adult smokers in primary care 2014-2015. *Addictive Behaviors*, 2019;

100:106109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31522133>

Tabuchi T. Commentary on Gravely et al (2019): Beginning a new era of nicotine products-beyond the four national-level determinants of nicotine vaping products (NVPs) use. *Addiction*, 2019.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30977164>

Stallings-Smith S and Ballantyne T. Ever Use of E-Cigarettes Among Adults in the United States: A Cross-Sectional Study of Sociodemographic Factors. *Inquiry*, 2019; 56:46958019864479. Available

from: <https://www.ncbi.nlm.nih.gov/pubmed/31328601>

St Claire AW, Schillo BA, Lien RK, Keller PA, O'Gara E, et al. Changing patterns in E-cigarette use among Minnesota adults between 2014 and 2018. *Preventive Medicine Reports*, 2019; 16:101014.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31890471>

Spears CA, Jones DM, Weaver SR, Yang B, Pechacek TF, et al. Electronic nicotine delivery system (ENDS) use in relation to mental health conditions, past-month serious psychological distress and cigarette smoking status, 2017. *Addiction*, 2019; 114(2):315-25. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30291763>

Soule EK, Rossheim ME, Cavazos TC, Bode K, and Desrosiers AC. Cigarette, waterpipe, and electronic cigarette use among college fraternity and sorority members and athletes in the United States. *J Am Coll Health*, 2019;1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31702957>

Skelton E, Silberberg L, Guillaumier A, Dunlop AJ, Wilkinson RB, et al. Electronic cigarettes: Ever use, current use and attitudes among alcohol and other drug clients. *Drug Alcohol Rev*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31696560>

Schneller LM, Bansal-Travers M, Goniewicz ML, McIntosh S, Ossip D, et al. Use of Flavored E-Cigarettes and the Type of E-Cigarette Devices Used among Adults and Youth in the US-Results from Wave 3 of the Population Assessment of Tobacco and Health Study (2015-2016). *International Journal of Environmental Research and Public Health*, 2019; 16(16). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31434229>

Santos GM, Tan J, Turner C, and Raymond HF. Demographic, Behavioral, and Social Characteristics Associated With Smoking and Vaping Among Men Who Have Sex With Men in San Francisco. *American Journal of Men's Health*, 2019; 13(2):1557988319847833. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31043125>

Sanford NN, Sher DJ, Xu X, Aizer AA, and Mahal BA. Trends in Smoking and e-Cigarette Use Among US Patients With Cancer, 2014-2017. *JAMA Oncol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30763430>

Salloum RG, Huo J, Lee JH, Lee J, Dallery J, et al. Tobacco and E-cigarette use among cancer survivors in the United States. *PLoS One*, 2019; 14(12):e0226110. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31815948>

Roys MR, Peltier MR, Stewart SA, Waters AF, Waldo KM, et al. The association between problematic alcohol use, risk perceptions, and e-cigarette use. *American Journal of Drug and Alcohol Abuse*, 2019;1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31433677>

Rhoades DA, Comiford AL, Dvorak JD, Ding K, Hopkins M, et al. Vaping patterns, nicotine dependence and reasons for vaping among American Indian dual users of cigarettes and electronic cigarettes. *BMC Public Health*, 2019; 19(1):1211. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31477072>

Rhoades DA, Comiford AL, Dvorak JD, Ding K, Driskill LM, et al. Dual Versus Never Use of E-Cigarettes Among American Indians Who Smoke. *American Journal of Preventive Medicine*, 2019; 57(3):e59-e68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31377092>

Rezk-Hanna M, Toyama J, Ikharo E, Brecht ML, and Benowitz NL. E-Hookah Versus E-Cigarettes: Findings From Wave 2 of the PATH Study (2014-2015). *American Journal of Preventive Medicine*, 2019; 57(5):e163-e73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31564602>

Reid J, Hammond D, Tariq U, Burkhalter R, Rynard V, et al. Tobacco Use in Canada: Patterns and Trends, 2019 Edition. Waterloo, ON: Propel Centre for Population Health Impact, University of Waterloo., 2019. Available from: [https://uwaterloo.ca/tobacco-use-canada/sites/ca.tobacco-use-canada/files/uploads/files/tobacco\\_use\\_in\\_canada\\_2019.pdf](https://uwaterloo.ca/tobacco-use-canada/sites/ca.tobacco-use-canada/files/uploads/files/tobacco_use_in_canada_2019.pdf).

Qanash S, Alemam S, Mahdi E, Softah J, Touman AA, et al. Electronic cigarette among health science students in Saudi Arabia. *Ann Thorac Med*, 2019; 14(1):56-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30745936>

Powers JM, Heckman BW, LaRowe LR, and Ditre JW. Smokers with pain are more likely to report use of e-cigarettes and other nicotine products. *Experimental and Clinical Psychopharmacology*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31724418>

Pokhrel P, Schmid S, and Pagano I. Physical Activity and Use of Cigarettes and E-Cigarettes Among Young Adults. *American Journal of Preventive Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31866208>

Pinkas J, Kaleta D, Zgliczynski WS, Lusawa A, Wrzesniewska-Wal I, et al. The Prevalence of Tobacco and E-Cigarette Use in Poland: A 2019 Nationwide Cross-Sectional Survey. *International Journal of Environmental Research and Public Health*, 2019; 16(23). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31801221>

Pham T, Williams JVA, Bhattarai A, Dores AK, Isherwood LJ, et al. Electronic cigarette use and mental health: A Canadian population-based study. *J Affect Disord*, 2019; 260:646-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31542558>

Parker MA and Villanti AC. Patterns and Frequency of Current e-Cigarette Use in United States Adults. *Substance Use and Misuse*, 2019; 54(12):2075–81. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31226905>

Owens VL, Ha T, and Soulakova JN. Widespread use of flavored e-cigarettes and hookah tobacco in the United States. *Preventive Medicine Reports*, 2019; 14:100854. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30976489>

Oakly A and Martin G. Dual use of electronic cigarettes and tobacco in New Zealand from a nationally representative sample. *Australian and New Zealand Journal of Public Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30727031>

Oakly A, Edwards R, and Martin G. Prevalence of e-cigarette use from a nationally representative sample in New Zealand. *Addictive Behaviors*, 2019; 98:106024. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31233951>

O'Connor RJ, Fix BV, McNeill A, Goniewicz ML, Bansal-Travers M, et al. Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. *Addiction*, 2019; 114 Suppl 1:15–23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30701622>

Nicksic NE, Snell LM, and Barnes AJ. Reasons to use e-cigarettes among adults and youth in the Population Assessment of Tobacco and Health (PATH) study. *Addictive Behaviors*, 2019; 93:93-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30703668>

Nguyen Zarndt A, Donaldson EA, Bernat JK, Henrie JA, and Portnoy DB. Adult use of and transitions from nicotine and non-nicotine containing e-cigarettes: Data from the Population Assessment of

Tobacco and Health (PATH) Study, 2013–2016. *Nicotine & Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31774123>

Narcisse MR, Dobbs P, Long CR, Purvis RS, Kimminau KS, et al. Electronic cigarette use and psychological distress in the Native Hawaiian and Pacific Islander adults compared with other racial/ethnic groups: Data from the National Health Interview Survey, 2014. *J Community Psychol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31535719>

Mirbolouk M, Charkhchi P, Orimoloye OA, Uddin SMI, Kianoush S, et al. E-Cigarette Use Without a History of Combustible Cigarette Smoking Among US Adults: Behavioral Risk Factor Surveillance System, 2016. *Annals of Internal Medicine*, 2019; 170(1):76–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30304466>

Marynak KL, Ali FRM, Schauer GL, Tynan MA, and King BA. Use and reasons for use of electronic vapour products shaped like USB flash drives among a national sample of adults. *Tobacco Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31023856>

Majmundar A, Allem JP, Cruz TB, and Unger JB. Where Do People Vape? Insights from Twitter Data. *International Journal of Environmental Research and Public Health*, 2019; 16(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31443591>

Lin J, Zhu K, Hoang L, Solivan-Ortiz L, Larsen CSL, et al. Electronic Cigarette Use and Related Factors among Active Duty Service Members in the U.S. Military. *Military Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31642477>

Li L, Borland R, O'Connor RJ, Fong GT, McNeill A, et al. How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. *International Journal of Environmental Research and Public Health*, 2019; 16(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31010185>

Levy DT, Yuan Z, Li Y, Mays D, and Sanchez-Romero LM. An Examination of the Variation in Estimates of E-Cigarette Prevalence among U.S. Adults. *International Journal of Environmental Research and Public Health*, 2019; 16(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31480240>

Lee YH, Chiang T, Kwon E, Baik S, and Chang YC. Trends and sociodemographic factors of e-cigarette use among adult daily smokers in South Korea. *Int J Health Plann Manage*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31879984>

Lee J and Oh M. The moderating effect of gender on the association between E-cigarette use and smoking status: A cross-sectional study. *Addictive Behaviors*, 2019; 93:108-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30703665>

Kirby T. E-cigarette use in Great Britain. *The Lancet Respiratory Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31631031>

Kilibarda B, Krstev S, Milovanovic M, and Foley K. E-cigarette use in Serbia: Prevalence, reasons for trying and perceptions. *Addictive Behaviors*, 2019; 91:61–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30473245>

Khanagar SB, Siddeeqh S, Khinda V, Khinda P, Divakar DD, et al. Impact of electronic cigarette smoking on the Saudi population through the analysis of literature: A systematic review. *J Oral Maxillofac Pathol*, 2019; 23(3):473. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31942135>

Jones DM, Ashley DL, Weaver SR, and Eriksen MP. Flavored ENDS Use among Adults Who Have Used Cigarettes and ENDS, 2016-2017. *Tobacco Regulatory Science*, 2019; 5(6):518-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31696149>

John WS, Grover K, Greenblatt LH, Schwartz RP, and Wu LT. E-Cigarette Use Among Adult Primary Care Patients: Results from a Multisite Study. *Journal of General Internal Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31705467>

Jiang N, Cleland CM, Wang MP, Kwong A, Lai V, et al. Perceptions and use of e-cigarettes among young adults in Hong Kong. *BMC Public Health*, 2019; 19(1):1123. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31420031>

Hu SS, Homa DM, Wang T, Gomez Y, Walton K, et al. State-Specific Patterns of Cigarette Smoking, Smokeless Tobacco Use, and E-Cigarette Use Among Adults - United States, 2016. *Preventing Chronic Disease*, 2019; 16:E17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30730828>

Ho BK, Mohamad Haniki NM, Jamalludin AR, Samsul D, Mira K, et al. Prevalence and characteristics of e-cigarette users among Malaysian current and ex-smokers. *Malays Fam Physician*, 2019; 14(2):10–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31827730>

Hiscock R, Arnott D, Dockrell M, Ross L, and McEwen A. Stop Smoking Practitioners' understanding of e-cigarettes' use and efficacy with particular reference to vapers' socioeconomic status. *J Smok Cessat*, 2019; 14(1):21-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30828391>

Hiong Tee G and Low WY. Electronic Cigarettes Use Among Adults and Adolescents in Malaysia: A Public Health Concern? *Asia Pac J Public Health*, 2019;1010539519878329. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31595768>

Harlow AF, Stokes A, and Brooks DR. Socioeconomic and Racial/Ethnic Differences in E-Cigarette Uptake Among Cigarette Smokers: Longitudinal Analysis of the Population Assessment of Tobacco and Health (PATH) Study. *Nicotine & Tobacco Research*, 2019; 21(10):1385–93. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986109>

Gricourt Y, Ghezal H, Claret PG, Zoric L, Chaumeron A, et al. Preoperative vaping prevalence and behavior of French surgical patients: A multicentre study. *Tobacco Induced Diseases*, 2019; 17:84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31889946>

Gathright EC, Wu WC, and Scott-Sheldon LAJ. Electronic cigarette use among heart failure patients: Findings from the Population Assessment of Tobacco and Health study (Wave 1: 2013-2014). *Heart Lung*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31812280>

Friedman AS and Horn SJL. Socioeconomic Disparities in Electronic Cigarette Use and Transitions from Smoking. *Nicotine & Tobacco Research*, 2019; 21(10):1363–70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29917124>

Etter JF. Are long-term vapers interested in vaping cessation support? *Addiction*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30830703>

El Hajj D, Cook PF, James KA, Battaglia C, and Prochazca AV. Newer Forms of Tobacco Products: Characteristics of Poly Users Among Adults Living in Colorado-A Secondary Data Analysis of the Attitudes and Behaviors Survey on Health 2015. *Tob Use Insights*, 2019; 12:1179173X19874811. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31523133>

Du Y, Shih M, Shah MD, Weber MD, and Lightstone AS. Prevalence and sociodemographic disparities in ever E-cigarette use among adults in Los Angeles County. *Preventive Medicine Reports*, 2019; 15:100904. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31194002>

Dobbs PD, Jozkowski KN, Hammig B, Blunt-Vinti H, Henry JL, et al. College Student E-cigarette Use: A Reasoned Action Approach Measure Development. *American Journal of Health Behavior*, 2019; 43(4):753-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31239018>

Deshpande M, Bromann S, and Arnoldi J. Electronic cigarette use among adults with asthma: 2014-2017 National Health Interview Survey. *Research in Social and Administrative Pharmacy*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31105038>

Dai H and Leventhal A. Prevalence of e-cigarette use among adults in the United States, 2014-2018: Research letter. *Journal of the American Medical Association*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31524940>

Corpuz KA and Dela Cruz MRI. Rates of Current Tobacco and Electronic Smoking Device Use Among Filipinos in Hawai'i. *Hawaii J Health Soc Welf*, 2019; 78(12):359-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31886467>

Chang Y, Cho S, Kim I, and Khang YH. Socioeconomic Inequalities in e-Cigarette Use in Korea: Comparison with Inequalities in Conventional Cigarette Use Using Two National Surveys. *International Journal of Environmental Research and Public Health*, 2019; 16(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31766232>

Borland R, Murray K, Gravely S, Fong GT, Thompson ME, et al. A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (so-called 'dual use'): findings from the ITC-4 Country Smoking and Vaping wave 1 Survey. *Addiction*, 2019; 114 Suppl 1:24-34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30702175>

Borland R, Murray K, Gravely S, Fong GT, Thompson ME, et al. A new Classification System for describing concurrent use of Nicotine Vaping Products alongside Cigarettes (so-called "Dual Use"): Findings from the ITC-4 Country Smoking and Vaping Wave 1 Survey t. *Addiction*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30702175>

Bianco CL. Rates of electronic cigarette use among adults with a chronic mental illness. *Addictive Behaviors*, 2019; 89:1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30237110>

Bertoni N, Szklo A, Boni R, Coutinho C, Vasconcellos M, et al. Electronic cigarettes and narghile users in Brazil: Do they differ from cigarettes smokers? *Addictive Behaviors*, 2019; 98:106007. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31247536>

Bentivegna K, Atuegwu NC, Oncken C, Mead EL, Perez MF, et al. E-cigarette Use Is Associated with Non-prescribed Medication Use in Adults: Results from the PATH Survey. *Journal of General Internal Medicine*, 2019; 34(10):1995–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31190256>

Bao W, Liu B, Du Y, Snetselaar LG, and Wallace RB. Electronic Cigarette Use Among Young, Middle-Aged, and Older Adults in the United States in 2017 and 2018. *JAMA Internal Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31609399>

Atzendorf J, de Matos EG, Kroger C, Kraus L, and Piontek D. [The use of E-Cigarettes in the German Population: Results of the Epidemiological Survey of Substance Abuse 2015]. *Gesundheitswesen*, 2019; 81(2):137–43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29486498>

Antwi GO, Lohrmann DK, Jayawardene W, Chow A, Obeng CS, et al. Associations between e-cigarette and combustible cigarette use among U.S. cancer survivors: implications for research and practice. *J Cancer Surviv*, 2019; 13(2):316-25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30955182>

Ahuja AS and Reddy VP. Electronic Cigarette Use Among Populations of Women During Reproductive Years. *JAMA Pediatrics*, 2019. Available from: <https://doi.org/10.1001/jamapediatrics.2019.4159>

Action on Smoking and Health (UK). Use of e-cigarettes (vapourisers) among adults in Great Britain. Fact Sheet London, UK 2019. Available from: <https://ash.org.uk/wp-content/uploads/2019/09/Use-of-e-cigarettes-among-adults-2019.pdf>.

Action on Smoking and Health. Use of e-cigarettes (vaporisers) among adults in Great Britain. ASH, 2019. Available from: <https://ash.org.uk/wp-content/uploads/2019/09/Use-of-e-cigarettes-among-adults-2019.pdf>.

Ab Rahman J, Mohd Yusoff MF, Nik Mohamed MH, Mahadir Naidu B, Lim KH, et al. The Prevalence of E-Cigarette Use Among Adults in Malaysia. *Asia-Pacific Journal of Public Health*, 2019; 31(7\_suppl):9S–21S. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30880403>

Ab Rahman J, Mohd Yusoff MF, Nik Mohamed MH, Mahadir Naidu B, Hock LK, et al. The Prevalence of E-Cigarette Use Among Adults in Malaysia: Findings From the 2016 National E-Cigarette Survey. *Asia Pac J Public Health*, 2019;1010539519834735. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30880403>

QuickStats: Age-Adjusted Percentage\* of Adults Who Had Ever Used an E-cigarette,(dagger) by Race and Ethnicity - National Health Interview Survey, United States, 2014 and 2018( section sign). *Morbidity and Mortality Weekly Report*, 2019; 68(47):1102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31774739>

QuickStats: Percentage of Adults Aged 18-24 Years Who Currently Smoke Cigarettes\* or Who Currently Use Electronic Cigarettes,(dagger) by Year - National Health Interview Survey, United States, 2014-2018( section sign). *Morbidity and Mortality Weekly Report*, 2019; 68(39):870. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31581167>

ERRATUM to Demographic, Behavioral, and Social Characteristics Associated With Smoking and Vaping Among Men Who Have Sex With Men in San Francisco and Lifestyle Factors Rather Than

Helicobacter pylori Infection or Estradiol Level are Associated With Osteopenia in Japanese Men. American Journal of Men's Health, 2019; 13(5):1557988319873448. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31496334>

Zavala-Arciniega L, Reynales-Shigematsu LM, Lozano P, Rodriguez-Andrade MA, Arillo-Santillan E, et al. Patterns of awareness and use of electronic cigarettes in Mexico, a middle-income country that bans them: Results from a 2016 national survey. Preventive Medicine, 2018; 116:211–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30261244>

Yingst J, Foulds J, Veldheer S, and Du P. Device characteristics of long term electronic cigarette users: A follow-up study. Addictive Behaviors, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30270024>

Yingst J, Foulds J, Veldheer S, Cobb CO, Yen MS, et al. Measurement of electronic cigarette frequency of use among smokers participating in a randomized controlled trial. Nicotine & Tobacco Research, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30365024>

Vallone DM, Bennett M, Xiao H, Pitzer L, and Hair EC. Prevalence and correlates of JUUL use among a national sample of youth and young adults. Tobacco Control, 2018. Available from: <https://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/10/30/tobaccocontrol-2018-054693.full.pdf>

Unger JB. Perceived Discrimination as a Risk Factor for Use of Emerging Tobacco Products: More Similarities Than Differences Across Demographic Groups and Attributions for Discrimination. Substance Use and Misuse, 2018:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29338581>

Thompson ME, Fong GT, Boudreau C, Driezen P, Li G, et al. Methods of the ITC Four Country Smoking and Vaping Survey, Wave 1 (2016). Addiction, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548345>

Schneller LM, Bansal-Travers M, Goniewicz ML, McIntosh S, Ossip D, et al. Use of flavored electronic cigarette refill liquids among adults and youth in the US-Results from Wave 2 of the Population Assessment of Tobacco and Health Study (2014-2015). PLoS One, 2018; 13(8):e0202744. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30138412>

Russell C, McKeganey N, Dickson T, and Nides M. Changing patterns of first e-cigarette flavor used and current flavors used by 20,836 adult frequent e-cigarette users in the USA. Harm Reduct J, 2018; 15(1):33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29954412>

Rodu B and Plurphanswat N. E-cigarette Use Among US Adults: Population Assessment of Tobacco and Health (PATH) Study. Nicotine & Tobacco Research, 2018; 20(8):940-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986104>

Puteh SEW, Manap RA, Hassan TM, Ahmad IS, Idris IB, et al. The use of e-cigarettes among university students in Malaysia. Tobacco Induced Diseases, 2018; 16:57. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516454>



Pourchez J and Forest V. E-cigarettes: from nicotine to cannabinoids, the French situation. *The Lancet Respiratory Medicine*, 2018; 6(5):e16. Available from: [http://dx.doi.org/10.1016/S2213-2600\(18\)30069-9](http://dx.doi.org/10.1016/S2213-2600(18)30069-9)

Perialathan K, Rahman AB, Lim KH, Adon Y, Ahmad A, et al. Prevalence and associated factors of ever use of electronic cigarettes: Findings from a hospitals and health clinics study based in Malaysia. *Tobacco Induced Diseases*, 2018; 16:55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516452>

Oliveira WJC, Zobiole AF, Lima CB, Zurita RM, Flores PEM, et al. Electronic cigarette awareness and use among students at the Federal University of Mato Grosso, Brazil. *J Bras Pneumol*, 2018:0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30066740>

Miyazaki Y and Tabuchi T. Educational gradients in the use of electronic cigarettes and heat-not-burn tobacco products in Japan. *PLoS One*, 2018; 13(1):e0191008. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29329351>

Mirbolouk M, Charkhchi P, Orimoloye OA, and et al. E-cigarette use without a history of combustible cigarette smoking among US adults: Behavioral risk factor surveillance system, 2016. *Annals of Internal Medicine*, 2018:76–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30304466>

Mirbolouk M, Charkhchi P, Kianoush S, Uddin SMI, Orimoloye OA, et al. Prevalence and Distribution of E-Cigarette Use Among U.S. Adults: Behavioral Risk Factor Surveillance System, 2016. *Annals of Internal Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30167658>

Martinez C, Baena A, Castellano Y, Fu M, Margalef M, et al. Prevalence and determinants of tobacco, e-cigarettes, and cannabis use among nursing students: A multicenter cross-sectional study. *Nurse Educ Today*, 2018; 74:61-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30583124>

Lee C, Yong HH, Borland R, McNeill A, and Hitchman SC. Acceptance and patterns of personal vaporizer use in Australia and the United Kingdom: Results from the International Tobacco Control survey. *Drug and Alcohol Dependence*, 2018; 185:142–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29448147>

Laverty AA, Filippidis FT, and Vardavas CI. Patterns, trends and determinants of e-cigarette use in 28 European Union Member States 2014-2017. *Preventive Medicine*, 2018; 116:13–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30144487>

Kypriotakis G, Robinson JD, Green CE, and Cinciripini PM. Patterns of Tobacco Product Use and Correlates Among Adults in the Population Assessment of Tobacco and Health (PATH) Study: A Latent Class Analysis. *Nicotine & Tobacco Research*, 2018; 20(suppl\_1):S81-S7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30125013>

Kuiper NM, Loomis BR, Falvey KT, Gammon DG, King BA, et al. Trends in Unit Sales of Flavored and Menthol Electronic Cigarettes in the United States, 2012-2016. *Preventing Chronic Disease*, 2018; 15:E105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30148426>

Kotz D, Bockmann M, and Kastaun S. The Use of Tobacco, E-Cigarettes, and Methods to Quit Smoking in Germany. *Dtsch Arztebl Int*, 2018; 115(14):235-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29716687>

Kock L, Shahab L, West R, and Brown J. E-cigarette use in England 2014-17 as a function of socio-economic profile. *Addiction*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30306714>

Kioi Y and Tabuchi T. Electronic, heat-not-burn, and combustible cigarette use among chronic disease patients in Japan: A cross-sectional study. *Tobacco Induced Diseases*, 2018; 16:41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516440>

Kasza KA, Borek N, Conway KP, Goniewicz ML, Stanton CA, et al. Transitions in Tobacco Product Use by U.S. Adults between 2013(-)2014 and 2014(-)2015: Findings from the PATH Study Wave 1 and Wave 2. *International Journal of Environmental Research and Public Health*, 2018; 15(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30423998>

Kalkhoran S, Kruse GR, Rigotti NA, Rabin J, Ostroff JS, et al. Electronic cigarette use patterns and reasons for use among smokers recently diagnosed with cancer. *Cancer Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29905013>

Jaber RM, Mirbolouk M, DeFilippis AP, Maziak W, Keith R, et al. Electronic Cigarette Use Prevalence, Associated Factors, and Pattern by Cigarette Smoking Status in the United States From NHANES (National Health and Nutrition Examination Survey) 2013-2014. *J Am Heart Assoc*, 2018; 7(14). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30007934>

Harlow A, Stokes A, and Brooks D. Socio-economic and racial/ethnic differences in e-cigarette uptake among cigarette smokers: Longitudinal analysis of the Population Assessment of Tobacco and Health (PATH) study. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986109>

Farsalinos KE, Siakas G, Poulas K, Voudris V, Merakou K, et al. Electronic cigarette use in Greece: an analysis of a representative population sample in Attica prefecture. *Harm Reduct J*, 2018; 15(1):20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29653578>

El-Shahawy O, Park SH, Duncan DT, Lee L, Tamura K, et al. Evaluating State-Level Differences in E-cigarette and Cigarette Use Among Adults in the United States Between 2012 and 2014: Findings From the National Adult Tobacco Survey. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29490078>

Creamer M, Case K, Loukas A, Cooper M, and Perry CL. Patterns of sustained e-cigarette use in a sample of young adults. *Addictive Behaviors*, 2018; 92:28-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30579114>

Coleman B, Rostron B, Johnson SE, Persoskie A, Pearson J, et al. Transitions in electronic cigarette use among adults in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1 and 2 (2013–2015). *Tobacco Control*, 2018. Available from:

<http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/04/25/tobaccocontrol-2017-054174.full.pdf>

Chen YL, Wu SC, Chen YT, Hsiao PC, Yu YH, et al. E-Cigarette Use in a Country With Prevalent Tobacco Smoking: A Population-Based Study in Taiwan. *J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30175730>

Centres for Disease Control and Prevention. QuickStats: Percentage of Adults Aged  $\geq 18$  Years Who Currently Use E-Cigarettes, by Sex and Age Group — National Health Interview Survey, 2016. *Morbidity and Mortality Weekly Report*, 2018; 66:1412. Available from: [https://www.cdc.gov/mmwr/volumes/66/wr/mm665152a7.htm?s\\_cid=mm665152a7\\_w](https://www.cdc.gov/mmwr/volumes/66/wr/mm665152a7.htm?s_cid=mm665152a7_w)

Bianco CL. Rates of electronic cigarette use among adults with a chronic mental illness. *Addictive Behaviors*, 2018; 89:1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30237110>

Bao W, Xu G, Lu J, Snetselaar LG, and Wallace RB. Changes in Electronic Cigarette Use Among Adults in the United States, 2014-2016. *Journal of the American Medical Association*, 2018; 319(19):2039-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29800201>

Atzendorf J, de Matos EG, Kroger C, Kraus L, and Piontek D. [The use of E-Cigarettes in the German Population: Results of the Epidemiological Survey of Substance Abuse 2015]. *Gesundheitswesen*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29486498>

Action on Smoking and Health (UK). Use of e-cigarettes (vapourisers) among adults in Great Britain. Fact Sheet London, UK 2018. Available from: <http://ash.org.uk/category/information-and-resources/fact-sheets/>.

Action on Smoking and Health. Use of e-cigarettes (vapourisers) among adults in Great Britain. 2018. Available from: <http://ash.org.uk/download/use-of-e-cigarettes-among-adults-in-great-britain-2017/>

QuickStats: Percentage\* of Adults Aged  $\geq 18$  Years Who Currently Use E-Cigarettes,(dagger) by Sex and Age Group - National Health Interview Survey,( section sign) 2016. *Morbidity and Mortality Weekly Report*, 2018; 66(5152):1412. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29300719>

Amato MS, Boyle RG, and Levy D. E-cigarette use 1 year later in a population-based prospective cohort. *Tobacco Control*, 2017; 26(e2):e92-e6. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/e2/e92.full.pdf>

Li J, Newcombe R, and Walton D. The prevalence, correlates and reasons for using electronic cigarettes among New Zealand adults. *Addictive Behaviors*, 2015; 45:245–51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25744712>

Gravelly S, Fong GT, Cummings KM, Yan M, Quah AC, et al. Awareness, trial, and current use of electronic cigarettes in 10 countries: Findings from the ITC project. *International Journal of Environmental Research and Public Health*, 2014; 11(11):11691–704. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25421063>

Zhu S-H, Gamst A, Lee M, Cummins S, Yin L, et al. The use and perception of electronic cigarettes and snus among the US population. *PLoS One*, 2013; 8(10):e79332. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3824062/>

### *18.3.2.1 International prevalence of e-cigarette use among adolescents*

**Albadrani, MS, Tobaiqi, MA, Muaddi, MA, Eltahir, HM, Abdoh, ES, Aljohani, AM et al . (2024). A global prevalence of electronic nicotine delivery systems (ENDS) use among students: a systematic review and meta-analysis of 4,189,145 subjects. *BMC Public Health*, 24(1), 3311. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39604914>**

Jamal, A, Park-Lee, E, Birdsey, J, West, A, Cornelius, M, Cooper, MR et al. (2024). Tobacco Product Use Among Middle and High School Students - National Youth Tobacco Survey, United States, 2024. *MMWR Morb Mortal Wkly Rep*, 73(41), 917-924. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39418216>

Mishu, MP, Jackson, C, McNeill, A, Garg, S, Borle, A, Deshmukh, C et al. (2024). Conducting tobacco control surveys among schoolchildren in Bangladesh, India and Pakistan: A feasibility study. *PLOS Glob Public Health*, 4(10), e0003784. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39361632>

Tanne, JH. (2024). Many fewer US teens are smoking or vaping, CDC reports. *BMJ*, 387, q2312. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39433330>

No authors listed. News Brief: E-cigarette use among middle and high school students dropped to its lowest level in 10 years. (2024). *Am J Nurs*, 124(11), 15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39446505>

Park-Lee, E, Jamal, A, Cowan, H, Sawdey, MD, Cooper, MR, Birdsey, J et al. (2024). Notes from the Field: E-Cigarette and Nicotine Pouch Use Among Middle and High School Students - United States, 2024. *MMWR Morb Mortal Wkly Rep*, 73(35), 774-778. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39236021>

Fanning, S, Mayer, A, Goreis, A, Kothgassner, OD, Matjazic, J, Schoegl, P et al. (2024). On the rise or a return to pre-pandemic levels? A cross-sectional online survey on nicotine, alcohol, and illicit drug use among youth. *Neuropsychiatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39143265>

Selya, A, Hannon, MJ, & Shiffman, S. (2024). Youth use of electronic nicotine delivery systems (ENDS) in the Population Assessment of Tobacco and Health (PATH) Wave 6: Impact of survey mode. *Addict Behav*, 158, 108124. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39102771>

Torres-Alvarez, R, Jeon, J, Levy, DT, & Meza, R. (2024). Birth-cohort patterns of e-cigarette and other tobacco use among adolescents in the US. *Prev Med*, 185, 108049. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38906278>

Salari, N, Rahimi, S, Darvishi, N, Abdolmaleki, A, & Mohammadi, M. (2024). The global prevalence of E-cigarettes in youth: A comprehensive systematic review and meta-analysis. *Public Health Pract (Oxf)*, 7, 100506. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38817636>

Lee, S, Xu, SS, Yan, M, Gravely, S, Quah, ACK, Seo, HG et al. (2024). Patterns of cigarette, heated tobacco product, and nicotine vaping product use among Korean adults: Findings from the 2020 ITC Korea Survey. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38638419>

Agaku IT, Sulentic R, Dragicevic A, Njie G, Jones CK, et al. Gender differences in use of cigarette and non-cigarette tobacco products among adolescents aged 13-15 years in 20 African countries. *Tobacco Induced Diseases*, 2024; 22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38259662>

Williams PJ, Cheeseman H, Arnott D, Bunce L, Hopkinson NS, et al. Use of tobacco and e-cigarettes among youth in Great Britain in 2022: Analysis of a cross-sectional survey. *Tobacco Induced Diseases*, 2023; 21:05. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36721858>

Wiley ER and Seabrook JA. Nicotine and Nicotine-Free Vaping Behavior among a Sample of Canadian High School Students: A Cross-Sectional Study. *Children (Basel)*, 2023; 10(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36832497>

Wen X, Liu L, Moe AA, Ormond IK, Shuren CC, et al. Use of E-Cigarettes and Cigarettes During Late Pregnancy Among Adolescents. *JAMA Netw Open*, 2023; 6(12):e2347407. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38091042>

Wamba A, Neka M, Leclerc L, Denis-Vatant C, Masson J, et al. Regional French evolution of tobacco and e-cigarette experimentation and use among adolescents aged 15-16 years: A cross-sectional observational study conducted in the Loire department from 2018 to 2020. *Preventive Medicine Reports*, 2023; 35:102278. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37389205>

Vrinten C, Parnham JC, Rado MK, Filippidis FT, Creese H, et al. Patterns of cigarette and e-cigarette use among UK adolescents: a latent class analysis of the Millennium Cohort Study. *European Journal of Public Health*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37573139>

Vilcassim MJR, Jacob D, Stowe S, Fifolt M, and Zierold KM. Sex Differences in Electronic Cigarette Device Use Among College Students. *Journal of Community Health*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36763311>

Tashakkori NA, Park-Lee E, Roh EJ, and Christensen CH. Multiple Tobacco Product Use Among Youth E-Cigarette Users: National Youth Tobacco Survey, 2020. *The Journal of Adolescent Health*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37410002>

Sreeramareddy CT, Acharya K, Manoharan A, and Synn Oo P. Changes in e-cigarette use, cigarette smoking, and dual use among the youth (13-15 years) in 10 countries (2013-2019) - analyses of Global Youth Tobacco Surveys (GYTS). *Nicotine & Tobacco Research*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37466212>

Song H, Yang X, Yang W, Dai Y, Duan K, et al. Cigarettes smoking and e-cigarettes using among university students: a cross-section survey in Guangzhou, China, 2021. BMC Public Health, 2023; 23(1):438. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36882716>

Serra C, Njie G, Jacques N, and Pan L. Prevalence and Covariates of Electronic Cigarette Use among Students Aged 13-15 Years in the Philippines: 2019 Global Youth Tobacco Survey. International Journal of Environmental Research and Public Health, 2023; 20(24). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38131744>

Selya A, Shiffman S, and Hannon MJ. Youth patterns of use of electronic nicotine delivery systems (ENDS), Population Assessment of Tobacco and Health (PATH) waves 4-5.5. Addictive Behaviors, 2023; 145:107783. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37356317>

Sanford BT, Brownstein NC, Baker NL, Palmer AM, Smith TT, et al. Shift From Smoking Cigarettes to Vaping Nicotine in Young Adults. JAMA Internal Medicine, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37955869>

Roberson A, Cummings KM, Reid JL, Burkhalter R, Gravely S, et al. Trends in E-Cigarette and Tobacco Cigarette Purchasing Behaviors by Youth in the United States, Canada, and England, 2017-2022. International Journal of Public Health, 2023; 68:1606234. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38033762>

Pinho-Gomes AC, Santos JA, Jones A, Thout SR, and Pettigrew S. E-cigarette attitudes and behaviours amongst 15-30-year-olds in the UK. J Public Health (Oxf), 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37525566>

Pederson LL, Koval JJ, and Vingilis E. E-cigarette use by Ontario public elementary school and secondary school students: Has the use among sociodemographic groups changed from 2017 to 2019? Preventive Medicine Reports, 2023; 34:102257. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37273527>

Parnham JC, Vrinten C, Cheeseman H, Bunce L, Hopkinson NS, et al. Changing awareness and sources of tobacco and e-cigarettes among children and adolescents in Great Britain. Tobacco Control, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37524388>

Pane J, Murray J, Nugent R, Yang S, and Nugent K. Electronic cigarette use by and perceptions of middle and high school students in the United States. J Investig Med, 2023; 71(3):212-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36772925>

Ollila H, Tarasenko Y, Ciobanu A, Lebedeva E, and Raitasalo K. Exclusive and dual use of electronic cigarettes among European youth in 32 countries with different regulatory landscapes. Tobacco Control, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37185883>

No authors listed. Summary of results for the Canadian Student Tobacco, Alcohol and Drugs Survey 2021-22. Government of Canada 2023. Available from: <https://www.canada.ca/en/health-canada/services/canadian-student-tobacco-alcohol-drugs-survey/2021-2022-summary.html>.

Njie GJ, Kirksey Jones C, Jacques N, Adetokun A, Ross J, et al. Changes in Tobacco Product Use Among Students Aged 13 to 15 Years in 34 Countries, Global Youth Tobacco Survey, 2012-2020.

Preventing Chronic Disease, 2023; 20:E68. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37535901>

Miech RA, Johnston LD, Patrick ME, O'Malley PM, Bachman JG, et al. Monitoring the Future National Survey Results on Drug Use, 1975–2022: Secondary School Students. . Ann Arbor: Institute for Social Research, The University of Michigan, 2023. Available from:

<https://monitoringthefuture.org/results/publications/monographs/>.

Miech R, Johnston L, Patrick M, O'Malley P, Bachman J, et al. Monitoring the Future National Survey Results on Drug Use, 1975–2022: Secondary School Students. Ann Arbor: Institute for Social Research, The University of Michigan, 2023. Available from: <https://monitoringthefuture.org/wp-content/uploads/2022/12/mtf2022.pdf>.

Khambayat S, Jaiswal A, Prasad R, Wanjari MB, Sharma R, et al. Vaping Among Adolescents: An Overview of E-Cigarette Use in Middle and High School Students in India. Cureus, 2023; 15(5):e38972. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37313083>

Kelsh S, Ottney A, Young M, Kelly M, Larson R, et al. Young Adults' Electronic Cigarette Use and Perceptions of Risk. Tob Use Insights, 2023; 16:1179173X231161313. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36911177>

Kasza KA, Tang Z, Xiao H, Marshall D, Stanton C, et al. National longitudinal tobacco product discontinuation rates among US youth from the PATH Study: 2013-2019 (waves 1-5). Tobacco Control, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37045605>

Jane Ling MY, Abdul Halim AFN, Ahmad D, Ahmad N, Safian N, et al. Prevalence and Associated Factors of E-Cigarette Use among Adolescents in Southeast Asia: A Systematic Review. International Journal of Environmental Research and Public Health, 2023; 20(5). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36900893>

Harris E. E-Cigarette Use Down in Children and Teens. Journal of the American Medical Association, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37991795>

Hammond D and Reid JL. Trends in vaping and nicotine product use among youth in Canada, England and the USA between 2017 and 2022: evidence to inform policy. Tobacco Control, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37940402>

Hair EC, Do EK, Liu SM, Tulsiani S, Vallone DM, et al. Patterns of Daily Cigarette and E-cigarette Use among United States Youth and Young Adults: Insights from the Truth Longitudinal Cohort between 2018 and 2019. Preventive Medicine Reports, 2023; 36:102416. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37753384>

Erhabor J, Boakye E, Osuji N, Obisesan O, Osei AD, et al. Patterns of tobacco product use and substance misuse among adolescents in the United States. Preventive Medicine Reports, 2023; 33:102207. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37223579>

Doumi R, Khaytan S, Alobaidan AS, Alqahtany BM, Aldosari NM, et al. Knowledge, Attitude, and Practice of E-Cigarettes of Adolescents and Adults in Saudi Arabia: A Cross-Sectional Study.

Healthcare (Basel), 2023; 11(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37998490>

Donaldson CD, Couch ET, Hoeft KS, Wilkinson ML, Guerra C, et al. Flavored Tobacco and Nicotine Use Among California Adolescents: Preferences by Use Experience and Survey Format Effects. *The Journal of Adolescent Health*, 2023. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37389531>

Do EK, Aarvig K, Muller-Tabanera H, Mills S, Sumibcay JR, et al. E-cigarette use behaviors of Asian American, Native Hawaiian, and Pacific Islander youth in the contiguous United States: Insights from the Monitoring the Future Study (2018-2019). *Preventive Medicine Reports*, 2023; 35:102376.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37662868>

Cook S, Ortiz Chavez S, Zavala-Arciniega L, Hirschtick JL, and Fleischer NL. Trends of Single, Dual, and Poly tobacco Use Among School-Based Students in the United States: An Analysis of the National Youth Tobacco Survey. *American Journal of Health Promotion*, 2023:8901171231191557. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37495509>

Centers for Disease Control and Prevention. Electronic Vapor Product Use Among High School Students — Youth Risk Behavior Survey, United States, 2021. *Morbidity and Mortality Weekly Report (MMWR)* 2023. Available from: <https://www.cdc.gov/mmwr/volumes/72/su/su7201a11.htm>

Boakye E, Erhabor J, Obisesan O, Tasdighi E, Mirbolouk M, et al. Comprehensive review of the national surveys that assess E-cigarette use domains among youth and adults in the United States. *Lancet Reg Health Am*, 2023; 23:100528. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37497394>

Bluestein MA, Kuk AE, Harrell MB, Chen B, Hebert ET, et al. Longitudinal Transition Patterns of Tobacco Use Among Youth and Young Adults Never Tobacco Product Users: Findings From the Population Assessment of Tobacco and Health Study, 2014-2019. *Tob Use Insights*, 2023; 16:1179173X231161314. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36923154>

Benny C, Steele BJ, Patte KA, Leatherdale ST, and Pabayo R. Income inequality and daily use of cannabis, cigarettes, and e-cigarettes among Canadian secondary school students: Results from COMPASS 2018-19. *Int J Drug Policy*, 2023; 115:104014. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37003193>

Bares CB, Sharma V, and Lopez-Quintero C. Socio-demographic Correlates of Electronic Cigarette and Cannabis Co-use Among Naive and Tobacco Adolescent Users. *J Prev (2022)*, 2023. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37038010>

Azagba S, Ebling T, and Shan L. Sexual Minority Youth E-Cigarette Use. *Pediatrics*, 2023; 151(3).

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36808534>

Anand R, Sarode G, Sengupta N, and Sarode SC. Smoke and Mirrors: Unmasking E-Cigarette Awareness Among Indian Youth. *Asian Pac J Cancer Prev*, 2023; 24(10):3305-6. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37898831>

Zhong S, Wang Y, Chen R, and Zhou L. E-cigarette use among youth in China. *Lancet Reg Health West Pac*, 2022; 24:100504. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/35789735>



Van Minh H, Long KQ, Van Vuong D, Hung NM, Park K, et al. Tobacco and electronic cigarette smoking among in-school adolescents in Vietnam between 2013 and 2019: prevalence and associated factors. *Glob Health Action*, 2022; 15(1):2114616. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36174100>

Sun T, Lim CCW, Rutherford BN, Johnson B, Connor J, et al. Changes in patterns of youth multiple tobacco and/or e-cigarette product use in the US between 2014 and 2020: a multiple-group latent class analysis. *Tobacco Control*, 2022. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/35667834>

Sun J, Xi B, Ma C, Zhao M, and Bovet P. Prevalence of E-Cigarette Use and Its Associated Factors Among Youths Aged 12 to 16 Years in 68 Countries and Territories: Global Youth Tobacco Survey, 2012-2019. *American Journal of Public Health*, 2022; 112(4):650–61. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/35319939>

Stephenson J. More Than 3 Million US Middle, High School Students Using Tobacco Products in 2022. *JAMA Health Forum*, 2022; 3(11):e225145. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36445698>

Staff J, Kelly BC, Maggs JL, and Vuolo M. Adolescent electronic cigarette use and tobacco smoking in the Millennium Cohort Study. *Addiction*, 2022; 117(2):484–94. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34286880>

Sreeramareddy CT, Acharya K, and Manoharan A. Electronic cigarettes use and ‘dual use’ among the youth in 75 countries: estimates from Global Youth Tobacco Surveys (2014–2019). *Scientific Reports*, 2022; 12(1):20967. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36470977>

Seaman EL and Chandora R. The Importance of Global Youth E-Cigarette Use Surveillance: Opportunities and Next Steps. *American Journal of Public Health*, 2022; 112(4):541-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35319932>

Park-Lee E, Gentzke AS, Ren C, Cooper M, Sawdey MD, et al. Impact of Survey Setting on Current Tobacco Product Use: National Youth Tobacco Survey, 2021. *The Journal of Adolescent Health*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36470692>

NHS Digital. Smoking, Drinking and Drug Use among Young People in England, 2021. 2022. Available from: <https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2021>.

NHS. Smoking, Drinking and Drug Use among Young People in England, 2021. NHS Digital 2022. Available from: <https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2021>.

Nelson R. Tobacco and e-cigarette use remains high among young people in the USA. *Lancet Oncol*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36436517>

Malta DC, Gomes CS, Alves FTA, Oliveira PPV, Freitas PC, et al. The use of cigarettes, hookahs, electronic cigarettes, and other tobacco indicators among Brazilian schoolchildren: data from

National School Health Survey 2019. *Rev Bras Epidemiol*, 2022; 25:e220014. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35703716>

Kurtulus S and Can R. Use of e-Cigarettes and Tobacco Products Among Youth in Turkey. *Eurasian J Med*, 2022; 54(2):127-32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35703519>

Kim J, Lee S, and Chun J. An International Systematic Review of Prevalence, Risk, and Protective Factors Associated with Young People's E-Cigarette Use. *International Journal of Environmental Research and Public Health*, 2022; 19(18). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36141845>

Johnston L, Miech R, O'Malley PA, Bachman JG, Shulenberg JE, et al. *Monitoring the Future: National Survey Results on Drug Use 1975-2021*. Ann Arbor, Michigan: University of Michigan, 2022. Available from: <http://www.monitoringthefuture.org//pubs/monographs/mtf-overview2021.pdf>.

Jiang N, Xu S, Li L, Cleland CM, and Niaura RS. Use of electronic nicotine delivery system (ENDS) devices among U.S. Youth and adults: Findings from the Population Assessment of Tobacco and Health Study Waves 1-5. *Addictive Behaviors*, 2022; 139:107588. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36549101>

Jia XX, Xu K, Che BB, Gao JR, Huang ZY, et al. [Comparative analysis on prevalence of tobacco and e-cigarettes uses in junior middle school students in Shanghai, 2013 and 2019]. *Zhonghua Liu Xing Bing Xue Za Zhi*, 2022; 43(9):1408-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36117347>

Gill AA, Alford B, Balmer J, Lutz EA, Glogower FD, et al. Use of electronic cigarettes among U.S. Military service members - prevalence and associated risk factors. *Substance Abuse*, 2022; 43(1):1300-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35876783>

Gali K, Kastaun S, Pischke CR, and Kotz D. Trends and consumption patterns in the use of e-cigarettes among adolescents and young adults in Germany (the DEBRA study). *Addictive Behaviors*, 2022; 133:107375. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35671555>

Das M. Increase in vaping and e-cigarette use by children in Malaysia. *Lancet Oncol*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36162429>

Czoli CD, Luongo G, and Mischki T. Prevalence trends and factors associated with vaping in Ontario (2015 to 2018) and Quebec (2017 to 2019), Canada. *Health Reports*, 2022; 33(7):13-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35862069>

Cooper M, Park-Lee E, Ren C, Cornelius M, Jamal A, et al. Notes from the Field: E-cigarette Use Among Middle and High School Students - United States, 2022. *Morbidity and Mortality Weekly Report*, 2022; 71(40):1283-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36201370>

Cooper M, Park-Lee E, Ren C, Cornelius M, Jamal A, et al. Notes from the Field: E-cigarette Use Among Middle and High School Students — United States, 2022. *MMWR Morb Mortal Wkly Rep* 2022;71:1283–1285 2022. Available from: <https://www.cdc.gov/mmwr/volumes/71/wr/pdfs/mm7140a3-H.pdf>.

Cole AG, Short M, Aalaei N, Gohari M, and Leatherdale ST. Identifying changes in e-cigarette use among a longitudinal sample of Canadian youth e-cigarette users in the COMPASS cohort study, 2017/18-2018/19. *Addictive Behaviors Reports*, 2022; 16:100458. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36164667>

Chen-Sankey J, Bover Manderski MT, Young WJ, and Delnevo CD. Examining the Survey Setting Effect on Current E-Cigarette Use Estimates among High School Students in the 2021 National Youth Tobacco Survey. *International Journal of Environmental Research and Public Health*, 2022; 19(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35682059>

Brener ND, Bohm MK, Jones CM, Puvanesarajah S, Robin L, et al. Use of Tobacco Products, Alcohol, and Other Substances Among High School Students During the COVID-19 Pandemic - Adolescent Behaviors and Experiences Survey, United States, January-June 2021. *MMWR Suppl*, 2022; 71(3):8-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35358166>

Bast LS, Klitgaard MB, Kjeld SG, Jarlstrup NS, and Christensen AI. Use of Tobacco and Nicotine Products among Young People in Denmark-Status in Single and Dual Use. *International Journal of Environmental Research and Public Health*, 2022; 19(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35565011>

Action on Smoking and Health. Use of e-cigarettes (vapes) among young people in Great Britain. *ASH UK 2022*. Available from: <https://ash.org.uk/wp-content/uploads/2022/07/Use-of-e-cigarettes-among-young-people-in-Great-Britain-2022.pdf>.

Action for Smokefree 2025 (ASH). *ASH Year 10 Snapshot Survey 2021 results*. 2022. Available from: <https://www.ash.org.nz/>.

Action for Smokefree 2025 (ASH). *ASH Year 10 Snapshot Survey 2021: Youth vaping in Aotearoa New Zealand*. 2022. Available from: [https://assets.nationbuilder.com/ashnz/pages/309/attachments/original/1645674087/2021\\_ASH\\_Y10\\_Snapshot\\_Vaping.pdf](https://assets.nationbuilder.com/ashnz/pages/309/attachments/original/1645674087/2021_ASH_Y10_Snapshot_Vaping.pdf).

Action for Smokefree 2025 (ASH). *ASH Year 10 Snapshot Survey 2021: Information and methods*. 2022. Available from: [https://assets.nationbuilder.com/ashnz/pages/310/attachments/original/1645676283/2021\\_ASH\\_Y10\\_Snapshot\\_Methods.pdf](https://assets.nationbuilder.com/ashnz/pages/310/attachments/original/1645676283/2021_ASH_Y10_Snapshot_Methods.pdf)

Action for Smokefree 2025 (ASH). *ASH Year 10 Snapshot Survey 2021: Topline – Youth smoking and vaping*. 2022. Available from: [https://assets.nationbuilder.com/ashnz/pages/211/attachments/original/1645983761/2021\\_ASH\\_Y10\\_Snapshot\\_Topline\\_smoking\\_and\\_vaping.pdf](https://assets.nationbuilder.com/ashnz/pages/211/attachments/original/1645983761/2021_ASH_Y10_Snapshot_Topline_smoking_and_vaping.pdf)

Global study assesses teen vaping. *Saudi Med J*, 2022; 43(6):656. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35675929>

Young-Wolff KC, Adams SR, Sterling SA, Tan ASL, Salloum RG, et al. Nicotine and cannabis vaping among adolescents in treatment for substance use disorders. *Journal of Substance Abuse Treatment*, 2021; 125:108304. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34016296>

Yoong SL, Hall A, Leonard A, McCrabb S, Wiggers J, et al. Prevalence of electronic nicotine delivery systems and electronic non-nicotine delivery systems in children and adolescents: a systematic review and meta-analysis. *Lancet Public Health*, 2021; 6(9):e661–e73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34274048>

Yamaguchi N, Kechter A, Schiff SJ, Braymiller JL, Ceasar RC, et al. Critical challenges and creative solutions for quantifying nicotine vaping: qualitative reports from young adults. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33846743>

Wang TW, Gentzke AS, Neff LJ, Glidden EV, Jamal A, et al. Disposable E-Cigarette Use among U.S. Youth — An Emerging Public Health Challenge. *New England Journal of Medicine*, 2021. Available from: <https://www.nejm.org/doi/full/10.1056/NEJMc2033943>

Tarasenko Y, Ciobanu A, Fayokun R, Lebedeva E, Commar A, et al. Electronic cigarette use among adolescents in 17 European study sites: findings from the Global Youth Tobacco Survey. *European Journal of Public Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34694383>

Tam J and Brouwer AF. Comparison of e-cigarette use prevalence and frequency by smoking status among youth in the United States, 2014-19. *Addiction*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33565662>

Sunday S, Hanafin J, and Clancy L. Increased smoking and e-cigarette use among Irish teenagers: a new threat to Tobacco Free Ireland 2025. *ERJ Open Res*, 2021; 7(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34708119>

Statistic Canada. Canadian Tobacco and Nicotine Survey, 2020. 5305. Government of Canada, 2021. Available from: <https://www150.statcan.gc.ca/n1/daily-quotidien/210317/dq210317b-eng.htm>.

Public Health England. Vaping in England: 2021 evidence update summary 2021. Available from: <https://www.gov.uk/government/publications/vaping-in-england-evidence-update-february-2021/vaping-in-england-2021-evidence-update-summary>.

Park-Lee E, Ren C, Sawdey MD, Gentzke AS, Cornelius M, et al. Notes from the Field: E-Cigarette Use Among Middle and High School Students - National Youth Tobacco Survey, United States, 2021. *Morbidity and Mortality Weekly Report*, 2021; 70(39):1387-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34591834>

Liu J, Halpern-Felsher B, and Harris SK. Does Tobacco Screening in Youth Primary Care Identify Youth Vaping? *The Journal of Adolescent Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33610402>

Lee YS, Yang K, Kameg B, Palmer J, and Lee H. Characteristics of electronic cigarette user and traditional smokers: 2017 Youth risk behavior surveillance system. *Public Health Nurs*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34101886>

Jacobs W, Idoko E, Montgomery L, Smith ML, and Merianos AL. Concurrent E-cigarette and marijuana use and health-risk behaviors among U.S. high school students. *Preventive Medicine*, 2021; 145:106429. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33476680>

Hoffmann JP. Social Learning, Social Bonds, Self-Control and Adolescent Nicotine Vaping. Substance Use and Misuse, 2021;1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33754944>

Harrell MB, Chen B, Clendennen SL, Sumbe A, Case KR, et al. Longitudinal trajectories of E-cigarette use among adolescents: A 5-year, multiple cohort study of vaping with and without marijuana. Preventive Medicine, 2021; 150:106670. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34087321>

Hansen J, Morgenstern M, Isensee B, Galimov A, and Hanewinkel R. Association between bullying victimization and e-cigarette use among German students. Aggressive Behavior, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33559193>

Foxon F. Estimating E-Cigarette Use Prevalence among US Adolescents Using Vaping-Related Online Search Trends. Substance Use and Misuse, 2021;1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34110977>

Fagan MJ, Di Sebastiano KM, Qian W, Leatherdale ST, and Faulkner G. The Energy to Smoke: Examining the Longitudinal Association between Beverage Consumption and Smoking and Vaping Behaviours among Youth in the COMPASS Study. International Journal of Environmental Research and Public Health, 2021; 18(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33917040>

Erinoso O, Oyapero A, Amure M, Osoba M, Osibogun O, et al. Electronic cigarette use among adolescents and young adults in Nigeria: Prevalence, associated factors and patterns of use. PLoS One, 2021; 16(10):e0258850. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34679087>

Choi BM and Abraham I. The Decline in e-Cigarette Use Among Youth in the United States-An Encouraging Trend but an Ongoing Public Health Challenge. JAMA Netw Open, 2021; 4(6):e2112464. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34097051>

Chadi N, Li G, and Hadland SE. Adverse School Outcomes and Risky Sexual Health Behaviors among High School Students with E-Cigarette and Marijuana Use. Substance Use and Misuse, 2021;1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33588676>

Cano Rodriguez Z, Chen Y, Siegel JH, and Rousseau-Pierre T. Vaping: Impact of Improving Screening Questioning in Adolescent Population: A Quality Improvement Initiative. Pediatr Qual Saf, 2021; 6(1):e370. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33403316>

Bowe AK, Doyle F, Stanistreet D, O'Connell E, Durcan M, et al. E-Cigarette-Only and Dual Use among Adolescents in Ireland: Emerging Behaviours with Different Risk Profiles. International Journal of Environmental Research and Public Health, 2021; 18(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33466304>

Bold KW, Kong G, Morean M, Gueorguieva R, Camenga DR, et al. Trends in various e-cigarette devices used by high school adolescents from 2017-2019. Drug and Alcohol Dependence, 2021; 219:108497. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33421797>

Ball J, Fleming T, Drayton B, Sutcliffe K, Lewycka S, et al. New Zealand Youth19 survey: vaping has wider appeal than smoking in secondary school students, and most use nicotine-containing e-

cigarettes. Australian and New Zealand Journal of Public Health, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34648227>

Arnaud N, Holtmann M, Melchers P, Klein M, Schimansky G, et al. [Use of Electronic Cigarettes (e-cigs) and e-Shishas by Children and Adolescents: Evidence Paper of the Joint Addiction Commission of the German Societies and Professional Associations of Child and Adolescent Psychiatry and Psychotherapy]. Z Kinder Jugendpsychiatr Psychother, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34668740>

Action on Smoking and Health UK. Use of e-cigarettes among young people in Great Britain. 2021.

Available from: <https://ash.org.uk/information-and-resources/fact-sheets/statistical/use-of-e-cigarettes-among-young-people-in-great-britain-2021/>

Zhu J, Li J, Xu G, Yu J, Wang Q, et al. School-type differences in e-cigarette use and its correlates among Chinese adolescents. Tobacco Induced Diseases, 2020; 18:17. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32256281>

Zeller M. Youth E-Cigarette Use and the Food and Drug Administration's Multifaceted Approach. American Journal of Public Health, 2020; 110(6):772-3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32374705>

Xie L, Rao DR, Harrell MB, Vidot DC, Gelfand A, et al. Ethnic disparities in the e-cigarette use epidemic and childhood asthma in the US. Pediatr Pulmonol, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32720458>

Watkins NK and Ohannessian CM. Timing of vape use among adolescents: Differences by family structure. Drug and Alcohol Dependence, 2020; 209:107953. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32172131>

Wang TW, Neff LJ, Park-Lee E, Ren C, Cullen KA, et al. E-cigarette Use Among Middle and High School Students - United States, 2020. Morbidity and Mortality Weekly Report, 2020; 69(37):1310–2.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32941408>

Wang T, Neff L, Park-Lee E, Ren C, Cullen K, et al. E-cigarette Use Among Middle and High School Students — United States. Morbidity and Mortality Weekly Report, 2020. Available from:

[https://www.cdc.gov/mmwr/volumes/69/wr/mm6937e1.htm?s\\_cid=mm6937e1\\_w#suggestedcitation](https://www.cdc.gov/mmwr/volumes/69/wr/mm6937e1.htm?s_cid=mm6937e1_w#suggestedcitation).

Wang M, Wang H, Hu RY, Gong WW, Pan J, et al. Associations between trying to control weight, weight control behaviors and current electronic cigarette usage in middle and high school students: A cross-sectional study in Zhejiang Province, China. Tobacco Induced Diseases, 2020; 18:28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32292318>

Wang G and Wu L. Healthy People 2020: Social Determinants of Cigarette Smoking and Electronic Cigarette Smoking among Youth in the United States 2010-2018. International Journal of Environmental Research and Public Health, 2020; 17(20). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33076356>

Wamamili B, Wallace-Bell M, Richardson A, Grace RC, and Coope P. Electronic cigarette use among university students aged 18-24 years in New Zealand: results of a 2018 national cross-sectional survey. *BMJ Open*, 2020; 10(6):e035093. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32571858>

Walker N, Parag V, Wong SF, Youdan B, Broughton B, et al. Use of e-cigarettes and smoked tobacco in youth aged 14-15 years in New Zealand: findings from repeated cross-sectional studies (2014-19). *Lancet Public Health*, 2020; 5(4):e204–e12. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31981489>

Wagoner KG, King JL, Suerken CK, Reboussin BA, Cornacchione Ross J, et al. Changes in knowledge, perceptions and use of JUUL among a cohort of young adults. *Tobacco Control*, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32848079>

Vogel EA, Cho J, McConnell RS, Barrington-Trimis JL, and Leventhal AM. Prevalence of Electronic Cigarette Dependence Among Youth and Its Association With Future Use. *JAMA Netw Open*, 2020; 3(2):e1921513. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32074292>

Veliz PT, Boyd CJ, Evans-Polce RJ, and McCabe SE. Increases in the Prevalence of Frequent E-Cigarette Use Among Adolescents. *American Journal of Preventive Medicine*, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32312617>

Tokle R. 'Vaping and fidget-spinners': A qualitative, longitudinal study of e-cigarettes in adolescence. *Int J Drug Policy*, 2020; 82:102791. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32516687>

The ESPAD Group. ESPAD Report 2019 Results from the European School Survey Project on Alcohol and Other Drugs. European Monitoring Centre for Drugs and Drug Addiction,, 2020. Available from:

[https://www.emcdda.europa.eu/system/files/publications/13398/2020.3878\\_EN\\_04.pdf](https://www.emcdda.europa.eu/system/files/publications/13398/2020.3878_EN_04.pdf).

Tercyak KP, Phan L, Gallegos-Carrillo K, Mays D, Audrain-McGovern J, et al. Prevalence and correlates of lifetime e-cigarette use among adolescents attending public schools in a low income community in the US. *Addictive Behaviors*, 2020; 114:106738. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33341432>

Tam J. E-cigarette, combustible, and smokeless tobacco product use combinations among youth in the united states, 2014-2019. *Addictive Behaviors*, 2020; 112:106636. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32932104>

Sunday S KS, Hanafin J, Clancy L. ESPAD 2019 Ireland: Results from the European Schools Project on Alcohol and Other Drugs in Ireland. Ireland: TobaccoFree Research Institute, 2020.

Subica AM, Guerrero E, Wu LT, Aitaoto N, Iwamoto D, et al. Electronic Cigarette Use and Associated Risk Factors in U.S.-Dwelling Pacific Islander Young Adults. *Substance Use and Misuse*, 2020:1-7.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32397921>

Stokes AC. Declines in Electronic Cigarette Use Among US Youth in the Era of COVID-19-A Critical Opportunity to Stop Youth Vaping in Its Tracks. *JAMA Netw Open*, 2020; 3(12):e2028221. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33270120>

Statistic Canada. Canadian Tobacco and Nicotine Survey, 2019. 5305. Government of Canada, 2020. Available from: <https://www150.statcan.gc.ca/n1/daily-quotidien/200305/dq200305a-eng.htm>.

Stalgaitis CA, Navarro MA, Wagner DE, and Walker MW. Who Uses Tobacco Products? Using Peer Crowd Segmentation to Identify Youth at Risk for Cigarettes, Cigar Products, Hookah, and E-Cigarettes. *Substance Use and Misuse*, 2020;1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32024418>

Soteriades S, Barbouni A, Rachiotis G, Grevenitou P, Mouchtouri V, et al. Prevalence of Electronic Cigarette Use and its Determinants among 13-to-15-Year-Old Students in Greece: Results from the 2013 Global Youth Tobacco Survey (GYTS). *International Journal of Environmental Research and Public Health*, 2020; 17(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32143414>

Singh S, Windle SB, Filion KB, Thombs BD, O'Loughlin JL, et al. E-cigarettes and youth: Patterns of use, potential harms, and recommendations. *Preventive Medicine*, 2020;106009. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32027913>

Shan L, Manzione LC, and Azagba S. Psychological well-being and dual-use of cigarettes and e-cigarettes among high school students in Canada. *J Affect Disord*, 2020; 265:357-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32090760>

Shamout M, Tanz L, Herzig C, and et al. Notes from the Field: Characteristics of E-cigarette, or Vaping, Products Confiscated in Public High Schools in California and North Carolina — March and May 2019. *Morbidity and Mortality Weekly Report* 69:1552–1554. 2020. Available from: [https://www.cdc.gov/mmwr/volumes/69/wr/mm6942a7.htm?s\\_cid=mm6942a7](https://www.cdc.gov/mmwr/volumes/69/wr/mm6942a7.htm?s_cid=mm6942a7).

Senders A and Horner-Johnson W. Disparities in E-Cigarette and Tobacco Use Among Adolescents With Disabilities. *Preventing Chronic Disease*, 2020; 17:E135. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33119484>

Seitz CM, Staley ME, Kearley J, Wright L, Bowman R, et al. E-cigarette sharing behavior among college students: An exploratory study. *J Am Coll Health*, 2020;1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32877620>

Schulenberg J, Johnston L, O'Malley P, Bachman J, Miech R, et al. Monitoring the Future national survey results on drug use, 1975–2019: Volume II, College students and adults ages 19–60. Ann Arbor: Institute for Social Research, The University of Michigan, 2020. Available from: <http://monitoringthefuture.org/pubs.html#monographs>.

Ryding R, Borton D, Scales M, Cps, Carr D, et al. Vaping Among Delaware Youth. *Dela J Public Health*, 2020; 6(3):68-77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34467135>

Rodu B. The Food and Drug Administration Is Not Positioned to Deter Adolescent E-Cigarette Use. *American Journal of Public Health*, 2020; 110(6):778-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32374697>

Osibogun O, Bursac Z, and Maziak W. E-Cigarette Use and Regular Cigarette Smoking Among Youth: Population Assessment of Tobacco and Health Study (2013-2016). *American Journal of Preventive Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32147371>



Orr M, Rajotte J, Jackson T, Cooper T, and Clyne A. E-cigarette Use and Rhode Island High School Students: What Providers Need to Know about the Characteristics of Initiation of E-cigarettes and Related Risk Behaviors. *R I Med J* (2013), 2020; 103(1):51-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32013307>

Omoike OE and Johnson KR. Prevalence of Vaping and Behavioral Associations of Vaping Among a Community of College Students in the United States. *Journal of Community Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32583359>

Ofuchi T, Zaw AMM, and Thepthien BO. Adverse Childhood Experiences and Prevalence of Cigarette and E-Cigarette Use Among Adolescents in Bangkok, Thailand. *Asia Pac J Public Health*, 2020:1010539520962956. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33025794>

Moss SL and Keyes KM. Commentary on Foxon & Selya (2020): Social gradients in long-term health consequences of cigarette use-will adolescent e-cigarette use follow the same trajectory? *Addiction*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33047826>

Moore G, Brown R, Page N, Hallingberg B, Maynard O, et al. Young people's use of e-cigarettes in Wales, England and Scotland before and after introduction of EU Tobacco Products Directive regulations: a mixed-method natural experimental evaluation. *Int J Drug Policy*, 2020; 85:102795. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32854047>

Mishu MP, Siddiqui F, Shukla R, Kanaan M, Dogar O, et al. The predictors of cigarette smoking, smokeless tobacco consumption and use of both forms in adolescents in South Asia: a secondary analysis of the Global Youth Tobacco Surveys (GYTS). *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33022045>

Miech R, Leventhal A, Johnston L, O'Malley PM, Patrick ME, et al. Trends in Use and Perceptions of Nicotine Vaping Among US Youth From 2017 to 2020. *JAMA Pediatrics*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33320241>

McCabe SE, Boyd CJ, Evans-Polce RJ, McCabe VV, and Veliz PT. School-Level Prevalence and Predictors of e-Cigarette Use in 8th, 10th, and 12th Grade US Youth: Results From a National Survey (2015-2016). *The Journal of Adolescent Health*, 2020; 67(4):531-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32402800>

Lozano A, Liu F, Lee TK, Prado G, Schwartz SJ, et al. Bidirectional associations between e-cigarette use and alcohol use across adolescence. *Drug and Alcohol Dependence*, 2020; 220:108496. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33461153>

Lin C, Baiocchi M, and Halpern-Felsher B. Longitudinal trends in e-cigarette devices used by Californian youth, 2014-2018. *Addictive Behaviors*, 2020; 108:106459. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32388394>

Leventhal AM, Bae D, Kechter A, and Barrington-Trimis JL. Psychiatric comorbidity in adolescent use and poly-use of combustible, vaporized, and edible cannabis products. *Journal of Psychiatric Research*, 2020; 124:91-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32135391>

Lee YC, Chang LC, Hsu C, and Chen PC. Comparing the Characteristics of Cigarette Smoking and e-Cigarette and IQOS Use among Adolescents in Taiwan. *J Environ Public Health*, 2020; 2020:7391587. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32655649>

Lee SJ, Rees VW, Yossefy N, Emmons KM, and Tan ASL. Youth and Young Adult Use of Pod-Based Electronic Cigarettes From 2015 to 2019: A Systematic Review. *JAMA Pediatrics*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32478809>

Kuwabara Y, Kinjo A, Fujii M, Imamoto A, Osaki Y, et al. Heat-not-burn tobacco, electronic cigarettes, and combustible cigarette use among Japanese adolescents: a nationwide population survey 2017. *BMC Public Health*, 2020; 20(1):741. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32434517>

Kinnunen JM, Rimpela AH, Lindfors PL, Clancy L, Alves J, et al. Electronic cigarette use among 14- to 17-year-olds in Europe. *European Journal of Public Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33079986>

Jones RD, Asare M, and Lanning B. A Retrospective Cross-Sectional Study on the Prevalence of E-cigarette Use Among College Students. *Journal of Community Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32592159>

Jaklevic MC. Youth e-Cigarette Use Drops, More Warnings Issued. *Journal of the American Medical Association*, 2020; 324(15):1490. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33079139>

Jackson A, Kong G, Wu R, Morean ME, Davis DR, et al. E-cigarette devices used on school grounds. *Addictive Behaviors*, 2020; 110:106516. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32622027>

Ingels JB, Thapa K, Shrestha S, and Rajbhandari-Thapa J. Cigarette and electronic vapor product use among high school students in Georgia, 2015-2018. *Preventive Medicine Reports*, 2020; 19:101140. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32612907>

Hrywna M, Bover Manderski MT, and Delnevo CD. Prevalence of Electronic Cigarette Use Among Adolescents in New Jersey and Association With Social Factors. *JAMA Netw Open*, 2020; 3(2):e1920961. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32049291>

Hopkins DB and Al-Hamdani M. Young Canadian e-Cigarette Users and the COVID-19 Pandemic: Examining Vaping Behaviors by Pandemic Onset and Gender. *Front Public Health*, 2020; 8:620748. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33585389>

Hedman L, Backman H, Stridsman C, Lundback M, Andersson M, et al. Predictors of electronic cigarette use among Swedish teenagers: a population-based cohort study. *BMJ Open*, 2020; 10(12):e040683. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33376167>

Hanewinkel R, Isensee B, Seidel AK, Goecke M, and Morgenstern M. [The Course of E-Cigarette Use in Adolescence: A Cohort Study over 18 Months]. *Pneumologie*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32323286>

Hammond D, Rynard VL, and Reid JL. Changes in Prevalence of Vaping Among Youths in the United States, Canada, and England from 2017 to 2019. *JAMA Pediatrics*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32364581>

Hammond D, Reid JL, Rynard VL, Fong GT, Cummings KM, et al. Correction to: Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. *British Medical Journal*, 2020; 370:m2579. Available from: <https://www.bmj.com/content/bmj/370/bmj.m2579.full.pdf>

Hageman JR. E-Cigarette and Vaping Use in Children and Adolescents. *Pediatr Ann*, 2020; 49(2):e59-e60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32045481>

Gorini G, Gallus S, Carreras G, De Mei B, Masocco M, et al. Prevalence of tobacco smoking and electronic cigarette use among adolescents in Italy: Global Youth Tobacco Surveys (GYTS), 2010, 2014, 2018. *Preventive Medicine*, 2020; 131:105903. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31812559>

Glasser AM, Johnson AL, Niaura RS, Abrams DB, and Pearson JL. Youth Vaping and Tobacco Use in Context in the United States: Results from the 2018 National Youth Tobacco Survey. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31930295>

Gilbert PA, Kava CM, and Afifi R. High school students rarely use e-cigarettes alone: A socio-demographic analysis of poly-substance use among adolescents in the USA. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32052052>

Garcia LC, Vogel EA, and Prochaska JJ. Tobacco product use and susceptibility to use among sexual minority and heterosexual adolescents. *Preventive Medicine*, 2020:106384. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33359018>

Gaiha SM and Halpern-Felsher B. Escalating Safety Concerns Are Not Changing Adolescent E-Cigarette Use Patterns: The Possible Role of Adolescent Mental Health. *The Journal of Adolescent Health*, 2020; 66(1):3-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31866056>

Foxon F and Selya AS. Electronic Cigarettes, Nicotine Use Trends, and Use Initiation Ages among US Adolescents from 1999-2018. *Addiction*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32335976>

Farsalinos K, Barbouni A, and Niaura R. Changes from 2017 to 2018 in e-cigarette use and in ever marijuana use with e-cigarettes among US adolescents: analysis of the National Youth Tobacco Survey. *Addiction*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32533631>

Fakeh Campbell ML, Sansone A, Gonzalez LN, Schroth KRJ, and Shendell DG. E-cigarette environmental and fire/life safety risks in schools reported by secondary school teachers. *BMC Public Health*, 2020; 20(1):1215. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32770976>

Evans-Polce RJ, Veliz PT, Boyd CJ, and McCabe SE. E-Cigarette and Cigarette Use Among U.S. Adolescents: Longitudinal Associations With Marijuana Use and Perceptions. *American Journal of Preventive Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32201183>

Evans-Polce R, Veliz P, Boyd CJ, McCabe VV, and McCabe SE. Trends in E-Cigarette, Cigarette, Cigar, and Smokeless Tobacco Use Among US Adolescent Cohorts, 2014–2018. *American Journal of Public Health*, 2020; 110(2):163-5. Available from:

<https://ajph.aphapublications.org/doi/abs/10.2105/AJPH.2019.305421>

ESPAD Group. ESPAD Report 2019: Results from the European School Survey Project on Alcohol and Other Drugs. Luxembourg 2020. Available from: <http://www.espad.org/>.

Esmail A, Alshammasi A, Almutairi W, Alnajem A, Alroumi D, et al. Patterns of electronic cigarette, conventional cigarette, and hookah use and related passive exposure among adolescents in Kuwait: A cross-sectional study. *Tobacco Induced Diseases*, 2020; 18:59. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32765199>

Creamer M, Everett Jones S, Gentzke A, Jamal A, and King B. Tobacco Product Use Among High School Students — Youth Risk Behavior Survey, United States, 2019. *Centers for Disease Control and Prevention MMWR*, 2020. Available from:

<https://www.cdc.gov/mmwr/volumes/69/su/pdfs/su6901a7-H.pdf>.

Cole AG, Aleyan S, Battista K, and Leatherdale ST. Correction to: Trends in youth e-cigarette and cigarette use between 2013 and 2019: insights from repeat cross-sectional data from the COMPASS study. *Canadian Journal of Public Health*, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33174129>

Cole AG, Aleyan S, Battista K, and Leatherdale ST. Trends in youth e-cigarette and cigarette use between 2013 and 2019: insights from repeat cross-sectional data from the COMPASS study. *Canadian Journal of Public Health*, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32804379>

Chinese Center for Disease Control and Prevention. Tobacco control: 2019 China's national youth tobacco survey. 2020. Available from:

[https://www.chinacdc.cn/jkzt/sthd\\_3844/slhd\\_12885/202005/t20200531\\_216942.html](https://www.chinacdc.cn/jkzt/sthd_3844/slhd_12885/202005/t20200531_216942.html).

Cerrai S, Potente R, Gorini G, Gallus S, and Molinaro S. What is the face of new nicotine users? 2012-2018 e-cigarettes and tobacco use among young students in Italy. *Int J Drug Policy*, 2020; 86:102941. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32949900>

Centres for Disease Control and Prevention. Trends in the Prevalence of Tobacco Use National YRBS: 1991—2019. Youth Risk Behavior Surveillance System (YRBSS) 2020. Available from:

<https://www.cdc.gov/healthyyouth/data/yrbs/index.htm>.

Boyd CJ, Veliz P, Evans-Polce RJ, Eisman AB, and Esteban McCabe S. Why Are National Estimates So Different? A Comparison of Youth E-Cigarette Use and Cigarette Smoking in the MTF and PATH Surveys. *J Stud Alcohol Drugs*, 2020; 81(4):497-504. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32800087>

Audrain-McGovern J, Rodriguez D, Testa S, Alexander E, and Pianin S. Adolescent E-Cigarette Onset and Escalation: Associations With Internalizing and Externalizing Symptoms. *The Journal of Adolescent Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33158686>

Zavala-Arciniega L, Lozano P, Kollath-Cattano C, Gutierrez-Torres DS, Arillo-Santillan E, et al. E-cigarette use frequency and motivations among current users in middle school. *Drug and Alcohol Dependence*, 2019; 204:107585. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31590130>

Xiao L, Parascandola M, Wang C, and Jiang Y. Perception and Current Use of E-cigarettes Among Youth in China. *Nicotine & Tobacco Research*, 2019; 21(10):1401–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30053201>

Wille L and Parent MC. Association of No Promotion of Homosexuality Laws and Electronic Cigarette Use Disparities for Sexual Minority Youth. *JAMA Pediatrics*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31449292>

Wang TW, Gentzke AS, Creamer MR, Cullen KA, Holder-Hayes E, et al. Tobacco Product Use and Associated Factors Among Middle and High School Students - United States, 2019. *MMWR Surveill Summ*, 2019; 68(12):1–22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31805035>

Wang M, Hu RY, Pan J, Wang H, Yu M, et al. Awareness, current use of electronic cigarettes and associated smoking factors in Zhejiang Chinese adolescents. *PLoS One*, 2019; 14(10):e0224033. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31634360>

Vogel EA, Prochaska JJ, Ramo DE, Andres J, and Rubinstein ML. Adolescents' E-Cigarette Use: Increases in Frequency, Dependence, and Nicotine Exposure Over 12 Months. *The Journal of Adolescent Health*, 2019; 64(6):770-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31122507>

Tan ASL, Soneji SS, Choi K, and Moran MB. Prevalence of using pod-based vaping devices by brand among youth and young adults. *Tobacco Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31175225>

Staff J, Maggs JL, Seto C, Dillavou J, and Vuolo M. Electronic and Combustible Cigarette Use in Adolescence: Links With Adjustment, Delinquency, and Other Substance Use. *The Journal of Adolescent Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31711837>

Simon P, Buta E, Gueorguieva R, Kong G, Morean ME, et al. Transitions Across Tobacco Use Profiles Among Adolescents: Results from the Population Assessment of Tobacco and Health (PATH) Study Wave 1 and Wave 2. *Addiction*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31618491>

Shin SH, Conley D, Ksinan Jiskrova G, and Wills TA. Adverse Childhood Experiences and E-Cigarette Use During Young Adulthood. *American Journal on Addictions*, 2019; 28(4):303–10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31069879>

Rodriguez-Bolanos R, Arillo-Santillan E, Barrientos-Gutierrez I, Zavala-Arciniega L, Ntansah CA, et al. Sex Differences in Becoming a Current Electronic Cigarette User, Current Smoker and Current Dual User of Both Products: A Longitudinal Study among Mexican Adolescents. *International Journal of Environmental Research and Public Health*, 2019; 17(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31892159>

Robert Lourdes TG, Abd Hamid HA, Mohd Yusoff MF, Rodzlan Hasani WS, Mat Rifin H, et al. Factors Associated With E-Cigarette Usage and the Reasons for Initiation Among Malaysian Adolescents. *Asia Pac J Public Health*, 2019; 31(7\_suppl):445–525. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31522514>

Riehm KE, Young AS, Feder KA, Krawczyk N, Tormohlen KN, et al. Mental Health Problems and Initiation of E-cigarette and Combustible Cigarette Use. *Pediatrics*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31160343>

Printz C. Experts see successes, trouble spots in data on tobacco usage: As cigarette smoking rates among adults decline, a public health crisis among young people emerges. *Cancer*, 2019; 125(10):1581-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31026076>

Patino-Maso J, Font-Mayolas S, Salamo A, Arboix M, Sullman MJ, et al. Predictors of intentions to use cigarettes and electronic-cigarettes among high school students. *J Multidiscip Healthc*, 2019; 12:591-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31534341>

Okawa S, Tabuchi T, and Miyashiro I. Who Uses E-cigarettes and Why? E-cigarette Use among Older Adolescents and Young Adults in Japan: JASTIS Study. *J Psychoactive Drugs*, 2019:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31888424>

Nur Atikah AH, Wee LH, Nur Zakiah MS, Chan CMH, Mohamed Haniki NM, et al. Factors associated with different smoking statuses among Malaysian adolescent smokers: a cross-sectional study. *BMC Public Health*, 2019; 19(Suppl 4):579. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31196055>

No authors listed. Fact sheet: Use of e-cigarettes among adults in Great Britain. Action on Smoking and Health 2019. Available from: <http://ash.org.uk/wp-content/uploads/2019/09/Use-of-e-cigarettes-among-adults-2019.pdf>.

No authors listed. Fact sheet: Use of e-cigarettes among young people in Great Britain. Action on Smoking and Health. 2019. Available from: <http://ash.org.uk/wp-content/uploads/2019/06/ASH-Factsheet-Youth-E-cigarette-Use-2019.pdf>.

NHS Digital. Smoking, Drinking and Drug Use Among Young People in England - 2018. England 2019. Available from: <https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2018#chapter-index>.

NHS Digital. Electronic cigarette use (vaping) Smoking, Drinking and Drug Use among Young People in England 2018 England 2019. Available from: <https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2018/part-4-electronic-cigarette-use-vaping>.

Miech R, Johnston LD, O'Malley PM, and Terry-McElrath YM. The national prevalence of adolescent nicotine use in 2017: Estimates taking into account student reports of substances vaped. *Addictive Behaviors Reports*, 2019; 9:100159. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193782>

Miech R, Johnston L, O'Malley P, Bachman J, Arbor A, et al. Correspondence: Trends in Adolescent Vaping, 2017–2019. *The New England Journal of Medicine*, 2019. Available from: <https://www.nejm.org/doi/full/10.1056/NEJMc1910739>

Miech R, Johnston L, O'Malley PM, Bachman JG, and Patrick ME. Trends in Adolescent Vaping, 2017-2019. *New England Journal of Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31532955>

Merianos AL, Jandarov RA, Klein JD, and Mahabee-Gittens EM. Characteristics of Daily E-Cigarette Use and Acquisition Means Among a National Sample of Adolescents. *American Journal of Health Promotion*, 2019;890117119854051. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31159556>

Mehra VM, Keethakumar A, Bohr YM, Abdullah P, and Tamim H. The association between alcohol, marijuana, illegal drug use and current use of E-cigarette among youth and young adults in Canada: results from Canadian Tobacco, Alcohol and Drugs Survey 2017. *BMC Public Health*, 2019; 19(1):1208. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31477067>

McKeganey N and Russell C. Prevalence of Awareness and Use of JUUL E-cigarettes in a National Probability Sample of Adolescents in the United States. *American Journal of Health Behavior*, 2019; 43(3):591–605. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31046889>

Lippert AM, Corsi DJ, and Venechuk GE. Schools Influence Adolescent E-Cigarette use, but when? Examining the Interdependent Association between School Context and Teen Vaping over time. *J Youth Adolesc*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31446585>

Lee Y and Lee KS. Association of alcohol and drug use with use of electronic cigarettes and heat-not-burn tobacco products among Korean adolescents. *PLoS One*, 2019; 14(7):e0220241. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31365564>

Le D, Moran MB, Atnafou R, Matson PA, Jones MR, et al. E-cigarette Use, Tobacco Product Polyuse, and Motivations for Use among Baltimore Young Adults. *Health Behav Policy Rev*, 2019; 6(5):427-37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32490030>

La Torre G, Dorelli B, Ricciardi M, Grassi MC, and Mannocci A. Smoking E-Cigarette and Heat-not-burn products: validation of the SECRHET questionnaire. *Clin Ter*, 2019; 170(4):e247-e51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31304510>

Kilibarda B, Vukovic D, and Krstev S. Prevalence and correlates of concurrent use of cigarettes, electronic cigarettes, and waterpipes among Serbian youth. *Tobacco Induced Diseases*, 2019; 17:66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582955>

Kidd JB and Jarman J. Vaping in Taranaki Schools: A need for policies to prohibit the use and possession of vaping devices in schools. *New Zealand Medical Journal*, 2019; 132(1507):108-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31830025>

Iacobucci G. Vaping among US teens has doubled since 2017. *British Medical Journal*, 2019; 366:l5653. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31537611>

Health Canada. Canadian Student Tobacco, Alcohol and Drugs Survey 2018-19. 2019. Available from: <https://www.canada.ca/en/health-canada/services/canadian-student-tobacco-alcohol-drugs-survey/2018-2019-summary.html>

Hawkes N. Sixty seconds on . . . vaping. *British Medical Journal*, 2019; 364:l979. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30824413>

Hammond D, Reid JL, Rynard VL, Fong GT, Cummings KM, et al. Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. *British Medical Journal*, 2019; 365:l2219. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31221636>

Gorini G, Gallus S, Carreras G, De Mei B, Masocco M, et al. Prevalence of tobacco smoking and electronic cigarette use among adolescents in Italy: Global Youth Tobacco Surveys (GYTS), 2010, 2014, 2018. *Preventive Medicine*, 2019; 131:105903. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31812559>

Goldenson NI, Leventhal AM, Simpson KA, and Barrington-Trimis JL. A Review of the Use and Appeal of Flavored Electronic Cigarettes. *Curr Addict Rep*, 2019; 6(2):98–113. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31453046>

Gentzke AS, Creamer M, Cullen KA, Ambrose BK, Willis G, et al. Vital Signs: Tobacco Product Use Among Middle and High School Students - United States, 2011-2018. *Morbidity and Mortality Weekly Report (MMWR)* 2019; 68(6):157-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30763302>

Evans-Polce RJ, Veliz P, Boyd CJ, and McCabe SE. Initiation Patterns and Trends of E-Cigarette and Cigarette Use Among U.S. Adolescents. *The Journal of Adolescent Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31521510>

Evans-Polce R, Veliz P, Boyd CJ, McCabe VV, and McCabe SE. Trends in E-Cigarette, Cigarette, Cigar, and Smokeless Tobacco Use Among US Adolescent Cohorts, 2014-2018. *American Journal of Public Health*, 2019:e1-e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31855480>

Dvorsky MR and Langberg JM. Cigarette and e-cigarette use and social perceptions over the transition to college: The role of ADHD symptoms. *Psychology of Addictive Behaviors*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30869922>

Cullen KA, Gentzke AS, Sawdey MD, Chang JT, Anic GM, et al. e-Cigarette Use Among Youth in the United States, 2019. *Journal of the American Medical Association*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31688912>

Cullen K, Liu S, Bernat J, Slavitt W, Tynan M, et al. Flavored Tobacco Product Use Among Middle and High School Students — United States, 2014–2018. *MMWR Morb Mortal Wkly Rep* 2019; (68):839–44. Available from: <https://www.cdc.gov/mmwr/volumes/68/wr/mm6839a2.htm>

Conner M, Grogan S, Simms-Ellis R, Scholtens K, Sykes-Muskett B, et al. Patterns and predictors of e-cigarette, cigarette and dual use uptake in UK adolescents: Evidence from a 24-month Prospective Study. *Addiction*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31254419>



Chyderiotis S, Spilka S, and Beck F. [Use of electronic cigarette in France among adolescents aged 17: Results from the ESCAPAD 2017 survey]. *Bull Cancer*, 2019; 106(12):1132–43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31732122>

Cho YG. Electronic and Conventional Cigarette Use and Drinking Behaviors in Korean Adolescents. *Korean J Fam Med*, 2019; 40(4):201-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31344993>

Cho BY. Parent's Depression as a Moderator of the Association Between Offspring's Depressive Symptoms and Use of Combustible Cigarettes and Electronic Vapor Products. *J Behav Health Serv Res*, 2019; 46(4):648–55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30868451>

Centers for Disease Control and Prevention (CDC). 1999–2019 High School Youth Risk Behavior Data. 2019. Available from: <http://nccd.cdc.gov/youthonline/> Accessed on [5th May 2022].

Buu A, Hu YH, Wong SW, and Lin HC. Comparing American college and noncollege young adults on e-cigarette use patterns including polysubstance use and reasons for using e-cigarettes. *J Am Coll Health*, 2019:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30908151>

Brozek GM, Jankowski M, Lawson JA, Shpakou A, Poznanski M, et al. The Prevalence of Cigarette and E-cigarette Smoking Among Students in Central and Eastern Europe-Results of the YUPESS Study. *International Journal of Environmental Research and Public Health*, 2019; 16(13). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31261697>

Bourdon JL and Hancock LC. Using electronic audience response technology to track e-cigarette habits among college freshmen. *Addictive Behaviors*, 2019; 95:24-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30818072>

Bluestein M, Kelder S, Perry CL, and Perez A. Exploring associations between the use of alcohol and marijuana with e-cigarette use in a US nationally representative sample of young adults. *Int J Health Sci (Qassim)*, 2019; 13(1):30–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30842716>

Bigwanto M, Nurmansyah MI, Orlan E, Farradika Y, and Purnama TB. Determinants of e-cigarette use among a sample of high school students in Jakarta, Indonesia. *International Journal of Adolescent Medicine and Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31800392>

Barrington-Trimis JL, Bello MS, Liu F, Leventhal AM, Kong G, et al. Ethnic Differences in Patterns of Cigarette and E-Cigarette Use Over Time Among Adolescents. *The Journal of Adolescent Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31248804>

Azagba S, Kah K, and Latham K. Frequency of E-cigarette use and cigarette smoking among Canadian students. *Preventive Medicine*, 2019; 126:105769. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31310786>

Al-Hamdani M, Hopkins DB, and Park T. Vaping among youth and young adults: a "red alert" state. *J Public Health Policy*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31664162>

Action for Smokefree 2025. 2018 ASH Year 10 Snapshot; E-cigarettes and Vaping. ASH, 2019. Available from:

[https://d3n8a8pro7vhm.cloudfront.net/ashnz/pages/70/attachments/original/1554281098/2018\\_ASH\\_Y10\\_Snapshot\\_E-cigs\\_FINAL.pdf](https://d3n8a8pro7vhm.cloudfront.net/ashnz/pages/70/attachments/original/1554281098/2018_ASH_Y10_Snapshot_E-cigs_FINAL.pdf)

Vincent D, Potts J, Durbin J, Moore JM, and Eley S. Adolescent use of electronic nicotine delivery systems. 2018; 43(3):17-21. Available from: [https://journals.lww.com/tnpj/Fulltext/2018/03000/Adolescent\\_use\\_of\\_electronic\\_nicotine\\_delivery.4.aspx](https://journals.lww.com/tnpj/Fulltext/2018/03000/Adolescent_use_of_electronic_nicotine_delivery.4.aspx)

Nicksic NE, Harrell MB, Perez A, Pasch KE, and Perry CL. School Policy, Administrator Perceptions, and Student E-cigarette Use. Health Behav Policy Rev, 2018; 5(4):72-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30854404>

Miech R, Johnston L, O'Malley PM, Bachman JG, and Patrick ME. Adolescent Vaping and Nicotine Use in 2017-2018 - U.S. National Estimates. New England Journal of Medicine, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30554549>

McMillen R, Tanski S, Wilson K, Klein JD, and Winickoff JP. Adolescent Use of Different E-cigarette Products. Pediatrics, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30201626>

Farsalinos K, Tomaselli V, and Polosa R. Frequency of Use and Smoking Status of U.S. Adolescent E-Cigarette Users in 2015. American Journal of Preventive Medicine, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29631871>

Cullen KA, Ambrose BK, Gentzke AS, Apelberg BJ, Jamal A, et al. Notes from the Field: Use of Electronic Cigarettes and Any Tobacco Product Among Middle and High School Students - United States, 2011-2018. Morbidity and Mortality Weekly Report, 2018; 67(45):1276-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30439875>

ASH. 2018 ASH Year 10 Snapshot: E-cigarettes and Vaping. Action for Smokefree 2025, 2018. Available from: [https://www.ash.org.nz/ash\\_year\\_10](https://www.ash.org.nz/ash_year_10).

Anic GM, Sawdey MD, Jamal A, and Trivers KF. Frequency of Use Among Middle and High School Student Tobacco Product Users - United States, 2015-2017. Morbidity and Mortality Weekly Report, 2018; 67(49):1353-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30543601>

Agaku IT, Odani S, Homa D, Armour B, and Glover-Kudon R. Discordance between perceived and actual tobacco product use prevalence among US youth: a comparative analysis of electronic and regular cigarettes. Tobacco Control, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29674512>

Action on Smoking and Health. Use of e-cigarettes among young people in Great Britain. Fact Sheet, 2018. Available from: <http://ash.org.uk/download/use-of-electronic-cigarettes-among-children-in-great-britain/>

NHS Digital. Smoking, Drinking and Drug Use Among Young People in England - 2016. England 2017. Available from: <https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2016>.

Kong G, Kuguru KE, and Krishnan-Sarin S. Gender Differences in U.S. Adolescent E-Cigarette Use. *Curr Addict Rep*, 2017; 4(4):422-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29545987>

Bauld L, MacKintosh A, Eastwood B, Ford A, Moore G, et al. Young People's Use of E-Cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. *International Journal of Environmental Research and Public Health*, 2017; 14(9). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28850065>

Azagba S. E-cigarette use, dual use of e-cigarettes and tobacco cigarettes, and frequency of cannabis use among high school students. *Addictive Behaviors*, 2017; 79:166-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29291507>

Morello P, Perez A, Pena L, Lozano P, Thrasher JF, et al. Prevalence and Predictors of E-Cigarette Trial among Adolescents in Argentina. *Tob Prev Cessat*, 2016; 2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31355353>

Suris JC, Berchtold A, and Akre C. Reasons to use e-cigarettes and associations with other substances among adolescents in Switzerland. *Drug and Alcohol Dependence*, 2015; 153:140–4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26077606>

Wise J. Children are three times as likely to try e-cigarettes as tobacco products, study finds. *British Medical Journal*, 2014; 349:g7508. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25501667>

## News:

### *18.3 Prevalence of e-cigarette use*

Australian Institute for Health and Welfare. Mental health and use of alcohol, tobacco, e-cigarettes and other drugs. 2024. Last update: Viewed Available from:

<https://www.aihw.gov.au/reports/mental-health/mental-health-alcohol-drugs#People-with-a-mental-health-condition>.

Australian Bureau of Statistics. Proportion of smokers halves over the last twenty years. 2023.

Available from: <https://www.abs.gov.au/media-centre/media-releases/proportion-smokers-halves-over-last-twenty-years>.

Australian Bureau of Statistics. Smoking and vaping. 2022. Available from:

<https://www.abs.gov.au/statistics/health/health-conditions-and-risks/smoking-and-vaping/2022>.

Australian Bureau of Statistics. National Health Survey. 2022. Available from:

<https://www.abs.gov.au/statistics/health/health-conditions-and-risks/national-health-survey/2022>.

Miech R, Schulenberg J, Johnston L, Bachman J, O'Malley P, et al. National Adolescent Drug Trends in 2018. Monitoring the Future. 2018. Available from:

<http://monitoringthefuture.org/data/18data.html#2018data-drugs>.

Chapman S. Are there really 250 000 people vaping in Australia? MJA InSight. 2018. Available from:

<https://www.doctorportal.com.au/mjainsight/2018/4/are-there-really-250-000-people-vaping-in-australia/>.

Sands M. British smokers are switching to e-cigarettes faster than anyone else in Europe. City A.M. . 2017. Available from: <http://www.cityam.com/258441/british-smokers-switching-e-cigarettes-faster-than-anyone>.

No authors listed. E-cigarettes are more likely to be used by alcohol drinkers and former cigarette smokers. Medical XPress. 2017. Available from: <https://medicalxpress.com/news/2017-11-e-cigarettes-alcohol-drinkers-cigarette-smokers.html>.

No authors listed. High use of electronic cigarettes seen in 8th-9th graders in Oregon. Science Daily 2017. Available from: <https://www.sciencedaily.com/releases/2017/08/170814143101.htm>.

No authors listed. Teens using marijuana and cigarettes daily at same rate, UW study finds. Canadian Television (CTV) 2017. Available from: <http://kitchener.ctvnews.ca/teens-using-marijuana-and-cigarettes-daily-at-same-rate-uw-study-finds-1.3405649>.

No authors listed. No longer the hot new thing? Teen vaping falls, study says. Boston Herald, 2017. Available from:

[http://www.bostonherald.com/news/national/2017/06/no\\_longer\\_the\\_hot\\_new\\_thing\\_teen\\_vaping\\_falls\\_study\\_says](http://www.bostonherald.com/news/national/2017/06/no_longer_the_hot_new_thing_teen_vaping_falls_study_says)

No authors listed. Teen vaping rates fall in the United States. The Pharmaceutical Journal 2017.

Available from: <http://www.pharmaceutical-journal.com/news-and-analysis/news-in-brief/teen-vaping-rates-fall-in-the-us/20203019.article>.

No authors listed. Minnesota Department of Health reissues nicotine advisory, e-cigarette use among teens is double that of cigarettes. KTTC. 2017. Available from: <http://www.kttc.com/story/35400185/minnesota-department-of-health-reissues-nicotine-advisory-e-cigarette-use-among-teens-is-double-that-of-cigarettes>.

No authors listed. Special Eurobarometer 458: Attitudes of Europeans towards tobacco and electronic cigarettes. European Commission - Trade 2017. Available from: [https://data.europa.eu/euodp/en/data/dataset/S2146\\_87\\_1\\_458\\_ENG](https://data.europa.eu/euodp/en/data/dataset/S2146_87_1_458_ENG).

No authors listed. Fewer people 'using e-cigarettes to quit smoking amid lack of official guidance' BT News. 2017. Available from: <http://home.bt.com/news/uk-news/fewer-people-using-e-cigarettes-to-quit-smoking-amid-lack-of-official-guidance-11364160483995>.

Morley K. Britain's e-cigarette boom is over, data suggests The Telegraph 2017. Available from: <http://www.telegraph.co.uk/news/2017/03/01/britains-e-cigarette-boom-data-suggests/>

Caruana D. Survey from Indiana shows that e-cigarette use is on the decline. Vaping Post. 2017. Available from: <https://www.vapingpost.com/2017/08/24/survey-from-indiana-shows-that-e-cigarette-use-is-on-the-decline/>.

Caruana D. Gottlieb fails to credit vaping products for reduction in teen smoking. Vaping Journal 2017. Available from: <http://www.vapingpost.com/2017/06/20/gottlieb-fails-to-credit-vaping-products-for-reduction-in-teen-smoking/>.

Abcede A. Study Shows E-Cig Use Up Dramatically. Convenience Store/Petroleum (CSPNet). 2017. Available from: <http://www.cspdailynews.com/category-news/tobacco/articles/study-shows-e-cig-use-dramatically>.

Vonder Haar M. FDA reveals first wave of E-cig, tobacco study. Convenience Store/Petroleum (CSPNet). 2016. Available from: <http://www.cspnet.com/category-news/tobacco/articles/fda-reveals-first-wave-e-cig-tobacco-study>.

Steenhuysen J. No change in tobacco use among U.S. youth; e-cigarettes preferred. Reuters. 2016. Available from: <http://uk.reuters.com/article/us-usa-tobacco-youth-idUKKCN0XB2CY>.

Spencer B. Number of people using e-cigarettes DOUBLES in just two years with 1 in 10 Europeans saying they've tried one Daily Mail 2016. Available from: <http://www.dailymail.co.uk/health/article-3607153/Number-people-using-e-cigarettes-DOUBLES-just-two-years-1-10-Europeans-saying-ve-tried-one.html>

Smyth C. Clean-living generation of children snub cigarettes and alcohol. The Times 2016. Available from: <http://www.thetimes.co.uk/edition/news/clean-living-generation-of-children-snub-cigarettes-and-alcohol-9n90v72sl>

O'Dowd A. Young people's regular use of e-cigarettes still low. On Medica. 2016. Available from: <http://www.onmedica.com/newsArticle.aspx?id=ceedfb46-cafe-421b-a52e-ced0b1e0d73c>.

No authors listed. New survey shows both youth smoking and E-cigarette use fell this year. Campaign for Tobacco Free Kids. 2016. Available from: <http://www.publicnow.com/view/B26AE63A287780C816070D412DD366B6DD4142FF>.

No authors listed. Electronic cigarette use among working adults — United States, 2014. MMWR CDC Media Relations. 2016. Available from: <http://www.cdc.gov/media/mmwrnews/2016/0609.html>.

No authors listed. Researcher finds teenage e-cigarette use 'clustered' in certain schools. Medical XPress. 2016. Available from: <http://medicalxpress.com/news/2016-04-teenage-e-cigarette-clustered-schools.html>.

No authors listed. Internet searches reflect vaping's surge. Medical XPress. 2016. Available from: <http://medicalxpress.com/news/2016-02-internet-vaping-surge.html>.

No author listed. Nearly two-thirds of E-cigarette users also smoke: CDC. Health Day 2016. Available from: <https://consumer.healthday.com/cancer-information-5/electronic-cigarettes-970/nearly-two-thirds-of-current-smokers-also-use-e-cigs-cdc-716290.html>.

Newlove A. More people turning to vaping as tobacco price rises. New Zealand Herald, 2016. Available from: [http://www.nzherald.co.nz/northern-advocate/news/article.cfm?c\\_id=1503450&objectid=11666207](http://www.nzherald.co.nz/northern-advocate/news/article.cfm?c_id=1503450&objectid=11666207)

Myers ML. New survey shows record 3 million kids used E-cigarettes in 2015 – How many more reasons does the White House need to act? Campaign for Tobacco-Free Kids. 2016. Available from: [http://www.tobaccofreekids.org/press\\_releases/post/2016\\_04\\_14\\_ecigarettes](http://www.tobaccofreekids.org/press_releases/post/2016_04_14_ecigarettes).

Myers M. CDC survey shows large majority of adult E-cigarette users in U.S. also smoke cigarettes. Campaign for Tobacco-Free Kids (CTFK). 2016. Available from: [http://www.tobaccofreekids.org/press\\_releases/post/2016\\_10\\_27\\_ecigarettes](http://www.tobaccofreekids.org/press_releases/post/2016_10_27_ecigarettes).

Mincer J. US E-cigarette use stalls as health concerns grow: Reuters/Ipsos poll. Reuters. 2016. Available from: <http://uk.reuters.com/article/us-usa-ecigarettes-poll-idUKKCN0YF0DE>.

Matthews A. Have we reached peak hipster? Inside the vaping bars which have become London's latest fashionable hangout. Mail Online. 2016. Available from: <http://www.dailymail.co.uk/news/article-3403702/Just-thought-couldn-t-trendy-Vape-bars-latest-favourite-hang-hipsters-capital.html>.

Hill DJ. Why do college-aged young adults use e-cigarettes? University of Buffalo. 2016. Available from: <http://www.buffalo.edu/news/releases/2016/01/014.html>.

Glantz S. E-cigarette use continued to grow among youth in 2015; cigarette smoking stopped dropping. Center for Tobacco Control , Reserach and Education. 2016. Available from: <https://tobacco.ucsf.edu/e-cigarette-use-continued-grow-among-youth-2015-cigarette-smoking-stopped-dropping>.

Donnelly L. 'Clean cut' generation is least likely to have ever had an alcoholic drink The Telegraph, 2016. Available from: <http://www.telegraph.co.uk/news/2016/12/14/clean-cut-generation-least-likely-have-ever-had-alcoholic-drink/>

Bagot M. Number of smokers at 20-year low as men lead in the fight against fags. Daily Mirror, 2016. Available from: <http://www.mirror.co.uk/lifestyle/health/number-smokers-20-year-low-9458390>

Vonder Haar M. Nielsen tobacco roundup: August Cigarettes, smokeless continue to grow while e-cigs further decelerate. CSPNet.com. 2015 Available from: <http://www.cspnet.com/category-news/tobacco/articles/nielsen-tobacco-roundup-august>.

No authors listed. 5 per cent of adults in Scotland use e-cigarettes. UK 2015 Available from: <http://news.scotland.gov.uk/News/5-per-cent-of-adults-in-Scotland-use-e-cigarettes-1d59.aspx>.

Myers ML. New survey of adult E-cigarette use bolsters need for FDA oversight. Campaign for Tobacco-Free Kids. 2015 Available from: [http://www.tobaccofreekids.org/press\\_releases/post/2015\\_10\\_28\\_e-cigarettes](http://www.tobaccofreekids.org/press_releases/post/2015_10_28_e-cigarettes).

Cha AE. Teens find creative and potentially dangerous use for e-cigarettes: smoking pot. The Washington Post 2015 Available from: <https://www.washingtonpost.com/news/to-your-health/wp/2015/09/08/teens-find-creative-and-potentially-dangerous-use-for-e-cigarettes-smoking-pot/>

Zimmerman J. HEALTH: Teens' increasing use of e-cigarettes concerns officials. Riverside (CA) Press-Enterprise. 2015. Available from: <http://www.pe.com/articles/cigarettes-757874-cigarette-use.html>.

Weaver SR, Majeed BA, Pechacek TF, Nyman AL, Gregory KR, et al. Use of electronic nicotine delivery systems and other tobacco products among USA adults, 2014: results from a national survey. 2015. Last update: Viewed Available from: <http://link.springer.com/article/10.1007/s00038-015-0761-0>.

Walmsley H. E-cigarettes popular among adolescents, not long-term smokers, Cancer Council warns. ABC Sydney. 2015. Available from: <http://www.abc.net.au/news/2015-01-05/e-cigarettes-popular-among-young-adolescents/5997776>.

Testa C. Vaping to kick habit Sunraysia Daily 2015. Available from: <http://www.sunrasyadaily.com.au/story/2847296/vaping-to-kick-habit/>

Sullum J. Why is the CDC lying about E-cigarettes? Forbes. 2015. Available from: <http://www.forbes.com/sites/jacobsullum/2015/04/23/why-is-the-cdc-lying-about-e-cigarettes/>.

Siegel M. March E-cigarette madness: regional results for worst E-cigarette lie Tobacco Analysis. 2015. Available from: <http://tobaccoanalysis.blogspot.com.au/2015/03/march-e-cigarette-madness-regional.html>.

Shubber K. E cigarettes suffer withdrawal symptoms. Financial Times, 2015. Available from: <http://www.ft.com/intl/cms/s/28a178b8-b1f4-11e4-8396-00144feab7de,Authorised=false.html>

Shubber K. E cigarette use dips in England amid health concerns. Financial Times, 2015. Available from: <http://www.ft.com/intl/cms/s/0c9307e0-ab91-11e4-8070-00144feab7de,Authorised=false.html>

Shiffman S, Sembower M, Pillitteri J, Gerlach K, and Gitchell J. Impact of flavor descriptors on youth interest in electronic cigarettes - 2 Nicotine Science and Policy. 2015. Available from: <http://nicotinepolicy.net/jg/3697-impact-2>.

Shiffman S, Sembower M, Pillitteri J, Gerlach K, and Gitchell J. Impact of flavor descriptors on youth interest in electronic cigarettes - 1 Nicotine Science and Policy 2015. Available from: <http://nicotinepolicy.net/jg/3696-impact-1>.

Seaman AM. Teen tobacco users likely to use it in multiple forms. Reuters. 2015. Available from: <http://in.reuters.com/article/2015/02/04/us-tobacco-products-youth-idINKBN0L82GZ20150204>.

Sample I. More teenagers trying e-cigarettes than tobacco, US study suggests The Guardian, 2015. Available from: <http://www.theguardian.com/science/2015/feb/13/more-teenagers-trying-e-cigarettes-than-tobacco>

Rosen A. Mass. to ban sales of e-cigarettes to minors. Boston Globe, 2015. Available from: <https://www.bostonglobe.com/metro/2015/09/14/mass-ban-sales-cigarettes-minors/Mz3seHfPvCutFm0KQbCsqK/story.html>

Osborne S. E-cigarettes are popular with teenagers - but few of those who try them become regular users The Independent 2015. Available from: <http://www.independent.co.uk/life-style/health-and-families/health-news/ecigarettes-are-popular-with-teenagers-but-few-of-those-who-try-them-become-regular-users-10179570.html>

No authors listed. Teens with fewer mental health issues turn to e-cigarettes. Medical News Today. 2015. Available from: <http://www.medicalnewstoday.com/releases/304351.php?tw>.

No authors listed. Students report high levels of hazardous drinking, CAMH survey finds. Medical News Today. 2015. Available from: <http://www.medicalnewstoday.com/releases/303887.php?tw>.

No authors listed. E-cigarette sales run out of puff. The Australian 2015. Available from: <http://www.theaustralian.com.au/life/health-wellbeing/e-cigarette-sales-run-out-of-puff/story-fnr5f5xi-1227619983356?sv=ebe51e89639cd6d04a6b260c383316f1>

No authors listed. FTC intends to track E-cig sales and marketing. Truth Initiative (American Legacy Foundation). 2015. Available from: <http://truthinitiative.org/news/ftc-intends-track-e-cig-sales-and-marketing>.

No authors listed. Smoking, drinking and drug-taking among pupils at record low. TES. 2015. Available from: <https://www.tes.com/news/school-news/breaking-news/smoking-drinking-and-drug-taking-among-pupils-record-low>.

No authors listed. E-cigarette users catching up with smokers: Number of 'vapers' in UK tripled from between 2012 and 2014 to reach 2.1million. Daily Mail, 2015. Available from: <http://www.dailymail.co.uk/news/article-3164713/E-cigarette-users-catching-smokers.html>



No authors listed. Most who vape still smoke: Reuters poll. Reuters. 2015. Available from: <http://www.reuters.com/video/2015/06/10/most-who-vape-still-smoke-reuters-poll>

No authors listed. Half a million smokers switch to E-cigarettes. Sky News. 2015. Available from: <http://news.sky.com/story/1488651/half-a-million-smokers-switch-to-e-cigarettes>.

No authors listed. Tobacco use continues downward trend. Pan European Networks. 2015. Available from: <http://www.paneuropeannetworks.com/health/tobacco-use-continues-downward-trend/>.

No authors listed. Sales of E-cigarette devices up last month National Association of Convenience Stores. 2015. Available from: <http://www.nacsonline.com/News/Daily/Pages/ND0422151.aspx#.VV0byEaFmu->.

No authors listed. More teens opting for e- cigarettes over tobacco products. Big News Network. 2015. Available from: <http://www.bignewsnetwork.com/index.php/sid/232320217>.

No authors listed. E-cigarettes are being accessed by teenagers who are both smokers and non-smokers Medical News Today 2015. Available from: <http://www.medicalnewstoday.com/releases/291714.php>

No authors listed. Children smoking e-cigs at school says report. ITV News. 2015. Available from: <http://www.itv.com/news/wales/2015-03-26/children-smoking-e-cigs-at-school-says-report/>.

No authors listed. Young adults engaged in other risky behaviors more likely to use e-cigarettes. Medical News Today. 2015. Available from: <http://www.medicalnewstoday.com/releases/290743.php?tw>.

No authors listed. E-cigarettes tried by 20% of youth in national survey CBC News. 2015. Available from: <http://www.cbc.ca/news/health/e-cigarettes-tried-by-20-of-youth-in-national-survey-1.2943237>.

Neville S. British American Tobacco's sales hit by rise of e-cigarettes London Evening Standard, 2015. Available from: <http://www.standard.co.uk/business/business-news/british-american-tobaccos-sales-hit-by-rise-of-ecigarettes-10071850.html>

Neumann J. Young adults say they see e-cigs as safe, fun technology. Reuters. 2015. Available from: <http://uk.reuters.com/article/2015/01/29/us-health-ecigarettes-young-adults-idUKKBN0L222R20150129>.

Nakhle A. Kiwi teen e-cigarette use spikes: A help or hindrance to smokefree future? . Independent Newspapers Ltd / Stuff (NZ). 2015. Available from: <http://www.stuff.co.nz/life-style/well-good/teach-me/68538149/kiwi-teen-ecigarette-use-spikes-a-help-or-hindrance-to-smokefree-future>.

Mincer J. E-cigarette usage surges in past year: Reuters/Ipsos poll. Reuters/ Ipsos Poll. 2015. Available from: <http://www.reuters.com/article/2015/06/10/us-usa-ecigarette-poll-analysis-idUSKBN0OQ0CA20150610>.

Mincer J. 10% of US adults are now 'vaping'. Business Insider. 2015. Available from: <http://www.businessinsider.com/r-e-cigarette-usage-surges-in-past-year-reuters/ipsos-poll-2015-6>

Mincer J. RPT-FEATURE-As smokers spark up e-cigs to quit, traditional aids suffer. Reuters. 2015. Available from: <http://www.reuters.com/article/2015/01/29/health-ecigarettes-quitting-idUSL1NOV801S20150129>.

Meikle J. E-cigarette use by 15-year-olds higher in more deprived parts of England The Guardian, 2015. Available from: <http://www.theguardian.com/society/2015/aug/04/e-cigarette-tobacco-white-black-teenagers-england>

McIntosh J. Friend and family approval of e-cigarettes may boost use among teens. Medical News Today 2015. Available from: <http://www.medicalnewstoday.com/articles/297366.php?tw>

McCarthy T. E-cigarettes: teens smoking less but vaping skyrockets – CDC report The Guardian, 2015. Available from: <http://www.theguardian.com/us-news/2015/apr/16/e-cigarettes-high-school-usage-skyrockets-cdc-report>

Katz MJ. FTC seeks public comments on proposed study of the E-cigarette industry. US 2015. Available from: <https://www.ftc.gov/news-events/press-releases/2015/10/ftc-seeks-public-comments-proposed-study-e-cigarette-industry>.

Hamill J. Kids as likely to puff on 'harmful' e-cigarettes as they are to smoke tobacco, study claims The Mirror, 2015. Available from: <http://www.mirror.co.uk/news/technology-science/science/kids-likely-puff-harmful-e-cigarettes-5640196>

Gootnick DB. ELECTRONIC CIGARETTES: Imports, tariffs, and data collection. General Accounting Office (GAO) US. 2015. Available from: <http://www.gao.gov/products/GAO-15-491R>.

Fortin N. Nearly half of U.S. smokers use multiple tobacco products, survey shows. Wall Street OTC, 2015. Available from: <http://www.wallstreetotc.com/nearly-half-of-u-s-smokers-use-multiple-tobacco-products-survey-shows/216031/>

Davies M. Half a million smokers have switched to e-cigarettes in the last year - but more people believe they are as harmful as tobacco. Daily Mail, 2015. Available from: <http://www.dailymail.co.uk/health/article-3091424/Half-million-smokers-switched-e-cigarettes-year.html>

Davidson L. Vaping takes off as e-cigarette sales break through \$6bn. The Telegraph, 2015. Available from: <http://www.telegraph.co.uk/finance/newsbysector/retailandconsumer/11692435/Vaping-takes-off-as-e-cigarette-sales-break-through-6bn.html>

Dallas ME. Teen use of E-cigarettes, hookahs way up: survey. HealthDay [HealthScout]. 2015. Available from: <http://consumer.healthday.com/kids-health-information-23/adolescents-and-teen-health-news-719/u-s-teen-use-of-e-cigarettes-hookahs-up-dramatically-survey-700672.html>.

Craver R. Electronic cigarette sales continue volume decline. Winston-Salem Journal. 2015. Available from: [http://www.journalnow.com/business/business\\_news/local/electronic-cigarette-sales-continue-volume-decline/article\\_5cd07ebc-4e1e-5a4b-b0e5-8c8a52ad74b9.html](http://www.journalnow.com/business/business_news/local/electronic-cigarette-sales-continue-volume-decline/article_5cd07ebc-4e1e-5a4b-b0e5-8c8a52ad74b9.html).

Connor S. Fears that e-cigarettes are gateway drug as vaping outstrips puffing The Independent, 2015. Available from: <http://www.independent.co.uk/life-style/health-and-families/health-news/fears-that-ecigarettes-are-gateway-drug-as-vaping-outstrips-puffing-10045599.html>

Cockerell J. Half a million smokers have switched to e-cigarettes from tobacco. The Mirror, 2015. Available from: <http://www.mirror.co.uk/news/uk-news/half-million-smokers-switched-e-cigarettes-5739208>

Burrows T. Are e-cigarettes a gateway drug? Fears over high numbers of teenagers being introduced to smoking through 'vaping' before moving on to real tobacco. Daily Mail, 2015. Available from: <http://www.dailymail.co.uk/news/article-2953437/Fears-high-numbers-teenagers-introduced-smoking-vaping-moving-real-tobacco.html>

Blair P. New CDC data: more than 9 million adults vape regularly in the United States. Americans for Tax Reform. 2015. Available from: <http://www.atr.org/new-cdc-data-more-9-million-adults-vape-regularly-united-states>.

Whitehurst L. Liquid nicotine exposures up sharply among kids AP. 2014. Available from: <http://bigstory.ap.org/article/7ff1e38c35ff4622812c3d28da02a4dc/liquid-nicotine-exposures-sharply-among-kids>.

Sullum J. As vaping rises to record highs, smoking falls to record lows. Forbes. 2014. Available from: <http://www.forbes.com/sites/jacobsullum/2014/12/18/as-vaping-rises-to-record-highs-smoking-falls-to-record-lows/>.

Somerville M. E-cigarette firm launching in 15,000 outlets across the UK. Retail Gazette. 2014. Available from: <http://www.retailgazette.co.uk/articles/02121-tesco-selfridges-and-harrods-sign-up-ecigarette-firm-njoy>.

Smyth C. E-cigarettes 'don't lead to tobacco habit'. The Times, 2014. Available from: <http://www.thetimes.co.uk/tto/health/news/article4278314.ece>

Skipp P. Every little helps as Nicolites secures Tesco Express deal. Sourcewire. 2014. Available from: <http://www.sourcewire.com/news/81314/every-little-helps-as-nicolites-secures-tesco-express-deal>.

Sayid R. E-cigarette sales rise 340% in a year - beating nicotine patches, lozenges and gum for the first time. Daily Mirror, 2014. Available from: <http://www.mirror.co.uk/news/uk-news/e-cigarette-sales-rise-340-year-3189789>

Roberts M. E-cigarette 'lure' fears might be unfounded. BBC News. 2014. Available from: <http://www.bbc.com/news/health-30192181>.

No authors listed. Social media to help study e-cigarette habits. The Financial Express, 2014. Available from: <http://www.financialexpress.com/article/industry/tech/social-media-to-help-study-e-cigarette-habits/23080/>

No authors listed. Study reveals e-cigarette usage of 10-11-year-olds in Wales. ITV. 2014. Available from: <http://www.itv.com/news/wales/update/2014-12-03/more-10-11-year-olds-have-tried-e-cigs-than-tobacco-study-shows/>.

No authors listed. Does this spell the end for the electronic cigarette? The Motley Fool. 2014. Available from: <http://www.nasdaq.com/article/does-this-spell-the-end-for-the-electronic-cigarette-cm406214>.

Miech R, Johnston L, O'Malley P, Bachman J, and Schulenberg J. Tobacco press release: text, figures, & tables. 2014. Last update: Viewed Available from: <http://monitoringthefuture.org/data/14data.html#2014data-cigs>.

Miech R, Johnston L, O'Malley P, Bachman J, and Schulenberg J. E-cigarettes surpass tobacco cigarettes among teens. Monitoring the Future, University of Michigan Press releases. 2014. Available from: <http://www.monitoringthefuture.org/press.html>.

Mickle T. E-Cigarette use by teens rising The Wall Street Journal, 2014. Available from: <http://www.wsj.com/articles/e-cigarette-use-by-youths-rising-government-study-shows-1415901602>

Luckhurst P. Is vaping going to replace smoking entirely? . London Evening Standard, 2014. Available from: <http://www.standard.co.uk/lifestyle/london-life/is-vaping-going-to-replace-smoking-entirely-9781665.html>

Lower C. An open letter to the person smoking their E-cigarette indoors, in *Time* 2014: USA. Available from: <http://time.com/3461399/open-letter-person-smoking-e-cigarette-indoors/>.

Lampros J. State: E-cigarette use doubles, smoking not declining. Standard-Examiner, 2014. Available from: <http://www.standard.net/Health/2014/09/06/adults-e-cig-usage.html>

Desloires V. Lolly flavours put e-cigarettes on the teen menu. The Sydney Morning Herald, 2014. Available from: <http://www.smh.com.au/national/health/lolly-flavours-put-ecigarettes-on-the-teen-menu-20141113-11m553.html>

Cooper C. Numbers of children using e-cigarettes 'on the rise' The Independent, 2014. Available from: <http://www.independent.co.uk/life-style/health-and-families/health-news/numbers-of-children-using-ecigarettes-on-the-rise-9738716.html>

Churchill D. 11-year-olds taking electronic shishas to class in pencil cases as fraud officers lead crackdown on shops across the city. London Evening Standard 2014. Available from: <http://www.standard.co.uk/news/crime/11yearolds-taking-electronic-shishas-to-class-in-pencil-cases-as-fraud-officers-lead-crackdown-on-shops-across-the-city-9092386.html>

Campbell D. E-cigarette use rare in non-smokers, NHS survey shows The Guardian, 2014. Available from: <http://www.theguardian.com/society/2014/dec/10/e-cigarette-non-smokers-nhs-survey>

Campaign for Tobacco-Free Kids. New CDC youth tobacco survey should spur FDA to finalize rule regulating all tobacco products, including E-cigarettes and cigars. Campaign for Tobacco-Free Kids 2014. Available from: [http://www.tobaccofreekids.org/press\\_releases/post/2014\\_11\\_13\\_cdc\\_survey](http://www.tobaccofreekids.org/press_releases/post/2014_11_13_cdc_survey).

Bozinoff L. One in seven use electronic cigarettes. Forum Research. 2014. Available from: <http://poll.forumresearch.com/post/197/two-thirds-using-e-cigs-to-quit-one-quarter-to-one-third-are-successful>.

Beasley D. U.S. youth smoking, increased use of e-cigarettes a worry: CDC. Yahoo! News. 2014. Available from: <https://uk.news.yahoo.com/u-youth-smoking-increased-e-cigarettes-worry-cdc-184746163.html#H9Ndnvv>

### *18.3.1 Trends in use of e-cigarettes in Australia*

No authors listed. Principals fume over rising nest of vapers. Sun Herald, 2020; (1). Available from: <https://customreport.mediaportal.com/#/articlepresenter/96864709-81af-40fb-9619-03b330c8791e/610570625/1478846282>

#### *18.3.1.1 Ever use of e-cigarettes*

#### *18.3.1.2 Current use of e-cigarettes*

#### *18.3.1.3 Frequency of e-cigarette use*

#### *18.3.1.4 Use of e-cigarettes by state/territory*

Andersson, T, Ward, AC, Bayly, M, & Mitsopoulos, E. (2024). *Prevalence of tobacco smoking and vaping by Victorian local government area: Victorian Smoking and Health Survey 2022*. Retrieved from [https://www.cancervic.org.au/downloads/research/research-reports/CBRC%20Report%20-%20VSHS%202022%20Vic%20LGA%20smoking%20and%20vaping%20prevalence\\_FINAL\\_Sep%202024%20Update.pdf](https://www.cancervic.org.au/downloads/research/research-reports/CBRC%20Report%20-%20VSHS%202022%20Vic%20LGA%20smoking%20and%20vaping%20prevalence_FINAL_Sep%202024%20Update.pdf)

Quit. (2024). New Victorian data shows highest vaping prevalence in metro areas, highest smoking prevalence in regional areas [Press release]. Retrieved from <https://newsroom.quit.org.au/news/new-victorian-data-shows-highest-vaping-prevalence-in-metro-areas-highest-smoking-prevalence-in-regional-areas>

#### *18.3.1.5 E-cigarette use among Aboriginal and Torres Strait Islander peoples*

Australian Bureau of Statistics. (2024). *National Aboriginal and Torres Strait Islander Health Survey, 2022-23*. Retrieved from <https://www.abs.gov.au/statistics/people/aboriginal-and-torres-strait-islander-peoples/national-aboriginal-and-torres-strait-islander-health-survey/latest-release>

#### *18.3.1.6 E-cigarette use among priority populations*

### *18.3.1.7 E-cigarette use among Australian teenagers*

Innes, R. Year 1 kids kicked out. *The Sunday Mail*. July 28<sup>th</sup>, 2024.

Bennett S. Vaping trend among teens sweeps Qld high schools. *Herald Sun*. 2021. Available from: <https://www.heraldsun.com.au/news/queensland/vaping-trend-among-teens-sweeps-qld-high-schools/news-story/e58573285b116fa1924d2a0285464f2e>.

No authors listed. Teens' vaping health horror. *Herald Sun*, 2020; 23 Sep(5). Available from: <https://customreport.mediaportal.com/#/articlepresenter/a2b61776-f9e3-4225-998a-116dd6d4f467/637987448/1556940633>

No authors listed. Schools struggle with new vaping. *Daily Telegraph*, 2020; 8 Aug(30). Available from: <https://customreport.mediaportal.com/#/articlepresenter/19ab99df-3942-4c95-8042-55d6f9cd93a6/620781797/-1868334132>

Heaney C. Top Melbourne private school Xavier College in vaping crackdown *Herald Sun*. 2019. Available from: <https://www.heraldsun.com.au/education/top-melbourne-private-school-xavier-college-in-vaping-crackdown/news-story/ccdc385938b6d559f520019a19ef0aac>

### *18.3.1.7.1 E-cigarette use among Aboriginal and Torres Strait Islander teenagers*

### *18.3.2 International prevalence of e-cigarette use*

No authors listed. Delays and missing details from the 4th wave of the Canadian Tobacco and Nicotine Survey. Physicians for a Smoke-Free Canada. 2023. Available from: <https://gem.godaddy.com/p/6faf371>

Canada PfaS-F. Updates on smoking behaviours from the Canadian Community Health Survey 2022. 2023. Available from: <https://smoke-free-canada.blogspot.com/2023/11/updates-on-smoking-behaviours-from.html>.

No authors listed. 82 million vapers worldwide in 2021: the GSTHR estimate. *Briefing Papers*. 2022. Available from: <https://gsth.org/briefing-papers/82-million-vapers-worldwide-in-2021-the-gsth-estimate/>.

No authors listed. Discover Major Findings Relating to Smoking in England. *Smoking in England*. 2022. Available from: <https://smokinginengland.info/graphs/e-cigarettes-latest-trends>.

Kock L, West R, Beard E, Kale D, and Brown J. Trends in electronic cigarette use in England. *London* 2022. Last update: Viewed Available from: <https://smokinginengland.info/graphs/e-cigarettes-latest-trends>.

Zhu S-H, Braden K, Zhuang Y-L, Gamst A, Cole AG, et al. Results of the Statewide 2019-20 California Student Tobacco Survey. Center for Research and Intervention in Tobacco Control (CRITC), University of California, San Diego. 2021: San Diego, California. Available from: [https://www.cdph.ca.gov/Programs/CCDPHP/DCDIC/CTCB/CDPH%20Document%20Library/ResearchandEvaluation/FactsandFigures/2019-20CSTSBiennialReport\\_7-27-2021.pdf](https://www.cdph.ca.gov/Programs/CCDPHP/DCDIC/CTCB/CDPH%20Document%20Library/ResearchandEvaluation/FactsandFigures/2019-20CSTSBiennialReport_7-27-2021.pdf).

Number of people vaping in the UK rises to highest-ever level. Convenience Store. 2021. Available from: <https://www.conveniencestore.co.uk/your-business/number-of-people-vaping-in-the-uk-rises-to-highest-ever-level/662778.article>.

Taunton E. Vaping en vogue but CDs scratched: What we're buying in 2020. Stuff NZ. 2020. Available from: <https://www.stuff.co.nz/business/123219898/vaping-en-vogue-but-cds-scratched-what-were-buying-in-2020>.

Lefkowitz M. Device tracks vaping habits to better understand use. Medical XPress. 2020. Available from: <https://medicalxpress.com/news/2020-05-device-tracks-vaping-habits.html>.

Jones N. Cigarette sales down as vaping up, End Smoking NZ says, but Smokefree 2025 target won't be met NZ Herald. 2020. Available from: [https://www.nzherald.co.nz/politics/news/article.cfm?c\\_id=280&objectid=12359933](https://www.nzherald.co.nz/politics/news/article.cfm?c_id=280&objectid=12359933).

Depner W. Nicotine by far the most commonly used vaping product in Canada: survey. Vancouver Island Free Daily. 2020. Available from: <https://www.vancouverislandfreedaily.com/news/nicotine-by-far-the-most-commonly-used-vaping-product-in-canada-survey/>.

Topham-Kindley L. New data on e-cigarette use among New Zealand adults. Medical XPress. 2019. Available from: <https://medicalxpress.com/news/2019-07-e-cigarette-zealand-adults.html>.

Power J. Smoking levels falling faster than increases in e-cigarette use. The Irish Times. 2019. Available from: <https://www.irishtimes.com/news/health/smoking-levels-falling-faster-than-increases-in-e-cigarette-use-1.4090658>.

Kekatos M. Vaping increased by 14% in the US last year as cigarette smoking fell to an all-time low for the second year in a row. Daily Mail Australia. 2019. Available from: <https://www.mailonsunday.co.uk/health/article-7686207/E-cigarette-use-increased-14-year-cigarette-smoking-fell-time-low.html>.

Hrynowski Z. What Percentage of Americans Vape? Gallup. 2019. Available from: <https://news.gallup.com/poll/267413/percentage-americans-vape.aspx>.

Gregory R. E-cigarettes now the most popular quit smoking tool in Wales. Wales247. 2019. Available from: <https://wales247.co.uk/e-cigarettes-now-the-most-popular-quit-smoking-tool-in-wales/>.

Action on Smoking and Health. Use of e-cigarettes (vaporisers) among adults in Great Britain. ASH. 2019. Available from: <https://ash.org.uk/wp-content/uploads/2019/09/Use-of-e-cigarettes-among-adults-2019.pdf>.

Action on Smoking and Health. In 2019 around half as many Britons now vape as smoke, and the majority are ex-smokers. ASH. 2019. Available from: <https://ash.org.uk/media-and-news/press-releases-media-and-news/in-2019-around-half-as-many-britons-now-vape-as-smoke-and-the-majority-are-ex-smokers/>.

Tanner L. More US adults try vaping but current use is down, data show. Business Insider UK. 2018. Available from: <http://uk.businessinsider.com/ap-more-us-adults-try-vaping-but-current-use-is-down-data-show-2018-5/>

Perry C. Alarming Trend Shows First-Time Smoking Among Young Adults News Wise. 2018. Available from: <http://www.newswise.com/articles/view/697140/>

No authors listed. Vapers rise 'to more than three million' in Britain. BBC. 2018. Available from: <https://www.bbc.com/news/health-45513762>.

No authors listed. Study finds decrease in rate of e-cigarette use among American adults. Medical Life Sciences News. 2018. Available from: <https://www.news-medical.net/news/20180516/Study-finds-decrease-in-rate-of-e-cigarette-use-among-American-adults.aspx>.

No authors listed. E-cigarette use soars in HK in short time span The Standard (HK). 2018. Available from: <http://www.thestandard.com.hk/breaking-news.php>

No authors listed. Public health study finds sexual minorities more likely to have used E-cigarettes. Medical XPress. 2018. Available from: <https://medicalxpress.com/news/2018-01-health-sexual-minorities-e-cigarettes.html>.

Kuhlman M. Data Shows E-Cigarette Use Rising in Ohio Scene. 2018. Available from: <https://www.clevescene.com/scene-and-heard/archives/2018/04/03/data-shows-e-cigarette-use-rising-in-ohio>.

Delaney R. Greece: "Extremely rare" for non-smokers to use e-cigarettes. Vapground Magazine. 2018. Available from: <https://vapouround.co.uk/greece-extremely-rare-for-non-smokers-to-use-e-cigarettes/>.

#### *18.3.2.1 International prevalence of e-cigarette use among adolescents*

**CDC Newsroom. (2024). Youth Tobacco Product Use at a 25-Year Low, Yet Disparities Persist [Press release]. Retrieved from <https://www.cdc.gov/media/releases/2024/p1017-youth-tobacco-use.html>**

**National Health Service England. (2024). *Smoking, Drinking and Drug Use among Young People in England, 2023*. Retrieved from <https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2023>**

Charrier, L, van Dorsselaer, S, Canale, N, Baska, T, Kilibarda, B, & Comoretto, R. (2024). *A focus on adolescent substance use in Europe, central Asia and Canada*. Retrieved from Copenhagen: <https://www.who.int/europe/publications/i/item/9789289060936>

No authors listed. Delays and missing details from the 4th wave of the Canadian Tobacco and Nicotine Survey. Physicians for a Smoke-Free Canada. 2023. Available from: <https://gem.godaddy.com/p/6faf371>

Callard C. Six take-aways from Canada's student smoking survey. Physicians for a Smoke-Free Canada. 2023. Available from: <https://gem.godaddy.com/p/6f60661>.

West R, Kock L, Kale D, and Brown J. Top-line findings on smoking in England from the Smoking Toolkit Study. London 2022. Last update: Viewed Available from: <https://smokinginengland.info/graphs/top-line-findings>.



Koval R. 2022 Monitoring the Future Survey shows youth e-cigarette use up among 10th and 12th graders and daily use doubles for 8th graders as industry continues to thwart regulation. Truth Initiative. 2022. Available from: <https://truthinitiative.org/press/press-release/2022-monitoring-future-survey-shows-youth-e-cigarette-use-among-10th-and-12th>.

Hoek J, Ball J, Robertson L, Gendall P, Wilson N, et al. Daily nicotine use increases among youth in Aotearoa NZ: The 2021 Snapshot Y10 Survey. Public Health Expert. 2022. Available from: <https://blogs.otago.ac.nz/pubhealthexpert/daily-nicotine-use-increases-among-youth-in-aotearoa-nz-the-2021-snapshot-y10-survey/#more-19011>.

Truth Initiative. Youth vaping declines during pandemic as young people report less retail and social access to products. 2021. Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/youth-vaping-declines-during-pandemic-young-people>

Truth Initiative. 8 in 10 adults are concerned about the use of flavors to attract youth to vaping, including most current and former e-cigarette users. The American Public's Opinion of Big Tobacco. 2021. Available from: [https://truthinitiative.org/sites/default/files/media/files/2021/04/Industry%20Microbrief\\_Teen%20vaping%20and%20flavors\\_v6.pdf](https://truthinitiative.org/sites/default/files/media/files/2021/04/Industry%20Microbrief_Teen%20vaping%20and%20flavors_v6.pdf).

Action on Smoking and Health. Use of e-cigarettes among young people in Great Britain. ASH. 2021. Available from: <https://ash.org.uk/wp-content/uploads/2021/07/Use-of-e-cigarettes-among-young-people-in-Great-Britain-2021.pdf>.

Weikle B. 'We have a youth vaping crisis': 1 in 3 teens have tried vaping, Statistics Canada finds. CBC. 2020. Available from: <https://www.cbc.ca/news/health/teen-vaping-statistics-canada-1.5487109>.

Ryan O. 'The tobacco industry targeting e-cigarettes at young people is cynical, sickening and dangerous'. The Journal (Republic of Ireland). 2020. Available from: <https://www.thejournal.ie/survey-on-irish-children-alcohol-smoking-food-4958875-Jan2020/>.

No authors listed. New federal data: Flavored e-cigarettes continue to drive youth vaping epidemic, with disposable use up 1,000% among high schoolers. Truth Initiative. 2020. Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/new-federal-data-flavored-e-cigarettes-continue-drive>.

No authors listed. Nearly one-third of all American high school students used e-cigarettes in 2019, new CDC data show. Truth Initiative. 2020. Available from: <https://truthinitiative.org/press/press-release/nearly-one-third-all-american-high-school-students-used-e-cigarettes-2019-new>.

No authors listed. More teenagers in Taiwan smoke electronic cigarettes. China Daily. 2020. Available from: <https://www.chinadaily.com.cn/a/202005/29/WS5ed0cd45a310a8b241159872.html>.

Maddipatla M and Samuel M. CDC reports decline in e-cigarette use among U.S. high schoolers. Reuters. 2020. Available from: <https://uk.reuters.com/article/us-usa-ecigarettes/cdc-reports-decline-in-e-cigarette-use-among-u-s-high-schoolers-idUKKBN26035I>.

Keyue X. Number of e-cigarettes smokers among Chinese middle school students on the rise significantly: survey. Global Times. 2020. Available from: <https://www.globaltimes.cn/content/1190090.shtml>.

Chapman M. Underage vaping spikes in the north of England. The Bureau of Investigative Journalism. 2020. Available from: <https://www.thebureauinvestigates.com/stories/2020-05-04/underage-vaping-spikes-in-north-of-england>.

Caruana D. New Mexico Survey: High School Students Are Vaping More And Smoking Less. Vaping Post. 2020. Available from: <https://www.vapingpost.com/2020/09/24/new-mexico-survey-high-school-students-are-vaping-more-and-smoking-less/>.

American Lung Association. American Lung Association Announces Comprehensive Plan to End Youth Vaping Epidemic for Students, Parents, Schools. Cision PR Newswire. 2020. Available from: <https://www.prnewswire.com/news-releases/american-lung-association-announces-comprehensive-plan-to-end-youth-vaping-epidemic-for-students-parents-schools-301121485.html>.

Yu E. High School Vape Culture Can Be Almost As Hard To Shake As Addiction, Teens Say. NPR. 2019. Available from: <https://www.npr.org/sections/health-shots/2019/10/14/767263587/high-school-vape-culture-can-be-almost-as-hard-to-shake-as-addiction-teens-say>.

Weeks C. New survey shows dramatic increase in vaping among high school students. The Globe and Mail. 2019. Available from: <https://www.theglobeandmail.com/canada/article-new-survey-shows-dramatic-increase-in-vaping-among-high-school/>.

Tulley C. Vaping: 'I'm 17, and rarely ID'd for e-cigs'. BBC News. 2019. Available from: <https://www.bbc.com/news/health-50045639>.

Stafford B. With All Due Speed | Health Canada Reacts to Youth Vaping 'Epidemic'. Regulator Watch. 2019. Available from: [https://regulatorwatch.com/brent\\_stafford/with-all-due-speed-health-canada-reacts-to-youth-vaping-epidemic/](https://regulatorwatch.com/brent_stafford/with-all-due-speed-health-canada-reacts-to-youth-vaping-epidemic/).

No authors listed. 'We don't promote to youth' says Philip Morris NZ official as high schools report students are vaping. 1 News Now. 2019. Available from: <https://www.tvnz.co.nz/one-news/new-zealand/we-dont-promote-youth-says-philip-morris-nz-official-high-schools-report-students-vaping>.

No authors listed. Fact sheet: Use of e-cigarettes among young people in Great Britain. Action on Smoking and Health. 2019. Available from: <http://ash.org.uk/wp-content/uploads/2019/06/ASH-Factsheet-Youth-E-cigarette-Use-2019.pdf>.

Koval R. As Teen Smoking Rate Hits Historic Low, Youth Tobacco Use Hits Record High Derailing Years of Progress and Putting a New Generation at Risk. Truth Initiative. 2019. Available from: <https://truthinitiative.org/press/press-release/teen-smoking-rate-hits-historic-low-youth-tobacco-use-hits-record-high>

Kinninment M. Vaping by teenagers on rise as tobacco companies try to hook a new generation on smoking. ABC News, 2019. Available from: <https://www.abc.net.au/news/2019-08-28/selling-vaping-to-teenagers-at-epidemic-levels/11452036>

Hoffman J and Kaplan S. Nearly a Third of Teens Use One or More Tobacco Products. The New York Times. 2019. Available from: <https://www.nytimes.com/2019/12/05/health/vaping-teenagers-tobacco.html>.

Emery G. Survey logs big one-year jump in nicotine vaping among 8th-graders. Reuters. 2019. Available from: <https://www.reuters.com/article/us-health-vaping-teens/survey-logs-big-one-year-jump-in-nicotine-vaping-among-8th-graders-idUSKBN1W32WD>.

Edney A. Teens Say They Don't Vape, They Juul, Making E-Cigarette Use Hard to Track. Bloomberg. 2019. Available from: <https://www.bloomberg.com/news/articles/2019-04-29/is-juul-vaping-new-e-cigarette-survey-asks-teens-for-first-time>.

Downey M. New poll: Teen vaping is everywhere including schools. AJC. 2019. Available from: <https://www.ajc.com/blog/get-schooled/new-poll-finds-vaping-everywhere-including-schools/WCCLLX3xKuWaO0Q6Uf7NEO/>.

Centers for Disease Control and Prevention, Office on Smoking and Health, Food and Drug Administration, and Center for Tobacco Products. National Youth Tobacco Survey (NYTS). Smoking & Tobacco Use. 2019. Available from: [https://www.cdc.gov/tobacco/data\\_statistics/surveys/nyts/index.htm](https://www.cdc.gov/tobacco/data_statistics/surveys/nyts/index.htm).

Paul K. Teen vaping is a 'public health tragedy' and the FDA has a plan to stop it Market Watch. 2018. Available from: <https://www.marketwatch.com/story/fda-promises-forceful-steps-to-halt-health-tragedy-of-teen-e-cigarette-use-2018-10-31>.

No authors listed. Statement from FDA Commissioner Scott Gottlieb, M.D., on meetings with industry related to the agency's ongoing policy commitment to firmly address rising epidemic rates in youth e-cigarette use. U.S. Food & Drug Administration. 2018. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm624657.htm>.

No authors listed. Now, more city youth hooked to e-cigarettes despite doctors' warning. The New Indian Express. 2018. Available from: <http://www.newindianexpress.com/cities/vijayawada/2018/jul/25/now-more-city-youth-hooked-to-e-cigarettes-despite-doctors-warning-1848220.html>.

No authors listed. E-cigarette use in youth on rise in twin cities. Pakistan Observer. 2018. Available from: <https://pakobserver.net/e-cigarette-use-in-youth-on-rise-in-twin-cities/>.

No authors listed. Half of Utah youth report using alcohol, vaping Herald Extra. 2018. Available from: [https://www.heraldextra.com/sanpete-county/news/half-of-utah-youth-report-using-alcohol-vaping/article\\_7b0eec17-0b75-51f7-9917-705ee6cc69a0.html](https://www.heraldextra.com/sanpete-county/news/half-of-utah-youth-report-using-alcohol-vaping/article_7b0eec17-0b75-51f7-9917-705ee6cc69a0.html).

Lockhart B. What Utah found when surveying students about vape, alcohol use. Deseret News Utah. 2018. Available from: <https://www.deseretnews.com/article/900013255/utah-survey-finds-over-20-in-8th-grade-or-above-tried-vaping.html>.

FDA. Results from 2018 National Youth Tobacco Survey show dramatic increase in e-cigarette use among youth over past year. U.S. Food and Drug Administration, . 2018. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm625917.htm>.

Crowe K. Teen vaping in Canada has taken a 'worrisome' turn CBC. 2018. Available from: <https://www.cbc.ca/news/health/health-canada-youth-teenage-vaping-smoking-hammond-1.4937593>.

Crittenton A. LGBT teens are 'far more likely' to smoke or vape than straight teens. Gay Star News. 2018. Available from: <https://www.gaystarnews.com/article/lgbt-teens-more-likely-smoke-vape/#gs.d0720SE>.

Cheung E. Ban e-cigarettes, Hong Kong medical experts say after 'shocking' 55 per cent rise in primary schoolchildren trying vaping. South China Morning Post. 2018. Available from: <https://www.scmp.com/news/hong-kong/health-environment/article/2166062/ban-e-cigarettes-hong-kong-medical-experts-say>.

No authors listed. Monitoring the Future Revised December 2017: Trends in Prevalence of Various Drugs. National Institute on Drug Abuse (NIDA). 2017. Available from: <https://www.drugabuse.gov/related-topics/trends-statistics/monitoring-future>.

Glenza J. More US teens are vaping than smoking cigarettes, study finds The Guardian, 2017. Available from: <https://www.theguardian.com/society/2017/dec/13/e-cigarettes-vaping-more-teens-cigarettes-study>

No authors listed. Use of electronic cigarettes (vapourisers) among children in Great Britain. Action on Smoking and Health 2015, UK Available from: <http://ash.org.uk/information-and-resources/fact-sheets/use-of-electronic-cigarettes-vapourisers-among-children-in-great-britain/>