

Tobacco in Australia

Facts & Issues

Relevant news and research

18.9 Influences on the uptake of e-cigarettes

Last updated December 2024

Research:	3
18.9.1 Demographics	20
18.9.2 Health and temperament	27
18.9.2.1 Physical health	28
18.9.2.2 Mental health.....	30
18.9.2.3 Temperament	38
18.9.3 Tobacco and other substance use	39
18.9.4 Advertising and promotion of e-cigarettes.....	46
18.9.5 Product features	48
18.9.5.1 Flavours and packaging.....	51
18.9.5.2 Nicotine content	53
18.9.6 Social and environmental factors	55
18.9.6.1 Peer group.....	61
18.9.6.2 The home environment	63
18.9.6.3 The school environment	65
18.9.6.4 Exposure to e-cigarette and tobacco use	66
18.9.7 Beliefs about health risks and addiction.....	67
News reports:.....	74
18.9.1 Demographics	77

18.9.2.1 Physical health	77
18.9.2.2 Mental health.....	77
18.9.3 Tobacco and other substance use	77
18.9.5.2 Nicotine content	78
18.9.6 Social and environmental factors	78
18.9.6.1 Peer group.....	78
18.9.6.2 The home environment	78
18.9.6.3 The school environment	78
18.9.7 Beliefs about health risks and addiction.....	78

Research:

Czoli, CD, Guertin, C, Dubois, D, Farrell, N, Luongo, G, Williams, G, & Mischki, T. (2024). Characteristics of Canadians who use vaping products, by smoking status: findings from the Canadian Community Health Survey, 2020. *Health Promot Chronic Dis Prev Can*, 44(11-12), 461-470. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39607433>

Fang, W, Liu, Y, Xu, C, Luo, X, & Wang, K. (2024). Feature Selection and Machine Learning Approaches in Prediction of Current E-Cigarette Use Among U.S. Adults in 2022. *Int J Environ Res Public Health*, 21(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39595741>

Halvorson, MA, Epstein, M, Caouette, JD, Danzo, S, Satchell, AK, Oesterle, S, & Kuklinski, MR. (2024). General and Specific Risk and Protective Factors for Cigarette and Electronic Nicotine Delivery System (ENDS) Use. *Prev Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39592560>

Kim, JY, Reed, DD, Strickland, JC, Hobkirk, A, Foulds, J, Seacord, NF, & Ditzler, HM. (2024). Delay discounting validity and e-cigarette use: A comparison in e-cigarette users, combustible cigarette users, dual users, and nonusers. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39509210>

Kurdys-Bykowska, P, Kosmider, L, Bykowski, W, Konwant, D, & Stencel-Gabriel, K. (2024). Epidemiology of Traditional Cigarette and E-Cigarette Use Among Adolescents in Poland: Analysis of Sociodemographic Risk Factors. *Int J Environ Res Public Health*, 21(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39595760>

Yang, X, Zhang, X, Zhang, L, Cao, W, Zhang, C, Wang, X et al. (2024). E-cigarette use and associated factors among adults aged 18-44 years in China: Findings from an online survey. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39247719>

Chen, W, Chen, G, Qi, S, & Han, J. (2024). Trends of electronic cigarette use among adolescents: A bibliometric analysis. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39175625>

Guerra Castillo, C, Hoefft, KS, Couch, ET, Halpern-Felsher, B, & Chaffee, BW. (2024). Adolescent Perspectives on Their E-Cigarette Initiation Experiences. *Am J Health Promot*, 8901171241277669. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39189439>

Deng, H, Fang, L, Zhang, L, Li, J, Wang, J, Wang, F, & Zheng, P. (2024). Susceptibility to e-cigarette among high school students: a study based on the ecological model of health behavior. *Front Public Health*, 12, 1395717. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39056081>

Mattingly, DT, Agbonlahor, O, Richardson, M, Rayens, MK, Rose, SW, & Hart, JL. (2024). Factors associated with disposable electronic cigarette use among US youth: A national repeated cross-sectional study, 2021-22. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39044259>

Morean, ME, Davis, DR, Kong, G, Bold, KW, Talley, A, & Krishnan-Sarin, S. (2024). Psychometric evaluation of the Self-Report Habit Index for assessing habitual e-cigarette use behavior in high

- school adolescents. *Drug Alcohol Depend Rep*, 12, 100251. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39050698>
- Selya, A, Ruggieri, M, & Polosa, R. (2024). Measures of youth e-cigarette use: strengths, weaknesses and recommendations. *Front Public Health*, 12, 1412406. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39015391>
- Tan, X, Mai, J, Lin, L, Zhou, L, & Huang, T. (2024). Fuzzy-set qualitative comparative analysis of factors affecting the use of e-cigarettes among college students in Guangdong province. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38813583>
- Yan, R, Liu, Y, Huang, L, Li, Y, Huang, Y, Tong, J et al (2024). Susceptibility to e-cigarette adoption among tobacco-naive youths: a cross-sectional study in Shenzhen, China. *Front Public Health*, 12, 1320863. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38818444>
- Adegbile, OE, Adeniji, OD, Amzat, J, & Kanmodi, KK. (2024). E-cigarettes in Nigeria: A scoping review of evidence. *Health Sci Rep*, 7(4), e2074. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38660005>
- Fagan, MJ, Zhan, JK, Wunderlich, KB, & Faulkner, G. (2024). Examining the correlates of cigarette smoking, e-cigarette use and dual use among Canadian post-secondary students. *Tob Use Insights*, 17, 1179173X241247414. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38628573>
- Min, K, Wang, M, Wang, C, Geldsetzer, P, Barnighausen, T, Wang, C et al. (2024). Prevalence and Associated Factors of E-Cigarette Use and Susceptibility Among Adolescents in China. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38564414>
- Simon, P, Stefanovics, E, Ying, S, Gueorguieva, R, Krishnan-Sarin, S, & Buta, E. (2024). Socioecological factors associated with multiple nicotine product use among U.S. youth: Findings from the population assessment of tobacco and health (PATH) study 2013-2018. *Prev Med*, 183, 107956 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38615947>
- Zou, W, Wang, X, Yang, N, Ni, X, Zhao, Z, Meng, R, & Ma, H. (2024). The intention of college students to use electronic cigarettes: A study based on the theory of innovation diffusion. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38496253>
- Alabdulqader, M, Almulhim, MA, Alquraini, M, Ali, I, Alhajri, MS, Alsaleh, NA et al. (2024). Exploring the Rise of E-cigarette Use Among Male Adolescents in Al-Ahsa, Saudi Arabia: Prevalence, Patterns, and Influencing Factors. *Cureus*, 16(1), e51644. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38313903>
- Barnes, C, McCrabb, S, Bialek, C, Turon, H, Dray, J, Duffy, M et al. (2024). Factors associated with child and adolescent electronic nicotine and non-nicotine delivery systems use: A scoping review. *Prev Med*, 181, 107895. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38354861>
- James, SA, White, AH, Kahn, FF, Mushtaq, N, Chen, S, & Beebe, LA. (2024). Susceptibility to e-cigarette use and associated factors in high school youth, Oklahoma Youth Tobacco Survey, 2021-2022. *Front Public Health*, 12, 1348926. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38362222>

Kinouani, S, Da Cruz, H, Langlois, E, & Tzourio, C. (2024). Prevalence, lived experiences and user profiles in e-cigarette use: A mixed methods study among French college students. *PLoS One*, 19(2), e0297156. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38335200>

Mattingly, DT, & Hart, JL. (2024). Trends in Current Electronic Cigarette Use Among Youths by Age, Sex, and Race and Ethnicity. *JAMA Netw Open*, 7(2), e2354872. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38315486>

Nazzal, Z, Maraqa, B, Azizeh, R, Darawsha, B, AbuAlrub, I, Hmeidat, M, & Al-Jabari, F. (2024). Exploring the prevalence, knowledge, attitudes and influencing factors of e-cigarette use among university students in Palestine: a cross-sectional study. *BMJ Open*, 14(2), e080881. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38367977>

Vazquez, AL, Navarro Flores, CM, Garcia, BH, Barrett, TS, & Domenech Rodriguez, MM. (2024). An ecological examination of early adolescent e-cigarette use: A machine learning approach to understanding a health epidemic. *PLoS One*, 19(2), e0287878. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38354165>

Ledgerwood, DM, Bedi, DK, Bedi, MK, Cannoy, CN, Prakash, K, Foulon, AE et al. (2024). Development and validation of a reasons for electronic cigarette use questionnaire. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38236225>

He, Y, Ma, S, Yang, Q, & Shang, C. (2023). How cigarette excise tax pass-through to prices responds to the uptake and evolution of e-cigarettes (ECs). *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37640531>

Funk, OL, Nollen, NL, Wagener, TL, Ahluwalia, JS, Mayo, MS, Mahmud, KMF et al. (2023). Concurrent Choice Assessment of Preference and Substitutability of E-cigarettes and Heated Tobacco Products for Combustible Cigarettes among African American and White Smokers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37042345>

Atuegwu, NC, Mortensen, EM, Krishnan-Sarin, S, Laubenbacher, RC, & Litt, MD. (2023). Prospective predictors of electronic nicotine delivery system initiation in tobacco naive young adults: A machine learning approach. *Prev Med Rep*, 32, 102148. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36865398>

Stone, MD, Braymiller, JL, Strong, DR, Cwalina, SN, Dimofte, CV, & Barrington-Trimis, JL. (2023). Differentiating Reasons for Young Adult E-Cigarette Use Using Maximum Difference Choice Models. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36719042>

Goldberg Scott, S, Feigelson, HS, Powers, JD, Clennin, MN, Lyons, JA, Gray, MT et al (2023). Demographic, Clinical, and Behavioral Factors Associated With Electronic Nicotine Delivery Systems Use in a Large Cohort in the United States. *Tob Use Insights*, 16, 1179173X221134855. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36636234>

Larcombe, A. (2023). Dispelling misconceptions about who uses e-cigarettes and why. *Med J Aust* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36599455>

Panagiotakos, DB, Georgoulis, M, Kapetanstrataki, M, & Behrakis, P. (2023). Prevalence, patterns and determinants of electronic cigarette and heated tobacco product use in Greece: a cross-sectional survey. *Hellenic J Cardiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36681120>

Romm, KF, Turiano, NA, Milstred, AR, Bray, BC, Dino, G, Doogan, N, & Blank, MD. (2022). Socioecological Predictors of Change in Adolescent Tobacco Use Across Waves 1-4 of the Population Assessment of Tobacco and Health Study. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36528513>

Wang, X, Kim, Y, Trivers, KF, Tynan, MA, Shrestha, SS, Emery, S et al. (2022). Changes in Sales of E-Cigarettes, Cigarettes, and Nicotine Replacement Therapy Products Before, During, and After the EVALI Outbreak. *Prev Chronic Dis*, 19, E86. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36520998>

Lindpere, V, Winickoff, JP, Khan, AS, Dong, J, Michaud, TL, Liu, J, & Dai, HD. (2022). Reasons for E-cigarette Use, Vaping Patterns, and Cessation Behaviors among U.S. Adolescents. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36507903>

Le, HTT, Tran, ATV, Nguyen, AQ, & Tran, TTT. (2022). E-Cigarette Use among University Students from One University in Hanoi, Vietnam, and Associated Factors. *Asian Pac J Cancer Prev*, 23(11), 3649-3655. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36444576>

Burrow-Sanchez, JJ, & B, RR. (2022). The Influence of Risk and Protective Factors on Adolescent Alcohol, Cannabis, and Electronic Cigarette Use. *J Prev (2022)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36301450>

Gaddy, MY, Vasquez, D, & Brown, LD. (2022). Predictors of e-cigarette initiation and use among middle school youth in a low-income predominantly Hispanic community. *Front Public Health*, 10, 883362. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36238238>

Folayan, MO, Alade, O, Adeyemo, Y, Sabbagh, HJ, Oyapero, A, Oziegbe, EO et al. (2022). Differences in risk indicators associated with electronic cigarette use and tobacco smoking among adolescents and young people in Nigeria. *BMJ Open Respir Res*, 9(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36109086>

Kim, J, Lee, S, & Chun, J. (2022). An International Systematic Review of Prevalence, Risk, and Protective Factors Associated with Young People's E-Cigarette Use. *Int J Environ Res Public Health*, 19(18). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36141845>

Han, G, & Son, H. (2022). A systematic review of socio-ecological factors influencing current e-cigarette use among adolescents and young adults. *Addict Behav*, 135, 107425. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35908319>

Qi, Z, Lin, B, Xie, X, & Xiao, L. (2022). Characteristics and Associated Factors of E-cigarette Use Among Secondary School Students - 6 PLADs in China, 2021. *China CDC Wkly*, 4(29), 635-639. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35919825>

- Persoskie, A, & O'Brien, EK. (2022). Predicting tobacco product initiation from intentions to use: Comparing the validity of item analysis methods. *Prev Med Rep*, 28, 101855. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35789624>
- Rotermann, M, & Gilmour, H. (2022). Correlates of vaping among adolescents in Canada. *Health Rep*, 33(7), 24-35. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35862070>
- Torregrossa, H, Dautzenberg, B, Birkui, P, Rieu, N, Dautzenberg, MD., Melchior, M, & Mary-Krause, M. (2022). What differentiates youths who use e-cigarettes from those who smoke traditional tobacco products? *BMC Public Health*, 22(1), 1357. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35841088>
- Cooper, M, Day, HR, Ren, C, Oniyide, O, Corey, CG, Ambrose, BK et al. (2022). Correlates of tobacco product initiation among youth and young adults between waves 1-4 of the population assessment of tobacco and Health (PATH) study (2013-2018). *Addict Behav*, 134, 107396. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35749867>
- Lim, KH, Cheong, YL, Lim, HL, Ghazali, SM, Kee, CC, Cheah, YK et al. (2022). Correlates of dual/poly tobacco use among school-going adolescents in Malaysia: Findings from a nationwide school-based study. *Tob Induc Dis*, 20, 52. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35733644>
- Owotomo, O, & Walley, S. (2022). The youth e-cigarette epidemic: updates and review of devices, epidemiology and regulation. *Curr Probl Pediatr Adolesc Health Care*, 101200. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35577717>
- Stanton, CA, Tang, Z, Sharma, E, Seaman, EGardner, LD, Silveira, ML et al. (2022). Predictors of e-cigarette and cigarette use trajectory classes from early adolescence to emerging adulthood across four years (2013-2017) of the PATH Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35554569>
- Hairi, FM, Goh, KT, Driezen, P, Nordin, ASA, Yee, A, Tajuddin, NA et al. (2022). Reasons for using e-cigarettes and support for e-cigarette regulations: Findings from the 2020 ITC Malaysia Survey. *Tob Induc Dis*, 20, 33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35431720>
- Wall, N, & Rocklein Kemplin, K. (2021). Methods and Statistical Analyses in Studies of Motivation for E-Cigarette Use Among University Students: An Integrative Review. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34678110>
- Ahuja, N, Kedia, SK, Dillon, PJ, Jiang, Y, & Yu, X. (2021). Perception and intention of using less harmful and less addictive hypothetical modified risk tobacco products among never tobacco users in the united states. *Addict Behav*, 122, 107016. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34147711>
- Mantey, DS, Case, KR, Chen, B, Kelder, S, Loukas, A, & Harrell, MB. (2021). Subjective experiences at e-cigarette initiation: Implications for e-cigarette and dual/poly tobacco use among youth. *Addict Behav*, 122, 107028. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34186298>
- Pericot-Valverde, I, Heo, M, Litwin, AH, Niu, J, & Gaalema, DE. (2021). Modeling the effect of stress on vaping behavior among young adults: A randomized cross-over pilot study. *Drug Alcohol Depend*, 225, 108798. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34091155>

Leventhal, A, Dai, H, Barrington-Trimis, J, & Sussman, S. (2021). 'Ice' flavoured e-cigarette use among young adults. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34127549>

Callahan, SJ, Lanspa, MJ, & Blagev, DP. (2021). Is COVID-19 masking the ongoing youth vaping crisis? *Expert Rev Respir Med*, 1-3. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33980122>

Kaplan, B, Cherukupalli, R, Welding, K, Kennedy, RD, & Cohen, JE. (2021). The youth e-cigarette epidemic: New estimates of JUUL Labs' revenue from youth users in the US. *Tob Induc Dis*, 19, 33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33935613>

Shah, S, Weber, G, & Nathan, N. (2021). Beyond the Smoke Screen: Vaping in Adolescents. *Anesth Analg*, 133(3), 561. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34403383>

Smith, H, Lucherini, M, Amos, A, & Hill, S. (2021). The emerging norms of e-cigarette use among adolescents: A meta-ethnography of qualitative evidence. *Int J Drug Policy*, 94, 103227. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33780877>

Chu, KH, Matheny, S, Furek, A, Sidani, J, Radio, S, Miller, E et al (2021). Identifying student opinion leaders to lead e-cigarette interventions: protocol for a randomized controlled pragmatic trial. *Trials*, 22(1), 31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33407805>

Han, DH, Lee, SH, Lee, S, & Seo, DC. (2021). Identifying emerging predictors for adolescent electronic nicotine delivery systems use: A machine learning analysis of the Population Assessment of Tobacco and Health Study. *Prev Med*, 145, 106418. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33422574>

Jackson, SE Brown, J., & Jarvis, MJ. (2021). Dependence on nicotine in US high school students in the context of changing patterns of tobacco product use. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33405286>

Jayakumar, N, O'Connor, S, Diemert, L, & Schwartz, R. (2020). Predictors of E-Cigarette Initiation: Findings From the Youth and Young Adult Panel Study. *Tob Use Insights*, 13, 1179173X20977486. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33447117>

Privett, MA. (2020). How to discourage adolescents from vaping. *Nursing*, 50(12), 11-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33497087>

Abadi, MH, Lipperman-Kreda, S, Shamblen, SR, Thompson, K, Grube, JW, Leventhal, AM et al (2020). The impact of flavored ENDS use among adolescents on daily use occasions and number of puffs, and next day intentions and willingness to vape. *Addict Behav*, 114, 106773. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33338905>

Chu, KH, Sidani, J, Matheny, S, Rothenberger, SD, Miller, E, Valente, T, & Robertson, L. (2020). Implementation of a cluster randomized controlled trial: Identifying student peer leaders to lead E-cigarette interventions. *Addict Behav*, 114, 106726. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33278717>

Dai, H. (2020). Youth Observation of E-Cigarette Use in or Around School, 2019. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33353794>

- Goldenson, NI, Buchhalter, AR, Augustson, EM, Rubinstein, ML, Van Hoof, D, & Henningfield, JE. (2020). Abuse liability assessment of the JUUL system in two nicotine concentrations compared to combustible cigarette, nicotine gum and comparator electronic nicotine delivery system. *Drug Alcohol Depend*, 217, 108441. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33250386>
- Haeffner, A. (2020). Tackling E-cigarette use in children: A proactive approach. *Paediatr Child Health*, 25(8), 553. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33365111>
- Mantey, DS, Omega-Njemnobi, O, Ruiz, FA, Vaughn, TL, Kelder, SH, & Springer, AE. (2020). Association between observing peers vaping on campus and E-cigarette use and susceptibility in middle and high school students. *Drug Alcohol Depend*, 219, 108476. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33360854>
- Margolis, KA, Thakur, SK, Nguyen Zarndt, A, Kemp, CB, & Glover-Kudon, R. (2020). E-cigarette susceptibility among U.S. middle and high school students: National Youth Tobacco Survey Data Trend Analysis, 2014-2018. *Prev Med*, 143, 106347. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33271235>
- Scheier, LM, & Komarc, M. (2020). Are E-cigarette Users a Unique Group of Smokers? Latent Class Analysis of the National Youth Tobacco Survey. *J Drug Educ*, 47237920980483. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33307768>
- Davis, DR, Krishnan-Sarin, S Bold, KW, Morean, ME, Jackson, A, Camenga, D, & Kong, G. (2020). Differences in JUUL Appeal Among Past and Current Youth JUUL Users. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33247938>
- Galderisi, A, Ferraro, VA, Caserotti, M, Quareni, L, Perilongo, G, & Baraldi, E. (2020). Protecting youth from the vaping epidemic. *Pediatr Allergy Immunol*, 31 Suppl 26, 66-68. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33236441>
- Kelder, SH, Mantey, DS, Van Dusen, D, Vaughn, T, Bianco, M, & Springer, AE. (2020). Dissemination of CATCH My Breath, a middle school E-Cigarette prevention program. *Addict Behav*, 113, 106698. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33130463>
- Liu, J, Gaiha, SM, & Halpern-Felsher, B. (2020). A Breath of Knowledge: Overview of Current Adolescent E-cigarette Prevention and Cessation Programs. *Curr Addict Rep*, 1-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33204602>
- Schiff, S. J., Kechter, A., Simpson, K. A., Ceasar, R. C., Braymiller, J. L., & Barrington-Trimis, J. L. (2020). Accessing vaping products when underage: A qualitative study of young adults in Southern California. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33135743>
- Tackett, AP, Keller-Hamilton, B, Hebert, ET, Smith, CE, Wallace, SW, Stevens, EM et al (2020). Adolescent Susceptibility to E-Cigarettes: An Update From the 2018 National Youth Tobacco Survey. *Am J Health Promot*, 890117120971121. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33167676>
- Grobman, B, Wu, R, Jackson, A, Bold, KW, Morean, ME, Camenga, DR et al(2020). First tobacco product tried among adolescents based on race/ethnicity and socioeconomic status. *Addict Behav*, 113, 106666. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33130462>

Atuegwu, NC, Oncken, C, Laubenbacher, RC, Perez, MF, & Mortensen, EM. (2020). Factors Associated with E-Cigarette Use in U.S. Young Adult Never Smokers of Conventional Cigarettes: A Machine Learning Approach. *Int J Environ Res Public Health*, 17(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33027932>

Chang, YP, & Seo, YS. (2020). E-cigarette use and concurrent risk behaviors among adolescents. *Nurs Outlook*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33121761>

England, KJ, Edwards, AL, Paulson, AC, Libby, EP, Harrell, PT, & Mondejar, KA. (2020). Rethink Vape: Development and evaluation of a risk communication campaign to prevent youth E-cigarette use. *Addict Behav*, 113, 106664. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33038677>

Leventhal, AM, Mason, TB, Cwalina, SN, Whitted, L, Anderson, M, & Callahan, C. (2020). Flavor and Nicotine Effects on E-cigarette Appeal in Young Adults: Moderation by Reason for Vaping. *Am J Health Behav*, 44(5), 732-743. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33121589>

Lorenzo-Blanco, EI, Unger, JB, & Thrasher, JF. (2020). E-cigarette use susceptibility among youth in Mexico: The roles of remote acculturation, parenting behaviors, and internet use frequency. *Addict Behav*, 113, 106688. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33053455>

Prom-Wormley, EC, Clifford, JS, Cooke, ME, Cecilione, J, Maes, HH, Do, E, & Roberson-Nay, R. (2020). The Genetic and Environmental Influences Contributing to the Association between Electronic and Conventional Cigarette Initiation. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33017842>

Durkin, K, Williford, DN, Turiano, NA, Blank, MD, Enlow, PT, Murray, PJ et al (2020). Associations Between Peer Use, Costs and Benefits, Self-Efficacy, and Adolescent E-cigarette Use. *J Pediatr Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33120416>

Patel, M, Cuccia, AF, Zhou, Y, Kierstead, EC, Briggs, J, & Schillo, BA. (2020). Smoking cessation among US adults: use of e-cigarettes, including JUUL, and NRT use. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32958602>

Blume, LF, & Lines, S. (2020). The Role of the School Nurse in Creating a Vape-Free School. *NASN Sch Nurse*, 35(3), 166-172. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32238099>

Case, KR, Obinwa, UC, Clendennen, SL, Perry, CL, & Harrell, MB. (2020). Predictors of JUUL, other electronic nicotine delivery systems, and combustible tobacco initiation among Texas youth. *Prev Med*, 106097. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32335030>

Cwalina, SN, Leventhal, AM, & Barrington-Trimis, JL. (2020). E-cigarette flavour enhancers: Flavoured pod attachments compatible with JUUL and other pod-based devices. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32273434>

Gilley, M, & Beno, S. (2020). Vaping implications for children and youth. *Curr Opin Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32332326>

Jackson, A, Green, B, Erythropel, HC, Kong, G, Cavallo, DA, Eid, T et al (2020). Influence of menthol and green apple e-liquids containing different nicotine concentrations among youth e-cigarette users. *Exp Clin Psychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32297782>

Jackson, DB, Boccio, CM, & Leal, WE. (2020). Do youth who vape exhibit risky health lifestyles? Monitoring the future, 2017. *Prev Med*, 106101. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32348854>

Shah, SI, Javier, JR, & Brumberg, HL. (2020). The vapes of wrath: advocating to protect children from electronic nicotine systems in the age of flavored vapes. *Pediatr Res*, 87(6), 972-975. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32289813>

Jones, K, & Salzman, GA. (2020). The Vaping Epidemic in Adolescents. *Mo Med*, 117(1), 56-58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32158051>

Kong, G, Morean, ME, Bold, KW, Wu, R, Bhatti, H, Simon, P, & Krishnan-Sarin, S. (2020). Dripping and vape tricks: Alternative e-cigarette use behaviors among adolescents. *Addict Behav*, 107, 106394. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32222561>

Leventhal, AM, Mason, TB, Kirkpatrick, MG, Anderson, MK, & Levine, MD. (2020). E-cigarette device power moderates the effects of non-tobacco flavors and nicotine on product appeal in young adults. *Addict Behav*, 107, 106403. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32222565>

Mark, AM. (2020). The word on vaping: don't start. *J Am Dent Assoc*, 151(3), 222. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32130951>

Roberts, ME, Keller-Hamilton, B, Ferketich, AK, & Berman, ML. (2020). Juul and the upsurge of e-cigarette use among college undergraduates. *J Am Coll Health*, 1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32149583>

Braak, D, Michael Cummings, K, Nahhas, GJ, Reid, JL, & Hammond, D. (2020). How are adolescents getting their vaping products? Findings from the international tobacco control (ITC) youth tobacco and vaping survey. *Addictive Behaviors*, 105, 106345. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32062339>

Burt, B, & Li, J. (2020). The electronic cigarette epidemic in youth and young adults: A practical review. *JAAPA*, 33(3), 17-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32039952>

Kar, A, Thakur, S, & Rao, VUS. (2020). Electronic cigarette use amongst youth: A threat to public health? *Oral Oncol*, 104593. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32094043>

The Lancet Respiratory, M. (2020). Evolution of e-cigarettes: vigilance is needed to protect adolescent health. *Lancet Respir Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32066535>

Printz, C. (2020). Fighting the teen vaping epidemic: With rates of adolescent vaping on the rise, experts caution that new federal rules targeting e-cigarettes may not be strong enough. *Cancer*, 126(6), 1147-1148. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32108947>

Katz, SJ, Shi, W, Erkkinen, M, Lindgren, B, & Hatsukami, D. (2020). High School Youth and E-cigarettes: The Influence of Modified Risk Statements and Flavors on E-cigarette Packaging. *American Journal of Health Behavior*, 44(2), 130-145. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32019647>

Gendall, P, & Hoek, J. (2020). Role of flavours in vaping uptake and cessation among New Zealand smokers and non-smokers: a cross-sectional study. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32060072>

Hajek, P, Pittaccio, K, Pesola, F, Myers Smith, K, Phillips-Waller, A, & Przulj, D. (2020). Nicotine delivery and users' reactions to Juul compared with cigarettes and other e-cigarette products. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31994254>

He, D, & Niu, W. (2020). More Explorations Needed on Association of Electronic Cigarette Use and Smoking Reduction. *JAMA Intern Med*, 180(1), 160. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31904782>

Kelder, SH, Mantey, DS, Van Dusen, D, Case, K, Haas, A, & Springer, AE. (2020). A Middle School Program to Prevent E-Cigarette Use: A Pilot Study of "CATCH My Breath". *Public Health Reports*, 33354919900887. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31968177>

Baird, C. (2019). Teens and Vaping: What You Need to Know. *J Addict Nurs*, 30(4), 276-277. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31800519>

Hadland, SE, & Chadi, N. (2020). Through the Haze: What Clinicians Can Do to Address Youth Vaping. *J Adolesc Health*, 66(1), 10-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31866054>

Henriksen, L, Schleicher, NC, Johnson, TO, & Lee, JGL. (2019). Assurances of Voluntary Compliance: A Regulatory Mechanism to Reduce Youth Access to E-Cigarettes and Limit Retail Tobacco Marketing. *Am J Public Health*, e1-e7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31855484>

Larsen, PD. (2020). Vaping and Adolescents: The Next Public Health Crisis. *Rehabil Nurs*, 45(1), 1-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31876872>

McKeganey, N, Russell, C, Katsampouris, E, & Haseen, F. (2019). Sources of youth access to JUUL vaping products in the United States. *Addict Behav Rep*, 10, 100232. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31832537>

Park, E, Livingston, JA, Wang, W, Kwon, M, Eiden, RD, & Chang, YP. (2019). Adolescent E-cigarette use trajectories and subsequent alcohol and marijuana use. *Addict Behav*, 103, 106213. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31862618>

Amin, S, Dunn, AG, & Laranjo, L. (2019). Social Influence in the Uptake and Use of Electronic Cigarettes: A Systematic Review. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31761515>

Leventhal, AM, Miech, R, Barrington-Trimis, J, Johnston, LD, O'Malley, PM, & Patrick, ME. (2019). Flavors of e-Cigarettes Used by Youths in the United States. *JAMA*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31688891>

Lewek, P, Wozniak, B, Maludzinska, P, Smigielski, J, & Kardas, P. (2019). E-cigarette use and its predictors: Results from an online cross-sectional survey in Poland. *Tob Induc Dis*, 17, 79. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31772557>

Morean, ME, Bold, KW, Kong, G, Camenga, DR, Simon, P, Jackson, A et al. (2019). High school students' use of flavored e-cigarette e-liquids for appetite control and weight loss. *Addict Behav*, *102*, 106139. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31772557>

Seo, DC, Kwon, E, Lee, S, & Seo, J. (2019). Using susceptibility measures to prospectively predict ever use of electronic cigarettes among adolescents. *Prev Med*, *130*, 105896. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31730945>

Kaletka, D, Niedzin, M, Jankowska, A, & Polanska, K. (2019). Predictors of E-Cigarette Use Susceptibility-A Study of Young People from a Socio-Economically Disadvantaged Rural Area in Poland. *Int J Environ Res Public Health*, *16*(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31623178>

Leventhal, AM, Goldenson, NI, Cho, J, Kirkpatrick, MG, McConnell, RS, Stone, MD et al (2019). Flavored E-cigarette Use and Progression of Vaping in Adolescents. *Pediatrics*, *144*(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31659004>

Meernik, C, Baker, HM, Kowitt, SD, Ranney, LM, & Goldstein, AO. (2019). Impact of non-menthol flavours in e-cigarettes on perceptions and use: an updated systematic review. *BMJ Open*, *9*(10), e031598. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31619431>

Milicic, S, DeCicca, P, Pierard, E, & Leatherdale, ST. (2018). An evaluation of school-based e-cigarette control policies' impact on the use of vaping products. *Tob Induc Dis*, *16*, 35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516434>

Morean, ME, Bold, KW, Kong, G, Gueorguieva, R, Camenga, DR, Simon, P et al (2019). Adolescents' awareness of the nicotine strength and e-cigarette status of JUUL e-cigarettes. *Drug Alcohol Depend*, *204*, 107512. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31487572>

Russell, C, Katsampouris, E, & McKeganey, N. (2019). Harm and addiction perceptions of the JUUL e-cigarette among adolescents. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31556452>

Schillo, BA, Cuccia, AF, Patel, M, Simard, B, Donovan, EM, Hair, EC, & Vallone, D. (2019). JUUL in School: Teacher and Administrator Awareness and Policies of E-Cigarettes and JUUL in U.S. Middle and High Schools. *Health Promot Pract*, 1524839919868222. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31530185>

Avelar, AJ, Akers, AT, Baumgard, ZJ, Cooper, SY, Casinelli, GP, & Henderson, BJ. (2019). Why flavored vape products may be attractive: Green apple tobacco flavor elicits reward-related behavior, upregulates nAChRs on VTA dopamine neurons, and alters midbrain dopamine and GABA neuron function. *Neuropharmacology*, *158*, 107729. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31369741>

Farzal, Z, Perry, MF, Yarbrough, WG, & Kimple, AJ. (2019). The Adolescent Vaping Epidemic in the United States-How It Happened and Where We Go From Here. *JAMA Otolaryngol Head Neck Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31436792>

Leavens, ELS, Stevens, EM, Brett, EI, Leffingwell, TR, & Wagener, TL. (2019). JUUL in school: JUUL electronic cigarette use patterns, reasons for use, and social normative perceptions among college student ever users. *Addict Behav*, 99, 106047. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31442788>

Leventhal, AM, Goldenson, N I, Barrington-Trimis, JL, Pang, RD, & Kirkpatrick, MG. (2019). Effects of non-tobacco flavors and nicotine on e-cigarette product appeal among young adult never, former, and current smokers. *Drug Alcohol Depend*, 203, 99-106. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31434028>

Patel, M, Czaplicki, L, Perks, SN, Cuccia, AF, Liu, M, Hair, EC et al. (2019). Parents' Awareness and Perceptions of JUUL and Other E-Cigarettes. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31420121>

Pascus, B. E-cigarette giant Juul accused of marketing to teens in new lawsuit. *CBS News*, 2019. Aug 14, 2019. Available from: <https://www.cbsnews.com/news/e-cigarette-giant-juul-accused-of-marketing-to-teens-in-new-lawsuit/>

Audrain-McGovern, J, Rodriguez, D, Pianin, S, & Alexander, E. (2019). Initial e-cigarette flavoring and nicotine exposure and e-cigarette uptake among adolescents. *Drug Alcohol Depend*, 202, 149-155. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31351341>

Beal, JA. (2019). Increasing Popularity of Vaping among Adolescents. *MCN Am J Matern Child Nurs*, 44(4), 235. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31261302>

Cantrell, J, Huang, J, Greenberg, MS, Xiao, H, Hair, EC, & Vallone, D. (2019). Impact of e-cigarette and cigarette prices on youth and young adult e-cigarette and cigarette behaviour: evidence from a national longitudinal cohort. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31167900>

Fadus, MC, Smith, TT, & Squeglia, LM. (2019). The rise of e-cigarettes, pod mod devices, and JUUL among youth: Factors influencing use, health implications, and downstream effects. *Drug Alcohol Depend*, 201, 85-93. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31200279>

Miller, C, Smith, DM, & Goniewicz, ML. (2019). Physical activity among adolescent tobacco and electronic cigarette users: Cross-sectional findings from the Population Assessment of Tobacco and Health study. *Prev Med Rep*, 15, 100897. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193540>

Thomas, SP. (2019). The Alarming Increase in Vaping among Youth. *Issues Ment Health Nurs*, 40(4), 287-288. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31038404>

Valentine, N, McClelland, E, & McMillen, R. (2019). Smoke-Free Ordinances and Policies Protect Youth, but Ordinances Appear to Have Little Impact on Non-Combustible Tobacco Use. *Children (Basel)*, 6(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30862097>

No authors listed. NewsCAP: E-cigarettes erase progress in reducing teen tobacco use. (2019). *Am J Nurs*, 119(5), 14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31033541>

Boykan, R, Messina, CR, Chateau, G, Eliscu, A, Tolentino, J, & Goniewicz, ML. (2019). Self-Reported Use of Tobacco, E-cigarettes, and Marijuana Versus Urinary Biomarkers. *Pediatrics*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31010908>

Cole, AG, Cummins, SE, & Zhu, SH. (2019). Offers of Cigarettes and E-Cigarettes Among High School Students: A Population Study from California. *Int J Environ Res Public Health*, 16(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30934996>

DeVito, EE, Jensen, KP, O'Malley, SS, Gueorguieva, R, Krishnan-Sarin, S, Valentine, G et al.(2019). Modulation of 'Protective' Nicotine Perception and Use Profile by Flavorants: Preliminary Findings in E-Cigarettes. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30995302>

Keamy-Minor, E, McQuoid, J, & Ling, PM. (2019). Young adult perceptions of JUUL and other pod electronic cigarette devices in California: a qualitative study. *BMJ Open*, 9(4), e026306. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30948599>

Leavens, ELS, Stevens, EM, Brett, EI, Hebert, ET, Villanti, AC, Pearson, JL, & Wagener, TL. (2019). JUUL electronic cigarette use patterns, other tobacco product use, and reasons for use among ever users: Results from a convenience sample. *Addict Behav*, 95, 178-183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30933713>

Cavallo, DA, Kong, G, Ells, DM, Camenga, DR, Morean, ME, & Krishnan-Sarin, S. Youth generated prevention messages about electronic cigarettes. *Health Educ Res*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30753438>

Chen-Sankey, JC, Choi, K, Kirchner, TR, Feldman, RH, Butler, J, & Mead, EL. Flavored cigar smoking among African American young adult dual users: An ecological momentary assessment. *Drug Alcohol Depend*, 2019. 196, 79-85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30811486>

Glauser, W. New vaping products with techy allure exploding in popularity among youth. *CMAJ*, 2019. 191(6), E172-E173. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30745405>

Jensen, BP, & Boykan, R. Electronic Cigarettes and Youth in the United States: A Call to Action (at the Local, National and Global Levels). *Children (Basel)*, 2019. 6(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30791645>

Jensen, BP, & Wilson, KM. What is new in electronic-cigarettes research? *Curr Opin Pediatr*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30762705>

Kirby, T. Concerns over increased vaping in schoolchildren. *Lancet Respir Med*, 2019. 7(3), 211-212. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30713124>

Ross, JC, Suerken, CK, King, JL, Wiseman, KD, Noar, SM, Wagoner, KG, & Sutfin, EL. Adolescents' First Tobacco Product: Results from a Nationally Representative Survey. *Tob Regul Sci*, 2018. 4(3), 38-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30713990>

Bandara, NA, & Seneviratne, M. Adolescents' Electronic Cigarette Use. *Pediatrics*, 143(1).

Wong SW, Lin HC, Piper ME, Siddiqui A, and Buu A. Measuring characteristics of e-cigarette consumption among college students. *J Am Coll Health*, 2019. 2018:1-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29979924>

Chadi, N, Li, G, Cerda, N, & Weitzman, ER. Depressive Symptoms and Suicidality in Adolescents Using e-Cigarettes and Marijuana: A Secondary Data Analysis From the Youth Risk Behavior Survey. *J Addict Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30688723>

Ghosh, TS, Tolliver, R, Reidmohr, A, & Lynch, M. Youth Vaping and Associated Risk Behaviors - A Snapshot of Colorado. *N Engl J Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30699300>

Sangalang, A, Volinsky, AC, Liu, J, Yang, Q., Lee, SJ, Gibson, LA, & Hornik, RC. Identifying Potential Campaign Themes to Prevent Youth Initiation of E-Cigarettes. *Am J Prev Med*, 2019. 56(2S1), S65-S75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30661528>

Spindle, TR, & Eissenberg, T. Pod Mod Electronic Cigarettes-An Emerging Threat to Public Health. *JAMA Netw Open*, 2018. 1(6), e183518. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30646245>

Zeller, M. Evolving "The Real Cost" Campaign to Address the Rising Epidemic of Youth E-cigarette Use. *Am J Prev Med*, 2019. 56(2S1), S76-S78. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30661529>

Willett JG, Bennett M, Hair EC, Xiao H, Greenberg MS, et al. Recognition, use and perceptions of juul among youth and young adults. *Tobacco Control*, 2018. Available from: <https://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/04/07/tobaccocontrol-2018-054273.full.pdf>

Vogel EA, Ramo DE, and Rubinstein ML. Prevalence and correlates of adolescents' e-cigarette use frequency and dependence. *Drug and Alcohol Dependence*, 2018; 188:109-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29763848>

Thorndike AN. E-cigarette use by young adult nonsmokers: Next-generation nicotine dependence? *Annals of Internal Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30304343>

<http://annals.org/aim/article-abstract/2706442/e-cigarette-use-young-adult-nonsmokers-next-generation-nicotine-dependence?doi=10.7326%2fM18-2581>

Rohde JA, Noar SM, Horvitz C, Lazard AJ, Cornacchione Ross J, et al. The role of knowledge and risk beliefs in adolescent e-cigarette use: A pilot study. *International Journal of Environmental Research and Public Health*, 2018; 15(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29690606>

Ramamurthi D, Chau C, and Jackler RK. Juul and other stealth vaporisers: Hiding the habit from parents and teachers. *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30219794>

Pepper JK, Coats EM, Nonnemaker JM, and Loomis BR. How do adolescents get their e-cigarettes and other electronic vaping devices? *American Journal of Health Promotion*, 2018:890117118790366. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30068216>

Noar SM, Rohde JA, Horvitz C, Lazard AJ, Cornacchione Ross J, et al. Adolescents' receptivity to e-cigarette harms messages delivered using text messaging. *Addictive Behaviors*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29960716>

Kuehn BM. Teens shift to electronic cigarettes. *Journal of the American Medical Association*, 2018; 320(4):333. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30043073>

Kroemer NB, Veldhuizen MG, Delvy R, Patel BP, O'Malley SS, et al. Sweet taste potentiates the reinforcing effects of e-cigarettes. *Eur Neuropsychopharmacol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30093174>

Kavuluru R, Han S, and Hahn EJ. On the popularity of the usb flash drive-shaped electronic cigarette juul. *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29654121>

Hawkins SS, Ghiani M, and Baum CF. Associations between state tobacco control policies and adolescent ends use. *J Public Health Manag Pract*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30180120>

Hammond D, Wackowski OA, Reid JL, O'Connor RJ, and International Tobacco Control Policy Evaluation Project t. Use of juul e-cigarettes among youth in the united states. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30371838>

<https://academic.oup.com/ntr/advance-article-abstract/doi/10.1093/ntr/nty237/5145692?redirectedFrom=fulltext>

Goniewicz ML, Boykan R, Messina CR, Eliscu A, and Tolentino J. High exposure to nicotine among adolescents who use juul and other vape pod systems ('pods'). *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30194085>

Cho BY, Seo DC, Lin HC, Lohrmann DK, Chomistek AK, et al. Adolescent weight and electronic vapor product use: Comparing bmi-based with perceived weight status. *American Journal of Preventive Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30126669>

Barrington-Trimis JL and Leventhal AM. Adolescents' use of "pod mod" e-cigarettes - urgent concerns. *New England Journal of Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30134127>

Barrientos-Gutierrez I, Lozano P, Arillo-Santillan E, Morello P, Mejia R, et al. "Technophilia": A new risk factor for electronic cigarette use among early adolescents? *Addictive Behaviors*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30224154>

Fda tackles underage e-cigarette use. *Cancer Discovery*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29789311>

Yang Q, Liu J, Lochbuehler K, and Hornik R. Does seeking e-cigarette information lead to vaping? Evidence from a national longitudinal survey of youth and young adults. *Health Commun*, 2017:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29236549>

Sanginiti DB. E-cigarette flavors—should they be banned? *National Law Review*, US 2017. Available from: <https://www.natlawreview.com/article/e-cigarette-flavors-should-they-be-banned>.

Pu J and Zhang X. Exposure to advertising and perception, interest, and use of e-cigarettes among adolescents: Findings from the us national youth tobacco survey. *Perspect Public Health*, 2017;1757913917703151. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28379069>

Pepper JK, MacMonegle AJ, and Nonnemaker JM. Adolescents' use of basic, intermediate, and advanced device types for vaping. *Nicotine & Tobacco Research*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29294122>

Park S, Lee H, and Min S. Factors associated with electronic cigarette use among current cigarette-smoking adolescents in the republic of korea. *Addictive Behaviors*, 2017; 69:22-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28110154>

Moreno MA. What parents need to know about electronic cigarettes. *JAMA Pediatrics*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059265>

Miech R, Patrick ME, O'Malley PM, and Johnston LD. What are kids vaping? Results from a national survey of us adolescents. *Tobacco Control*, 2017; 26(4):386-91. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/4/386.full.pdf>

Kristjansson AL, Mann MJ, Smith ML, and Sigfusdottir ID. Social profile of middle school-aged adolescents who use electronic cigarettes: Implications for primary prevention. *Prev Sci*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28725992>

Kong G, Morean ME, Cavallo DA, Camenga DR, and Krishnan-Sarin S. Sources of electronic cigarette acquisition among adolescents in connecticut. *Tob Regul Sci*, 2017; 3(1):10-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29082300>

Kong G and Krishnan-Sarin S. A call to end the epidemic of adolescent e-cigarette use. *Drug and Alcohol Dependence*, 2017; 174:215-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29350618>

Demissie Z, Everett Jones S, Clayton HB, and King BA. Adolescent risk behaviors and use of electronic vapor products and cigarettes. *Pediatrics*, 2017; 139(2). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28115539>

Chen Y, Fowler CH, Papa VB, Lepping RJ, Brucks MG, et al. Adolescents' behavioral and neural responses to e-cigarette advertising. *Addict Biol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28401670>

Case KR, Harrell MB, Perez A, Loukas A, Wilkinson AV, et al. The relationships between sensation seeking and a spectrum of e-cigarette use behaviors: Cross-sectional and longitudinal analyses specific to texas adolescents. *Addictive Behaviors*, 2017; 73:151-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28521240>

Barrington-Trimis JL, Gibson LA, Halpern-Felsher B, Harrell MB, Kong G, et al. Type of e-cigarette device used among adolescents and young adults: Findings from a pooled analysis of 8 studies of 2,166 vapers. *Nicotine & Tobacco Research*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28371890>

Zhang X and Pu J. E-cigarette use among us adolescents: Secondhand smoke at home matters. *International Journal of Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26781545>

Winickoff JP and Winickoff SE. Potential solutions to electronic cigarette use among adolescents. *Pediatrics*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27401100>

Wagoner KG, Cornacchione J, Wiseman KD, Teal R, Moracco KE, et al. E-cigarettes, hookah pens and vapes: Adolescent and young adult perceptions of electronic nicotine delivery systems. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27029821>

Thrasher JF, Abad-Vivero EN, Barrientos-Gutierrez I, Perez-Hernandez R, Reynales-Shigematsu LM, et al. Prevalence and correlates of e-cigarette perceptions and trial among early adolescents in Mexico. *The Journal of Adolescent Health*, 2016; 58(3):358–65. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26903433>

Pepper JK, Ribisl KM, and Brewer NT. Adolescents' interest in trying flavoured e-cigarettes. *Tobacco Control*, 2016; 25(Suppl 2):ii62–ii6. Available from: http://tobaccocontrol.bmj.com/content/25/Suppl_2/ii62.abstract

Miech R, Patrick M, O'Malley P, and Johnston L. What are kids vaping? Results from a national survey of us adolescents. *Tobacco Control*, 2016. Available from: <http://tobaccocontrol.bmj.com/content/early/2016/07/21/tobaccocontrol-2016-053014?papetoc>
<http://www.ncbi.nlm.nih.gov/pubmed/27562412>

Greenhill R, Dawkins L, Notley C, Finn MD, and Turner JJ. Adolescent awareness and use of electronic cigarettes: A review of emerging trends and findings. *The Journal of Adolescent Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27693128>

Gorukanti A, Delucchi K, Ling P, Fisher-Travis R, and Halpern-Felsher B. Adolescents' attitudes towards e-cigarette ingredients, safety, addictive properties, social norms, and regulation. *Preventive Medicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27773711>

Echevarria C and Sinha IP. Heterogeneity in the measurement and reporting of outcomes in studies of electronic cigarette use in adolescents: A systematic analysis of observational studies. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27129981>

Beal JA. Adolescent use of e-cigarettes: What are the risks? *MCN Am J Matern Child Nurs*, 2016; 41(5):310. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27537091>

Bandara N. Would e-cigarette regulation alone improve adolescents' health? *CMAJ*, 2016; 188(15):1106. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27754883>

Bandara AN. Understanding adolescent perceptions on e-cigarettes is vital. *American Journal of Public Health*, 2016; 106(5):e13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27049425>

Arane K and Goldman RD. Electronic cigarettes and adolescents. *Can Fam Physician*, 2016; 62(11):897-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28661867>

Alcala HE, Albert SL, and Ortega AN. E-cigarette use and disparities by race, citizenship status and language among adolescents. *Addictive Behaviors*, 2016; 57:30–4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26835605>

E-cigarette age restrictions are endorsed even by adolescents who smoke. *Nursing Standard*, 2016; 30(32):13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27049988>

Hildick-Smith GJ, Pesko MF, Shearer L, Hughes JM, Chang J, et al. A practitioner's guide to electronic cigarettes in the adolescent population. *The Journal of Adolescent Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26422289>

Ford A, MacKintosh AM, Bauld L, Moodie C, and Hastings G. Adolescents' responses to the promotion and flavouring of e-cigarettes. *International Journal of Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26650455>

Chaffee BW, Gansky SA, Halpern-Felsher B, Couch ET, Essex G, et al. Conditional risk assessment of adolescents' electronic cigarette perceptions. *American Journal of Health Behavior*, 2015; 39(3):421–32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25741686>

Lessard J, Henrie J, Livingston JA, Leonard KE, Colder CR, et al. Correlates of ever having used electronic cigarettes among older adolescent children of alcoholic fathers. *Nicotine & Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25173773>

18.9.1 Demographics

Assari, S, Zare, H. & Sheikhattari, P. (2024). Social Epidemiology of Early Initiation of Electronic and Conventional Cigarette Use in Early to Middle Adolescents. *J Biomed Life Sci*, 4(1), 27-35. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39363974>

Chen, G, Lu, H., Chen, W, Qi, S, & Du, W. (2024). Trends in socioeconomic inequality in e-cigarette use among adolescents in South Korea. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39421298>

Seidenberg, AB, Donovan, EM, Liu, M, & Kreslake, JM. (2024). E-Cigarette Use by Female vs Male High School Students. *Pediatrics*, 154(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39449671>

Jawad, M, Li, W, & Filippidis, FT. (2024). Sociodemographic inequalities in cigarette, smokeless tobacco, waterpipe tobacco, and electronic cigarette use among adolescents aged 12-16 years in 114 countries: A cross-sectional analysis. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39224225>

McLeish, AC, Smith, CL, Tomlinson, MM, Kerstiens, S, Walker, KL, & Hart, JL. (2024). E-Cigarette Use Behavior and Expectancies Among Sexual Minority and Heterosexual College Student E-Cigarette Users. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39155511>

Hartono, R, Yan, C, Chen, Y, Ma, B, Deng, Y, Sun, Y et al. (2024). Knowledge, attitude, and practice of e-cigarette use among undergraduate students: A comparative study between China and Indonesia. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39015939>

Lee, J, & Giovenco, DP. (2024). Co-vaping of nicotine and cannabis by sexual identity among US adults: Results from the 2022 National Survey on Drug Use and Health. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39033986>

Battista, K, Patte, KA, Wade, TJ, Cole, AG, Elton-Marshall, T, Lucibello, KM et al. (2024). Do sociodemographic risk profiles for adolescents engaging in weekly e-cigarette, cigarette, and dual product use differ? *BMC Public Health*, 24(1), 1558. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38858709>

Del Castillo, FA. (2024). Health, religion/spirituality and e-cigarette. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38556695>

Edwards, K, Manoharan, A, Asfar, T, Kareff, S, Lopes, G, Rodriguez, E, & Olazagasti, C. (2024). Disparities in Electronic Cigarette Use: A Narrative Review. *Crit Rev Oncog*, 29(3), 91-98. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38683156>

Goeckner, R, Lewis, CS, Simon, AL, Pacheco, J, Hale, J, Choi, WS, & Daley, CM. (2024). Understanding American Indian tribal college student knowledge, attitudes, beliefs, and behaviors surrounding alternative tobacco products. *J Am Coll Health*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38683876>

Osibogun, O, Li, W, Jebai, R, & Kalan, ME. (2024). Cigarettes and e-cigarettes use among US adults with multimorbidity. *Drug Alcohol Depend Rep*, 11, 100231. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38665253>

Assari, S, & Sheikhattari, P. (2023). Electronic Nicotine Delivery Systems (ENDS), Marginalized Populations, and Tobacco Regulatory Policies. *J Lung Health Dis*, 7(2), 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38235500>

Lipperman-Kreda, S, Sanders, E, Annechino, R, Peterkin, E, & Antin, TM J. (2024). Harm perceptions of vaping nicotine relative to cigarette smoking among sexual and gender minority young adults. *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38258463>

Singer, JM, Tackett, AP, Klein, EG, Lu, B, Wagner, DD, Wold, LE, & Roberts, ME. (2024). Demographic and Behavioral Differences Between Adolescents and Young Adults Who Use E-Cigarettes at Low and High Frequency. *Subst Use Addctn J*, 29767342231214115. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38258811>

McCauley, DM, Baiocchi, M, Gaiha, SM, & Halpern-Felsher, B. (2023). Sociodemographic differences in use of nicotine, cannabis, and non-nicotine E-cigarette devices. *Drug Alcohol Depend*, 255, 111061. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38134543>

Sklenarik, SM, Potenza, MN, & Astur, RS. (2023). Avoidance biases for vaping stimuli among college students with electronic-cigarette use. *Addict Behav*, 151, 107934. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38101120>

- Alam, F, & Silveyra, P. (2023). Sex Differences in E-Cigarette Use and Related Health Effects. *Int J Environ Res Public Health*, 20(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37998310>
- Griffin, BA, Schuler, MS, Cefalu, M, Ayer, L, Godley, M, Greifer, N et al. (2023). A Tutorial for Propensity Score Weighting for Moderation Analysis with Categorical Variables: An Application Examining Smoking Disparities Among Sexual Minority Adults. *Med Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37782463>
- Le, TTT. (2023). Key Risk Factors Associated With Electronic Nicotine Delivery Systems Use Among Adolescents. *JAMA Netw Open*, 6(10), e2337101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37862018>
- Wang, Y, LoParco, CR, Cui, Y, Duan, Z, Bar-Zeev, Y, Levine, H et al. (2023). Profiles of tobacco product use and related consumer characteristics in the US and Israel: A multiple-group latent class analysis. *Glob Public Health*, 18(1), 2267652. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37885277>
- Gwon, SH, Thongpriwan, V, Mobarki, A, Eyadat, A, & Noonan, D. (2023). Experiences and Perceptions of E-Cigarette Cessation for Young Adults in Rural Communities. *Nurs Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37768961>
- Do, EK, Aarvig, K, Muller-Tabanera, H, Mills, S, Sumibcay, JR, Koh, HK et al. (2023). E-cigarette use behaviors of Asian American, Native Hawaiian, and Pacific Islander youth in the contiguous United States: Insights from the Monitoring the Future Study (2018-2019). *Prev Med Rep*, 35, 102376. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37662868>
- Liu, J, Patterson, JG, Keller-Hamilton, B, Lee, DN, Chrzan, KR, & Stevens, EM. (2023). Sexual orientation and gender identity differences in perceptions and product appeal in response to e-cigarette advertising. *Tob Induc Dis*, 21, 111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37664443>
- Maglalang, DD, Hu, Y, Baslock, D, Daus, JD, Cano, M, & Ahluwalia, JS. (2023). Recency of Cannabis Vaping in Sexual Minorities in Wave 5 of the Population Assessment of Tobacco and Health (PATH) Study. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37750356>
- Park, M, & Song, H. (2023). Examining Factors Associated with E-Cigarette Use among Current Smokers. *Healthcare (Basel)*, 11(18). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37761722>
- Buckner, JD, Morris, PE, Threton, EM, & Zvolensky, MJ. (2023). Cannabis and Nicotine Dual Use among Sexual Minority Individuals: Relations to Cannabis Use and Negative Affect. *Subst Use Misuse*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37622481>
- Connolly, M, Croft, D, Ramirez-Palacios, P, Cai, X, Hill, B, Orfin, RH et al. (2023). Are Black and Latino adolescents being asked if they use electronic cigarettes and advised not to use them? Results from a community-based survey. *Front Public Health*, 11, 1222184. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37637819>

Patterson, JG, Keller-Hamilton, B, Wedel, A, Vazquez-Otero, C, Liu, J, Lee, D et al. (2023). Absolute and relative e-cigarette harm perceptions among young adult lesbian and bisexual women and nonbinary people assigned female at birth. *Addict Behav*, 146, 107788. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37429104>

Azagba, S, Ebling, T, Adekeye, OT, & Shan, L. (2023). Corrigendum to "Mental health condition indicators and e-cigarette use among sexual minority youth" [J. Affect. Disord. 319 (2022) pages 1-7]. *J Affect Disord*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37517976>

Liu, J, Tan, ASL, Winickoff, JP, & Rees, VW. (2023). Correlates of adolescent sole-, dual- and poly-use of cannabis, vaped nicotine, and combusted tobacco. *Addict Behav*, 146, 107804. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37478525>

Keum, BT, Cano, MA, Valdovinos, IC, & Boland, DZ. (2023). Impact of online and offline racism on cigarette smoking, marijuana use, and vaping via depressive/anxiety symptoms among racially minoritized emerging adults. *Am J Orthopsychiatry*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37470998>

Zvolensky, MJ, Shepherd, JM, Clausen, BK., Redmond, BY, Correa-Fernandez, V, & Ditre, JW. (2023). Combustible cigarette smokers versus e-cigarette dual users among Latinx individuals: Differences in alcohol and drug use severity. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37470998>

Pettigrew, S, Santos, JA, Li, Y, Jun, M, Anderson, C, & Jones, A. (2023). Short report: Factors contributing to young people's susceptibility to e-cigarettes in four countries. *Drug Alcohol Depend*, 109944. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37316389>

Pokhrel, P, Lipperman-Kreda, S, Wills, TA, Kaholokula, JK, Kawamoto, CT, Amin, S, & Herzog, TA. (2023). Ethnicity, COVID-related stress, and e-cigarette use and cigarette smoking among young adults: A longitudinal study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37330693>

Janjua, NA, Kreski, NT, & Keyes, KM. (2023). Social, educational, and psychological health correlates of e-cigarette and combustible cigarette use among adolescents in the US from 2015 to 2021. *Addict Behav*, 144, 107754. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37230022>

Harlow, AF, McConnell, R, Leventhal, AM, Goodwin, RD, & Barrington-Trimis, JL. (2023). Racial, Ethnic, and Education Differences in Age of Smoking Initiation Among Young Adults in the United States, 2002 to 2019. *JAMA Netw Open*, 6(3), e235742. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36924804>

Kundu, S, Shaw, S, Khan, J, Chattopadhyay, A, Baptista, EA, & Paswan, B. (2023). Age, gender and socioeconomic patterns of awareness and usage of e-cigarettes across selected WHO region countries: evidence from the Global Adult Tobacco Survey. *BMJ Open*, 13(1), e070419. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36657753>

Romano, E, & Sanchez, M. (2023). Early trajectories of cigarette and ENDS use among young adult recent Latino immigrants to U.S. *J Ethn Subst Abuse*, 1-23. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36695045>

Antin, TMJ, Sanders, E, Lipperman-Kreda, S, Annechino, R, & Peterkin, E. (2022). 'I can't make perfect choices all the time': Perspectives on Tobacco Harm Reduction among SGM Young Adults. [MS Top Pick]. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36548953>

Hill, TD, Bostean, G, Upenieks, L, Bartkowski, JP, Ellison, CG, & Burdette, AM. (2022). (Un)holy Smokes? Religion and Traditional and E-Cigarette Use in the United States. *J Relig Health*, 1-26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36520262>

Johnson, DL, Okamoto, SK, Rosario, MH, & Pokhrel, P. (2022). Tobacco product use and cultural connectedness among Native Hawaiian/Pacific Islander, Asian American, and Filipino American young adults in Hawai'i. *J Ethn Subst Abuse*, 1-15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36579697>

Austin-Datta, RJ, Chaudhari, PV, Cheng, TD, Klarenberg, G, Striley, CW, & Cottler, LB. (2022). Electronic Nicotine Delivery Systems (ENDS) use Among Members of a Community Engagement Program. *J Community Health*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36436165>

Addo Ntim, S, Martin, B, & Termeh-Zonoozi, Y. (2022). Review of Use Prevalence, Susceptibility, Advertisement Exposure, and Access to Electronic Nicotine Delivery Systems among Minorities and Low-Income Populations in the United States. *Int J Environ Res Public Health*, 19(20). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36294164>

Lee, J, & Tan, ASL. (2022). Intersectionality of Sexual Orientation With Race and Ethnicity and Associations With E-Cigarette Use Status Among U.S. Youth. *Am J Prev Med*, 63(5), 669-680. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36272758>

Kahe, M, & Zhang, Y. (2022). Understanding Gender Differences in Reasons for Using e-Cigarettes Is Important for Intervention. *Subst Use Misuse*, 1-2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36126150>

Cambron, C, & Thackeray, KJ. (2022). Socioeconomic Differences in Lifetime and Past 30-Day E-Cigarette, Cigarette, and Dual Use: A State-Level Analysis of Utah Youth. *Int J Environ Res Public Health*, 19(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35805216>

Chankaew, T, Baiya, P, Chinwong, D, Yoodee, V, & Chinwong, S. (2022). Electronic Cigarettes in Thailand: Behaviour, Rationale, Satisfaction, and Sex Differences. *Int J Environ Res Public Health*, 19(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35886084>

Yew Shen, Y, Ramzi, NH, & Gopinath, D. (2022). Personality Traits and Sociodemographic Factors Associated with the Use of E-Cigarettes, Waterpipe and Conventional Cigarettes among Medical University Students. *Int J Environ Res Public Health*, 19(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35742249>

Rahmandar, MH, & Gribben, V. (2022). E-cigarette disparities: Who are the targets? *Curr Probl Pediatr Adolesc Health Care*, 101201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35523675>

Teah, GE, & Conner, TS. (2022). Corrigendum: Psychological and Demographic Predictors of Vaping and Vaping Susceptibility in Young Adults. *Front Psychol*, 13, 871241. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35529551>

- Bedi, MK, Bedi, DK, & Ledgerwood, DM. (2022). Gender Differences in Reasons for Using E-Cigarettes: A Systematic Review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35439816>
- Espinoza, VE, Giner, P, Liano, I, Mendez, IA, & O'Dell, LE. (2022). Sex and age differences in approach behavior toward a port that delivers nicotine vapor. *J Exp Anal Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35338651>
- Gu, D, Max, WB, Yao, T, Wang, Y, Keeler, C, & Sung, HY. (2022). Association between e-cigarette use and food insecurity among low-income adults. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35279644>
- Kjeld, SG, Andersen, S, Andersen, A, Glenstrup, S, Lund, L, Danielsen, D, & Bast, LS. (2021). Who are the young users of tobacco products? Prevalence and characteristics of Danish adolescents who have either smoked cigarettes, used alternative tobacco products, or used both. *Nordisk Alkohol Nark*, 38(6), 555-572. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35309851>
- Kjeld, SG, Lund, L, Andersen, S, & Bast, LS. (2022). Socioeconomic Differences in Cigarette Smoking and Alternative Tobacco Product Use Among Adolescents in a School-Based Smoking Preventive Intervention: Findings From the Second Year of the X:IT II Study. *Front Public Health*, 10, 825585. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35265577>
- Usidame, B, Hirschtick, JL, Mattingly, DT, Patel, A, Patrick, ME, & Fleischer, NL. (2022). Sociodemographic Patterns of Exclusive and Dual Combustible Tobacco and E-Cigarette Use among US Adolescents-A Nationally Representative Study (2017-2020). *Int J Environ Res Public Health*, 19(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35265577>
- Gaiha, SM, Rao, P, & Halpern-Felsher, B. (2022). Sociodemographic Factors Associated with Adolescents' and Young Adults' Susceptibility, Use, and Intended Future Use of Different E-Cigarette Devices. *Int J Environ Res Public Health*, 19(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35206132>
- Jane Ling, MY, Ahmad, N, Mohd Yusoff, MF, & Lim, KH. (2022). Current e-cigarette use among in-school adolescents in West Malaysia: Examining the interactions between sociodemographic characteristics and lifestyle risk behaviours. *PLoS One*, 17(1), e0263355. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35100321>
- Mattingly, DT, Patel, A, Hirschtick, JL., & Fleischer, NL. (2022). Sociodemographic differences in patterns of nicotine and cannabis vaping among US adults. *Prev Med Rep*, 26, 101715. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35141121>
- Rahman, MA, Joseph, B, & Nimmi, N. (2022). Electronic Cigarettes or Vaping: Are There Any Differences in the Profiles, Use and Perceptions between a Developed and a Developing Country? *Int J Environ Res Public Health*, 19(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35162695>
- Kraus, A, Moskowitz, DA, Ma, J, & Macapagal, K. (2022). Cigarette Use and Vaping Among Sexual and Gender Minority (SGM) Adolescents Assigned Male at Birth: Patterns of Use and Associations with Demographic and Psychosocial Factors. *Int J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35217994>

Martinelli, TF, De Vries, H, Talhout, R, van Schayck, OCP, & Nagelhout, GE. (2021). Do e-cigarettes attract youths who are otherwise unlikely to use addictive substances? Cross-sectional analyses of Dutch and Flemish secondary school students. *Tob Prev Cessat*, 7, 74. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35083393>

Heng, PP, Daud, F, Yusoff, MFM, & Lim, KH. (2021). Susceptibility to e-cigarette initiation among tobacco product naive adolescents in Malaysia: Findings from the tobacco and e-cigarette survey among Malaysian adolescents (TECMA). *Tob Induc Dis*, 19, 89. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34887718>

Perez, A, Bluestein, MA, Kuk, AE, & Chen, B. (2021). Age of e-cigarette initiation in USA young adults: Findings from the Population Assessment of Tobacco and Health (PATH) study (2013-2017). *PLoS One*, 16(12), e0261243. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34898629>

Perez, A, Bluestein, MA, Kuk, AE, Chen, B, Sterling, KL, & Harrell, MB. (2021). Age of Onset of Susceptibility to Different Tobacco Products Among Non-Susceptible US Young Adults: Findings from the Population Assessment of Tobacco and Health Study Waves 2-4 (2014-2017). *Tob Use Insights*, 14, 1179173X211065643. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34924777>

Perez, A, Kuk, AE, Bluestein, MA, Sia, HMS, & Chen, B. (2021). Age of Initiation of Dual Tobacco Use and Binge Drinking among Youth (12-17 Years Old): Findings from the Population Assessment of Tobacco and Health (PATH) Study. *Int J Environ Res Public Health*, 18(24). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34948595>

Philip, HE, Hein, DM, & Sanford, NN. (2021). Racial Disparities in E-Cigarette Use among Conventionally Smoking Cancer Survivors in the United States, 2014-2018. *Subst Use Misuse*, 1-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34958287>

Struble, CA, Bauer, SJ, Lundahl, LH, Ghosh, S, & Ledgerwood, DM. (2021). Electronic cigarette use among sexual minority and heterosexual young adults in a U.S. national sample: Exploring the modifying effects of advertisement exposure. *Prev Med*, 155, 106926. Retrieved from

Tami-Maury, I, Chen, B, Sumbe, A, & Harrell, MB. (2021). Timing of ENDS Uptake by Sexual Orientation among Adolescents and Young Adults in Urban Texas. *Nicotine Tob Res*. Retrieved from

Marx, JM, Miller, A, Windsor, A, Locke, J, & Frazier, E. (2021). Perceptions of cigarettes and e-cigarettes: does health literacy matter? *J Am Coll Health*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34635027>

Morean, ME, Davis, DR, Kong, G, Bold, KW, Camenga, DR, Suttiratana, S et al. (2021). Demographic and substance use-related differences among high school adolescents who vape cannabis versus use other cannabis modalities. *Drug Alcohol Depend*, 228, 109104. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34607191>

Short, M, & Cole, AG. (2021). Factors Associated with E-Cigarette Escalation among High School Students: A Review of the Literature. *Int J Environ Res Public Health*, 18(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34639369>

Dai, H, Ramos, AK, Faseru, B, Hill, JL, & Sussman, SY. (2021). Racial Disparities of E-Cigarette Use Among US Youths: 2014-2019. *Am J Public Health*, e1-e9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34554815>

Tran Luy, M, Airagnes, G, Matta, J, Toubiana, L, Allagbe, I, Limosin, F, & Le Faou, AL. (2021). Sociodemographic and Clinical Characteristics of Vapers Using E-Cigarettes Exclusively: The French Vapoquid Study. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34523386>

Teah, GE, & Conner, TS. (2021). Psychological and Demographic Predictors of Vaping and Vaping Susceptibility in Young Adults. *Front Psychol*, 12, 659206. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34484026>

Clifford, JS, Lu, J, Blondino, CT, Do, EK, & Prom-Wormley, EC. (2021). The Association Between Health Literacy and Tobacco Use: Results from a Nationally Representative Survey. *J Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34357496>

Wang, L, Chen, J, Leung, LT, Ho, SY, Lam, TH, & Wang, MP. (2021). Use patterns of cigarettes and alternative tobacco products and socioeconomic correlates in Hong Kong secondary school students. *Sci Rep*, 11(1), 17253. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34446733>

Felner, JK, Andrzejewski, J, Strong, D, Kieu, T, Ravindran, M, & Corliss, HL. (2021). Vaping disparities at the intersection of gender identity and race/ethnicity in a population-based sample of adolescents. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34297103>

Mathur Gaiha, SHalpern-Felsher, B, Feld, AL, Gaber, J, Rogers, T, & Henriksen, L. (2021). JUUL and other e-cigarettes: Socio-demographic factors associated with use and susceptibility in California. *Prev Med Rep*, 23, 101457. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34194963>

Vuolo, M, Janssen, E, Le Nezet, O, & Spilka, S. (2021). Community- and individual-level risk factors of past month e-cigarette use among adolescents in France. *Drug Alcohol Depend*, 226, 108823. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34216860>

18.9.2 Health and temperament

Wang, Y, Romm, KF, Edberg, MC, Bingenheimer, JB, LoParco, CR, Cui, Y, & Berg, CJ. (2024). Two-part models identifying predictors of cigarette, e-cigarette, and cannabis use and change in use over time among young adults in the US. *Am J Addict*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38685757>

Janjua, NA, Kreski, NT, & Keyes, KM. (2023). Social, educational, and psychological health correlates of e-cigarette and combustible cigarette use among adolescents in the US from 2015 to 2021. *Addict Behav*, 144, 107754. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37230022>

Alqahtani, MM, Alanazi, AMM, Dransfield, MT, Wells, JM, Lein, DH, Jr., & Hendricks, PS. (2023). Relationship Between Chronic Lung Disease Diagnosis and Susceptibility to E-Cigarette Use in Adults. *Respir Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36854469>

Azagba, S, Ebling, T, Adekeye, OT, & Shan, L. (2022). Mental health condition indicators and e-cigarette use among sexual minority youth. *J Affect Disord*, 319, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36116602>

Becker, TD, & Rice, TR. (2021). Youth vaping: a review and update on global epidemiology, physical and behavioral health risks, and clinical considerations. *Eur J Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34396473>

18.9.2.1 Physical health

Verma, R, Zikic, A, McCoy, J, Garcia, L, AlFouzan, R, Alkhouri, S et al. (2024). Screening for e-cigarette usage among adolescents with primary ciliary dyskinesia and cystic fibrosis. *Pediatr Pulmonol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39295490>

Huang, X, Qi, Y, Zhang, R, Pu, Y, Chen, X, Chen, S et al. (2024). Altered executive control network and default model network topology are linked to acute electronic cigarette use: A resting-state fNIRS study. *Addict Biol*, 29(7), e13423. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38949205>

Smith, CE, & O'Neil, PM. (2024). Prevalence of Obesity Among Electronic Cigarette and Tobacco Users in the United States: Results from the 2018 Wave of the Behavioral Risk Factor Surveillance System. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38803011>

Tiralla, G, Tamulevicius, N, Martinasek, MP, & Leung, W. (2024). Examining the Relationship Between E-Cigarette Status and Wearable Device Use on Physical Activity Levels in U.S. Adults. *Am J Health Promot*, 8901171241256712. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38805604>

Maldonado, GT, Hochsmann, C, Anbil, A, Neubig, K, Imran, R, Fuemmeler, BF et al. (2024). Initial evidence of the acute effect of electronic nicotine delivery system use on energy intake. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38358733>

Mason, TB, Tackett, AP, & Leventhal, AM. (2023). Indirect Effects of Body Mass Index and Sweet Taste Responsiveness on E-Cigarette Dependence: The Role of E-Cigarette Motives. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38149796>

Cheney, MK, Song, H, Bhoohibhoya, S, & Lu, Y. (2023). Chronic disease as a risk factor for cigarette and e-cigarette use from young adulthood to adulthood. *Prev Med Rep*, 36, 102473. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37881176>

Robinson, JD, Kypriotakis, G, Karam-Hage, M, Cui, Y, Beneventi, D, Blalock, JA et al. (2023). Brief report: Characterization of electronic cigarette use among patients of a comprehensive cancer center. *Am J Addict*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37807121>

Alqahtani, MM, Jr, Alanazi, AMM, Aljohani, H, Ismaeil, TT, Algarni, SS, Alotaibi, TF et al. (2023). The relationship between chronic lung disease diagnosis and the susceptibility to e-cigarette use in adults: The mediation effects of psychosocial, cognitive influences, and the moderation effect of physiological factors. *Tob Induc Dis*, 21, 116. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37745030>

Wen, X, Xia, T, Li, R, Qiu, H, Yu, B, Zhang, Y, & Wang, S. (2023). Trends in Electronic Cigarette Use Among US Adults With a History of Cardiovascular Disease. *JAMA Netw Open*, 6(8), e2328962. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37581891>

Streck, JM, Lee, JW, Walter, AW, Rosen, RL, Gareen, IF, Kircher, SM et al. (2023). Cigarette and alternative tobacco product use among adult cancer survivors enrolled in 9 ECOG-ACRIN clinical trials. *Cancer Epidemiol Biomarkers Prev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37410096>

McCabe, AJ, Fitzgerald, N, Striley, C, & Cottler, L. (2023). E-cigarette Use Among Community-Recruited Adults with a History of Asthma in North Central Florida. *J Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37458851>

Rhoads, S, Auth, R, Chambers, A, Blundin, M, Mahoney, L, McLaughlin, S, & Banerjee, D. (2023). Perceptions and Use of E-cigarettes among Young Adults with Cystic Fibrosis: An Observational Study. *R I Med J (2013)*, 106(7), 58-63. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37494629>

Pokhrel, P, Lipperman-Kreda, S, Wills, TA, Kaholokula, JK, Kawamoto, CT, Amin, S, & Herzog, TA. (2023). Ethnicity, COVID-related stress, and e-cigarette use and cigarette smoking among young adults: A longitudinal study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37330693>

Lee, J, Olayinka, O, & Thrul, J. (2023). Association between pain and e-cigarette use stratified by cigarette smoking status: Results from National Health Interview Survey (NHIS) 2019-2020. *Addict Behav*, 140, 107625. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36731225>

Fox, KR, Ferketich, AK, Groner, J A, Rausch, JR, Garg, V, Grant, VR et al (2023). The Association of Global and Disease-Related Stress With Susceptibility to and Use of E-Cigarettes and Marijuana Among Adolescents With Congenital Heart Disease. *J Pediatr Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36810676>

Ganson, KT, Rodgers, RF, Murray, SB, & Nagata, JM. (2022). Associations between muscle-building exercise and concurrent e-cigarette, cigarette, and cannabis use among U.S. adolescents. *PLoS One*, 17(12), e0278903. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36576893>

Zeller, MH, Strong, H, Reiter-Purtill, J, Jenkins, TM, Mitchell, JE, Michalsky, MP, & Helmrath, MA. (2022). Marijuana, e-cigarette, and tobacco product use in young adults who underwent pediatric bariatric surgery. *Surg Obes Relat Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36567232>

Hahn, AW, Ruderman, SA, Nance, RM, Whitney, BW, Eltonsy, S, Haidar, L et al. (2022). Vaporized Nicotine (E-cigarette) and Tobacco Smoking Among People with HIV: Use Patterns and Associations with Depression and Panic Symptoms. *J Acquir Immune Defic Syndr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36399783>

Hochgraf, AK, Fosco, GM, & Lanza, ST. (2022). Age-Varying Associations Between Attempts to Lose Weight and Nicotine Vaping Across Adolescence: Results From a Nationally Representative Sample. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36424336>

Alanazi, AMM, Alqahtani, MM, Wells, JM, Lein, DH et al. (2022). Outcome expectancies and resistance self-efficacy mediate the relationship between asthma diagnosis and e-cigarette use among youth and young adults. *J Asthma*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36197727>

Kim, S, & Jo, K. (2022). Multiple Tobacco Product Use among Adolescents with Asthma in Korea. *Int J Environ Res Public Health*, 19(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35954989>

Rajbhandari-Thapa, J, Thapa, K, Li, Y, Ingels, JB, Shi, L, Zhang, D et al. (2022). Electronic Vapor Product Use and Levels of Physical Activity Among High School Students in Georgia. *Tob Use Insights*, 15, 1179173X221101786. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35795595>

Ebrahimi Kalan, M, Bursac, Z, Jebai, R, Zare, S, Li, WGautam, P et al. (2022). State-specific Prevalence and Factors Associated With Current Marijuana, ENDS, and Cigarette use Among US Adults With Asthma. *Tob Use Insights*, 15, 1179173X221105783. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35664420>

Holtz, KD, Simkus, AA, Twombly, EC, Fleming, ML, & Wanty, NI. (2022). Sleep deprivation and adolescent susceptibility to vaping in the United States. *Prev Med Rep*, 26, 101756. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35359801>

Sompa, SI, Zettergren, A, Ekstrom, S, Upadhyay, S, Ganguly, K, Georgelis, A et al. (2022). Predictors of electronic cigarette use and its association with respiratory health and obesity in young adulthood in Sweden; findings from the population-based birth cohort BAMSE. *Environ Res*, 208, 112760. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35065933>

Cooke, ME, Clifford, JS, Do, EK, Gilman, JM, Spit for Science Working, g, Maes, HH et al. (2021). Polygenic Score for Cigarette Smoking is Associated with Ever Electronic-Cigarette Use in a College-Aged Sample. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34636095>

Beck, DC, Boyd, CJ, Evans-Polce, R, McCabe, SE, & Veliz, PT. (2021). An examination of how e-cigarette/cigarette use during adolescence is associated with future use during the third trimester of pregnancy. *Subst Abus*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34355989>

Zhang, QC, Courtney-Long, EA, Sinclair, LB, Reese, S, Armour, BS, & Shapira, SK. (2021). State-specific prevalence of current e-cigarette use by disability status and disability type-United States, BRFSS 2016-2018. *Disabil Health J*, 101182. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34391714>

Jacobs, W, Nabors, L, Mahabee-Gittens, ME, & Merianos, AL. (2021). E-cigarette and marijuana use and the attainment of obesity prevention guidelines among U.S. adolescents. *Prev Med Rep*, 23, 101445. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34221851>

18.9.2.2 Mental health

Folivi, F, Petrey, AM, Bravo, AJ, Holt, LJ, Looby, A, Stimulant, N, & Prevalence Study, T. (2024). Need Frustration and E-Cigarette Use and Dependence Among College Students: The Mediating Role of Ruminative Thinking. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39511713>

- Rabl, J, Specka, M, Bonnet, U, Irturk, O, Schifano, F, & Scherbaum, N. (2024). Evaluation of E-Cigarette Use in Opioid-Dependent Patients in Maintenance Treatment. *Pharmacopsychiatry*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39477219>
- Caves, KN, Chavan, PP, & Harrell, PT. (2024). Effects of racial teasing on adolescent marijuana use and nicotine vaping: An analysis of the Virginia Youth Risk Behavior Surveillance System. *Addict Behav*, 160, 108186. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39383559>
- Turliuc, MN, Candel, OS, & Jitaru, M. (2024). The relationship between insecure attachment and nicotine dependence among users of classic cigarettes, e-cigarettes, and heated tobacco products: a moderated mediation model. *Subst Abuse Treat Prev Policy*, 19(1), 43. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39285288>
- Lallai, V, & McGrath, KC. (2024). Editorial: The impact of nicotine and e-cigarettes on mental health. *Front Psychiatry*, 15, 1446934. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38993390>
- Lee, S, Elam, K, Lohrmann, D, Luo, J, Chow, A, & Seo, DC. (2024). Prospective longitudinal relations among frequent social media use, nicotine vaping and experiencing internalizing mental health problems. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38961689>
- Smith, CE, Mason, TB, Wright, N, Ruttledge, E, Norris, JE, Monterosso, JR, & Tackett, AP. (2024). An adaptation and exploratory factor analysis of the smoking-related weight and eating episodes test (SWEET) for electronic cigarette users. *Addict Behav*, 157, 108102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39025003>
- Brierley, ME, Gaidoni, S, & Jongenelis, MI. (2024). Psychological distress and e-cigarette use among young Australians: An exploratory, qualitative study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38899118>
- Kava, CM, Watkins, SL, Gilbert, PA, Villhauer, TJ, Welter, TL, & Afifi, RA. (2024). E-cigarettes in college: Associations between mental health and e-cigarette use with other substances. *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38828438>
- Stanley, AK, Frederickson, K, & Pokhrel, P. (2024). Electronic Cigarette Use and Anxiety Among College Students: "Trapped in That Cycle". *J Addict Nurs*, 35(2), 59-66. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38829995>
- Adjei, A, Wilkinson, AV, Chen, B, Mantey, DS, & Harrell, MB. (2024). Does the time to nicotine dependence vary by internalizing symptoms for young people who use e-cigarettes? An analysis of the Population Assessment of Tobacco and Health (PATH) study, (Waves 1-5; 2013-2019). *Addict Behav*, 156, 108075. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38810488>
- Bong, AR, Cho, YG, Park, HA, & Kim, KW. (2024). Unhealthy Weight Control Behaviors according to the Status of Combustible Cigarette and Noncombustible Nicotine or Tobacco Product Use among Korean Adolescents with Experience Attempting to Reduce or Maintain Their Body Weight: The 15th Korea Youth Risk Behavior Survey, 2019. *Korean J Fam Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38720235>

- Hochgraf, AK, Fosco, GM, & Lanza, ST. (2024). Comorbidity between body dissatisfaction and nicotine vaping among young adults in college: a daily diary study. *J Am Coll Health*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38713866>
- Lanza, HI, Waller, K, & Sevillano, L. (2024). Bidirectional relationships between nicotine vaping and maladaptive eating behaviors among young adults. *Addict Behav Rep*, 19, 100547. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38725608>
- Phetphum, C, Prajongjeep, A, & Phuengnam, K. (2024). Relationship between electronic cigarette use, dual smoking habits, and psychological distress among youth in Northern Thailand: A cross-sectional study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38765695>
- Aljohani, FA, Alzubaidi, BY, Al-Rafdan, RH, Alblawi, HM, Alrehayan, RH, Alsenan, GA et al (2024). E-cigarette use, psychological distress, and daily activity participation among adults in Riyadh. *Front Psychiatry*, 15, 1362233. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38680785>
- Ou, TS, Buu, A, Yang, JJ, & Lin, HC. (2024). E-cigarette use reasons and associated e-cigarette use dependence among college students: A longitudinal examination. *Addict Behav*, 155, 108039. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38626630>
- Bennett, ME, Medoff, D, Cowan, T, Fang, L, Kacmarek, C, Oikonomou, MT et al (2024). Tobacco smoking and nicotine vaping in persons with first episode psychosis. *Schizophr Res*, 267, 141-149. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38547716>
- Naylor, H, Howie, A, & Every-Palmer, S. (2024). Vaping in mental health inpatient units: A qualitative study of consumer and staff views on electronic nicotine delivery systems. *Australas Psychiatry*, 10398562241236634. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38533542>
- Smith, CE, Mason, TB, Kechter, A, Monterosso, JR, & Tackett, AP. (2024). Eating Disorder Symptomatology Among Young Adult Cigarette and E-Cigarette Users. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38533542>
- Gimm, G, Schulz, JA, Rubenstein, D, & Casseus, M. (2024). Examining the prevalence of nicotine vaping and association of major depressive episodes among adolescents and young adults by disability type in 2021. *Addict Behav*, 152, 107975. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38309240>
- McLeish, AC, Walker, KL, & Hart, JL. (2024). Emotion Dysregulation and E-Cigarette Expectancies among College Student E-Cigarette Users. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38317024>
- Adzrago, D, Sulley, S, & Williams, F. (2024). Immigration status-related exclusive e-cigarette use and cannabis use and their dual use disparities associated with mental health disorder symptoms. *Drug Alcohol Depend*, 255, 111083. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38215510>
- Cai, J, & Bidulescu, A. (2024). E-cigarette use or dual use of E-cigarette and combustible cigarette and mental health and cognitive impairment: Findings from the National Health Interview Survey, 2020-2021. *J Affect Disord*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38211743>

Zheng, X, Yang, M, Li, W, & Lin, HC. (2024). The mediating roles of mental health problems and racial differences in the linkage between social media use and E-cigarette use among American youth. *Prev Med*, 179, 107842. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38169240>

Do, EK, Aarvig, K, Panigrahi, G, & Hair, EC. (2023). Past-Year Mental Illness Diagnosis and E-cigarette Use Status Among a College-Aged Sample: Findings From the National College Health Assessment (2017-2019). *Am J Health Promot*, 8901171231224864. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38146733>

Han, DH, & Shin, E. (2023). Parenting practices, mental health, and electronic cigarette use among U.S. young adolescents: A longitudinal panel analysis, 2013-2018. *Prev Med*, 178, 107795. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38065337>

Kang, W, & Malvaso, A. (2024). Understanding the longitudinal associations between e-cigarette use and general mental health, social dysfunction and anhedonia, depression and anxiety, and loss of confidence in a sample from the UK: A linear mixed effect examination. *J Affect Disord*, 346, 200-205. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37956830>

Azagba, S, Ebling, T, & Korkmaz, A. (2023). Social media and e-cigarette use: The mediating role of mental health conditions. *J Affect Disord*, 344, 528-534. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37852589>

Wang, Y, Sung, HY, Lea Watkins, S, Lightwood, J, Yao, T, & Max, W. (2023). The association of current exclusive e-cigarette use and dual use of e-cigarettes and cigarettes with psychological distress among U.S. adults. *Prev Med Rep*, 36, 102425. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37810268>

Thomas, JE, Pasch, KE, Nathan Marti, C, & Loukas, A. (2024). Depressive symptoms prospectively increase risk for new onset cigarette and ENDS dependence symptoms. *Addict Behav*, 148, 107870. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37776758>

Caponnetto, P, Triscari, S, Vitale, NM, & Polosa, R. (2023). Letter to the Editors of Substance Abuse: Research and Treatment; Adolescents Who Vape Nicotine and Their Experiences Vaping: A Qualitative Study; Regarding Dube et al. (2023). *Subst Abuse*, 17, 11782218231197959. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37706069>

Emerson, E. (2023). Brief report: the prevalence of smoking and vaping among adolescents with/without intellectual disability in the UK. *J Intellect Disabil Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37530199>

Kim, J, & Lee, S. (2023). Factors associated with Korean adolescent's e-cigarette use by the severity level of generalized anxiety disorder (GAD-7). *J Affect Disord*, 340, 129-138. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37544484>

Tildy, BE, McNeill, A, East, K, Gravely, S, Fong, GT, Cummings, KM et al. (2023). Self-reported depression and anxiety and healthcare professional interactions regarding smoking cessation and nicotine vaping: Findings from 2018 International Tobacco Control Four Country Smoking and Vaping

(ITC 4CV) Survey. *Tob Prev Cessat*, 9, 26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37533461>

Keum, BT, Cano, MA, Valdovinos, IC, & Boland, DZ. (2023). Impact of online and offline racism on cigarette smoking, marijuana use, and vaping via depressive/anxiety symptoms among racially minoritized emerging adults. *Am J Orthopsychiatry*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37470998>

Azagba, S, Ebling, T, Adekeye, OT, & Shan, L. (2023). Corrigendum to "Mental health condition indicators and e-cigarette use among sexual minority youth" [J. Affect. Disord. 319 (2022) pages 1-7]. *J Affect Disord*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37517976>

Liu, J, Tan, ASL, Winickoff, JP, & Rees, VW. (2023). Correlates of adolescent sole-, dual- and poly-use of cannabis, vaped nicotine, and combusted tobacco. *Addict Behav*, 146, 107804. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37478525>

Nathan Marti, C, Arora, S, & Loukas, A. (2023). Depressive symptoms predict trajectories of electronic delivery nicotine systems, cigarette, and cannabis use across 4.5 years among college students. *Addict Behav*, 146, 107809. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37515895>

Erhabor, J, Boakye, E, Osuji, N, Obisesan, O, Osei, AD, Mirbolouk, H et al. (2023). Psychosocial stressors and current e-cigarette use in the youth risk behavior survey. *BMC Public Health*, 23(1), 1080. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37280552>

Taylor, E, Brose, LS, McNeill, A, Brown, J, Kock, L, & Robson, D. (2023). Associations between smoking and vaping prevalence, product use characteristics, and mental health diagnoses in Great Britain: a population survey. *BMC Med*, 21(1), 211. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37316913>

Tilton, G, Huston, S, & Albert, P. (2023). Risk and Protective Factors for Vaping and Smoking Among High School Students in Maine. *Prev Chronic Dis*, 20, E28. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37079753>

Versace, F, Kyriotakis, G, & Pluta, D. (2023). Neuroaffective reactivity profiles are associated with vulnerability to e-cigarette use. *Drug Alcohol Depend*, 247, 109871. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37084510>

Clendennen, SL, Smith, J, Sumbe, A, Chen, B, Wilkinson, AV, & Harrell, MB. (2023). Symptoms of Depression and Anxiety and Subsequent Use of Nicotine and THC in Electronic Cigarettes. *Subst Use Misuse*, 58(5), 591-600. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36912516>

Ofei-Doodoo, S, Winburn, C, & Faust, L. (2023). Assessing Electronic Cigarette Use and Depressive Symptoms among Adolescents in Kansas. *Ann Fam Med*(21 Suppl 1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36976852>

Tran, DD, & Morrell, HER. (2023). E-Cigarette Use: The Effects of Psychological Vulnerabilities, Perceptions, and Intentions to Use E-Cigarettes. *Psychol Rep*, 332941231161277. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36869868>

Bista, S, Lechner, WV, Anderson, M, Kenne, KN, & Kenne, DR. (2023). Cigarette and e-cigarette use as a function of psychological distress following COVID-19 related university campus closures. *Am J Drug Alcohol Abuse*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36920934>

Fox, KR, Ferketich, AK, Groner, J A, Rausch, JR, Garg, V, Grant, VR et al (2023). The Association of Global and Disease-Related Stress With Susceptibility to and Use of E-Cigarettes and Marijuana Among Adolescents With Congenital Heart Disease. *J Pediatr Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36810676>

Winburn, C, & Ofei-Dodoo, S. (2023). Nicotine Dependence from Electronic Cigarettes Use and Depressive Symptoms Among Adolescents. *Kans J Med*, 16, 1-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36703951>

Adzrago, D, Fujimoto, K, Harrell, MB, Jones, A, & Wilkerson, JM. (2023). Association between e-cigarette use behaviors and perceived harmfulness of e-cigarettes and anxiety/depression symptoms among Black/African American Adults. *Prev Med Rep*, 31, 102080. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36471769>

Dai, HD, & Leventhal, A. (2022). Changes in electronic cigarette use among U.S. Adults by cigarette smoking status, sociodemographics, and subjective depression, 2019-2020. *Prev Med Rep*, 30, 102048. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36531098>

Patanavanich, R, Vityananan, P, Neelapaichit, N, Chariyalertsak, S, Kessomboon, P, Assanangkornchai, S et al (2022). Association between electronic cigarette use and depression among Thai adolescents: The Thailand National Health Examination Survey 2019-2020. *Tob Induc Dis*, 20, 103. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36447457>

Xie, Z, Cartujano-Barrera, F, Cupertino, P, & Li, D. (2022). Cross-Sectional Associations of Self-Reported Social/Emotional Support and Life Satisfaction with Smoking and Vaping Status in Adults. *Int J Environ Res Public Health*, 19(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36078438>

Sutherland, BD, Sutherland, MT, & Trucco, EM. (2022). Electronic Cigarette Use Intentions Mediate the Association between Low Self-Control and Future Use by Internalizing Symptoms. *Subst Use Misuse*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36041007>

Sutherland, BD, Viera Perez, PM, Crooks, KE, Flannery, JS, Hill-Bowen, LD, Riedel, MC, . . . Sutherland, MT. (2022). The association of amygdala-insula functional connectivity and adolescent e-cigarette use via sleep problems and depressive symptoms. *Addict Behav*, 135, 107458. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35998541>

Hennigan, KM, Olson, KR, Baker, JH & Munn-Chernoff, MA. (2022). Associations between eating disorder symptoms and smoking and vaping use and motives in college students. *Eat Behav*, 46, 101652. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35839570>

Jacobs, W, Orozco, G, Villanueva, G, & Merianos, AL. (2022). E-Cigarette and Cannabis Use Patterns, Depression, and Suicide Behaviors Among US Youth: Analysis of 2019 Youth Risk Behavior Survey Data. *Am J Health Promot*, 8901171221112927. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35792818>

- Mason, TB, Tackett, AP, Kechter, A, & Leventhal, AM. (2022). Prospective Associations of Tobacco Weight Control Beliefs with E-Cigarette Use Patterns in the PATH Study. *Subst Use Misuse*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35799480>
- Wade, NE, Courtney, KE, Doran, N, Baca, R, Aguinaldo, LD, Thompson, C et al. (2022). Young Adult E-Cigarette and Combustible Tobacco Users Attitudes, Substance Use Behaviors, Mental Health, and Neurocognitive Performance. *Brain Sci*, 12(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35884696>
- Welty, CW, Gerald, LB, Nair, US, & Haynes, PL. (2022). Vaping and Sleep as Predictors of Adolescent Suicidality. *Am J Health Promot*, 8901171221112027. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35884696>
- Asharani, PV, Seet, V, Devi, F, Wang, P, Roystonn, K, & Subramaniam, M. (2022). Electronic nicotine delivery systems: prevalence and perception of risk/harm in individuals with mental illness. *Singapore Med J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35851648>
- Boccio, CM, Leal, WE, & Jackson, DB. (2022). Bullying victimization and nicotine and marijuana vaping among Florida adolescents. *Drug Alcohol Depend*, 237, 109536. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35714530>
- Perez, A, Bluestein, MA, Kuk, AE, Chen, B, & Harrell, MB. (2022). Internalizing and externalizing problems on the age of e-cigarette initiation in youth: Findings from the Population Assessment of Tobacco and Health (PATH), 2013-2017. *Prev Med*, 161, 107111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35716810>
- Donaldson, CD, Stuppelbeen, DA, Fecho, CL, Ta, T, Zhang, X, & Williams, RJ. (2022). Nicotine vaping for relaxation and coping: Race/ethnicity differences and social connectedness mechanisms. *Addict Behav*, 132, 107365. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35605411>
- Kechter, A, Ceasar, RC, Simpson, KA, Schiff, SJ, Dunton, GF, Bluthenthal, RN, & Barrington-Trimis, JL. (2022). A chocolate cake or a chocolate vape? Young adults describe their relationship with food and weight in the context of nicotine vaping. *Appetite*, 175, 106075. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35525332>
- Mantey, DS, Clendennen, SI, Sumbe, A, Wilkinson, AV, & Harrell, MB. (2022). Perceived stress and E-cigarette use during emerging adulthood: A longitudinal examination of initiation, progression, and continuation. *Prev Med*, 160, 107080. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35568160>
- Sutherland, BD, Fallah-Sohy, N, Kopera, M, Jakubczyk, A, Sutherland, MT, & Trucco, EM. (2022). Alexithymia mediates the association between childhood trauma and adolescent E-cigarette use. *Drug Alcohol Depend*, 236, 109500. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35623159>
- Conway, M, Alba, PR, Zhu, SH, & Patterson, OV. (2021). Vaping at the VA: Developing an Annotated Corpus of Electronic Cigarette Mentions in Clinical Notes at the Department of Veterans Affairs. *AMIA Annu Symp Proc*, 2021, 343-351. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35308940>

- Masaki, K, Taketa, RM, Nakama, MK, Kawamoto, CT, & Pokhrel, P. (2022). Relationships Between Depressive Symptoms, Anxiety, Impulsivity and Cigarette and E-cigarette Use Among Young Adults. *Hawaii J Health Soc Welf*, 81(3), 51-57. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35261985>
- Wong, JA, Pratt, SI, Ferron, J., Gowarty, M, & Brunette, MF. (2022). Characteristics of and reasons for electronic cigarette use among adult smokers with schizophrenia/schizoaffective disorder. *Ann Clin Psychiatry*, 34(1), e13-e20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35166668>
- Baiden, P, Szlyk, HS, Cavazos-Rehg, P, Onyeaka, HK, Peoples, JE, & Kasson, E. (2021). Use of electronic vaping products and mental health among adolescent high school students in the United States: The moderating effect of sex. *J Psychiatr Res*, 147, 24-33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35007808>
- Brockenberry, LO, Braitman, AL, & Harrell, PT. (2022). Emotion dysregulation, transdiagnostic vulnerabilities, and e-cigarette expectancies in a young adult sample. *Addict Behav*, 128, 107253. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35085950>
- [Fortier, J, Taillieu, T, Salmon, S, Stewart-Tufescu, A, Davila, IG, MacMillan, HL et al. \(2022\). Adverse childhood experiences and other risk factors associated with adolescent and young adult vaping over time: a longitudinal study. *BMC Public Health*, 22\(1\), 95. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35027027>](#)
- Duan, Z, Wang, Y, Spears, CA, Self-Brown, SR, Weaver, SR, Zheng, P et al. (2021). Role of Mental Health in the Association Between E-Cigarettes and Cannabis Use. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34949509>
- Adzrago, D, Tami-Maury, I, Schick, V, & Wilkerson, JM. (2021). Co-occurring substance use and psychological distress among exclusive e-cigarette use and other tobacco use among sexual and gender minorities in Texas. *Drug Alcohol Depend*, 229(Pt A), 109135. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34773886>
- AuBuchon, KE., Kracke-Bock, J, Dodge, T, Stock, ML, & Blanton, H. (2021). Abstaining College Students' Motives to Use E-Cigarettes: A Brief Report. *J Stud Alcohol Drugs*, 82(6), 801-806. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34762040>
- Boccio, CM, Meldrum, RC, & Jackson, DB. (2021). Adverse childhood experiences and adolescent nicotine and marijuana vaping: Findings from a statewide sample of Florida youth. *Prev Med*, 154, 106866. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34740675>
- Mantey, DS, Clendennen, SL, Sumbe, A, Wilkinson, AV, & Harrell, M B. (2021). Positive Affect and Multiple-tobacco Product Use among Youth: A 3-year Longitudinal Study. *Am J Health Behav*, 45(5), 849-855. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34702432>
- Ganson, KT, & Nagata, JM. (2021). Associations between vaping and eating disorder diagnosis and risk among college students. *Eat Behav*, 43, 101566. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34534874>

Moustafa, AF, Testa, S, Rodriguez, D, Pianin, S, & Audrain-McGovern, J. (2021). Adolescent depression symptoms and e-cigarette progression. *Drug Alcohol Depend*, 228, 109072. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34571288>

Naveed, A, Dang, N, Gonzalez, P, Choi, SH, Mathew, A, Wardle, M et al. (2021). E-Cigarette Dependence and Weight-Related Attitudes/Behaviors Associated With Eating Disorders in Adolescent Girls. *Front Psychiatry*, 12, 713094. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34526923>

Gorfinkel, L, Hasin, D, Miech, R, & Keyes, KM. (2021). The Link Between Depressive Symptoms and Vaping Nicotine in U.S. Adolescents, 2017-2019. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34384705>

Manning, K, Mayorga, NA, Garey, L, Kauffman, BY, Buckner, JD, & Zvolensky, MJ. (2021). The Role of Anxiety Sensitivity and Fatigue Severity in Predicting E-Cigarette Dependence, Barriers to Cessation, and Cravings among Young Adults. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34433376>

McLeish, AC, Smit, T, Garey, L, & Zvolensky, MJ. (2021). Anxiety Sensitivity and Emotion Dysregulation in Dual and Exclusive E-Cigarette Users. *Subst Use Misuse*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34304699>

18.9.2.3 Temperament

Fox, KR, Rausch, JR, Grant, VR, Ferketich, AK, Groner, JA, Garg, V et al. (2024). Associations of Impulsivity and Risky Decision-Making with E-Cigarette-Related Outcomes Among Adolescents with Congenital Heart Disease: Variable- and Person-Oriented Approaches. *Behav Med*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38706412>

Bigwanto, M, Penzes, M, & Urban, R. (2024). Does sensation-seeking behavior influence the patterns of flavored e-cigarette use? A cross-sectional study among Indonesian adolescents and young adults. *BMC Public Health*, 24(1), 1140. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38658887>

Conner, TS, Teah, GE, Sibley, CG, Turner, RM, Scarf, D, & Mason, A. (2024). Psychological predictors of vaping uptake among non-smokers: A longitudinal investigation of New Zealand adults. *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38437024>

Sumbe, A, Suchting, R, Chen, B, Wilkinson, AV, Bataineh, B, Clendennen, SL, & Harrell, MB. (2023). Examining psychometric properties of the Metacognitions about Smoking Questionnaire among young e-cigarette users. *Addict Behav*, 150, 107913. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37992452>

Mai, J, Lin, L, Zhou, L, Guan, Q, Zhu, W, & Zhou, W. (2022). Will personality traits affect the use of e-cigar among college students? A cross-sectional study in Guangdong Province, China. *Front Public Health*, 10, 1032606. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36589985>

Jacobs, W, Merianos, AL, Mahabee-Gittens, E M, & Leventhal, A. (2022). Vaping motivations: Association of behavioral inhibition and behavioral activation systems with nicotine and cannabis vaping among adolescents. *Addict Behav*, 135, 107436. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35917635>

Davis, DR, Bold, KW, Morean, ME, Kong, G, Jackson, A, Simon, P et al. (2022). Association of youth impulsivity and use of e-cigarette devices, flavors, and frequency of use. *Addict Behav*, 134, 107386. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35809413>

Mittal, A, Du, A, Merz, W, Myers, MG, Crotty Alexander, LE, & Doran, N. (2022). Impulsivity-Related Personality Traits as Predictors of E-Cigarette Use among Young Adults over Time. *Subst Use Misuse*, 57(7), 1007-1013. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35382679>

Intravia, J, Vito, AG, & Rocheleau, GC. (2022). Low Self-Control and Vaping: The Mediating Role of Health and Risk Perceptions. *Subst Use Misuse*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35341458>

Hartmann, SA, Hayes, T, Sutherland, M T, & Trucco, EM. (2021). Risk factors for early use of e-cigarettes and alcohol: Dimensions and profiles of temperament. *Dev Psychopathol*, 1-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34924096>

18.9.3 Tobacco and other substance use

Pulvers, K, Jamalain, N, Suh, E, Faltaos, P, Stewart, SL, & Aston, ER. (2024). Nicotine and cannabis routes of administration and dual use among U.S. young adults who identify as Hispanic, non-Hispanic Black, and non-Hispanic White. *Prev Med Rep*, 48, 102912. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39526216>

Ou, TS, Buu, A, Yang, JJ, & Lin, HC. (2024). A longitudinal study of the association between e-cigarette use contexts and alcohol use problems among college students. *J Am Coll Health*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39514814>

Rodu, B, & Plurphanswat, N. (2024). Joint smoking-vaping prevalence rates among American youth and young adults 2011-2022. *Harm Reduct J*, 21(1), 209. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39582007>

Lui, CK, Jacobs, W, & Yang, JS. (2024). Patterns of Alcohol, Cannabis, and E-Cigarette Use/Co-Use and Mental Health Among U.S. College Students. *Subst Use Misuse*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39373304>

Davis, DR, Bold, KW, Wu, R, Morean, ME, Kong, G, & Krishnan-Sarin, S. (2024). Use of cannabis among youth who vape nicotine. *Addict Behav*, 160, 108173. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39326231>

Buckner, JD, Vargo, LA, & Zvolensky, MJ. (2024). Understanding the role of cannabis use on cigarette dependence severity among individuals with e-cigarette and combustible tobacco dual use. *Am J Addict*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38992890>

Greene, KM, Parks, MJ, & Patrick, ME. (2024). Day-level correlates of nicotine and cannabis vaping among young adults in the United States. *Addict Behav*, 158, 108119. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39067417>

- Ouellette, RR, Morean, ME, Lee, J, & Kong, G. (2024). Use of ENDS devices and modifications to vape cannabis among adolescents and young adults who also vape nicotine. *Addict Behav*, 157, 108099. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39003977>
- Do, EK, Yoon, SN, McKay, T, Schillo, BA, & Hair, EC. (2024). Cannabis and vaping nicotine: An exploration of risk factors using a nationally representative sample of youth and young adults. *Addict Behav*, 157, 108094. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38936264>
- Boutouis, S, Wymbs, F, & Franz, B. (2024). The association between marijuana and e-cigarette use and exercise behavior among adults. *Prev Med Rep*, 40, 102668. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38469398>
- Zhang, BY, Bannon, OS, Tzu-Hsuan Chen, D, & Filippidis, FT. (2024). Dual and poly-nicotine and tobacco use among adolescents in the United States from 2011 to 2022. *Addict Behav*, 152, 107970. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38277994>
- Fan, J., Mao, T, Zhen, S, Xu, Y, & Qu, C. (2023). Comparative analysis of e-cigarette prevalence and influencing factors among adolescents in Jiangsu Province, China. *Front Public Health*, 11, 1221334. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38106882>
- Temourian, AA, Halliday, DM, Yan, Y, Chan-Golston, AM, & Song, AV. (2023). Marijuana and E-cigarette Initiation Among Adolescents: A Survival Analysis. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38085208>
- Zuckerman, G, Kamke, K, Sabado-Liwag, M, Perez-Stable, EJ, & El-Toukhy, S. (2023). Noncigarette Tobacco Product Use Among Smoking-Susceptible and Nonsusceptible Adolescent Never Smokers, 2009-2021. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38099902>
- Thoonen, K, & Jongenelis, MI. (2023). Motivators of e-cigarette use among Australian adolescents, young adults, and adults. *Soc Sci Med*, 340, 116411. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37989045>
- Zarate-Gonzalez, G, Brown, P, Cameron, LD, & Song, AV. (2023). Will tobacco price increases lead more people who smoke to vape? The results from a discrete choice experiment amongst U.S. adults. *BMC Public Health*, 23(1), 2296. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37986072>
- Harris, E. (2023). Most Young Adults Who Use E-Cigarettes Have Never Smoked. *JAMA*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37966857>
- Gong, X, Wang, CM, Li, LN, & Lyu, SB. (2023). [Influencing factors for electronic cigarette use among Chinese adolescent students: a Meta-analysis]. *Zhonghua Yu Fang Yi Xue Za Zhi*, 57(10), 1640-1646. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37859384>
- Harton, MR, Seo, DC, Evans-Polce, RJ, Nguyen, I, & Parker, MA. (2023). Cigarette and e-cigarette use trajectories and prospective prescription psychotherapeutic drug misuse among adolescents and young adults. *Addict Behav*, 147, 107818. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37540966>

- Sokolovsky, AW, Rubenstein, D, Gunn, RL, White, HR, & Jackson, KM. (2023). Associations of daily alcohol, cannabis, combustible tobacco, and e-cigarette use with same-day co-use and poly-use of the other substances. *Drug Alcohol Depend*, 251, 110922. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37625332>
- Dunbar, MS, Davis, JP, Tucker, JS, Seelam, R, Rodriguez, A, & D'Amico, EJ. (2023). Parallel trajectories of vaping and smoking cannabis and their associations with mental and physical well-being among young adults. *Drug Alcohol Depend*, 251, 110918. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37611482>
- Vrinten, C, Parnham, JC, Rado, MK, Filippidis, FT, Creese, H, Hopkinson, NS, & Lavery, AA. (2023). Patterns of cigarette and e-cigarette use among UK adolescents: a latent class analysis of the Millennium Cohort Study. *Eur J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37573139>
- Gelino, BW, Reed, DD, Spindle, TR, Amlung, M, & Strickland, JC. (2023). Association of electronic nicotine delivery system (ENDS) and cigarette solo and dual use with alcohol-related consequences among US adults. *Addict Behav*, 146, 107806. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37473614>
- Tashakkori, NA, Park-Lee, E, Roh, EJ, & Christensen, CH. (2023). Multiple Tobacco Product Use Among Youth E-Cigarette Users: National Youth Tobacco Survey, 2020. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37410002>
- Watson, ML, McKnight, ER, Groner, JA, Manos, BE, Ebersole, AM, & Bonny, AE. (2023). Patterns and perceptions of nicotine use among U.S. adolescents and young adults receiving medication treatment for opioid use disorder. *Prev Med Rep*, 35, 102303. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37449006>
- Keyes, KM, Joseph, V, Kaur, N, Kreski, NT, Chen, Q, Martins, SS et al (2023). Adolescent simultaneous use of alcohol and marijuana by trends in cigarette and nicotine vaping from 2000 to 2020. *Drug Alcohol Depend*, 249, 109948. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37270934>
- Pettigrew, S, Santos, JA, Li, Y, Jun, M, Anderson, C, & Jones, A. (2023). Short report: Factors contributing to young people's susceptibility to e-cigarettes in four countries. *Drug Alcohol Depend*, 109944. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37316389>
- Kreski, NT, Ankrum, H, Cerda, M, Chen, Q, Hasin, D, Martins, SS et al. (2023). Nicotine Vaping and Co-occurring Substance Use Among Adolescents in the United States from 2017-2019. *Subst Use Misuse*, 58(9), 1075-1079. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37198725>
- Pan, Z, Wang, Q, Guo, Y, Xu, S, Pan, S, Xu, S et al. (2023). Association of dual electronic cigarettes and marijuana use with sleep duration among adults from the United States, NHANES 2015-2018. *Prev Med Rep*, 33, 102190. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37223560>
- Ankrum, H, Kreski, NT, Cerda, M, Chen, Q, Hasin, DS, Martins, SS et al. (2022). Co-substance use of nicotine vaping and non-cigarette tobacco products among U.S. grade 12 students from 2017-2019. *Drug Alcohol Depend Rep*, 5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36644225>

Ball, J, Zhang, J, Stanley, J, Boden, J, Waa, A, Hammond, D, & Edwards, R. (2023). Early-onset smoking and vaping of cannabis: Prevalence, correlates and trends in New Zealand 14-15-year-olds. *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36645714>

Li, X, Holahan, CK, Loukas, A, Holahan, CJ, Pasch, KE, & Marti, CN. (2023). Alternative Tobacco Use and Cigarette Smoking Transitions among College Students in Texas. *Subst Use Misuse*, 58(3), 389-396. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36651240>

Blank, MD, Romm, KF, Childers, MG, Douglas, AE, Dino, G, & Bray, BC. (2022). Longitudinal transitions in adolescent polytobacco use across waves 1-4 of the Population Assessment of Tobacco and Health (PATH) study. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36401561>

Han, DH, Elam, KK, Quinn, PD, Huang, C, & Seo, DC. (2022). Within-person associations of escalated electronic nicotine delivery systems use with cigarette, alcohol, marijuana and drug use behaviors among US young adults. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36367333>

Walsh, BE, Williams, CM, & Zale, EL. (2022). Expectancies for and Pleasure from Simultaneous Alcohol and E-Cigarette Use among Young Adults. *Subst Use Misuse*, 57(14), 2101-2109. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36331140>

Lee, J, Terashima, JP, & Parker, MA. (2022). The association between E-cigarette use and Kratom use among US adults. *Prev Med*, 164, 107295. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36208816>

McKenzie, N, Glassman, TJ, Dake, J A, Maloney, SM, & Na, L. (2022). Factors that influence cannabis vaping habits of college students: A qualitative study. *J Am Coll Health*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36282209>

Nigatu, YT, Elton-Marshall, T, & Hamilton, HA. (2022). Exploring the Association of e-Cigarette and/or Cannabis Use with Heavy Episodic Drinking among Ontario Adults. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36126159>

Roberts, ME, Tackett, AP, Singer, JM, Wagner, DD, Lu, B, Wagener, TL et al. (2022). Dual Use of E-Cigarettes and Cannabis Among Young People in America: A New Public Health Hurdle? *J Stud Alcohol Drugs*, 83(5), 768-770. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36136448>

Struik, LL, O'Loughlin, EK, Ringlea, T, & O'Loughlin, JL. (2022). Predictors of past-year e-cigarette use among young adults. *Prev Med Rep*, 29, 101965. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36161135>

Wezyk-Caba, I, Znyk, M, Zajdel, R, Balwicki, L, Tyranska-Fobke, A, Juszczuk, G et al. (2022). Determinants of E-Cigarette and Cigarette Use among Youth and Young Adults in Poland-PolNicoYouth Study. *Int J Environ Res Public Health*, 19(18). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36141783>

Dash, GF, Holt, L, Kenyon, EA, Carter, EK, Ho, D, Hudson, KA, & Feldstein Ewing, SW. (2022). Detection of vaping, cannabis use, and hazardous prescription opioid use among adolescents. *Lancet Child Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36030794>

- Davis, DR, Bold, KW, Camenga, D, Kong, G, Jackson, A, Lee, J et al. (2022). Use and Product Characteristics of "Tobacco Free Nicotine" E-Cigarettes Among Young Adults. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35913677>
- Hinds, JT, Marti, CN, Pasch, KE, & Loukas, A. (2022). Longitudinal trajectories of marijuana use in tobacco products among Texas young adult college students from 2015-2019. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35971289>
- Saran, SK, Salinas, KZ, Foulds, J, Kaynak, O, Hoglen, B, Houser, KR et al. (2022). A Comparison of Vaping Behavior, Perceptions, and Dependence among Individuals Who Vape Nicotine, Cannabis, or Both. *Int J Environ Res Public Health*, 19(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36012024>
- Temourian, AA, Song, AV, Halliday, DM, Gonzalez, M, & Epperson, AE. (2022). Why do smokers use e-cigarettes? A study on reasons among dual users. *Prev Med Rep*, 29, 101924. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35911573>
- Yang, JJ, Lin, HC, Ou, TS, Tong, Z, Li, R, Piper, ME, & Buu, A. (2022). The situational contexts and subjective effects of co-use of electronic cigarettes and alcohol among college students: An ecological momentary assessment (EMA) study. *Drug Alcohol Depend*, 239, 109594. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35988530>
- Cerrai, S, Benedetti, E, Colasante, E, Scalese, M, Gorini, G, Gallus, S, & Molinaro, S. (2022). E-cigarette use and conventional cigarette smoking among European students: findings from the 2019 ESPAD survey. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35768962>
- Sun, T, Lim, CCW, Rutherford, BN, Johnson, B, Connor, J, Gartner, CE et al. (2022). Changes in patterns of youth multiple tobacco and/or e-cigarette product use in the US between 2014 and 2020: a multiple-group latent class analysis. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35667834>
- Cannizzaro, E, Lavanco, G, Castelli, V, Cirrincione, L, Di Majo, D, Martines, F et al. (2022). Alcohol and Nicotine Use among Adolescents: An Observational Study in a Sicilian Cohort of High School Students. *Int J Environ Res Public Health*, 19(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35627691>
- Watson, CV., Alexander, DS., Oliver, BE, & Trivers, KF. (2022). Substance use among adult marijuana and nicotine e-cigarette or vaping product users, 2020. *Addict Behav*, 132, 10734. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35580371>
- Wilson, OWA, Bullen, C, Duffey, M, & Bopp, M. (2022). The association between vaping and health behaviors among undergraduate college students in the United States. *J Am Coll Health*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35623030>
- Moustafa, AF, Rodriguez, D, Pianin, SH, Testa, SM, & Audrain-McGovern, JE. (2022). Dual Use of Nicotine and Cannabis Through Vaping Among Adolescents. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35365396>
- Davis, DR, Bold, KW, Kong, G, Cavallo, DA, Jackson, A, & Krishnan-Sarin, S. (2022). Cannabis use among youth who vape nicotine E-cigarettes: A qualitative analysis. *Drug Alcohol Depend*, 234, 109413. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35339972>

- Huizink, AC. (2022). Trends and associated risks in adolescent substance use: E-cigarette use and nitrous oxide use. *Curr Opin Psychol*, 45, 101312. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35313182>
- Nagel, C, Hugueley, B, Cui, Y, Nunez, DM, Kuo, T, & Kuo, A A. (2022). Predictors of Dual E-Cigarette and Cigarette Use. *J Public Health Manag Pract*, 28(3), 243-247. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35334482>
- Simon, P, Jiang, Y, Buta, E, Sartor, CE, Krishnan-Sarin, S, & Gueorguieva, R. (2022). Longitudinal Trajectories of Multiple Nicotine Product Use Among Youths in the Population Assessment of Tobacco and Health Study. *JAMA Netw Open*, 5(3), e223549. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35319763>
- Bhatia, D, Hinckley, J, Mikulich, S, & Sakai, J. (2022). Cannabis Legalization and Adolescent Use of Electronic Vapor Products, Cannabis, and Cigarettes. *J Addict Med*, 16(1), e16-e22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35120066>
- Chulasai, P, Chinwong, S, Vientong, P, Hall, JJ, & Chinwong, D. (2022). Electronic Cigarette Use and Other Factors Associated with Cigarette Smoking among Thai Undergraduate Students. *Healthcare (Basel)*, 10(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35206855>
- Duan, Z, Wang, Y, Weaver, SR, Spears, CA, Zheng, P, Self-Brown, SR et al (2021). Effect modification of legalizing recreational cannabis use on the association between e-cigarette use and future cannabis use among US adolescents. *Drug Alcohol Depend*, 233, 109260. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35152099>
- Han, DH, & Seo, DC. (2022). Identifying risk profiles for marijuana vaping among U.S. young adults by recreational marijuana legalization status: A machine learning approach. *Drug Alcohol Depend*, 232, 109330. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35123363>
- Sun, R, Mendez, D, & Warner, KE. (2022). Evaluation of Self-reported Cannabis Vaping Among US Youth and Young Adults Who Use e-Cigarettes. *JAMA Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35129610>
- Ahmad, S, Wang, T, Schwartz, R, & Bondy, SJ. (2022). Predictors of pod-type e-cigarette device use among Canadian youth and young adults. *Health Promot Chronic Dis Prev Can*, 42(1), 12-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35044140>
- Raitasalo, K, Bye, EK, Pisinger, C, Scheffels, J, Tokle, R, Kinnunen, JM et al. (2022). Single, Dual, and Triple Use of Cigarettes, e-Cigarettes, and Snus among Adolescents in the Nordic Countries. *Int J Environ Res Public Health*, 19(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35055504>
- Shi, J, Fu, R, Hamilton, H, & Chaiton, M. (2022). A machine learning approach to predict e-cigarette use and dependence among Ontario youth. *Health Promot Chronic Dis Prev Can*, 42(1), 21-28. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35044141>

Chulasai, P, Vientong, P, Chinwong, S, Hall, JJ, & Chinwong, D. (2021). Factors Associated with the Dual Use of Electronic Cigarettes and Cigarettes among Thai Undergraduate Students Who Smoked Cigarettes. *Children (Basel)*, 8(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34943393>

Clendennen, SL, Rangwala, S, Sumbe, A, Case, KR, Wilkinson, AV, Loukas, A, & Harrell, MB. (2021). Understanding college students' experiences using e-cigarettes and marijuana through qualitative interviews. *J Am Coll Health*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34871132>

Hiemstra, M, Rozema, A, Jansen, M, van Oers, H, & Mathijssen, J. (2021). Longitudinal Associations of Substance Use Risk Profiles with the Use of Alternative Tobacco Products and Conventional Smoking among Adolescents. *Int J Environ Res Public Health*, 18(24). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34948856>

Pokhrel, P, Elwir, T, Mettias, H, Kawamoto, CT, Oli, N, & Okamoto, SK. (2021). The Effects of E-Cigarette Use on Alcohol and Marijuana Abuse Symptoms in an Ethnically Diverse Sample of Young Adults. *Int J Environ Res Public Health*, 18(24). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34948769>

Lu, Y, Dobbs, PD, Song, H, Dunlap, C, & Cheney, MK. (2021). Harm perceptions, JUUL dependence, and other tobacco product use among young adults who use JUUL. *Addict Behav*, 127, 107210. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34959076>

Frie, JA, Nolan, CJ, Murray, JE, & Khokhar, JY. (2021). Addiction-Related Outcomes of Nicotine and Alcohol Co-use: New Insights Following the Rise in Vaping. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34758090>

Seabrook, JA Twynstra, J, & Gilliland, JA. (2021). Correlates of Lifetime and Past Month Vape Use in a Sample of Canadian University Students. *Subst Abuse*, 15, 11782218211052059. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34720584>

Thephtien, BO, Tinn, CS, Ofuchi, T, & Kim, B. (2021). An analysis of e-cigarette and polysubstance use patterns of adolescents in Bangkok, Thailand. *Tob Induc Dis*, 19, 88. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34824571>

Cho, MS. (2021). Factors Associated with Cigarette, E-Cigarette, and Dual Use among South Korean Adolescents. *Healthcare (Basel)*, 9(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34682932>

Hanewinkel, R, Morgenstern, M Sargent, JD, Goecke, M, & Isensee, B. (2021). Waterpipe smoking and subsequent cigarette and e-cigarette use: a cohort study. *ERJ Open Res*, 7(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34589538>

Peraza, N, Bello, MS, Schiff, SJ, Cho, J, Zhang, Y, Callahan, C et al. (2021). Drug and alcohol dependence acute effects of pod-style e-cigarettes in vaping-naive smokers. *Drug Alcohol Depend*, 228, 109083. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34600262>

Williams, GC, Cole, AG, de Groh, M, Jiang, Y, & Leatherdale, ST. (2021). Investigating individual-level correlates of e-cigarette initiation among a large sample of Canadian high school students. *Health*

Promot Chronic Dis Prev Can, 41(10), 292-305. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34668684>

Short, M, & Cole, AG. (2021). Factors Associated with E-Cigarette Escalation among High School Students: A Review of the Literature. *Int J Environ Res Public Health*, 18(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34639369>

Wills, TA, Leventhal, AM, Sargent, JD, & Pagano, I. (2021). Concurrent Use of E-cigarettes, Combustible Cigarettes, and Marijuana. *Pediatrics*, 148(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34584003>

Patel, A, Hirschtick, JL, Cook, S, Usidame, B, Mistry, R, Levy, DT et al. (2021). Sociodemographic Patterns of Exclusive and Dual Use of ENDS and Menthol/Non-Menthol Cigarettes among US Youth (Ages 15-17) Using Two Nationally Representative Surveys (2013-2017). *Int J Environ Res Public Health*, 18(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34360077>

Seidel, AK, Morgenstern, M, Galimov, A, Pedersen, A, Isensee, B, Goecke, M, & Hanewinkel, R. (2021). Use of electronic cigarettes as a predictor of cannabis experimentation: A longitudinal study among German youth. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34383071>

Smith, DM, Kozlowski, L, O'Connor, RJ, Hyland, A, & Collins, RL. (2021). Reasons for individual and concurrent use of vaped nicotine and cannabis: their similarities, differences, and association with product use. *J Cannabis Res*, 3(1), 39. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34452640>

Worthen, M, & Ahmad, I. (2021). Participatory research on the prevalence of Multi-Substance vaping in college students. *J Am Coll Health*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34398697>

Lee, J, Kong, G, Kassas, B, & Salloum, RG. (2021). Predictors of vaping marijuana initiation among US adolescents: Results from the Population Assessment of Tobacco and Health (PATH) study Wave 3 (2015-2016) and Wave 4 (2016-2018). *Drug Alcohol Depend*, 226, 108905. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34304122>

Mattingly, DT, Rai, J, Agbonlahor, O, Walker, KL, & Hart, JL. (2021). Tobacco Use Status and Temptation to Try E-Cigarettes among a Sample of Appalachian Youth. *Int J Environ Res Public Health*, 18(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34201718>

18.9.4 Advertising and promotion of e-cigarettes

Duan, Z, Abrams, LC, Cui, Y, Wang, Y, LoParco, CR, Levine, H et al. (2023). Exposure to e-cigarette advertisements and non-advertising content in relation to use behaviors and perceptions among US and Israeli adults. *Tob Prev Cessat*, 9, 35. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38033881>

- Pettigrew, S, Santos, JA, Pinho-Gomes, AC, Li, Y, & Jones, A. (2023). Exposure to e-cigarette advertising and young people's use of e-cigarettes: A four-country study. *Tob Induc Dis*, 21, 141. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37881174>
- Zhang, L., Harris Ao, S, Francis Ye, J, & Zhao, X. (2023). How does health communication on social media influence e-cigarette perception and use? A trend analysis from 2017 to 2020. *Addict Behav*, 149, 107875. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37820562>
- Lee, J, Krishnan-Sarin, S, & Kong, G. (2023). Social Media Use and Subsequent E-Cigarette Susceptibility, Initiation, and Continued Use Among US Adolescents. *Prev Chronic Dis*, 20, E78. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37676857>
- Sun, T, Vu, G, Lim, CCW, Johnson, B, Stjepanovic, D, Leung, J et al. (2023). Longitudinal association between exposure to e-cigarette advertising and youth e-cigarette use in the United States. *Addict Behav*, 146, 107810. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37515897>
- Zhao, S, Li, Z, Zhang, L, Yu, Z, Zhao, X, Li, Y, & Zhu, J. (2023). The characteristics and risk factors of e-cigarette use among adolescents in Shanghai: A case-control study. *Tob Induc Dis*, 21, 83. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37342865>
- Pettigrew, S, Santos, JA, Li, Y, Jun, M, Anderson, C, & Jones, A. (2023). Short report: Factors contributing to young people's susceptibility to e-cigarettes in four countries. *Drug Alcohol Depend*, 109944. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37316389>
- Russell Pike, J, Miller, S, Cappelli, C, Tan, N, Xie, B, & Stacy, AW. (2023). Using Marketing Frameworks to Predict the Effects of E-Cigarette Commercials on Youth. *Young Consum*, 24(2), 149-164. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37377451>
- Le, TTH, Le, TH, Le, MD, & Nguyen, TT. (2023). Exposure to E-Cigarette Advertising and Its Association With E-Cigarette Use Among Youth and Adolescents in Two Largest Cities in Vietnam 2020. *Tob Use Insights*, 16, 1179173X231179676. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37255579>
- Yang, Q. (2023). Understanding the Associations Between Adolescents' Exposure to E-Cigarette Information and Vaping Behavior Through the Theory of Planned Behavior. *Health Commun*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36823032>
- Hardie, L, McCool, J, & Freeman, B. (2023). E-Cigarette Retailers' Use of Instagram in New Zealand: A Content Analysis. *Int J Environ Res Public Health*, 20(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36767263>
- Rubin, R. (2022). Illegal e-Cigarettes Targeting Youth. *JAMA*, 328(23), 2296. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36538320>
- Ruggia, L. (2022). Novel nicotine products in Switzerland: A major threat to public health. *Tob Prev Cessat*, 8, 40. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36447647>

Watts, C, Egger, S, Dessaix, A, Brooks, A, Jenkinson, E, Grogan, P, & Freeman, B. (2022). Vaping product access and use among 14-17-year-olds in New South Wales: a cross-sectional study. *Aust N Z J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36156328>

Chu, S, & Kong, J. (2022). Electronic cigarette devices targeting youth in Korea. *Tob Prev Cessat*, 8, 30. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35974802>

18.9.5 Product features

Kreslake, JM, Bertrand, A, Minter, T, & Schillo, BA. (2024). E-Cigarette Brand Use by Race/Ethnicity in a US Sample of Adolescent and Young Adult E-Cigarette Users, 2022-2023. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39240795>

Douglas, AE, Childers, MG, Felicione, NJ, Milstred, AR, & Blank, MD. (2024). Electronic Cigarette Device and Liquid Characteristics: Comparison of Self-Reports to User-Provided Pictures. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39161043>

Azagba, S, Ebling, T, & Korkmaz, A. (2024). Disposable e-cigarette use: Factors, frequency and cigarette smoking among United States high school students. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38982576>

Hammond, D, Reid, JL, Burkhalter, R, & East, K. (2024). Use of disposable e-cigarettes among youth who vape in Canada, England and the United States: Repeat cross-sectional surveys, 2017-2023. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38946542>

Tattan-Birch, H, Brown, J, Shahab, L, Beard, E, & Jackson, SE. (2024). Trends in vaping and smoking following the rise of disposable e-cigarettes: a repeat cross-sectional study in England between 2016 and 2023. *Lancet Reg Health Eur*, 42, 100924. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39070753>

Chen, DTH, Girvalaki, C, & Filippidis, FT. (2024). Disposable e-cigarette use and associated factors in US middle and high school students, 2021-2022. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38933525>

Hedeker, D, Brooks, J, Diviak, K, Jao, N, & Mermelstein, RJ. (2024). Pleasure and Satisfaction as Predictors of Future Cigarette and E-Cigarette Use: A Novel Two-Stage Modeling Approach. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38775349>

Whaley, RC, Harlow, AF, Krueger, EA, Stone, MD, Dimofte, CV, Strong, DR, & Barrington-Trimis, JL. (2024). Importance of Various E-Cigarette Device and E-Liquid Characteristics by Smoking Status among Young Adults Who Vape. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38816913>

Han, DH, Harlow, AF, Feldstein Ewing, SW, Audrain-McGovern, JE, Unger, JB, Sussman, SY et al. (2024). Disposable E-Cigarette Use and Subsequent Use Patterns in Adolescents and Young Adults. *Pediatrics*, 153(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38463010>

Wall, N, Fox, S, Mirza, N, & Ralph, J. (2024). Psychometric Properties of Instruments that Measure Vaping Outcome Expectancies: A Systematic Review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38165692>

Adjei, A, Chen, B, Mantey, DS, Wilkinson, AV, & Harrell, MB. (2023). Symptoms of nicotine dependence by e-cigarette and cigarette use behavior and brand: A population-based, nationally representative cross-sectional study. *Drug Alcohol Depend*, 255, 111059. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38150895>

Tillery, A, Aherrera, A, Chen, R, Lin, JJY, Tehrani, M, Moustafa, D et al (2023). Characterization of e-cigarette users according to device type, use behaviors, and self-reported health outcomes: Findings from the EMIT study. *Tob Induc Dis*, 21, 159. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38059181>

Chen-Sankey, J, Elhabashy, M, & Schroth, KRJ. (2023). Does Brand Choice Matter: Associations Between Usual E-Cigarette Brands and E-Cigarette Use Patterns Among U.S. Youth, 2021. *Health Promot Pract*, 15248399231210511. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37978824>

Morean, ME, Davis, DR, Kong, G, Bold, KW, & Krishnan-Sarin, S. (2024). Psychometric evaluation of the sensory e-cigarette expectancies scale for use with adolescents. *Addict Behav*, 148, 107869. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37778234>

Bremmer, MP, Campbell, AM, Xia, K, Tarran, R, Girdler, SS, & Hendershot, CS. (2023). Effects of nicotine content and preferred flavor on subjective responses to e-cigarettes: A randomized, placebo-controlled laboratory study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37539752>

Pokhrel, P, Kawamoto, CT, Mettias, H, Elwir, T, & Herzog, T. (2023). Predictors of Discontinued E-Cigarette Use at One-Year Follow-Up in a Sample of Young Adults. *Int J Environ Res Public Health*, 20(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36981678>

No authors listed. What is “tobacco-free” nicotine? *Truth Initiative*, 2023. Jan 9, 2023. Retrieved from <https://truthinitiative.org/research-resources/emerging-tobacco-products/what-tobacco-free-nicotine>

Douglas, AE, Felicione, NJ, Childers, MG, Soule, EK, & Blank, MD. (2022). Predictors of electronic cigarette dependence among non-smoking electronic cigarette users: User behavior and device characteristics. *Addict Behav*, 137, 107500. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36194979>

Nicolaou, A, Moore, A, Wamamili, B, Walls, T, & Pattermore, P. (2022). E-cigarette use patterns, brand preference and knowledge about vaping among teenagers (13-16 years) and parents of children attending Christchurch Hospital. *N Z Med J*, 135(1561), 94-101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36049794>

Peasley-Miklus, C, Klemperer, EM, Hughes, JR, Villanti, AC, Krishnan-Sarin, S, DeSarno, MJ et al. (2022). The interactive effects of JUUL flavor and nicotine concentration on addiction potential. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36048114>

Tattan-Birch, H, Jackson, SE, Kock, L, Dockrell, M, & Brown, J. (2022). Rapid growth in disposable e-cigarette vaping among young adults in Great Britain from 2021 to 2022: a repeat cross-sectional survey. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36065820>

Wang, Y, Duan, Z, Weaver, SR, Popova, L, Spears, CA, Ashley, DL et al. (2022). Consumption of JUUL vs. Other E-Cigarette Brands among U.S. E-Cigarette Users: Evidence from Wave 5 of the PATH Study. *Int J Environ Res Public Health*, 19(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36078551>

Yang, M, Russell, AM, Barry, AE, Merianos, A L, & Lin, HC. (2022). Stealth vaping and associated attitudes, perceptions, and control beliefs among US college students across four tobacco-free campuses. *Addict Behav*, 136, 107490. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36113279>

Pierce, JP, Zhang, J, Crotty Alexander, LE, Leas, EC, Kealey, S, White, MM et al . (2022). Daily E-cigarette Use and the Surge in JUUL Sales: 2017-2019. *Pediatrics*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35634883>

Gaiha, SM, Lin, C, Lempert, LK, & Halpern-Felsher, B. (2022). Use Patterns, Flavors, Brands, and Ingredients of Nonnicotine e-Cigarettes Among Adolescents, Young Adults, and Adults in the United States. *JAMA Netw Open*, 5(5), e2216194. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35612852>

Gardner, LD, Liu, ST, Xiao, H, Anic, GM, Kasza, KA, Sharma, E & Hyland, AJ. (2022). Electronic Nicotine Delivery System (ENDS) Device Types and Flavors Used by Youth in the PATH Study, 2016-2019. *Int J Environ Res Public Health*, 19(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35564630>

Hallingberg, B. (2022). E-Cigarette Flavors, Devices, and Brand Preferences Among Youths in Canada, England, and the United States: The Value and Challenges of Comparing International Survey Data. *Am J Public Health*, e1-e3. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35622014>

Harvanko, A, Koester, KA, Helen, GS, Olson, S, Kim, HC, & Ling, PM. (2022). A Mixed-Methods Study on Use of Different Tobacco Products among Younger and Older Adults with Lower and Higher Levels of Nicotine Exposure in California in 2019-2020. *Int J Environ Res Public Health*, 19(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35564958>

Glantz, SA. (2022). Appropriate policy implications of the fact that high content and flavored e-cigarettes have higher abuse liability. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35365830>

Morean, ME, & Bold, KW. (2022). The Modified E-cigarette Evaluation Questionnaire: Psychometric Evaluation of an Adapted Version of the Modified Cigarette Evaluation Questionnaire for use with Adults who use Electronic Nicotine Delivery Systems. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35271732>

Hoffmeyer, N, Hinton, A, Wagener, TL, & Tackett, AP. (2022). Correlates of youth Poly-E-Cigarette device use. *Addict Behav*, 129, 107248. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35091199>

Pang, RD, Mason, TB, Kapsner, AK, & Leventhal, A M. (2021). Parsing intra- and inter-individual covariation between the sensory attributes and appeal of e-cigarettes: Associations and Gender Differences. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34891167>

Johnson-Arbor, K. (2021). Goodbye JUUL, hello Puff Bars: Trends and toxicity of currently available electronic cigarettes. *Am J Emerg Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34690023>

18.9.5.1 Flavours and packaging

Park-Lee, E, Cowan, H, Gaines-Harris, M, Cooper, M, Sawdey, MD, & Cullen, KA. (2024). Characteristics Associated with Ice Flavor Use among Middle and High School Students Currently Using E-cigarettes: National Youth Tobacco Survey, 2023. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39243368>

Barrington-Trimis, JL, Stoolmiller, M, Vogel, EA, Harlow, A, Tackett, AP, Unger, JB et al. (2024). Recall of Flavor at First E-cigarette Use and its Association with E-cigarette Progression: The Mediating Effects of First Sensory Experience. *J Pediatr*, 114246. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39154739>

Han, DH, Peraza, N, Jafarzadeh, NS, Mason, TB, Pang, RD, Monterosso, J, & Leventhal, AM. (2024). Effects of a fruit-ice combination flavor on appeal and sensory experience of vaping and moderation by preexisting e-cigarette flavor preference. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39207401>

Li, W, Davis, DR, Kong, G, Bold, KW, Morean, ME, Camenga, D et al. (2024). E-cigarette dependence and cooling flavor use are linked among youth. *Drug Alcohol Depend*, 260, 111325. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38744108>

Li, W, Krishnan-Sarin, S, Morean, ME, Bold, KW, Davis, DR, Camenga, DR, & Kong, G. (2024). Non-tobacco nicotine E-cigarette use and flavored E-cigarette use among young adults in the United States. *Prev Med*, 184, 108001. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38735588>

Xu, K, Lee, T, Reyes-Guzman, CM, Davis Lynn, BC, Kofie, JN, Rostron, BL et al. (2024). Use patterns of flavored non-cigarette tobacco products among US adults, 2010-2019. *Prev Med*, 180, 107870. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38272271>

Thoonen, K, & Jongenelis, MI. (2023). Motivators of e-cigarette use among Australian adolescents, young adults, and adults. *Soc Sci Med*, 340, 116411. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37989045>

Tackett, AP, Han, DH, Peraza, N, Whaley, RC, Mason, T, Cahn, R et al. (2023). Effects of 'Ice' flavoured e-cigarettes with synthetic cooling agent WS-23 or menthol on user-reported appeal and sensory attributes. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37940405>

Nian, Q, Welding, K, & Dai, Z. (2023). An overview of national-level excise taxes on e-cigarettes across the world. *Tob Induc Dis*, 21, 129. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37842545>

Donaldson, CD, Couch, ET, Hoeft, KS, Wilkinson, ML, Guerra, C, Gansky, SA et al. (2023). Flavored Tobacco and Nicotine Use Among California Adolescents: Preferences by Use Experience and Survey Format Effects. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37389531>

Chaffee, BW, Couch, ET, Wilkinson, ML, Donaldson, CD, Cheng, NF, Ameli, N et al. (2023). Flavors increase adolescents' willingness to try nicotine and cannabis vape products. *Drug Alcohol Depend*, 246, 109834. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36963159>

Taylor, E, Arnott, D, Cheeseman, H, Hammond, D, Reid, JL, McNeill, A et al. (2023). Association of Fully Branded and Standardized e-Cigarette Packaging With Interest in Trying Products Among Youths and Adults in Great Britain. *JAMA Netw Open*, 6(3), e231799. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36917111>

Stone, MD, Braymiller, JL, Strong, DR, Cwalina, SN, Dimofte, CV, & Barrington-Trimis, JL. (2023). Differentiating Reasons for Young Adult E-Cigarette Use Using Maximum Difference Choice Models. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36719042>

Kreslake, JM, O'Connor, KM, Stephens, D, Vallone, DM, & Hair, EC. (2023). Perceived Sensory Characteristics of Blended and Ambiguous "Concept" Flavors Among Adolescent and Young Adult E-cigarette Users. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36703225>

Ratnapradipa, K, Samson, K, & Dai, HD. (2023). Randomised experiment for the effect of 'Tobacco-Free Nicotine' messaging on current e-cigarette users' perceptions, preferences and intentions. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36596708>

Alhadyan, SK, Sivaraman, V, & Onyenwoke, RU. (2022). E-cigarette Flavors, Sensory Perception, and Evoked Responses. *Chem Res Toxicol*, 35(12), 2194-2209. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36480683>

Kerber, PJ, Luo, W, McWhirter, KJ, Powers, M, & Peyton, DH. (2022). Effects of E-Cigarette Flavor Enhancing Capsules on Inhalable Aerosols. *Chem Res Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36490387>

Hung, M, Spencer, A, Hon, ES, Licari, FW, Cheever, VJ, Moffat, R et al. (2022). E-cigarette addiction and harm perception: Does initiation flavor choice matter? *BMC Public Health*, 22(1), 1780. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36127670>

Katz, SJ, Petersen, A, Liu, H, Cohen, E, & Hatsukami, D. (2022). Vaping Flavors and Flavor Representation: A Test of Youth Risk Perceptions, Novelty Perceptions, and Susceptibility. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35931419>

Li, W, Vargas-Rivera, M, Eissenberg, TE, Shihadeh, A, Talih, S, & Maziak, W. (2022). Effect of menthol/mint-flavored pods on young JUUL E-cigarette users' subjective experience, puffing behavior, and nicotine exposure: A pilot study. *Drug Alcohol Depend*, 237, 109516. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35679691>

Morean, ME, Bold, KW, Davis, DR, Kong, G, Krishnan-Sarin, S, & Camenga, DR. (2022). Does it come from tobacco? Young adults' interpretations of the term "tobacco-free nicotine" in a cross-sectional

national survey sample. *PLoS One*, 17(5), e0268464. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35559988>

Nollen, NL, Leavens, ELS, Ahluwalia, JS, Rice, M, Mayo, MS, & Pulvers, K. (2022). Menthol versus non-menthol flavouring and switching to e-cigarettes in black and Latinx adult menthol combustible cigarette smokers: secondary analyses from a randomised clinical trial. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35351805>

Gaiha, SM, Lempert, LK, McKelvey, K, & Halpern-Felsher, B. (2022). E-cigarette devices, brands, and flavors attract youth: Informing FDA's policies and priorities to close critical gaps. *Addict Behav*, 126, 107179. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34861522>

Sargent, JD, Stoolmiller, M, Dai, H, Barrington-Trimis, JL, McConnell, R, Audrain-McGovern, J, & Leventhal, AM. (2021). First e-cigarette flavor and device type used: Associations with vaping persistence, frequency, and dependence in young adults. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34460934>

18.9.5.2 Nicotine content

Cassidy, RN, Tidey, JW, Bello, MS, Denlinger-Apte, R, Goodwin, C, Godin, J et al. (2024). Effects of Very Low Nicotine Content Cigarettes and Nicotine Vaping Device Characteristics on Choices to Smoke, Vape, or Abstain in Early Young Adults. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39109883>

Singer, JM, Tackett, AP, Alalwan, MA, & Roberts, ME. (2024). Nicotine dependence among undergraduates who use nicotine salt-based e-cigarettes. *J Am Coll Health*, 1-7. . Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38227916>

Xie, C, Jeffers, AM., & Winickoff, JP. (2024). Categorizing Vaping Intensity among Youth. *Nicotine Tob Res*. . Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38227762>

Davis, DR, Rajesh Kumar, L, Morean, ME, Kong, G, Bold, KW, Krishnan-Sarin, S, & Camenga, DE. (2024). Why young adults use tobacco-free nicotine E-cigarettes: An analysis of qualitative data. *Addict Behav*, 150, 107925. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38056193>

Boyd, CJ, McCabe, SE, Evans-Polce, RJ, Voepel-Lewis, T, Shuman, C, & Veliz, P. (2022). Adolescents' Nicotine/Tobacco Dependency Symptoms Using 4 Waves of PATH Data. *Health Behav Policy Rev*, 9(4), 980-995. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37273819>

Kowitt, SD, Seidenberg, AB, Gottfredson O'Shea, NC, Ritchie, C, Galper, EF, Sutfin, EL et al (2023). Synthetic nicotine descriptors: awareness and impact on perceptions of e-cigarettes among US youth. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37173133>

Ma, S, Qiu, Z, Chen, J, & Shang, C. (2023). Synthetic nicotine e-liquids sold in US online vape shops. *Prev Med Rep*, 33, 102222. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37181243>

Giberson, J, Nardone, N, Addo, N, Khan, S, Jacob, P, Benowitz, N, & St Helen, G. (2023). Nicotine Intake in Adult Pod E-Cigarette Users: Impact of User and Device Characteristics. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37061820>

Kosarac, I, Katuri, GP, Kubwabo, C, Siddique, S, & Mischki, TK. (2023). Quantitation and Stability of Nicotine in Canadian Vaping Liquids. *Toxics*, 11(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37112605>

Wang, X, Ghimire, R, Shrestha, SS, Borowiecki, M, Emery, S, & Trivers, KF. (2023). Trends in Nicotine Strength in Electronic Cigarettes Sold in the United States by Flavor, Product Type, and Manufacturer, 2017-2022. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36929029>

Han, DH, Wong, M, Peraza, N, Vogel, EA, Cahn, R, Mason, TB et al (2023). Dose-response effects of two nicotine salt formulations on electronic cigarette appeal and sensory attributes. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36593119>

No authors listed. High-nicotine e-cigarettes dominate the market, with sales increasing 15-fold in five years. *Truth Initiative*, 2023. Jan 5, 2023. Retrieved from <https://truthinitiative.org/research-resources/emerging-tobacco-products/high-nicotine-e-cigarettes-dominate-market-sales>

Camenga, DR, Krishnan-Sarin, S, Davis, DR, Bold, KW, Kong, G, & Morean, ME. (2022). Curiosity, use, and perceptions of "tobacco-free nicotine" E-cigarettes among U.S. young adults. *Prev Med*, 164, 107296. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36216122>

Lin, C, Gaiha, SM, & Halpern-Felsher, B. (2022). Nicotine Dependence from Different E-Cigarette Devices and Combustible Cigarettes among US Adolescent and Young Adult Users. *Int J Environ Res Public Health*, 19(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35627381>

Rosenthal, H, Chow, N, Mehta, S, Pham, D, & Milanaik, R. (2022). Puff bars: a dangerous trend in adolescent disposable e-cigarette use. *Curr Opin Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35152232>

Do, EK, O'Connor, K, Kreslake, JM, Friedrichsen, SC, Vallone, DM, & Hair, EC. (2022). Influence of Flavors and Nicotine Concentration on Nicotine Dependence in Adolescent and Young Adult E-Cigarette Users. *Subst Use Misuse*, 57(4), 632-639. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35138226>

Fu, R, Shi, J, Chaiton, M, Leventhal, AM, Unger, JB, & Barrington-Trimis, JL. (2021). A Machine Learning Approach to Identify Predictors of Frequent Vaping and Vulnerable Californian Youth Subgroups. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34888698>

Lu, Y, Dobbs, PD, Song, H, Dunlap, C, & Cheney, MK. (2021). Harm perceptions, JUUL dependence, and other tobacco product use among young adults who use JUUL. *Addict Behav*, 127, 107210. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34959076>

Pienkowski, M, Chaiton, M, Dubray, J, & Schwartz, R. (2021). E-Cigarette Dependence in Youth. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34936704>

Hoetger, C, Bono, RS, White, AM, Barnes, AJ, & Cobb, CO. (2021). The interaction of nicotine concentration and device power on electronic nicotine delivery system (ENDS) abuse liability among exclusive ENDS users and dual users of ENDS and combustible cigarettes. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34647773>

Mantey, DS, Case, KR, Omega-Njemnobi, O, Springer, AE, & Kelder, SH. (2021). Use frequency and symptoms of nicotine dependence among adolescent E-cigarette users: Comparison of JUUL and Non-JUUL users. *Drug Alcohol Depend*, 228, 109078. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34614433>

Singh, A. (2021). A Commentary on Adolescent Electronic Cigarette Use and Nicotine Addiction. *Pediatr Pulmonol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34520125>

Tokle, R, Brunborg, GS, & Vedoy, TF. (2021). Adolescents' use of nicotine-free and nicotine e-cigarettes: A longitudinal study of vaping transitions and vaper characteristics. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34546348>

Felicione, NJ, Cummings, KM, Gravely, S, Hammond, D, McNeill, A, Borland, R et al. (2021). "Don't Know" Responses for Nicotine Vaping Product Features among Adult Vapers: Findings from the 2018 and 2020 ITC Four Country Smoking and Vaping Surveys. *Int J Environ Res Public Health*, 18(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34360221>

Kechter, A, Cho, J, Miech, RA, Barrington-Trimis, JL, & Leventhal, AM. (2021). Nicotine dependence symptoms in U.S. youth who use JUUL E-cigarettes. *Drug Alcohol Depend*, 227, 108941. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34416679>

Salman, R, Talih, S, Karam, E, Karaoghlanian, N, Ashley, DL, & Shihadeh, A. (2021). JUUL releases more nicotine in the first puffs. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34257150>

18.9.6 Social and environmental factors

Kanai, M, Kanai, O, & Tabuchi, T. (2024). Impact of the COVID-19 pandemic on changes in tobacco use behaviour: A longitudinal cohort study in Japan. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39581593>

Jackson, SE, Squires, H, Shahab, L, Tattan-Birch, H, Buckley, C, Purshouse, RC, & Brown, J. (2024). Associations of close social connections with smoking and vaping: a population study in England. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39315568>

Phipps, DJ, Nott, NJ, & Hamilton, K. (2024). An integrated dual process model in predicting e-cigarette use in undergraduate students. *Appl Psychol Health Well Being*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39233379>

Siegel, L, Liu, J, Gibson, L, & Hornik, R. (2024). Not all norm information is the same: Effects of normative content in the media on young people's perceptions of e-cigarette and tobacco use norms. *Communic Res*, 51(6), 717-742. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39323571>

Zeduri, M, Campagni, C, Carreras, G, Gallus, S, Lugo, A, Stival, C et al . (2024). Changes in the use of nicotine-containing products during and after the COVID-19 pandemic in a representative sample of the Italian adult population. *Ann Ist Super Sanita*, 60(3), 184-190. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39268999>

Awua, J, Tuliao, AP, Gabben-Mensah, D, Kanjor, F, Botor, NJB, Ohene, L, & Meisel, MK. (2024). Interpersonal communication and perceived norms as social influence mechanisms of e-cigarette use among adults: a systematic review. *Am J Drug Alcohol Abuse*, 1-14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38832973>

Canete, JJO, & Udarbe, GS. (2024). The phenomenon of e-cigarette among Filipino youth: a created environment. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38836572>

Mohsen, S, El-Gilany, AH, & Essam, N. (2024). Effect of Ramadan fasting on changes in smoking and vaping behaviors and withdrawal symptoms severity: a cross-sectional study. *J Addict Dis*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38790079>

Miech, R. (2024). Changes in U.S. Adolescent Nicotine Vaping Prevalence from 2022 to 2023: The Role of Reduced Initiation Three Years Earlier during the Onset of the Pandemic. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38629150>

Askwith, Z, Grignon, J, Ismail, M, Martin, G, McEachern, LW, Seabrook, JA, & Gilliland, JA. (2024). Environmental influences on E-cigarette use among young people: A systematic review. *Health Place*, 87, 103212. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38493658>

Yazidjoglou, A, Watts, C, Joshy, G, Banks, E, & Freeman, B. (2024). Electronic cigarette social norms among adolescents in New South Wales, Australia. *Health Promot Int*, 39(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38432650>

Vidana-Perez, D, Mus, S, Monzon, J, Davila, G, Fahsen, N, Barnoya, J, & Thrasher, JF. (2024). Factors Associated With the Changes in Smoking and Electronic cigarette use in Adolescents During the COVID-19 Pandemic: A Longitudinal Analysis. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38206227>

Deng, R, Yang, C, Yuan, Y, Liang, L, Yang, X, Wang, X et al. (2023). A cross-sectional survey of medical and other groups' awareness, perceptions, and willingness to use e-cigarettes during the COVID-19 pandemic. *Front Public Health*, 11, 1323804. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38259797>

Olaniyan, AC, Nabors, L A, King, KA, & Merianos, AL. (2023). Adverse Childhood Experiences and Electronic Cigarette Use among U.S. Young Adults. *Toxics*, 11(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37999559>

Zhang, L, Ao, SH, & Zhao, X. (2023). Longitudinal relationship between social media and e-cigarette use among adolescents: the roles of internalizing problems and academic performance. *BMC Public Health*, 23(1), 2133. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37907896>

Graham-DeMello, A, Hoek, J, & Drew, J. (2023). How do underage youth access e-cigarettes in settings with minimum age sales restriction laws? A scoping review. *BMC Public Health*, 23(1), 1809. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37723457>

Caponnetto, P, Triscari, S, Vitale, NM, & Polosa, R. (2023). Letter to the Editors of Substance Abuse: Research and Treatment; Adolescents Who Vape Nicotine and Their Experiences Vaping: A Qualitative Study; Regarding Dube et al. (2023). *Subst Abuse*, 17, 11782218231197959. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37706069>

Pettigrew, S, Santos, JA, Li, Y, Jun, M, Anderson, C, & Jones, A. (2023). Short report: Factors contributing to young people's susceptibility to e-cigarettes in four countries. *Drug Alcohol Depend*, 109944. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37316389>

Maglalang, DD, Fong, L, Gapuz, VJ, Navarro, K, Yoo, GJ, & Le, MN. (2023). Social Influence of E-cigarette Use among Asian Americans in California. *Am J Health Behav*, 47(1), 173-181. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36945099>

Kreslake, JM, O'Connor, KM, Liu, M, Vallone, DM, & Hair, E. (2023). A resurgence of e-cigarette use among adolescents and young adults late in the COVID-19 pandemic. *PLoS One*, 18(3), e0282894. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36989261>

McLeish, AC, Hart, JL, & Walker, KL. (2023). Long-term impact of the COVID-19 pandemic on use behavior and risk perceptions of college student E-cigarette users. *J Am Coll Health*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36996419>

Yang, Q. (2023). Understanding the Associations Between Adolescents' Exposure to E-Cigarette Information and Vaping Behavior Through the Theory of Planned Behavior. *Health Commun*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36823032>

Kelly, BC, Pawson, M, & Vuolo, M. (2023). Social Network Ties and Responses to COVID-19 Among E-Cigarette Users. *J Drug Issues*, 53(1), 145-158. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36606120>

Villanueva-Blasco, VJ, Rodeiro, SV, Villanueva-Silvestre, V, Folgar, MI, Requeijo, MO, Vazquez-Martinez, A et al. (2023). Changes in tobacco and e-cigarette consumption in Spanish university students during the COVID-19 lockdown: Identification of vulnerable groups. *Tob Induc Dis*, 21, 01. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36694668>

Abadi, MH, Shamblen, SR, Thompson, K, Lipperman-Kreda, S, Grube, J, Richard, BO, & Aramburu, C. (2022). Socio-temporal contextual and community factors associated with daily exclusive ENDS use and dual use with tobacco cigarettes among adolescent vapers: an ecological momentary assessment study. *BMC Public Health*, 22(1), 2289. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36474234>

Clausen, M, Romm, KF, Berg, CJ, Ciceron, AC, Fuss, C, Bennett, B, & Le, D. (2022). Exploring young adults' e-cigarette use behavior during COVID-19. *Tob Prev Cessat*, 8, 45. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36568488>

Scheffels, J, Togle, R, Linnansaari, A, Rasmussen, SKB, & Pisinger, C. (2022). E-cigarette use in global digital youth culture. A qualitative study of the social practices and meaning of vaping among 15-20-

year-olds in Denmark, Finland, and Norway. *Int J Drug Policy*, 111, 103928. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36527908>

Adzrago, D, Sulley, S, Mamudu, L, Ormiston, CK, & Williams, F. (2022). The Influence of COVID-19 Pandemic on the Frequent Use of E-Cigarettes and Its Association with Substance Use and Mental Health Symptoms. *Behav Sci (Basel)*, 12(11) Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36421749>

Wharton, MK, Islam, S, Abadi, MH, Pokhrel, P, & Lipperman-Kreda, S. (2022). COVID-19 Restrictions and Adolescent Cigarette and E-cigarette Use in California. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36347663>

Zhou, H, Hoe, C, Zhang, W, Yang, X, Li, M, & Wu, D. (2022). Are E-Cigarette and Tea Cigarette Gifting Behaviors Associated with Tobacco Use and Failed Quit Attempts in China? *Int J Environ Res Public Health*, 19(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36430051>

Islam, S, Thompson, K, Abadi, M, Wharton, K, & Lipperman-Kreda, S. (2022). "I don't know whose mouth has been on this": youth nicotine and cannabis vaping practices in the context of the COVID-19 pandemic. *BMC Public Health*, 22(1), 1808. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36151523>

Wang, Y, Duan, Z, Weaver, SR, Self-Brown, SR, Ashley, DL, Emery, SL, & Huang, J. (2022). Association of e-Cigarette Advertising, Parental Influence, and Peer Influence With US Adolescent e-Cigarette Use. *JAMA Netw Open*, 5(9), e2233938. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36173633>

Cabral, P. (2022). E-cigarette use and intentions related to psychological distress among cigarette, e-cigarette, and cannabis vape users during the start of the COVID-19 pandemic. *BMC Psychol*, 10(1), 201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35971158>

Clendennen, SL, Chen, B, Sumbe, A, & Harrell, MB. (2022). Patterns in Mental Health Symptomatology and Cigarette, E-cigarette and Marijuana Use among Texas Youth and Young Adults Amid the COVID-19 Pandemic. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36018816>

Romm, KF, Wang, Y, Ma, Y, Wysota, CN, Blank, MD, Huebner, DM et al(2022). The reciprocal relationships of social norms and risk perceptions to cigarette, e-cigarette, and cannabis use: Cross-lagged panel analyses among US young adults in a longitudinal study. *Drug Alcohol Depend*, 238, 109570. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35926300>

Abbasi, Y, Hout, MV, Faragalla, M, & Itani, L. (2022). Knowledge and Use of Electronic Cigarettes in Young Adults in the United Arab Emirates, Particularly during the COVID-19 Pandemic. *Int J Environ Res Public Health*, 19(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35805487>

Jun, J, Fitzpatrick, MA, Zain, A, & Zhang, N. (2022). Have E-cigarette Risk Perception and Cessation Intent of Young Adult Users Changed During the Pandemic? *Am J Health Behav*, 46(3), 304-314. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35794763>

Merz, W, Magraner, J, Gunge, D, Advani, I, Crotty Alexander, LE & Oren, E. (2022). Electronic cigarette use and perceptions during COVID-19. *Respir Med*, 200, 106925. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35797927>

Bennett, M, Speer, J, Taylor, N, & Alexander, T. (2022). Changes in e-cigarette use among youth and young adults during the COVID-19 pandemic: Insights into risk perceptions and reasons for changing use behavior. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35639822>

Bennett, B, Romm, KF, & Berg, CJ. (2022). Changes in cigarette and e-cigarette use among US young adults from before to during the COVID-19 pandemic: News exposure and risk perceptions as potential predictors. *Tob Prev Cessat*, 8, 18. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35601562>

E. Culbreth R, J Brandenberger K, Battey-Muse, CM, Gardenhire, DS. 2021 Year in Review: E-Cigarettes, Hookah Use, and Vaping Lung Injuries During the COVID-19 Pandemic *Respir Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35606003>

Robertson, L, Hoek, J, & Blank, ML. (2022). A qualitative analysis of electronic nicotine delivery systems (ENDS) uptake and use among young adult never-smokers in New Zealand. *PLoS One*, 17(5), e0268449. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35622846>

Lang, AE. (2022). The Effect of COVID-19 on Smoking and Vaping Rates. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35533309>

Leatherdale, ST, Belanger, RE, Ganssone, RJ, Cole, AG, & Haddad, S. (2022). Youth vaping during the early stages of the COVID-19 pandemic period: adjusted annual changes in vaping between the pre-COVID and initial COVID-lockdown waves of the COMPASS study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35366319>

Parks, MJ, Fleischer, NL, & Patrick, ME. (2022). Increased nicotine vaping due to the COVID-19 pandemic among US young adults: Associations with nicotine dependence, vaping frequency, and reasons for use. *Prev Med*, 159, 107059. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35460719>

Struik, LL, Werstuik, ST, Sundstrom, A, Dow-Fleisner, S, & Ben-David, S. (2022). Factors that influence the decision to vape among Indigenous youth. *BMC Public Health*, 22(1), 641. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35366834>

Hanafin, J, Sunday, S, & Clancy, L. (2022). Sociodemographic, personal, peer, and familial predictors of e-cigarette ever use in ESPAD Ireland: A forward stepwise logistic regression model. *Tob Induc Dis*, 20, 12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35300051>

Yang, XY, Kelly, BC, Pawson, M, & Vuolo, M. (2022). Vaping in a Time of Pandemics: Risk Perception and Motivations for Electronic Cigarette Use. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35182425>

Purushothaman, V, Cuomo, RE, Li, J, Nali, M, & Mackey, TK. (2022). Association of tobacco retailer count with smoking population versus vaping population in California (2019). *Arch Public Health*, 80(1), 42. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35086563>

Amin, S, Laranjo, L, & Dunn, AG. (2022). Social connections influencing e-cigarette use and intentions in Australia: a survey. *J Addict Dis*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35049425>

Case, KR, Clendennen, SL, Shah, J, Tsevat, J, & Harrell, MB. (2022). Changes in Marijuana and Nicotine Vaping Perceptions and Use Behaviors among Young Adults since the COVID-19 Pandemic: A Qualitative Study. *Addict Behav Rep*, 100408. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35075434>

Clendennen, SL, Case, KR, Sumbe, A, Mantey, DS, Mason, EJ, & Harrell, MB. (2021). Stress, Dependence, and COVID-19-related Changes in Past 30-day Marijuana, Electronic Cigarette, and Cigarette Use among Youth and Young Adults. *Tob Use Insights*, 14, 1179173X211067439. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34987299>

Gallus, S, Stival, C, Carreras, G, Gorini, G, Amerio, A, McKee, M et al. (2022). Use of electronic cigarettes and heated tobacco products during the Covid-19 pandemic. *Sci Rep*, 12(1), 702. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35027590>

Nguyen, N, Mathur Gaiha, S, & Halpern-Felsher, B. (2021). Self-reported changes in cannabis vaping among US adolescents and young adults early in the COVID-19 pandemic. *Prev Med Rep*, 24, 101654. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34976701>

Parks, MJ, & Patrick, ME. (2021). Protective Factors for Nicotine and Marijuana Vaping Among U.S. Adolescents. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34924259>

Ranjit, A, McCutchan, G, Brain, K, & Poole, R. (2021). "That's the whole thing about vaping, it's custom tasty goodness": a meta-ethnography of young adults' perceptions and experiences of e-cigarette use. *Subst Abuse Treat Prev Policy*, 16(1), 85. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34772440>

Camenga, DR, Haeny, AM, Krishnan-Sarin, S, O'Malley, SS, & Bold, KW. (2021). Pilot Ecological Momentary Assessment Study of Subjective and Contextual Factors Surrounding E-Cigarette and Combustible Tobacco Product Use among Young Adults. *Int J Environ Res Public Health*, 18(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34769525>

Hanafin, J, Sunday, S, & Clancy, L. (2021). Friends and family matter Most: a trend analysis of increasing e-cigarette use among Irish teenagers and socio-demographic, personal, peer and familial associations. *BMC Public Health*, 21(1), 1988. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34732172>

Kalkhoran, SM, Levy, DE, & Rigotti, NA. (2021). Smoking and E-Cigarette Use Among U.S. Adults During the COVID-19 Pandemic. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34756629>

Voelker, R. (2021). COVID-19 Didn't Stop Millions of Youth From Continuing to Vape. *JAMA*, 326(17), 1667. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34726725>

Popova, L, Henderson, K, Kute, N, Singh-Looney, M, Ashley, DL, Reynolds, RM et al. (2021). "I'm bored and I'm stressed": A qualitative study of exclusive smokers, ENDS users, and transitioning

smokers or ENDS users in the time of COVID-19. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34610133>

Sharma, P, Sheikh, T, & Williams, C. (2021). Electronic Vaping Product Use Among Adolescents in the Era of the COVID-19 Pandemic: An Updated Scientific Review for Clinicians. *WMJ*, 120(3), 205-208. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34710302>

Adriaens, K, Van Gucht, D, Van Lommel, S, & Baeyens, F. (2021). Vaping during the COVID-19 lockdown period in Belgium. *BMC Public Health*, 21(1), 1613. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34479509>

Chaiton, M, Dubray, J Kundu, A., & Schwartz, R. (2021). Perceived Impact of COVID on Smoking, Vaping, Alcohol and Cannabis Use Among Youth and Youth Adults in Canada. *Can J Psychiatry*, 7067437211042132. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34482759>

Hirsch, J, & Schwartz, R. (2021). Structural Conditions as Cause: Explaining the Rapid Rise in Youth E-Cigarette Use by Re-thinking Models of Addiction. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34376102>

18.9.6.1 Peer group

Okamoto, SK, Subica, AM, Okamura, KH, An, KJ, Song, SD, Saladino, PA et al . (2024). Exploring Youths' Offers to Use E-Cigarettes in Rural Hawai'i: A Test Development and Validation Study. *Int J Environ Res Public Health*, 21(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39595694>

Jongenelis, MI, & Thoonen, K. (2023). Factors associated with susceptibility to e-cigarette use among Australian adolescents. *Int J Drug Policy*, 122, 104249. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37918316>

Le, TTT. (2023). Key Risk Factors Associated With Electronic Nicotine Delivery Systems Use Among Adolescents. *JAMA Netw Open*, 6(10), e2337101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37862018>

Fairman, RT, Churchill, V, Garner, JB, Brown, D, Massey, ZB, Ashley, DL, & Popova, L. (2023). It's addiction at this Point": A qualitative examination of youth E-cigarette use trajectory in the United States. *Tob Use Insights*, 16, 1179173X231185455. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37528837>

Cheng, HG, Lizhnyak, PN, & Richter, N. (2023). Mutual pathways between peer and own e-cigarette use among youth in the United States: a cross-lagged model. *BMC Public Health*, 23(1), 1609. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37612711>

Santhidran, S, Periyayya, T, Mastor, KA, & Idris, IB. (2023). Does Quit Smoking Desire Influence E-Cigarette Smoking Behaviour? Malaysian Perspectives. *Malays J Med Sci*, 30(3), 195-201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37425392>

Crane, L A, Asdigian, NL, & Fitzgerald, MD. (2023). Looking Cool, Doing Tricks, Managing Stress, and Nicotine Addiction: Youth Perspectives on Nicotine Vaping and Implications for Prevention. *Am J*

Health Promot, 8901171231189560. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37462022>

Dalisay, F, Pokhrel, P, Santos, J, Mori, E, Kawabata, Y, Beltran, Z et al. (2023). Guam Adolescents' Use of Strategies to Resist Cigarette, e-Cigarette, and Betel Nut Offers: Findings from a Focus Group Study. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37488091>

Wilhelm, AK, Hammett, P, Fu, SS, Eisenberg, ME, Pratt, RJ, & Allen, ML. (2023). Asian American adolescent e-cigarette use and associated protective factors: Heterogeneity in a statewide sample. *Addict Behav*, 145, 107761. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37295385>

Zhao, S, Li, Z, Zhang, L, Yu, Z, Zhao, X, Li, Y, & Zhu, J. (2023). The characteristics and risk factors of e-cigarette use among adolescents in Shanghai: A case-control study. *Tob Induc Dis*, 21, 83. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37342865>

Valente, TW, Piombo, SE, Edwards, KM, Waterman, EA, & Banyard, VL. (2023). Social Network Influences on Adolescent E-cigarette Use. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36924165>

Pettigrew, S, Miller, M, Alvin Santos, J, Raj, TS, Brown, K, & Jones, A. (2023). E-cigarette attitudes and use in a sample of Australians aged 15-30 years. *Aust N Z J Public Health*, 100035. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36977623>

Font-Mayolas, S, Sullman, MJM, Hughes, JD, Gras, ME, Lucena Jurado, V, & Calvo, F. (2023). Cigarette, e-cigarette and waterpipe cognitions and use among university students in Guangzhou, China. *Tob Induc Dis*, 21, 30. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36844384>

Martins, SR, Araujo, AJ, Wehrmeister, FC, Freitas, BM, Basso, RG, Santana, ANC, & Santos, UP. (2023). Prevalence and associated factors of experimentation with and current use of water pipes and electronic cigarettes among medical students: a multicentric study in Brazil. *J Bras Pneumol*, 49(1), e20210467. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36700569>

Tabangcura, KR, Taketa, R, Kawamoto, CT, Amin, S, Sussman, S, Okamoto, SK, & Pokhrel, P. (2023). Peer Crowds and Tobacco Product Use in Hawai'i: A Qualitative Study. *Int J Environ Res Public Health*, 20(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36673785>

Boccio, CM, Leal, WE, & Jackson, DB. (2022). The role of virtual socializing and unstructured socializing in adolescent vaping. *Drug Alcohol Depend*, 235, 109446. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35429751>

Less, EL, Mady, M, Beckman, KJ, & Kingsbury, JH. (2021). "If Someone Has It, I'm Gonna Hit It": Lessons Learned From Minnesota Teens About Vaping. *Health Promot Pract*, 15248399211045353. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34852204>

North, C, Li, X, Grossberg, LA, & Loukas, A. (2021). A one year prospective examination of risk factors for pod-vape use among young adults. *Drug Alcohol Depend*, 229(Pt B), 109141. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34768141>

Hernandez, R, Ranjit, Y, & Collins, CC. (2021). "Can I Hit Our JUUL?": The Norms of Vaping and Dating among Emerging Adults. *Health Commun*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34663138>

Enlow, PT, Williford, DN, Romm, KF, Dino, GA Blank, M D, Murray, PJ et al. (2021). Predicting Adolescent Electronic Cigarette Use: Differences by Never, Ever, and Current Users. *J Pediatr Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34524431>

Doxbeck, CR & Osberg, TM. (2021). It's Not All Smoke and Mirrors: The Role of Social Norms, Alcohol Use, and Pandemic Partying in e-Cigarette Use During COVID-19. *Subst Use Misuse*, 56(10), 1551-1558. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34193015>

Groom, AL, Vu, TT, Landry, RL, Kesh, A, Hart, JL, Walker, KL et al. (2021). The Influence of Friends on Teen Vaping: A Mixed-Methods Approach. *Int J Environ Res Public Health*, 18(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34202600>

Patanavanich, R, Aekplakorn, W Glantz, SA, & Kalayasiri, R. (2021). Use of E-Cigarettes and Associated Factors among Youth in Thailand. *Asian Pac J Cancer Prev*, 22(7), 2199-2207. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34319044>

Sandhu, R, Runnerstrom, M, & Ro, A. (2021). Youth, family and society: Examining the dynamics of e-cigarette use in Latino college students. *J Am Coll Health*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34242557>

18.9.6.2 The home environment

Sabbagh, HJ, Alamoudi, RA, Khogeer, LN, Allaf, HK, Sait, AA, & Ahmed Hassan, MH. (2024). Electronic cigarettes use and parental factors among children and adolescents, Jeddah. A cross-sectional study. *Int J Environ Health Res*, 1-14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39580708>

Fallah-Sohy, N, Sutherland, MT, & Trucco, EM. (2024). Do Acculturative Gap Conflicts Impact Parenting Practices and Youth E-Cigarette Use? Tests of Moderated Mediation. *Subst Use Misuse*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39172000>

Marshall, SM, Saladino, PA, An, KJ, Song, SD, Stephens, TA, Carson, AB et al. (2024). Adult Familial Influences on Rural Native Hawaiian and Pacific Islander Youths' E-Cigarette Use. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39164965>

Maggs, JL, Staff, J, Mongilio, JM, Miller, SE, Vuolo, M, & Kelly, BC. (2024). Risk Factors for E-Cigarette Ban Relaxation in Homes With Adolescents. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39007788>

Hayrumyan, V, Sargsyan, Z, Torosyan, A, Dekanosidze, A, Grigoryan, L, Alayan, N et al. (2024). The inclusion of e-cigarettes and heated tobacco products in smoke-free home and car rules: A cross-sectional survey of adults in Armenia and Georgia. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38835513>

- Egger, S, Watts, C, Dessaix, A, Brooks, A, Jenkinson, E, Grogan, P, & Freeman, B. (2024). Parent's awareness of, and influence on, their 14-17-year-old child's vaping and smoking behaviours; an analysis of 3242 parent-child pairs in Australia. *Addict Behav*, *150*, 107931. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38065007>
- Han, DH, & Shin, E. (2023). Parenting practices, mental health, and electronic cigarette use among U.S. young adolescents: A longitudinal panel analysis, 2013-2018. *Prev Med*, *178*, 107795. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38065337>
- Sunday, S, Clancy, L, & Hanafin, J. (2023). The associations of parental smoking, quitting and habitus with teenager e-cigarette, smoking, alcohol and other drug use in GUI Cohort '98. *Sci Rep*, *13*(1), 20105. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37973812>
- Dalisay, F, Okamoto, SK, Teneza, J, Dalton, C, Lizama, K, Pokhrel, P, & Kawabata, Y. (2023). Types of Offers of Combustible Cigarettes, E-Cigarettes, and Betel Nut Experienced by Guam Youths. *Int J Environ Res Public Health*, *20*(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37835102>
- Staff, J, Mongilio, JM, Maggs, JL, Vuolo, M, & Kelly, BC. (2023). Household vaping bans and youth e-cigarette use. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37715485>
- Nam, JK, Zatlhoff, JP, Wong, SW, Lin, HC, Su, WC, & Buu, A. (2023). An Exploratory Study on Strategies Adopted by Parents Who Use E-Cigarettes to Negotiate Risk Perceptions of Their Children's Secondhand Exposure and Parental Role Modeling. *Int J Ment Health Addict*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37363765>
- Tilton, G, Huston, S, & Albert, P. (2023). Risk and Protective Factors for Vaping and Smoking Among High School Students in Maine. *Prev Chronic Dis*, *20*, E28. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37079753>
- Azagba, S, Ebling, T, & Shan, L. (2023). Is socioeconomic status related to youth e-cigarette use? Examining family affluence and sexual identity. *Addict Behav*, *141*, 107636. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36821881>
- Felner, JK, & Calzo, JP. (2023). Housing status as a social determinant of disparities in adolescent smoking, vaping, and dual use of cigarettes and e-cigarettes. *Addict Behav*, *141*, 107631. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36821879>
- Buu, A, Nam, JK, Yang, M, Su, WC, & Lin, HC. (2022). Home e-cigarette rules and youth's vulnerability to initiate and sustain e-cigarette use. *Prev Med*, *164*, 107334. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36334686>
- Doherty, J, Davison, J, McLaughlin, M, Giles, M, Dunwoody, L, McDowell, C et al. (2022). Prevalence, knowledge and factors associated with e-cigarette use among parents of secondary school children. *Public Health Pract (Oxf)*, *4*, 100334. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36389259>
- Finan, LJ, Ellis, M, Solka, J, Jasinski, L, & Ohannessian, CM. (2022). Longitudinal and bidirectional associations between family conflict and adolescents' e-cigarette use. *J Adolesc*, *94*(1), 92-96. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35353405>

Mantey, DS, Clendennen, SL, Springer, AE, & Harrell, MB. (2022). Perceived Parental Knowledge Reduces Risk for Initiation of Nicotine and Cannabis Vaping: A Longitudinal Study of Adolescents. *Am J Health Promot*, 8901171211061941. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35030966>

Bailey, JA, Epstein, M, & Kosterman, R. (2021). Parent ENDS use predicts adolescent and young adult offspring ENDS use above and beyond parent cigarette use. *Addict Behav*, 125, 107157. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34715489>

Lee, TH, & Kim, W. (2021). Differences in electronic cigarette use among adolescents in Korea: A nationwide analysis. *J Subst Abuse Treat*, 108554. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34187709>

Szoko, N, Ragavan, MI, Khetarpal, SK, Chu, KH, & Culyba, AJ. (2021). Protective Factors Against Vaping and Other Tobacco Use. *Pediatrics*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34312291>

18.9.6.3 The school environment

Ollila, H, Konttinen, H, Ruokolainen, O, & Karvonen, S. (2024). Are educational aspirations associated with susceptibility to smoking, e-cigarette use, and smokeless tobacco use in adolescence? *Eur J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39111777>

Yu, Y, Du, M, Wang, DB, Wu, AMS, Chen, JH, Li, S et al. (2024). School climate and school identification as determinants of smoking conventional cigarettes or vaping among adolescents in China: Stress-coping mediation mechanisms. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38362271>

Wilhelm, AK, Evans, MD, Xiong, Z, Ortega, L, Vock, DM, Maruyama, G, & Allen, ML. (2024). School Connectedness and Adolescent E-cigarette Susceptibility in an Urban Sample of Middle and High School Students. *Prev Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38244166>

Gong, X, Wang, CM, Li, LN, & Lyu, SB. (2023). [Influencing factors for electronic cigarette use among Chinese adolescent students: a Meta-analysis]. *Zhonghua Yu Fang Yi Xue Za Zhi*, 57(10), 1640-1646. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37859384>

Augenstein, JA, Smaldone, AM, Usseglio, J, & Bruzzese, JM. (2023). Electronic Cigarette Use and Academic Performance Among Adolescents and Young Adults: A Scoping Review. *Acad Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37748535>

Wang, N, & Donaldson, CD. (2023). Youth mental health and nicotine vape use: The moderating role of rural-urban/suburban school environments. *Addict Behav*, 147, 107830. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37607466>

Yockey, RA, Chaliawala, K, Vidourek, RA, & King, K. (2023). School Factors Associated With Past 30-Day E-Cigarette Use Among Hispanic Youth. *J Sch Nurs*, 10598405231185594. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37424330>

Liu, J, Tan, ASL, Winickoff, JP, & Rees, VW. (2023). Correlates of adolescent sole-, dual- and poly-use of cannabis, vaped nicotine, and combusted tobacco. *Addict Behav*, 146, 107804. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37478525>

Wilhelm, AK, Hammett, P, Fu, SS, Eisenberg, ME, Pratt, RJ, & Allen, ML. (2023). Asian American adolescent e-cigarette use and associated protective factors: Heterogeneity in a statewide sample. *Addict Behav*, 145, 107761. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37295385>

Jongenelis, MI, & Robinson, A. (2023). Educators' perceptions of e-cigarettes in Australian secondary schools. *Tob Induc Dis*, 21, 41. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36937494>

Springer, AE, Mantey, DS, Omega-Njemnobi, O, Ruiz, F, Attri, S, Chen, B et al. (2022). School Connectedness and E-cigarette Susceptibility/ Ever Use in Texas 6(th)-Grade Students. *Am J Health Behav*, 46(6), 673-682. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36721289>

Mus, S, Monzon, J, Islam, F, Thrasher, JF, & Barnoya, J. (2023). First tobacco product tried and current use of cigarettes and electronic cigarettes among adolescents from Guatemala City. *Salud Publica Mex*, 65(1, ene-feb), 46-53. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36750072>

Pettigrew, S, Miller, M, Kannan, A, Raj, TS, Jun, M & Jones, A. (2022). School staff perceptions of the nature and consequences of students' use of e-cigarettes. *Aust N Z J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35852391>

Mantey, DS, Omega-Njemnobi, O, Ruiz, FA, Chen, B, Springer, AE, & Kelder, SH. (2022). Remote versus In-Person Learning During COVID-19: Comparison of E-Cigarette Susceptibility and Ever Use among a diverse cohort of 6 th Grade Students in Texas. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35366321>

Williams, GC, Cole, AG, de Groh, M, Jiang, Y, & Leatherdale, ST. (2021). Investigating individual-level correlates of e-cigarette initiation among a large sample of Canadian high school students. *Health Promot Chronic Dis Prev Can*, 41(10), 292-305. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34668684>

Dearfield, CT, Chen-Sankey, JC, McNeel, TS, Bernat, DH, & Choi, K. (2021). E-cigarette initiation predicts subsequent academic performance among youth: Results from the PATH Study. *Prev Med*, 153, 106781. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34487749>

Ihongbe, TO, Olayinka, PO, & Curry, S. (2021). Association Between Bully Victimization and Vaping Among Texas High School Students. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34456103>

18.9.6.4 Exposure to e-cigarette and tobacco use

Dai, L, Lu, W, Wang, J, Zhang, L, & Zhu, J. (2022). Social environment exposure to electronic cigarettes and its association with e-cigarette use among adolescents in Shanghai, China. *Front Public Health*, 10, 1005323. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36407975>

Yong, HH, Chow, R, East, K, Thrasher, JF, Hitchman, SC, Borland, R et al. (2022). Do social norms for cigarette smoking and nicotine vaping product use predict trying nicotine vaping products and attempts to quit cigarette smoking amongst adult smokers? Findings from the 2016-2020 ITC Four Country Smoking and Vaping Surveys. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36082962>

Nabil, AK, Barry, AE, Kum, HC, & Ohsfeldt, RL. (2022). Actual and perceived E-cigarettes behaviors among a national sample of U.S. college students. *J Am Coll Health*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35025725>

18.9.7 Beliefs about health risks and addiction

Ashok, S, Ramdurg, S, & Chaukimath, SP. (2024). Knowledge, Attitude, and Practice of College Students Toward E-cigarettes: A Study From the Northern Part of Karnataka, India. *Cureus*, 16(9), e68403. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39360072>

Gursoy, E, & Kaya, R. (2024). Exploring the Experiences, Perceptions and Social Dynamics of Electronic Cigarette Users: A Qualitative Study. *Health Expect*, 27(5), e70066. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39400460>

Guerra Castillo, C, Hoeft, KS, Couch, ET, Urata, J, Halpern-Felsher, B & Chaffee, BW. (2024). Adolescents' Experiences and Perceptions of E-Cigarettes and Nicotine Addiction. *Subst Use Misuse*, 59(13), 1981-1989. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39287112>

Liu, J, McCauley, D, Gaiha, SM, & Halpern-Felsher, B. (2024). Perceptions of Harm and Addictiveness for Nicotine Products, THC e-Cigarettes, and e-Cigarettes with Other Ingredients Among Adolescents, Young Adults, and Adults. *Subst Use Misuse*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39289177>

Mhazo, P, Swartz, A, Asfar, T, & Wallace, M. (2024). Knowledge, perceptions, and experiences of e-cigarettes among young adults in Cape Town, South Africa: Insights from focus groups to inform regulations and prevention strategies. *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39233773>

Harrell, PT, England, KJ, Barnett, TE, Simmons, VN, Handel, RW, & Paulson, AC. (2024). Adolescent E-Cigarette Expectancies: Measure Development and Preliminary Validity of the Electronic Nicotine Vaping Outcomes Measure for Youth. *Tob Use Insights*, 17, 1179173X241266563. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39193494>

Vilcassim, MJR, Stowe, S, & Zierold, KM. (2024). Perception of Health Risks of Electronic Cigarette Use Among College Students: Examining the Roles of Sex, Field of Study, Vaping Device Type, and Their Associations. *J Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39179760>

Aqeeli, A, Alsabaani, AA, Alshaiban, H, Alqassim, AY, Alahmar, AS, Sabai, A, & Alwadani, S. (2024). Assessing the Dependence and Perceptions of the Harm and Addictiveness of Electronic Cigarettes

among Saudi University Students: A Cross-Sectional Study. *Healthcare (Basel)*, 12(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38998824>

La Capria, K, Hamilton-Moseley, KR, Phan, L, Jewett, B, Hacker, K, Choi, K, & Chen-Sankey, J. (2024). Perceptions of FDA-authorized e-cigarettes and use interest among young adults who do not use tobacco. *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39077552>

Buta, E, Gueorgieva, R, Simon, P, & Garrison, KA. (2024). Behavioral precursors of nicotine product use trajectories among youth. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38782105>

Cappelli, C, Pike, JR, Xie, B, Michaels, AJ, & Stacy, AW. (2024). Adolescent's explicit and implicit cigarette cognitions predict experimentation with both cigarettes and e-cigarettes. *Am J Drug Alcohol Abuse*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38768439>

Liao, LL, Chang, LC, Lee, CK, & Lai, JJ. (2024). College students' perceptions of electronic cigarette risks and benefits: a concept mapping study. *Health Educ Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38776131>

Vichayanrat, T, Chidchuangchai, W, Karawekpanyawong, R, Phienudomkitlert, K, Chongcharoenjai, N, & Fungkiat, N. (2024). E-cigarette use, perceived risks, attitudes, opinions of e-cigarette policies, and associated factors among Thai university students. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38737769>

Li, W, Kalan, ME, Kondracki, AJ, Gautam, P, Jebai, R, & Osibogun, O. (2024). Longitudinal impact of perceived harm and addiction on e-cigarette initiation among tobacco-naive youth: Population Assessment of Tobacco and Health study (Waves 1-5). *Public Health*, 230, 52-58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38507916>

Zhang, X, Zhang, X, Zhang, S, Ge, L, Xu, Y, Yao, D et al. (2023). The association between health literacy and e-cigarette use: evidence from Zhejiang, China. *Front Public Health*, 11, 1321457. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38239787>

Jongenelis, MI, & Thoonen, K. (2023). Factors associated with susceptibility to e-cigarette use among Australian adolescents. *Int J Drug Policy*, 122, 104249. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37918316>

Selya, A, & Shiffman, S. (2023). Comparative risk perceptions of switching to JUUL vs. continued smoking and subsequent switching away from cigarettes: a longitudinal observational study. *BMC Psychol*, 11(1), 305. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37798775>

Benjakul, S, Nakju, S, & Termsirikulchai, L. (2023). Factors associated with e-cigarette use among vocational students: A cross-sectional multistage cluster survey, Thailand. *Tob Induc Dis*, 21, 120.v Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37781237>

Le, TTT. (2023). Key Risk Factors Associated With Electronic Nicotine Delivery Systems Use Among Adolescents. *JAMA Netw Open*, 6(10), e2337101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37862018>

Santhidran, S, Periyayya, T, Mastor, KA, & Idris, IB. (2023). Does Quit Smoking Desire Influence E-Cigarette Smoking Behaviour? Malaysian Perspectives. *Malays J Med Sci*, 30(3), 195-201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37425392>

Katz, SJ, Petersen, A, Cohen, E, & Hatsukami, D. (2023). Tobacco Free Nicotine Vaping Products: A Study of Health Halo Effects Among Middle School Youth. *J Health Commun*, 28(6), 391-400. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37340942>

Kechter, A, Wong, M, Mason, TB, Tackett, AP, Smith, CE, Leventhal, AM et al. (2023). E-cigarette weight and appetite control beliefs and e-cigarette initiation in young adults. *Health Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37347927>

Lee, DN, Liu, J, Oduguwa, K, & Stevens, EM. (2023). Association of Vaping Identity and e-Cigarette Perceptions among Young Adults Who Vape. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37331989>

Mugharbil, S, Tleis, M, Romani, M, Salloum, RG, & Nakkash, R. (2023). Understanding Determinants of Electronic Cigarette and Heated Tobacco Product Use among Young Adults in Lebanon: Prevention and Policy Implications. *Int J Environ Res Public Health*, 20(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36901283>

Harlow, AF, McConnell, R, Leventhal, AM, Goodwin, RD, & Barrington-Trimis, JL. (2023). Racial, Ethnic, and Education Differences in Age of Smoking Initiation Among Young Adults in the United States, 2002 to 2019. *JAMA Netw Open*, 6(3), e235742. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36924804>

Pettigrew, S, Miller, M, Alvin Santos, J, Raj, TS, Brown, K, & Jones, A. (2023). E-cigarette attitudes and use in a sample of Australians aged 15-30 years. *Aust N Z J Public Health*, 100035. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36977623>

Alduraywish, SA, Aldakheel, FM, Alsuhaibani, OS, Jabaan, ADB, Alballa, RS, Alrashed, AW et al. (2023). Knowledge and Attitude toward E-Cigarettes among First Year University Students in Riyadh, Saudi Arabia. *Healthcare (Basel)*, 11(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36833037>

Hassan, L, Elkaref, M, de Mel, G, Bogdanovica, I, & Nenadic, G. (2022). Text mining tweets on e-cigarette risks and benefits using machine learning following a vaping related lung injury outbreak in the USA. *Healthc Anal (N Y)*, 2, None. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36605918>

Li, W, Osibogun, O, Gautam, P, Li, T, Cano, MA, & Maziak, W. (2023). Effect of harm perception on ENDS initiation among US adolescents and young adults: Longitudinal findings from the population assessment of tobacco and health (PATH) study, 2013-2018. *Drug Alcohol Depend*, 244, 109784. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36706674>

Rubenstein, D, Denlinger-Apte, RL, Cornacchione Ross, J, & McClernon, FJ. (2023). Adoption of E-Cigarettes among Older Adults who Smoke to Reduce Harm and Narrow Age-Related Disparities: An Application of the Health Belief Model. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36702774>

- Wojtecka, A, Kalinowska-Beszczyńska, O, Tyranska-Fobke, A, Kaleta, D, Wojnarowska, M, Robakowska, M, & Balwicki, L. (2023). Adolescents' Perceptions and Attitudes towards Traditional and Electronic Cigarettes—Results of Focus Group Interviews. *Int J Environ Res Public Health*, 20(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36674194>
- Aly, AS, Mamikutty, R, & Marhazlinda, J. (2022). Association between Harmful and Addictive Perceptions of E-Cigarettes and E-Cigarette Use among Adolescents and Youth—A Systematic Review and Meta-Analysis. [MS Top Pick]. *Children (Basel)*, 9(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36360406>
- Mattingly, DT, Agbonlahor, O, Rai, J, Hart, JL, McLeish, AC, & Walker, KL. (2023). Harm perceptions of secondhand e-cigarette aerosol among youth in the United States. *Addict Behav*, 137, 107535. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36351320>
- Wezyk-Caba, I, Kaleta, D, Zajdel, R, Balwicki, L, & Swiatkowska, B. (2022). Do Young People Perceive E-Cigarettes and Heated Tobacco as Less Harmful Than Traditional Cigarettes? A Survey from Poland. *Int J Environ Res Public Health*, 19(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36429359>
- Bluestein, MA, Harrell, MB, Hebert, ET, Chen, B, Kuk, AE, Spells, CE, & Perez, A. (2022). Associations Between Perceptions of e-Cigarette Harmfulness and Addictiveness and the Age of E-Cigarette Initiation Among the Population Assessment of Tobacco and Health (PATH) Youth. *Tob Use Insights*, 15, 1179173X221133645. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36276166>
- Namwase, AS, Gyimah, EA, Carothers, BJ, Combs, TB, & Harris, JK. (2022). Changes in Harm Perception for E-Cigarettes Among Youth in the United States, 2014-2019. *Am J Health Promot*, 8901171221133805. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36263457>
- Blank, ML, & Hoek, J. (2022). Navigating social interactions and constructing vaping social identities: A qualitative exploration with New Zealand young adults who smoke. *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36065162>
- Gupte, HA, Chatterjee, N, Mandal, G, & D'Costa, M. (2022). Adolescents and E-cigarettes in India: A Qualitative Study of Perceptions and Practices. *Asian Pac J Cancer Prev*, 23(9), 2991-2997. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36172661>
- Perry, RN, Girgulis, JP, Harrison, SL, & Barrett, SP. (2022). Dual users' perceptions of the addictive properties of cigarettes versus E-cigarettes. *Addict Behav*, 136, 107483. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36084416>
- Yang, S, Nugent, R, & Nugent, K. (2022). Likelihood of Adolescents Trying Conventional or Electronic Cigarettes Varies with Their Use and Perception of Harm and Addictiveness of Other Tobacco Products, Including Cigars. *South Med J*, 115(9), 665-673. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36055653>
- Dai, HD, Ratnapradipa, K, Michaud, TL, King, KM, Guenzel, N, Tamrakar, N et al. (2022). Vaping Media Literacy, Harm Perception, and Susceptibility of E-Cigarette Use Among Youth. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35931617>

Babjakova, J, Rimarova, K, Weitzman, M, Busova, M, Jurkovicova, J, Dorko, E, & Argalasova, L. (2022). E-cigarette use, opinion about harmfulness and addiction among university students in Bratislava, Slovakia. *Cent Eur J Public Health*, 30(Supplement), S50-S56. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35841226>

Holt, LJ, Ginley, MK, Pingeon, C, & Feinn, R. (2022). Primed for positive perceptions? Applying the acquired preparedness model to explain college students' e-cigarette use and dependence. *J Am Coll Health*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35816741>

McLeish, AC, Hart, JL, Wood, LA, & Walker, KL. (2022). Differences in young adults' perceptions of e-cigarettes by history of use. *J Am Coll Health*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35882085>

Silver, N, Kierstead, E, Tran, B, Sparrock, L, Vallone, D, & Schillo, B. (2022). Belief and Recall of Nicotine as Therapeutic for COVID-19 May Undermine E-Cigarette Quitting Behavior. *Health Educ Behav*, 10901981221109127. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35848331>

Coats, EM, Farrelly, MC, Henes, AL, Pikowski, JM, Brown, EM, & Nonnemaker, J M. (2022). Youth vaping beliefs and behaviors: evidence from New York. *Health Educ Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35727195>

Tudor, TE, & Lotrean, LM. (2022). Opinions and Practices Regarding Electronic Cigarette Use among Middle School Students from Rural Areas of Romania. *Int J Environ Res Public Health*, 19(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35742620>

Glidden, E, Hawkins, NA, Jamal, A, & Wang, TW. (2022). Tobacco Product Harm Perceptions Among US Middle and High School Students, 2016-2020. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35599085>

Jiang, N., Xu, S., Li, L., El-Shahawy, O., Freudenberg, N., Shearston, J. A., & Sherman, S. E. (2022). The Mediating Effect of E-Cigarette Harm Perception in the Relationship between E-Cigarette Advertising Exposure and E-Cigarette Use. *Int J Environ Res Public Health*, 19(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35627752>

Corrigendum: Adolescents' Health Perceptions of E-Cigarettes: A Systematic Review. Sharma A, McCausland K, Jancey J. *Am J Prev Med*. 2021;60(5):716-725. (2022). *Am J Prev Med*, 62(5), 806. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35459455>

Kim, CY, Lee, K, Lee, CM, Kim, S, & Cho, HJ. (2022). Perceived relative harm of heated tobacco products and electronic cigarettes and its association with use in smoke-free places: A cross-sectional analysis of Korean adults. *Tob Induc Dis*, 20, 20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35280047>

Wackowski, OA, Gratale, SK, Jeong, M, Delnevo, CD, Steinberg, MB, & O'Connor, RJ. (2022). Over 1 year later: smokers' EVALI awareness, knowledge and perceived impact on e-cigarette interest. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35228318>

- Berry, C, & Burton, S. (2022). An Examination Perceptions of Similarity to Cigarettes, Health Risk Perceptions, and Willingness to Try Across Nicotine Vaping Products. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35172337>
- Cohen, N, Jeter, J, Schissler, K, Lozano, J, Maniaci, V, & Pena, B. (2022). Poor Perception and Knowledge of Electronic Cigarettes Among Adolescents and Their Parents. *Pediatr Emerg Care*, 38(2), e709-e713. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35100768>
- El-Amin, S, Kinnunen, JM, & Rimpela, A. (2022). Adolescents' Perceptions of Harmfulness of Tobacco and Tobacco-like Products in Finland. *Int J Environ Res Public Health*, 19(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35162508>
- Fang, J, Ren, J, Ren, L, Max, W, Yao, T, & Zhao, F. (2022). Electronic cigarette knowledge, attitudes and use among students at a university in Hangzhou, China. *Tob Induc Dis*, 20, 09. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35125992>
- Gaiha, SM, Epperson, AE, & Halpern-Felsher, B. (2022). Youth perceptions of e-cigarette-related risk of lung issues and association with e-cigarette use. *Health Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35157478>
- McLeish, AC, Hart, JL, & Walker, KL. (2022). College Student E-Cigarette Users' Knowledge about E-Cigarettes: Ingredients, Health Risks, Device Modifications, and Information Sources. *Int J Environ Res Public Health*, 19(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35206150>
- Walker, MW, Navarro, M, Roditis, M, & Dineva, AN. (2022). Adolescent risk perceptions of ENDS use: Room for change in tobacco education. *Prev Med Rep*, 26, 101719. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35127368>
- Adzrago, D Shi, Y & Fujimoto, K. (2022). Association between perceived health risks of e-cigarettes and actual e-cigarette use, based on cigarette smoking status and sexual and gender minority status among U.S. adults. *Z Gesundh Wiss*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35036291>
- Cuccia, AF, Patel, M, Kierstead, EC, Evans, WD, & Schillo, BA. (2022). Associations of e-cigarette industry beliefs and e-cigarette use and susceptibility among youth and young adults in the United States. *Drug Alcohol Depend*, 231, 109126. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35030507>
- Duplaga, M, & Grysztar, M. (2022). The Use of E-Cigarettes among High School Students in Poland Is Associated with Health Locus of Control but Not with Health Literacy: A Cross-Sectional Study. *Toxics*, 10(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35051083>
- Li, W, Osibogun, O, Li, T, Sutherland, MT, & Maziak, W. (2022). Changes in harm perception of ENDS and their predictors among US adolescents: findings from the population assessment of tobacco and health (PATH) study, 2013-2018. *Prev Med*, 155, 106957. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35065977>

Sun, R, Mendez, D, & Warner, KE. (2022). Can PATH Study susceptibility measures predict e-cigarette and cigarette use among American youth one year later? *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35072302>

Okpalauwaekwe, U, Nwoke, CN, & Messier, J. (2021). Youth Demographic Characteristics and Risk Perception of Using Alternative Tobacco Products: An Analysis of the 2014-2015 Canadian Student Tobacco, Alcohol, and Drugs Survey (CSTADS). *Tob Use Insights*, 14, 1179173X211058150. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34866954>

Ajay, G, & Cadet, M. (2021). Self-perceptions of e-cigarettes among adolescents: a health safety concern. *Evid Based Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34815304>

Enlow, PT, Felicione, N, Williford, DN, Durkin, K, Blank, MD, & Duncan, CL. (2021). Validation of the Electronic Cigarette Expectancy Scale for Adolescents. *Subst Use Misuse*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34796784>

Jesch, E, Kikut, AI, & Hornik, R. (2021). Comparing belief in short-term versus long-term consequences of smoking and vaping as predictors of non-use in a 3-year nationally representative survey study of US youth. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34725270>

Morean, ME, Davis, DR, Bold, KW, Kong, G, Jackson, A, Lee, J et al. (2021). Psychometric evaluation of the Short-Form Vaping Consequences Questionnaire for use with high school adolescents who use and do not use e-cigarettes. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34791432>

Ranjit, A, McCutchan, G, Brain, K, & Poole, R. (2021). "That's the whole thing about vaping, it's custom tasty goodness": a meta-ethnography of young adults' perceptions and experiences of e-cigarette use. *Subst Abuse Treat Prev Policy*, 16(1), 85. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34772440>

Fairman, RT, Weaver, SR, Akani, BC, Dixon, K, & Popova, L. (2021). "You have to vape to make it through": E-cigarette Outcome Expectancies among Youth and Parents. *Am J Health Behav*, 45(5), 933-946. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34702440>

Vogel, EA, Henriksen, L, Schleicher, NC, & Prochaska, JJ. (2021). Young people's e-cigarette risk perceptions, policy attitudes, and past-month nicotine vaping in 30 U.S. cities. *Drug Alcohol Depend*, 229(Pt A), 109122. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34695673>

Kurdi, R Al-Jayyousi, GF, Yaseen, M, Ali, A, Mosleh, N, & Abdul Rahim, HF. (2021). Prevalence, Risk Factors, Harm Perception, and Attitudes Toward E-cigarette Use Among University Students in Qatar: A Cross-Sectional Study. *Front Public Health*, 9, 682355. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34490180>

Mattingly, DT, Hart, JL Vu, TT, & Walker, KL. (2021). Appalachian youth e-cigarette harm perceptions and tobacco use. *Popul Med*, 3. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34485919>

Sun, T, Lim, CCW, Stjepanovic, D, Leung, J, Connor, JP, Gartner, C. (2021). Has increased youth e-cigarette use in the USA, between 2014 and 2020, changed conventional smoking behaviors, future

intentions to smoke and perceived smoking harms? *Addict Behav*, 123, 107073. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34364109>

Rohde, JA, Vereen, RN, & Noar, SM. (2021). Adolescents and Young Adults Who Vape or Are Susceptible to Vaping: Characteristics, Product Preferences, and Beliefs. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34233573>

News reports:

van Bueren, D, van der Beeke, L, Grainger, A, & Petrut, R. (2022). *Being Gen Vape*. Retrieved from <https://thebcc.org.au/wp-content/uploads/2022/08/Being-Gen-Vape-Exploratory-Research-Report-Final.pdf>

Robertson, L, & Hoek, J. Young non-smokers in NZ are taking up vaping more than ever before. Here are 5 reasons why. *The Conversation*, 2022. June 27, 2022. Retrieved from <https://theconversation.com/young-non-smokers-in-nz-are-taking-up-vaping-more-than-ever-before-here-are-5-reasons-why-185400>

No authors listed. 'Vape for children' to go on sale in UK – could this be the next 'public health crisis'? *Express*, 2020. August 15, 2020. Retrieved from <https://www.express.co.uk/life-style/life/1323275/Vape-children-on-sale-in-UK-public-health-crisis>

World Health Organization. (2020). *Country case studies on electronic nicotine and non-nicotine delivery systems regulation, 2019 Brazil, Canada, the Republic of Korea and the United Kingdom*. Retrieved from Denmark: http://www.euro.who.int/_data/assets/pdf_file/0003/443676/Country-case-studies-on-electronic-nicotine-and-non-nicotine-delivery-systems-regulation-2019-eng.pdf?ua=1

World Health Organization. (2020). *Electronic nicotine and non-nicotine delivery systems: a brief*. Retrieved from Denmark: http://www.euro.who.int/_data/assets/pdf_file/0009/443673/Electronic-nicotine-and-non-nicotine-delivery-systems-brief-eng.pdf?ua=1

Vergano, D. Juul Sought Out High Schoolers And Native Americans, Congressional Investigators Said. *BuzzFeed News*, 2020. Feb 5, 2020. Retrieved from <https://www.buzzfeednews.com/article/danvergano/juul-congress-investigation-tribes-children>

Glantz, S. Juul pulling non-menthol flavors: Less than meets the eye. *Center for Tobacco Control Research and Education*, 2019. Oct 17, 2019. Available from <https://tobacco.ucsf.edu/juul-pulling-non-menthol-flavors-less-meets-eye>

Kaplan, S. Juul Targeted Schools and Youth Camps, House Panel on Vaping Claims. *NY Times*, 2019. July 25, 2019. Available from: <https://www.nytimes.com/2019/07/25/health/juul-teens-vaping.html>

Myers testimony: Examining JUUL's Role in the Youth Nicotine Epidemic: Part II, (2019). Available from: <https://docs.house.gov/meetings/GO/GO05/20190725/109846/HHRG-116-GO05-Wstate-MyersM-20190725.pdf>

No authors listed. Examining JUUL's Role in the Youth Nicotine Epidemic: Part I. *Committee on Oversight and Reform*, 2019. July 24, 2019. Available from:

<https://oversight.house.gov/legislation/hearings/examining-juul-s-role-in-the-youth-nicotine-epidemic-part-i>

No authors listed. Examining JUUL's Role in the Youth Nicotine Epidemic: Part II. *Committee on Oversight and Reform*, 2019. July 25, 2019. Available from:

<https://oversight.house.gov/legislation/hearings/examining-juul-s-role-in-the-youth-nicotine-epidemic-part-ii>

Subcommittee on Economic and Consumer Policy. Supplemental Memo for Hearing on "Examining JUUL's Role in the Youth Nicotine Epidemic: Parts I & II". *Committee on Oversight and Reform*, 2019. July 25, 2019. Available from:

<https://oversight.house.gov/sites/democrats.oversight.house.gov/files/Supplemental%20Memo.pdf>

Farzan, A. US school pupils to be drug-tested for nicotine to tackle 'vaping epidemic'. *Independent*, 2019. June 20, 2019. Available from: <https://www.independent.co.uk/news/world/americas/vaping-drug-testing-e-cigarettes-school-nicotine-pupils-us-a8965011.html>

Jockel, S. FDA Holds Scientific Workshop on Youth E-Cigarette Cessation Treatment Strategies *Lexology*, 2019. May 22, 2019. Available from: <https://www.khlaw.com/FDA-Holds-Scientific-Workshop-on-Youth-E-Cigarette-Cessation-Treatment-Strategies>

Karant, S. North Carolina Becomes First State To Sue Juul Over E-Cigarettes. *Huffpost*, 2019. May 16, 2019. Available from: https://www.huffingtonpost.com.au/entry/north-carolina-lawsuit-juul_n_5cdc7582e4b066205c60cd88

Interlandi, J. Vaping Is Big Tobacco's Bait and Switch. *NY Times*, 2019. Mar 8, 2019. Available from: <https://www.nytimes.com/2019/03/08/opinion/editorials/vaping-ecigarettes-nicotine-safe.html>

Finn, L. New Vaping Prevention Program Kicks Off In County Schools Patch, 2019. Jan 23, 2019. Available from: <https://patch.com/new-york/westhampton-hamptonbays/new-vaping-prevention-program-kicks-county-schools>

Laucius, J. Vaping in the boys' (and girls') room: Health experts sounding alarm over epidemic of vaping. *Ottawa Citizen*, 2019. Jan 16, 2019. Available from: <https://ottawacitizen.com/news/local-news/vaping-in-the-boys-and-girls-room>

No authors listed. How are schools responding to JUUL and the youth e-cigarette epidemic? *Truth Initiative*, 2019. Jan 18, 2019. Available from: https://truthinitiative.org/news/how-are-schools-responding-juul-and-youth-e-cigarette-epidemic?utm_source=Truth+Initiative+Mailing+List&utm_campaign=fb75ef3469-Newsletter_134_2019_01_24&utm_medium=email&utm_term=0_c91fd8a5c5-fb75ef3469-86454907

No authors listed. Quitting E-cigarettes. *Truth Initiative*, 2019. Jan 18, 2019. Available from: https://truthinitiative.org/quitecigarettes?utm_source=Truth+Initiative+Mailing+List&utm_campaign=fb75ef3469-Newsletter_134_2019_01_24&utm_medium=email&utm_term=0_c91fd8a5c5-fb75ef3469-86454907

Zernike K. 'I can't stop': Schools struggle with vaping explosion. *The New York Times*, 2018. Available from: <https://www.nytimes.com/2018/04/02/health/vaping-ecigarettes-addiction-teen.html>

Weisman S. Public health concerns about youth & young adult use of juul, in *Public Health Law Centre at Mitchell Hamline School of Law* 2018: Public Health Law Centre, Saint Paul MN. Available from: <http://www.publichealthlawcenter.org/blogs/2018-02-19/public-health-concerns-about-youth-young-adult-use-juul>.

Truth Initiative. Juul e-cigarettes gain popularity among youth, but awareness of nicotine presence remains low. PR Newswire, 2018. Available from: <https://www.prnewswire.com/news-releases/juul-e-cigarettes-gain-popularity-among-youth-but-awareness-of-nicotine-presence-remains-low-300631845.html>

Sween S. Is it cool to juul? Ucsb administration says no. Daily Nexus, 2018. Available from: <http://dailynexus.com/2018-03-01/is-it-cool-to-juul-ucsb-administration-says-no/>

Stempel J. Wrigley lawsuit: Don't use starburst, skittles to sell e-cigarette liquid. Reuters, 2018. Available from: <https://www.reuters.com/article/us-wrigley-lawsuit/wrigley-lawsuit-dont-use-starburst-skittles-to-sell-e-cigarette-liquid-idUSKBN1FJ2OV>

Selig R, Cannaviccio D, and Hawks C. Vaping now an epidemic among us high schoolers. Quad Cities Times, 2018. Available from: http://qctimes.com/lifestyles/health-med-fit/vaping-now-an-epidemic-among-us-high-schoolers/article_89d2a555-4292-5aba-abcf-05d3b0bcd785.html

Richtel M and Kaplan S. Did juul lure teenagers and get “customers for life”? NY Times, 2018. Available from: <https://www.nytimes.com/2018/08/27/science/juul-vaping-teen-marketing.html>

Ramanathan L. We killed the cigarette. What we got in return is mango-flavored nicotine in ‘party mode.’. Washington Post, 2018. Available from: https://www.washingtonpost.com/lifestyle/style/we-killed-the-cigarette-what-we-got-in-return-is-mango-flavored-nicotine-in-party-mode/2018/08/08/bf4db3a8-8b8a-11e8-8aea-86e88ae760d8_story.html

Public Health Law Center. What’s the hype?: Juul electronic cigarette’s popularity with youth & young adults. Public Health Law Center at Mitchell Hamline School of Law, 2018. Available from: https://mitchellhamline.zoom.us/webinar/register/WN_-2eY8UCaQCikG5FM2IKF9w

Palmer A. Juul reveals plans for smart bluetooth e-cigs than use biometric data to prove a smoker's age and won't work near schools. 2018. Available from: <http://www.dailymail.co.uk/sciencetech/article-6021125/Juul-reveals-plans-smart-Bluetooth-e-cigs-use-biometric-data-prove-smokers-age.html>

No authors listed. Nearly 1 in 5 youth say they have seen juul used in school. Truth Initiative, 2018. Available from: <https://truthinitiative.org/news/nearly-1-5-youth-say-they-have-seen-juul-used-school>

No authors listed. 5 things fda should do about juul e-cigarettes. Truth Initiative, 2018. Available from: <https://truthinitiative.org/news/5-things-fda-should-do-about-juul-e-cigarettes>

No authors listed. Why teenagers are now vaping more. Menswear Style (UK), 2018. Available from: <https://www.menswearstyle.co.uk/2018/03/26/why-teenagers-are-vaping-more/8086>

No authors listed. The 3 main reasons youth use e-cigarettes. Truth Initiative, 2018. Available from: <https://truthinitiative.org/news/3-main-reasons-youth-use-e-cigarettes>

Liederman E. Juuls prevalent among non-cigarette smokers *The Signal*, 2018. Available from: <http://www.tcnjsignal.net/2018/02/13/juuls-prevalent-among-non-cigarette-smokers/>

Healy VO. More teens sneaking vaping devices that look like flash drives, markers into suburban high schools *Chicago Tribune*, 2018. Available from: <http://www.chicagotribune.com/news/ct-met-juul-cigarettes-at-schools-20180209-story.html>

Gollayan C. This sleek-looking vape pen is hard to quit. *New York Post*, 2018. Available from: <https://www.nypost.com/2018/02/19/this-sleek-looking-vape-pen-is-hard-to-quit/>

Ducharme J. Teens are 'juuling' at school. Here's what that means. *Time*, 2018. Available from: <http://time.com/5211536/what-is-juuling/>

American Academy of Family Physicians. Rise of 'juuling' among youth sparks sharp response. Academy Offers Members Physician/Patient Resources 2018. Available from: <https://www.aafp.org/news/health-of-the-public/20180806juul.html>

18.9.1 Demographics

Wilkins, R, Vera-Toscano, E, & Botha, F. (2024). *The Household, Income and Labour Dynamics in Australia Survey: Selected Findings from Waves 1 to 21*. Retrieved from The University of Melbourne: <https://melbourneinstitute.unimelb.edu.au/hilda/publications/hilda-statistical-reports>

18.9.2.1 Physical health

18.9.2.2 Mental health

Rowe, A., Gardner, L., & O'Dean, S. Our new study shows teen vaping is linked to childhood trauma. Here's why it might be harder to quit. *The Conversation*, 2024. Nov 12, 2024. Retrieved from <https://theconversation.com/our-new-study-shows-teen-vaping-is-linked-to-childhood-trauma-heres-why-it-might-be-harder-to-quit-243265>

No authors listed. Nicotine use and stress. *Truth Initiative*, 2022. March 10, 2022. Retrieved from https://truthinitiative.org/sites/default/files/media/files/2022/03/Nicotine%20Use%20and%20Stress_FINAL.pdf

Colliding Crises: Youth Mental Health and Nicotine Use. (2021). Retrieved from https://truthinitiative.org/sites/default/files/media/files/2021/10/Mental%20Health%20and%20Nicotine%20Report_10.7.2021.pdf

18.9.3 Tobacco and other substance use

Bower, M. Facebook 'a gateway to hard drugs'. *The Advertiser*, 2024. May 24, 2024.

Wilkins, R, Vera-Toscano, E, & Botha, F. (2024). *The Household, Income and Labour Dynamics in Australia Survey: Selected Findings from Waves 1 to 21*. Retrieved from The University of Melbourne: <https://melbourneinstitute.unimelb.edu.au/hilda/publications/hilda-statistical-reports>

Blackstock, G. Scots prisoners using e-cigs to take hallucinogenic drugs after smoking ban. *Daily Record*, 2022. Feb 27, 2022. Retrieved from <https://www.dailyrecord.co.uk/news/rise-scots-prisoners-using-e-26337775>

18.9.5.2 Nicotine content

No authors listed. More e-cigarettes are entering the market, with increasingly high concentrations of nicotine. *Truth Initiative*, 2023. May 5, 2023. Retrieved from <https://truthinitiative.org/research-resources/emerging-tobacco-products/more-e-cigarettes-are-entering-market-increasingly>

O'Regan, E. HSE issues alert for certain Aroma King e-cigarettes advising public not to use them. *Independent*, 2022. May 18, 2022. Retrieved from <https://www.independent.ie/irish-news/health/hse-issues-alert-for-certain-aroma-king-e-cigarettes-advising-public-not-to-use-them-41664056.html>

Kelly, T. The vapes as strong as 125 cigarettes: Health fears over new craze among young people for super-strength nicotine devices. *Daily Mail*, 2021. Sept 6, 2021. Retrieved from <https://www.dailymail.co.uk/news/article-9961055/Health-fears-new-craze-young-people-super-strength-nicotine-devices.html>

18.9.6 Social and environmental factors

Wilkins, R, Vera-Toscano, E, & Botha, F. (2024). *The Household, Income and Labour Dynamics in Australia Survey: Selected Findings from Waves 1 to 21*. Retrieved from The University of Melbourne: <https://melbourneinstitute.unimelb.edu.au/hilda/publications/hilda-statistical-reports>

18.9.6.1 Peer group

18.9.6.2 The home environment

18.9.6.3 The school environment

Pettigrew, S. Vaping now in primary schools. *InSight+*, 2023. April 24, 2023. Retrieved from <https://insightplus.mja.com.au/2023/14/vaping-now-in-primary-schools/>

18.9.7 Beliefs about health risks and addiction

van Bueren, D, van der Beeke, L, Grainger, A, & Petrut, R. (2022). *Being Gen Vape*. Retrieved from <https://thebcc.org.au/wp-content/uploads/2022/08/Being-Gen-Vape-Exploratory-Research-Report-Final.pdf>