

Tobacco in Australia

Facts & Issues

Relevant news and research

18A.4 Snus as a potential harm reduction strategy

Last updated October 2024

Research:	2
18A.4 Snus as a potential harm reduction strategy	2
18A.4.1 The ‘Swedish experience’ and cultural adaptability	6
18A.4.2 Ethical issues	6
18A.4.3 Individual and population level harm	6
18A.4.4 An unnecessary distraction?	6
18A.4.5 How does smokeless tobacco compare to nicotine replacement therapy?	6
18A.4.6 What should the public health response be?	6
News:	7
18A.4 Snus as a potential harm reduction strategy	7
18A.4.1 The ‘Swedish experience’ and cultural adaptability	8
18A.4.2 Ethical issues	8
18A.4.3 Individual and population level harm	8
18A.4.4 An unnecessary distraction?	8
18A.4.5 How does smokeless tobacco compare to nicotine replacement therapy?	8
18A.4.6 What should the public health response be?	8

Research:

18A.4 Snus as a potential harm reduction strategy

Whaley, RC, Vogel, EA, Clementel, AC, Barrington-Trimis, JL, McConnell, R, Liu, F et al. (2024). Effects of exposure to snus marketing with versus without modified risk tobacco product claims on snus use intention and perceived harm among young adults. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39084902>

Tan, ASL, Mercincavage, M, Young, WJ, Hrywna, M, Delnevo, CD, & Strasser, AA. (2024). Perceived relative harm and addictiveness compared with cigarettes and intentions to use modified risk tobacco products utilizing FDA-authorized marketing claims among adults in the United States. *Drug Alcohol Depend*, 261, 111291. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38851035>

Ruokolainen, O, Ollila, H, & Harkanen, T. (2024). Patterns and Determinants of Exclusive Smokeless Tobacco (Snus) Use, Exclusive Smoking and Dual Use in General Population During 20 Years. *Subst Use Addctn J*, 29767342241255816. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38845382>

Sharma, H, Yunus, GY, Verma, S, Agarwal, R, Chevuri, R, & Vasant, B. (2024). Smokeless Tobacco Use and Quit Behaviour Assessment in a Middle Aged to Elderly Population in a Rural Setting - An Evaluative Study. *Indian J Dent Res*, 35(1), 7-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38934741>

Tikka, SK, Shukla, A, Arora, RD, Singh, S, Mahant, S, Verma, S, & Singh, LK. (2023). Brief intervention to enhance cessation of smokeless tobacco use in newly diagnosed patients with head and neck cancers: A randomized controlled trial in patient-relative dyads. *Indian J Psychiatry*, 65(7), 742-748. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37645365>

Hrywna, M, Bover-Manderski, MT, Wackowski, OA, Steinberg, MB, & Delnevo, CD. (2023). US Physicians' Self-reported Discussions About Tobacco-Free Nicotine Pouches During Clinical Encounters With Patients in 2021. *JAMA Netw Open*, 6(5), e2313583. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37191964>

Stjepanovic D, Phartiyal P, Leung J, Lim CCW, Sun T, et al. Efficacy of smokeless tobacco for smoking cessation: A systematic review and meta-analysis. *Tobacco Control*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35197366>

Vigorita MW, Smith A, Farrelly M, Taylor N, and Spinks JG. Predictive validity of the original and expanded susceptibility scales for smokeless tobacco. *Addictive Behaviors*, 2022; 130:107286. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35231844>

Liu J, Wang J, Vansickel A, Edmiston J, Graff D, et al. Characterization of the abuse potential in adult smokers of a novel oral Tobacco product relative to combustible cigarettes and nicotine polacrilex gum. *Clin Pharmacol Drug Dev*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33502815>

Clendennen SL, Mantey DS, Wilkinson AV, Perry CL, Harrell MB, et al. Digital marketing of smokeless tobacco: A longitudinal analysis of exposure and initiation among young adults. *Addictive Behaviors*, 2021; 117:106850. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33582623>

Rhee JU, Abugazia JY, Cruz Y, and Timberlake DS. Use of internal documents to investigate a tobacco company's strategies to market snus in the United States. *Tob Prev Cessat*, 2021; 7:11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33598590>

Sæbo G, Tokle RI, and Lund I. Newspaper coverage of snus in an emerging Norwegian snus market 2002-2011: A content analysis. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34463753>

O'Brien EK, Baig SA, and Persoskie A. Absolute and relative smokeless Tobacco product risk perceptions: Developing and validating new measures that are up-to-snuff. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34482405>

Hendlin YH, Small S, and Ling PM. 'No-barriers' tobacco product? Selling smokeless tobacco to women, people of colour and the lgbtq+ community in the USA. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34599083>

Sæther SMM, Askeland KG, Pallesen S, and Erevik EK. Smoking and snus use among Norwegian students: Demographic, personality and substance use characteristics. *Nordisk Alkohol Nark*, 2021; 38(2):141-60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35310004>

Pillitteri JL, Shiffman S, Sembower MA, Polster MR, and Curtin GM. Assessing comprehension and perceptions of modified-risk information for snus among adult current cigarette smokers, former tobacco users, and never tobacco users. *Addictive Behaviors Reports*, 2020; 11:100254. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32467843>

Tjora T, Skogen JC, and Sivertsen B. Increasing similarities between young adults' smoking and snus use in norway: A study of the trends and stages of smoking and snus epidemic from 2010 to 2018. *BMC Public Health*, 2020; 20(1):1511. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33023560>

Vedøy TF and Lund KE. The greater use of flavoured snus among ever-smokers versus never-smokers in norway. *Harm Reduct J*, 2020; 17(1):76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33066793>

Araneda D, Korhonen T, Laatikainen T, Haukkala A, Rose RJ, et al. Association of snus experimentation in late adolescence with daily cigarette smoking in early adulthood: A longitudinal study among finnish men. *Scandinavian Journal of Public Health*, 2019;1403494819828868. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30973058>

Kendler KS, Aggen SH, Gillespie N, Czajkowski N, Ystrom E, et al. A twin study of cigarette and snus initiation and quantity of use in Norwegian adult twins. *Twin Res Hum Genet*, 2019;1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31006403>

Meier E, Lindgren BR, Anderson A, Reisinger SA, Norton KJ, et al. A randomized clinical trial of snus examining the effect of complete versus partial cigarette substitution on smoking-related behaviors, and biomarkers of exposure. *Nicotine & Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31321423>

Gerlach K, Shiffman S, Battista D, Polster M, and Curtin G. Assessing likelihood of product use for snus with modified-risk information among adult current cigarette smokers, former tobacco users, and never tobacco users. *Addictive Behaviors Reports*, 2019; 10:100208. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31467967>

Lund I and Christiansen SG. Association between snus use over time and smoking cessation in Norwegian smokers. *Addiction*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31502348>

Djurdjevic S, Pecze L, Weitkunat R, Luedicke F, Fry J, et al. Using data on snus use in sweden to compare different modelling approaches to estimate the population health impact of introducing a smoke-free tobacco product. *BMC Public Health*, 2019; 19(1):1411. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31664971>

Clarke E, Thompson K, Weaver S, Thompson J, and O'Connell G. Snus: A compelling harm reduction alternative to cigarettes. *Harm Reduct J*, 2019; 16(1):62. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31775744>

Nelson PR, Chen P, Battista DR, Pillitteri JL, and Shiffman S. Randomized trial to compare smoking cessation rates of snus, with and without smokeless Tobacco health-related information, and a nicotine lozenge. *Nicotine & Tobacco Research*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29373698>

Wackowski OA, Ray AE, and Stapleton JL. Smokers' perceptions of risks and harm from snus relative to cigarettes: A latent profile analysis study. *Addictive Behaviors*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30501991>

Carpenter MJ, Wahlquist AE, Burris JL, Gray KM, Garrett-Mayer E, et al. Snus undermines quit attempts but not abstinence: A randomised clinical trial among US smokers. *Tobacco Control*, 2017; 26(2):202-9. Available from:

<http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/26/2/202.full.pdf>

Elias J, Hendlin Y, Chaffee BW, and Ling PM. Don't throw smokeless tobacco users under the bus. *Addictive Behaviors*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28410775>

Mutti-Packer S, Reid JL, Thrasher JF, Romer D, Fong GT, et al. The role of negative affect and message credibility in perceived effectiveness of smokeless tobacco health warning labels in navi mumbai, India and dhaka, bangladesh: A moderated-mediation analysis. *Addictive Behaviors*, 2017; 73:22-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28441573>

Carpenter MJ, Wahlquist AE, Burris JL, Gray KM, Garrett-Mayer E, et al. Snus undermines quit attempts but not abstinence: A randomised clinical trial among US smokers. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27071730>

Mini GK and Thankappan KR. Switching to smokeless tobacco, the most common smoking cessation method: Results from the global adult Tobacco survey, India. *Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27137873>

Neeley EE and Glantz SA. RJ Reynolds has not published a negative randomised clinical trial of camel snus for smoking cessation. *Tobacco Control*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27207852>

Lund I and Scheffels J. Adolescent tobacco use practices and user profiles in a mature swedish moist snuff (snus) market: Results from a school-based cross-sectional study. *Scandinavian Journal of Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27340188>

Burris JL, Wahlquist AE, Alberg AJ, Cummings KM, Gray KM, et al. A longitudinal, naturalistic study of U.S. Smokers' trial and adoption of snus. *Addictive Behaviors*, 2016; 63:82-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27450153>

Allen A, Vogel RI, Meier E, Anderson A, Jensen J, et al. Gender differences in snus versus nicotine gum for cigarette avoidance among a sample of US smokers. *Drug and Alcohol Dependence*, 2016; 168:8-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27610935>

Lund KE, Vedoy TF, and Bauld L. Do never smokers make up an increasing share of snus users as cigarette smoking declines? Changes in smoking status among male snus users in norway 2003-2015. *Addiction*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27741374>

Ramstrom L, Borland R, and Wikmans T. Patterns of smoking and snus use in sweden: Implications for public health. *International Journal of Environmental Research and Public Health*, 2016; 13(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27834883>

Lee PN. Appropriate and inappropriate methods for investigating the “gateway” hypothesis, with a review of the evidence linking prior snus use to later cigarette smoking. *Harm Reduct J*, 2015; 12(1):8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25889396>

Ebbert JO, Severson HH, Danaher BG, Benowitz NL, and Schroeder DR. Nicotine metabolite ratio is associated with lozenge use but not quitting in smokeless Tobacco users. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25977408>

Food and Drug Administration (FDA). Modified risk tobacco product applications: Applications for 10 products submitted by Swedish Match north America inc.; reopening of comment period. US 2015. Available from: <https://www.federalregister.gov/articles/2015/07/31/2015-18782/modified-risk-tobacco-product-applications-applications-for-10-products-submitted-by-swedish-match>.

Messer K, Vijayaraghavan M, White MM, Shi Y, Chang C, et al. Cigarette smoking cessation attempts among current US smokers who also use smokeless tobacco. *Addictive Behaviors*, 2015; 51:113–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26253939>

Rodu B, Plurphanswat N, Hughes JR, and Fagerstrom K. Associations of proposed relative-risk warning labels for snus with perceptions and behavioral intentions among tobacco users and non-users. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26253616>

Tseveenjav B, Pesonen P, and Virtanen JI. Use of snus, its association with smoking and alcohol consumption, and related attitudes among adolescents: The finnish national school health promotion study. *Tobacco Induced Diseases*, 2015; 13:34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26500472>

Hatsukami DK, Stepanov I, Severson H, Jensen JA, Lindgren BR, et al. Evidence supporting product standards for carcinogens in smokeless tobacco products. *Cancer Prev Res (Phila)*, 2015; 8(1):20–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25524878>

Adkison SE, Bansal-Travers M, Smith DM, O'Connor RJ, and Hyland AJ. Impact of smokeless tobacco packaging on perceptions and beliefs among youth, young adults, and adults in the u.S: Findings from an internet-based cross-sectional survey. *Harm Reduct J*, 2014; 11:2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24433301>

Lund I and Lund KE. How has the availability of snus influenced cigarette smoking in norway? International Journal of Environmental Research and Public Health, 2014; 11(11):11705–17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25402565>

Lund KE, McNeill A, and Scheffels J. The use of snus for quitting smoking compared with medicinal products. Nicotine & Tobacco Research, 2010; 12(8):817–22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20622023>

Gilljam H and Galanti MR. Role of snus (oral moist snuff) in smoking cessation and smoking reduction in sweden. Addiction, 2003; 98(9):1183–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/12930201>

18A.4.1 The 'Swedish experience' and cultural adaptability

Vedoy, TF, & Lund, KE. (2023). How do smokers in a snus-prevalent society consider e-cigarettes, snus and NRT as relevant replacements for cigarettes in the event they should stop smoking?
Nicotine Tob Res. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37410922>

Jackson RA, Ren C, Coleman B, Day HR, Chang CM, et al. Transitions to smokeless tobacco use among adult cigarette smokers in the population assessment of Tobacco and health (path) study, waves 3-5 (2015-2019). Tobacco Control, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34937805>

18A.4.2 Ethical issues

Lund KE and Vedoy TF. Relative risk perceptions between snus and cigarettes in a snus-prevalent society-an observational study over a 16 year period. International Journal of Environmental Research and Public Health, 2019; 16(5). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30862006>

18A.4.3 Individual and population level harm

Danielsson M, Lammi A, Siitonen S, Ollgren J, Pylkkanen L, et al. Alarming development of dual snus and cigarette usage among young finnish males. BMC Public Health, 2019; 19(1):1249. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31510968>

Grotvedt L, Forsen L, Ariksen I, Graff-Iversen S, and Lingaa Holmen T. Impact of snus use in teenage boys on tobacco use in young adulthood; a cohort from the hunt study norway. BMC Public Health, 2019; 19(1):1265. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31519157>

18A.4.4 An unnecessary distraction?

18A.4.5 How does smokeless tobacco compare to nicotine replacement therapy?

Vedoy TF and Lund KE. Nicotine content in swedish type snus sold in norway from 2005 to 2020. Nicotine & Tobacco Research, 2022. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/35022786>

18A.4.6 What should the public health response be?

Glantz S. FDA should not extend the comment period for its proposed product standard limiting nnn levels in finished smokeless tobacco. Center for Tobacco Control Research and Education (UCSF), US 2017. Available from: <https://tobacco.ucsf.edu/fda-should-not-extend-comment-period-its-proposed-product-standard-limiting-nnn-levels-finished-smokeless-tobacco>.

Nilsen CV, Halkjelsvik T, and Svartdal F. Health warning labels describing snus as less harmful than smoking: Effects on perceptions of risk. *Harm Reduct J*, 2020; 17(1):36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32503564>

News:

18A.4 Snus as a potential harm reduction strategy

Swedish Match. Swedish Match announces planned separation of its cigar business. 2021. Available from: <https://www.swedishmatch.com/Media/Pressreleases-and-news/Press-releases/2021/swedish-match-announces-planned-separation-of-its-cigar-business/>

Ringstrom A. Swedish Match beefs up new plant in race for nicotine pouch market. Reuters, 2020. Available from: <https://uk.reuters.com/article/uk-swedish-match-results/swedish-match-beefs-up-new-plant-in-race-for-nicotine-pouch-market-idUKKBN2061J8?feedType=RSS&feedName=businessNews&rpc=979>

Kary T and Cretler C. Big Tobacco hopes oral nicotine pouches fill the vaping void. Bloomberg Businessweek, 2020. Available from: <https://www.bloomberg.com/news/articles/2020-07-17/big-tobacco-hopes-oral-nicotine-pouches-fill-the-vaping-void>

R.J. Reynolds Vapor Company. R.J. Reynolds vapor company announces velo - expanding emerging modern oral portfolio and choice for adult Tobacco consumers Cision, 2019. Available from: <https://www.prnewswire.com/news-releases/rj-reynolds-vapor-company-announces-velo--expanding-emerging-modern-oral-portfolio-and-choice-for-adult-tobacco-consumers-300880801.html>

Gretler C. Granddad's Tobacco gets a makeover. Bloomberg, 2019. Available from: <https://www.bloomberg.com/news/articles/2019-08-23/granddad-s-tobacco-gets-a-makeover?srnd=markets-vp>

Perrone M. In a first, FDA endorses brand of Tobacco pouches as a 'reduced risk' alternative to cigarettes. Time, 2019. Available from: <https://time.com/5707494/fda-endorse-tobacco-pouches/>

France-Presse A. Not to be sniffed at: More norwegians turn from cigarettes to snuff. The Guardian, 2018. Available from: <https://www.theguardian.com/business/2018/jan/19/not-to-be-sniffed-at-more-norwegians-turn-from-cigarettes-to-snuff>

Wright D. Bacc of the net premier league fears over banned 'snus' tobacco that's on increase in English football... and used in matches. The Irish Sun, 2018. Available from: <https://www.thesun.ie/sport/football/2378767/football-alert-over-snus-tobacco-pouch-use-on-the-rise-in-the-english-game/>

End Smoking NZ. End smoking campaigners welcome snus into nz. Scoop NZ, 2018. Available from: <http://www.scoop.co.nz/stories/GE1806/S00007/end-smoking-campaigners-welcome-snus-into-nz.htm>

No authors listed. Research report explores the snus market. WhaTech, 2017. Available from: <https://www.whatech.com/market-research/industrial/394480-research-report-explores-the-snus-market>

No authors listed. Swedish Match loses norway court case on snus packaging. Reuters, 2017. Available from: <https://www.reuters.com/article/swedish-match-court-norway/swedish-match-loses-norway-court-case-on-snus-packaging-idUSL5N1NC48F>

Glantz S. RJ reynold's unpublished randomized controlled trial finds that camel snus is not effective for smoking cessation Center for Tobacco Control Research and Education 2016. Available from: <https://tobacco.ucsf.edu/rj-reynold%E2%80%99s-unpublished-randomized-controlled-trial-finds-camel-snus-not-effective-smoking-cessation-0>

Clarke T. FDA opens door to reduced risk claim for Swedish Match snus tobacco. Mail on Sunday 2016. Available from: <http://www.mailonsunday.co.uk/wires/reuters/article-4033872/FDA-opens-door-reduced-risk-claim-Swedish-Match-snus-tobacco.html>

Nocera J. A Tobacco tax to save lives. The New York Times, 2015. Available from: http://www.nytimes.com/2015/08/18/opinion/joe-nocera-seeing-good-in-a-tobacco-product.html?emc=edit_tnt_20150818&nlid=60534081&tntemail0=y&_r=0

Clarke T. FDA approves sale of eight new Swedish Match snus products. Reuters, 2015. Available from: <http://mobile.reuters.com/article/idUSKCN0SZ2R420151110>

Scrutton A. Swedish tobacco specialty snus sets sights on U.S. Market. Reuters, 2014. Available from: <http://uk.reuters.com/article/2014/11/07/us-swedishmatch-snus-idUKKBN0IR0U620141107>

18A.4.1 The 'Swedish experience' and cultural adaptability

No authors listed. Snus milestone passed. Tobacco Reporter, 2017. Available from: <http://www.tobaccoreporter.com/2017/05/snus-milestone-passed/>

18A.4.2 Ethical issues

18A.4.3 Individual and population level harm

No authors listed. Survey: For young finns, smoking's not cool but many think snus is ok. yle.fi, 2017. Available from: https://yle.fi/uutiset/osasto/news/survey_for_young_finns_smokings_not_cool_but_many_think_snus_is_ok/9972196

18A.4.4 An unnecessary distraction?

18A.4.5 How does smokeless tobacco compare to nicotine replacement therapy?

18A.4.6 What should the public health response be?

Koenigs C. FDA issues proposed tobacco product standard for n-nitrosonornicotine (nnn) in finished smokeless tobacco products. JD Supra, LLC, 2017. Available from: <http://www.jdsupra.com/legalnews/fda-issues-proposed-tobacco-product-90314/>