

Tobacco in Australia

Facts & Issues

Relevant news and research

4.10 Cancers of other sites

Last updated December 2024

Research:	1
4.10.1 Head and neck cancers	3
4.10.2 Breast cancer	4
4.10.3 Cervical cancer	5
4.10.4 Cancers of the bladder and kidney	6
4.10.5 Childhood cancers.....	7
4.10.6 Other cancers.....	7
News reports:.....	7

Research:

Zhang, Z, Li, Z, Zhang, X, Ye, W, Chen, J, Wang, L et al. (2022). Association between secondhand smoke and cancers in adults in the US population. *J Cancer Res Clin Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35943599>

Snijders, AM, Zhou, M, Whitehead, TP, Fitch, B, Pandey, P, Hechmer, A et al (2021). In utero and early-life exposure to thirdhand smoke causes profound changes to the immune system. *Clinical Science (London, England: 1979)*, 135(8), 1053-1063. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33851706>

Michikawa, T, Okamura, T. Is Childhood Exposure to Parental Smoking a Risk Factor for Future Cardiovascular Disease? *J Atheroscler Thromb*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28724852>

tobaccoinaustralia.org.au

Kihara, T, Yamagishi, K, Iso, H, Tamakoshi, A. Passive smoking and mortality from aortic dissection or aneurysm. *Atherosclerosis*. 2017 Jun 9;263:145-150. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28645070>

Kim, S, Kang, SH, Han, D, Kim, SH, Kim, HJ, Park, JJ, Cho, Y, Yoon, YE, Han, KD, Oh, IY, Yoon, CH, Suh, JW, Lee, HY, Cho, YS, Youn, TJ, Cho, GY, Chae, IH, Choi, DJ, Kim, CH. Relation between secondhand smoke exposure and cardiovascular risk factors in never smokers. *J Hypertens*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28582281>

Rajkumar, S, Fretts, AM, Howard, BV, Yeh, F, Clark, ML. The Relationship between Environmental Tobacco Smoke Exposure and Cardiovascular Disease and the Potential Modifying Effect of Diet in a Prospective Cohort among American Indians: The Strong Heart Study. *Int J Environ Res Public Health*. 2017 May 9;14(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486422>

Reed, RM, Dransfield, MT, Eberlein, M, Miller, M, Netzer, G, Pavlovich, M, Pollin, TI, Scharf, SM, Shuldiner, AR, Sin, D and Mitchell, BD. Gender differences in first and secondhand smoke exposure, spirometric lung function and cardiometabolic health in the old order Amish: A novel population without female smoking. *PLoS One*. 2017 Mar 31;12(3):e0174354. Available from:

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0174354>

Yang, Y, Liu, F, Wang, L, Li, Q, Wang, X, Chen, JC, Wang, Q, Shen, H, Zhang, Y, Yan, D, Zhang, M, He, Y, Peng, Z, Wang, Y, Xu, J, Zhao, J, Zhang, H, Xin, X, Liu, D, Guo, T, Dai, Q, Ma, X. Association of Husband Smoking With Wife's Hypertension Status in Over 5 Million Chinese Females Aged 20 to 49 Years. *J Am Heart Assoc*. 2017 Mar 20;6(3). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28320748>

Jones, MR, Magid, HS, Al-Rifai, M, McEvoy, JW, Kaufman, JD, Hinckley Stukovsky, KD, Szklo, M, Polak, J, Burke, GL, Post, WS, Blaha, MJ, Navas-Acien, A. Secondhand Smoke Exposure and Subclinical Cardiovascular Disease: The Multi-Ethnic Study of Atherosclerosis. *J Am Heart Assoc*. 2016 Dec 19;5(12). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27993830>

Leone, A. Should smoke exposure be considered an etiologic factor for cardiovascular disease? *Future Sci OA*. 2016 Jan 28;2(1):FSO94. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28031944>

Lee, PN, Thornton, AJ and Hamling, JS. Epidemiological evidence on environmental tobacco smoke and cancers other than lung or breast. *Regul Toxicol Pharmacol*. 2016 Jun 16;80:134-163. Available from: <http://www.sciencedirect.com/science/article/pii/S0273230016301702>

Yang, C, Wang, X, Huang, CH, Yuan, WJ, Chen, ZH. Passive smoking and risk of colorectal cancer: a meta-analysis of observational studies. *Asia Pac J Public Health*. 2016 May 23. pii: 1010539516650724. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27217428>

Rafiq, R et al. Secondhand smoking and the risk of esophageal squamous cell carcinoma in a high incidence region, Kashmir, India: a case-control-observational study. *Medicine (Baltimore)*, Jan 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26735535>

Ding, Y et al. Environmental tobacco smoke and pancreatic cancer: a case-control study. *Int J Clin Exp Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26629212>

Li, B et al. Passive smoking and breast cancer risk among non-smoking women: a case-control study in China. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25915759>

Kayamba, V et al. HIV infection and domestic smoke exposure, but not human papillomavirus, are risk factors for esophageal squamous cell carcinoma in Zambia: a case-control study. *Cancer medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25641622>

Lund, AE. Tobacco use, human papillomavirus linked, researchers say. *The Journal of the American Dental Association*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25723012>

4.10.1 Head and neck cancers

Jin, ZY, Liu, K, Wallar, G, Zhou, JY, Mu, LN, Liu, X et al . (2024). Environmental tobacco smoking (ETS) and esophageal cancer: A population-based case-control study in Jiangsu Province, China. *Int J Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39552259>

Xu, F, Mu, N, Song, Y, & Ma, M. (2024). Passive smoking and risk of head and neck cancer: a systematic review and meta-analysis. *Eur J Cancer Prev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39474872>

Sadhasivam, B, Manyanga, J, Ganapathy, V, Acharya, P, Bouharati, C, Chinnaiyan, M et al (2024). Exposure to Secondhand Smoke Extract Increases Cisplatin Resistance in Head and Neck Cancer Cells. *Int J Mol Sci*, 25(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38256106>

Gholap, D, Dikshit, R, Chaturvedi, P, Chaturvedi, AK, Manjrekar, A, & Mhatre, S. (2022). Exclusive use of different types of tobacco products, exposure to secondhand tobacco smoke and risk of subtypes of head and neck cancer among Indian males. *Int J Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36054453>

Tsuzuki, N, Wasano, K, Kawasaki, T, Minami, S, Kurita, A, Hashimoto, Y et al. (2021). The impact of second-hand smoke on ear, nose, and throat diseases and head and neck cancers in Japan: a cross-sectional study using a questionnaire and secondary data from the national health and nutrition survey. *Acta Otolaryngol*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34669563>

Mariano, LC, Warnakulasuryia, S, Straif, K, & Monteiro, L. (2021). Secondhand smoke exposure and oral cancer risk: a systematic review and meta-analysis. *Tobacco Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33903278>

Idris, S, Baqays, A, Isaac, A, Chau, JKM, Calhoun, KH, & Seikaly, H. (2019). The effect of second hand smoke in patients with squamous cell carcinoma of the head and neck. *J Otolaryngol Head Neck Surg*, 48(1), 33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31337433>

Hashibe, M, Li, Q, Chen, CJ, Hsu, WL, Lou, PJ, Zhu, C et al. Involuntary smoking and the risk of head and neck cancer in an East Asian population. *Cancer Epidemiol*, 2019. 59, 173-177. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30785070>

Ganjre, AP. Significance of documentation of secondhand smoke in history taking procedure of head and neck squamous cell carcinoma patients with no tobacco habit. *J Cancer Res Ther*. 2018 Jul-Sep;14(5):1162-1163. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30197372>

4.10.2 Breast cancer

Possenti, I, Scala, M, Carreras, G, Bagnardi, V, Bosetti, C, Gorini, G et al (2024). Exposure to second-hand smoke and breast cancer risk in non-smoking women: a comprehensive systematic review and meta-analysis. *Br J Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38942988>

Wada, K, Nagata, C, Utada, M, Sakata, R, Kimura, T, Tamakoshi, A et al. (2024). Active and passive smoking and breast cancer in Japan: a pooled analysis of nine population-based cohort studies. *Int J Epidemiol*, 53(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38604675>

Ou, Z, Gao, Y, Jiang, D, Cui, J, Ren, Y, Tang, S et al. (2022). Global Trends in Death, Years of Life Lost, and Years Lived With Disability Caused by Breast Cancer Attributable to Secondhand Smoke From 1990 to 2019. *Front Oncol*, 12, 853038. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35425702>

Gram, IT, Wiik, AB, Lund, E, Licaj, I, & Braaten, T. (2022). Never-smokers and the fraction of breast cancer attributable to second-hand smoke from parents during childhood: the Norwegian Women and Cancer Study 1991-2018. *Int J Epidemiol*, 50(6), 1927-1935. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34999865>

Gram, IT, Wiik, AB, Lund, E, Licaj, I, & Braaten, T. (2021). Never-smokers and the fraction of breast cancer attributable to second-hand smoke from parents during childhood: the Norwegian Women and Cancer Study 1991-2018. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34333652>

Jain, RB. (2020). Associations between observed concentrations of ethylene oxide in whole blood and smoking, exposure to environmental tobacco smoke, and cancers including breast cancer: data for US children, adolescents, and adults. *Environ Sci Pollut Res Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32249385>

Callahan, CL, Bonner, MR, Nie, J, Wang, Y, Tao, MH, Shields, PG et al. Active and secondhand smoke exposure throughout life and DNA methylation in breast tumors. *Cancer Causes Control*, 2019. 30(1), 53-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30617699>

Kim, AS, Ko, HJ, Kwon, JH, Lee, JM. Exposure to Secondhand Smoke and Risk of Cancer in Never Smokers: A Meta-Analysis of Epidemiologic Studies. *Int J Environ Res Public Health*. 2018 Sep 11;15(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30208628>

Regev-Avraham, Z, Baron-Epel, O, Hammond, SK, Keinan-Boker, L. Passive smoking, NAT2 polymorphism, and breast cancer risk in Israeli Arab women: a case-control study. *Breast Cancer*. 2017 Oct 26. doi: 10.1007/s12282-017-0809-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29071579>

Hou, L, Han, W, Jiang, J, Liu, B, Wu, Y, Zou, X, Xue, F, Chen, Y, Zhang, B, Pang, H, Wang, Y, Wang, Z, Hu, Y, Li, J. Passive smoking and stroke in men and women: a national population-based case-control study in China. *Sci Rep*. 2017 Mar 31;7:45542. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28361935>

Kobeissy, FH, Guingab-Cagmat, J, Bruijnzeel, AW, Gold, MS, Wang, K. Effect of Second-Hand Tobacco Smoke on the Nitration of Brain Proteins: A Systems Biology and Bioinformatics Approach. *Methods Mol Biol*. 2017;1598:353-372. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28508372>

Parada, H, Bradshaw, PT, Engel, LS, Conway, K, Steck, SE, Teitelbaum, SL, Neugut, AI, Santella, RM, Gammon, MD. Environmental tobacco smoke exposure and survival following breast cancer. *Cancer Epidemiol Biomarkers Prev*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27765798>

Lee, PN, Hamling, JS. Environmental tobacco smoke exposure and risk of breast cancer in nonsmoking women. An updated review and meta-analysis. *Inhal Toxicol*. 2016 Aug;28(10):431-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27541291>

Malik, A et al. Passive smoking and breast cancer - a suspicious link. *Asian Pac J Cancer Prev*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26320441>

Strumylaite, L, Kregzdyte, R, Poskiene, L, Bogusevicius, A, Pranys, D, Norkute, R. Association between lifetime exposure to passive smoking and risk of breast cancer subtypes defined by hormone receptor status among non-smoking Caucasian women. *PLoS One*. 2017 Feb 2;12(2):e0171198. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28151962>

4.10.3 Cervical cancer

Malevolti, MC, Maci, C, Lugo, A, Possenti, I, Gallus, S, Gorini, G, & Carreras, G. (2023). Second-hand smoke exposure and cervical cancer: a systematic review and meta-analysis. *J Cancer Res Clin Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37516982>

Wen, Q, Wang, X, Lv, J, Guo, Y, Pei, P, Yang, L et al. (2022). Association between involuntary smoking and risk of cervical cancer in Chinese female never smokers: A prospective cohort study. *Environ Res*, 212(Pt C), 113371. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35504339>

Kim, JY, Lee, DW, Kim, MJ, Shin, JE, Shin, YJ, & Lee, HN. (2021). Secondhand smoke exposure, diabetes, and high BMI are risk factors for uterine cervical cancer: a cross-sectional study from the Korea national health and nutrition examination survey (2010-2018). *BMC Cancer*, 21(1), 880. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34332564>

White, CM, Bakhiet, S, Bates, M, Ruttle, C, Pilkington, LJ, Keegan, H et al. (2020). Exposure to tobacco smoke measured by urinary nicotine metabolites increases risk of p16/Ki-67 co-expression and high-

grade cervical neoplasia in HPV positive women: A two year prospective study. *Cancer Epidemiol*, 68, 101793. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32841926>

Du, X, Li, M, Zhou, Y, Yang, H, Isachenko, V, Takagi, T, & Meng, Y. (2020). Evidence of Passive Smoking as a Risk Factor of High-Grade Squamous Intraepithelial Lesion: A Case-Control Study. *Biol Pharm Bull*, 43(7), 1061-1066. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32612068>

Seo, SS, Oh, HY, Kim, MK, Lee, DO, Chung, YK, Kim, JY, & Lee, CW. (2019). Combined Effect of Secondhand Smoking and Alcohol Drinking on Risk of Persistent Human Papillomavirus Infection. *Biomed Res Int*, 2019, 5829676. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31016192>

Su, B, Qin, W, Xue, F, Wei, X, Guan, Q, Jiang, W et al. The relation of passive smoking with cervical cancer: A systematic review and meta-analysis. *Medicine (Baltimore)*, 2018. 97(46), e13061. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30431576>

Min, KJ, Lee, JK, So, KA, Kim, MK. Association Between Passive Smoking and the Risk of Cervical Intraepithelial Neoplasia 1 in Korean Women. *J Epidemiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29093300>

Groner, JA, Huang, H, Joshi, MS, Eastman, N, Nicholson, L, Bauer, JA. Secondhand Smoke Exposure and Preclinical Markers of Cardiovascular Risk in Toddlers. *J Pediatr*. 2017 Jul 12. pii: S0022-3476(17)30815-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28711174>

4.10.4 Cancers of the bladder and kidney

Knapp, DW, Dhawan, D, Ruple, A, Cooper, BR, Zhang, M, Liu, D et al. (2023). Association between cigarette smoke exposure and urinary bladder cancer in Scottish terriers in a cohort study. *Vet J*, 106044. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38000695>

Jhee, JH, Joo, YS, Kee, YK, Jung, SY, Park, S, Yoon, CY et al (2019). Secondhand Smoke and CKD. *Clin J Am Soc Nephrol*, 14(4), 515-522. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30846462>

Yan, H, Ying, Y, Xie, H, Li, J, Wang, X, He, L et al. Secondhand smoking increases bladder cancer risk in nonsmoking population: a meta-analysis. *Cancer Manag Res*, 2018. 10, 3781-3791. Available from: <https://www.dovepress.com/getfile.php?fileID=44620>

van Osch, FHM, Jochems, SHJ, Wesselius, A, van Schooten, FJ, Bryan, RT, Zeegers, MP. A Stratified Meta-Analysis of the Association between Exposure to Environmental Tobacco Smoke during Childhood and Adulthood and Urothelial Bladder Cancer Risk. *Int J Environ Res Public Health*. 2018 Mar 22;15(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29565277>

Wang, D, Juonala, M, Viikari, JSA, Wu, F, Hutri-Kahonen, N, Raitakari, OT, Magnussen, CG. Exposure to Parental Smoking in Childhood is Associated with High C-Reactive Protein in Adulthood: The Cardiovascular Risk in Young Finns Study. *J Atheroscler Thromb*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28724840>

Clement, JM et al. Smoking-induced immune deviation contributes to progression of bladder and other cancers. *Oncoimmunology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26405591>

4.10.5 Childhood cancers

de Smith, A, Liu, T, Xu, K, Pardeshi, A, Myint, SS, Kang, A et al. (2024). Early-life tobacco exposure is causally implicated in aberrant RAG-mediated recombination in childhood acute lymphoblastic leukemia. *Res Sq*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38946984>

Chunxia, D, Meifang, W, Jianhua, Z, Ruijuan, Z, Xiue, L, Zhuangzhen, Z, & Linhua, Y. (2019). Tobacco smoke exposure and the risk of childhood acute lymphoblastic leukemia and acute myeloid leukemia: A meta-analysis. *Medicine (Baltimore)*, 98(28), e16454. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31305478>

4.10.6 Other cancers

Wang, X, Wang, Z, & Wang, X. (2024). Passive smoking and risk of pancreatic cancer: an updated systematic review and meta-analysis. *PeerJ*, 12, e18017. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39399427>

Wolfer, S, Schliephake, H, Asendorf, T, Spillner, A, & Kauffmann, P. (2023). Semi-quantitative assessment of environmental tobacco smoke exposure and its association with the development of oral squamous cell carcinoma: A pilot study. *Tob Induc Dis*, 21, 32. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36866179>

Hou, L, Jiang, J, Liu, B, Han, W, Wu, Y, Zou, X et al. (2019). Is exposure to tobacco associated with extrahepatic cholangiocarcinoma epidemics? A retrospective proportional mortality study in China. *BMC Cancer*, 19(1), 348. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30975121>

Nieminen, AA, Kontto, J, Puolakkainen, P, Virtamo, J, & Kokkola, A. Long-term gastric cancer risk in male smokers with atrophic corpus gastritis. *Scand J Gastroenterol*, 2019. 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30700174>

Jung, YS, Kim, NH, Yang, HJ, Park, SK, Park, JH, Park, DI, Sohn, CI. The Impact of Passive Smoking on the Risk of Colorectal Neoplasia in Never, Former, and Current Smokers. *J Gastroenterol Hepatol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29048137>

News reports:

Reed, RM, Dransfield, MT, Eberlein, M, Miller, M, Netzer, G, Pavlovich, M, Pollin, TI, Scharf, SM, Shuldiner, AR, Sin, D and Mitchell, BD. Gender differences in first and secondhand smoke exposure, spirometric lung function and cardiometabolic health in the old order Amish: A novel population without female smoking. *PLoS One*. 2017 Mar 31;12(3):e0174354. Available from: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0174354>

Lee, PN, Thornton, AJ and Hamling, JS. Epidemiological evidence on environmental tobacco smoke and cancers other than lung or breast. *Regul Toxicol Pharmacol*. 2016 Jun 16;80:134-163. Available from: <http://www.sciencedirect.com/science/article/pii/S0273230016301702>

