

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 4.14 Secondhand smoke and mental health

Last updated December 2024

##### Research:

Churchill, REA, & Asante, A. (2024). Locus of control and the long-term effects of parental smoking on mental health. *Soc Sci Med*, 361, 117401. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39383812>

Takizawa, T, Ihara, K, Unekawa, M, Iba, C, Kagawa, S, Watanabe, N et al. (2024). Effects of passive smoking on cortical spreading depolarization in male and female mice. *J Headache Pain*, 25(1), 162. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39354357>

Lim, JH, Kim, DB, Ko, J, Joo, MJ, & Park, EC. (2024). Association between secondhand smoke exposure and anxiety among adolescents: A nationwide cross-sectional study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39165923>

Kim, NH, Kim, M, Han, JS, Sohn, H, Oh, B, Lee, JW, & Ahn, S. (2024). Machine-learning model for predicting depression in second-hand smokers in cross-sectional data using the Korea National Health and Nutrition Examination Survey. *Digit Health*, 10, 20552076241257046. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38784054>

Mo, H, Wang, C, & Li, Y. (2024). Recent tobacco smoking, restaurant and in-car secondhand smoke exposure are associated with depressive symptoms among young adults: a population-based cross-sectional analysis. *Sci Rep*, 14(1), 5290. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38438445>

Ma, G, Tian, Y, Zi, J, Hu, Y, Li, H, Zeng, Y et al. (2024). Systemic inflammation mediates the association between environmental tobacco smoke and depressive symptoms: A cross-sectional study of NHANES 2009-2018. *J Affect Disord*, 348, 152-159. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38158048>

Yang, R, Yang, H, Sun, J, Zhao, M, Magnussen, CG, & Xi, B. (2024). Association between secondhand smoke exposure across the life course and depressive symptoms among Chinese older adults. *J Affect Disord*, 346, 214-220. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37952910>

van der Eijk, Y, & Woh, J. (2023). Is secondhand smoke associated with mental health issues? A narrative review of the evidence and policy implications. *Health Policy*, 136, 104900. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37651970>

DeSerisy, M, Cohen, JW, Dworkin, JD, Stingone, JA, Ramphal, B, Herbstman, JB et al. (2023). Early life stress, prenatal secondhand smoke exposure, and the development of internalizing symptoms across childhood. *Environ Health*, 22(1), 58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37620883>

Oyapero, A, Erinoso, O, & Olatosi, OO. (2023). Adolescents' exposure to secondhand smoke and its association with susceptibility to smoking and mental health in Lagos, Nigeria. *Pan Afr Med J*, 44, 202. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37484581>

Kim, YR, & Jang, KA. (2023). Differences in Oral Health and Generalized Anxiety Disorder According to Secondhand Smoke Exposure in Public Places. *Behav Sci (Basel)*, 13(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37366707>

Wang, D, Ma, Z, Fan, Y, Chen, H, Sun, M, & Fan, F. (2023). Tobacco smoking, second-hand smoking exposure in relation to psychotic-like experiences in adolescents. *Early Interv Psychiatry*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37199003>

Lee, S, & Lee, W. (2023). The association between attention deficit hyperactivity disorder (ADHD) and smoking experience or exposure to environmental tobacco smoke among children and adolescents. *Tob Induc Dis*, 21, 15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36762265>

Li, L, Xu, G, Li, J, Wang, Y, & Bian, G. (2022). Association between secondhand smoke exposure and negative emotions among 12-15-year-old non-smoking adolescents from 63 low- and middle-income countries. *J Affect Disord*, 325, 297-305. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36586618>

Guan, Q, Huan, F, Wang, Y, Wang, L, Shen, L, Xiong, J et al. (2022). The relationship between secondhand smoking exposure and mental health among never-smoking adolescents in school: Data from the Global School-based Student Health Survey. *J Affect Disord*, 311, 486-493. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35654283>

Kim, S, Oh, J, Yun, B, Cho, A, Sim, J, & Yoon, JH. (2022). Secondhand Smoke in the Workplace Is Associated With Depression in Korean Workers. *Front Public Health*, 10, 802083. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35558545>

Garcia-Esquinas, E, Ortola, R, Lara, E, Pascual, JA, Perez-Ortuno, R, Banegas, JR, & Artalejo, FR. (2022). Objectively measured secondhand tobacco smoke and cognitive impairment in disability-free older adults. *Environ Res*, 113352. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35469856>

Park, S, & Lee, KS. (2022). Corrigendum: Association of heated tobacco product use and secondhand smoke exposure with suicidal ideation, suicide plans, and suicide attempts among Korean adolescents: A 2019 national survey. *Tob Induc Dis*, 20, 04. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35110982>

Sarala, M, Mustonen, A, Alakokkare, AE, Salom, C, Miettunen, J, & Niemela, S. (2022). Parental smoking and young adult offspring psychosis, depression and anxiety disorders and substance use disorder. *Eur J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35092289>

Nasri, O, Pouragha, H, Baigi, V, Shalyari, N, & Yunesian, M. (2021). Quality of life and sleep disorders in Tehran Employees Cohort (TEC); Association with secondhand smoking and wealth index. *J Environ Health Sci Eng*, 19(2), 1473-1481. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34900281>

Park, S, & Lee, KS. (2021). Association of heated tobacco product use and secondhand smoke exposure with suicidal ideation, suicide plans and suicide attempts among Korean adolescents: A 2019 national survey. *Tob Induc Dis*, 19, 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34602935>

Okekunle, AP, Asowata, JO, Lee, JE, & Akpa, OM. (2021). Association of Environmental tobacco smoke exposure with depression among non-smoking adults. *BMC Public Health*, 21(1), 1755. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34565350>

Wang, Q. (2021). Exposure to Secondhand Smoke at Home and Psychological Distress among College Students in China: The Role of Parental Attachment. *J Psychoactive Drugs*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34308778>

Park, MB, Kwan, Y, Sim, B, & Lee, J. (2021). Association between urine cotinine and depressive symptoms in non-smokers: National representative sample in Korea. *J Affect Disord*, 294, 527-532. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34330049>

Lin, LZ, Xu, SL, Wu, QZ, Zhou, Y Ma, HM, Chen, DH et al (2021). Association of Prenatal, Early Postnatal, or Current Exposure to Secondhand Smoke With Attention-Deficit/Hyperactivity Disorder Symptoms in Children. *JAMA Netw Open*, 4(5), e2110931. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34014325>

Ellis-Suriani, Z, Norsa'adah, B, Othman, A, & Siti-Azrin, AH. (2021). Association between secondhand smoke exposure at home and cognitive performance among rural primary school children in Malaysia. *Tobacco Induced Diseases*, 19, 27. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33867904>

Shenassa, ED, Rogers, ML, & Buka, SL. (2021). Maternal smoking during pregnancy, offspring smoking, adverse childhood events, and risk of major depression: a sibling design study. *Psychological Medicine*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33899711>

Boormans, A, Dieleman, J, Kleinjan, M, Otten, R, & Luijten, M. (2021). Environmental Tobacco Smoke Exposure and Brain Functioning Associated with Smoking Cue-Reactivity and Inhibitory Control in Nonsmoking Adolescents. *Eur Addict Res*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33567443>

Lee, E, & Kim, KY. (2021). The Association between Secondhand Smoke and Stress, Depression, and Suicidal Ideation in Adolescents. *Healthcare (Basel)*, 9(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33406772>

Erdsiek, F, & Brzoska, P. (2020). Is exposure to secondhand smoke associated with current depression (PHQ-8) among never-smokers? Results from a survey among German adults. *BMC Public Health*, 20(1), 1880. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33287771>

Kim, B, & Kim, HR. (2020). Associations Between Secondhand Smoke and Mental Health in Korean Adolescents. *Asia Pac J Public Health*, 1010539520957846. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32929992>

Jang, BN, Jeong, W, Kang, SH, & Jang, SI. (2020). Association Between the Location of Secondhand Smoke Exposure and Depressive Symptoms among South Korean Adolescents. *Int J Environ Res Public Health*, 17(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32679863>

Jacob, L, Smith, L, Jackson, SE, Haro, JM, Shin, JI, & Koyanagi, A. (2020). Secondhand Smoking and Depressive Symptoms Among In-School Adolescents. *American Journal of Preventive Medicine*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32059988>

Toyama, N, Ekuni, D, Taniguchi-Tabata, A, Yoneda, T, Kataoka, K, Yokoi, A et al. (2019). Associations between sleep bruxism, sleep quality, and exposure to secondhand smoke in Japanese young adults: a cross-sectional study. *Sleep Med*, 68, 57-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32028227>

Noguchi, T, Nakagawa-Senda, H, Tamai, Y, Nishiyama, T, Watanabe, M, Hosono, A et al. (2019). Association between second-hand smoke exposure and depressive symptoms among Japanese adults: a cross-sectional study. *J Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31813893>

Abdel Hamed, NA, Hammad, EEM, Salama, RH, Yassa, HA, & Awaga, MM. (2019). Secondhand smoke as a risk factor for attention deficit hyperactivity disorder in children. *Inhal Toxicol*, 31(11-12), 420-427. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31874576>

Lu, W, & Wu, H. (2019). Does passive smoking at home lead to depression among older people in China? *Int J Health Plann Manage*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31698523>

Wang, H, Li, F, Zhang, Y, Jiang, F, & Zhang, J. (2019). The association between exposure to secondhand smoke and psychological symptoms among Chinese children. *BMC Public Health*, 19(1), 923. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31291934>

Erdsiek, F, & Brzoska, P. (2019). Association between second-hand smoke exposure and depression and its moderation by sex: Findings from a nation-wide population survey in Germany. *J Affect Disord*, 253, 102-106. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31029855>

Han, C, Liu, Y, Gong, X, Ye, X, & Zhou, J. (2019). Relationship Between Secondhand Smoke Exposure and Depressive Symptoms: A Systematic Review and Dose(-)Response Meta-Analysis. *Int J Environ Res Public Health*, 16(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30991759>

Ye, X, Huang, J, Xia, L, Xu, X, Gong, X, & Xu, Y. (2019). Setting-Specific and Symptom-Specific Association between Secondhand Smoke Exposure and Depressive Symptoms. *Int J Environ Res Public Health*, 16(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30965596>

Butz, AM, Tsoukleris, M, Elizabeth Bollinger, M, Jassal, M, Bellin, MH, Kub, J et al. Association between second hand smoke (SHS) exposure and caregiver stress in children with poorly controlled asthma. *J Asthma*, 2018. 1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30307351>

Chen, CY, Chang, CM, Lin, HL, & Chu, CL. The association between exposure to second-hand smoke and major depressive disorder in perimenopausal women: results from a population-based study. *Ann Med*, 2018. 1-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30311809>

Wellman, RJ, Wilson, KM, O'Loughlin, EK, Dugas, EN, Montreuil, A, & O'Loughlin, J. Secondhand smoke exposure and depressive symptoms in children: a longitudinal study. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30346615>

Huang, J, Xu, B, Guo, D, Jiang, T, Huang, W, Liu, G, Ye, X. Dose(-)Response Relationships between Second-Hand Smoke Exposure and Depressive Symptoms among Adolescents in Guangzhou, China. *Int J Environ Res Public Health*. 2018 May 14;15(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29757982>

Bang, I, Jeong, YJ, Park, YY, Moon, NY, Lee, J, Jeon, TH. Secondhand Smoking Is Associated with Poor Mental Health in Korean Adolescents. *Tohoku J Exp Med*. 2017 Aug;242(4):317-326. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28867706>

Lin, H, Guo, Y, Kowal, P, Airhihenbuwa, CO, Di, Q, Zheng, Y, Zhao, X, Vaughn, MG, Howard, S, Shootman, M, Salinas-Rodriguez, A, Yawson, AE, Arokiasamy, P, Manrique-Espinoza, BS, Biritwum, RB, Rule, SP, Minicuci, N, Naidoo, N, Chatterji, S, Qian, ZM, Ma, W, Wu, F. Exposure to air pollution and tobacco smoking and their combined effects on depression in six low- and middle-income countries. *Br J Psychiatry*. 2017 Sep;211(3):157-162. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28798061>

Patten, SB, Williams, JVA, Lavorato, DH, Woolf, B, Wang, JL, Bulloch, AGM and Sajobi, T. Major depression and secondhand smoke exposure. *J Affect Disord*. 2017 Aug 12;225:260-264. Available from: [http://www.jad-journal.com/article/S0165-0327\(17\)30055-1/fulltext](http://www.jad-journal.com/article/S0165-0327(17)30055-1/fulltext)

## News reports: