

Tobacco in Australia

Facts & Issues

Relevant news and research

5.29 School-based interventions

Last updated December 2024

Research:	1
5.29.1 Are school-based programs effective?	13
5.29.2 School-based smoking interventions in Australia.....	16
5.29.3 Making school-based interventions more effective	16
5.29.4 School policies.....	17
News reports:.....	21
5.29.4 School policies.....	21

Research:

Bantwal, P, Kamath, VG, Britton, J, Bogdanovica, I, Kunder, MA, Praharaj, SK & Kulkarni, MM. (2024). Protocol for a Cluster Randomized Controlled Trial to Reduce Susceptibility to Tobacco Use Among School Going Adolescents in a South-Indian District-(Project TEACH). *Indian J Psychol Med*, 02537176241284353. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39564318>

Beeres, D, Galanti, MR, Nilsson, M, & Pulkki-Brannstrom, A. (2024). Effect of a multicomponent school-based intervention with parental involvement on socioeconomic inequalities in smoking initiation: equity impact analysis of the TOPAS study. *J Epidemiol Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39532392>

Gumbs, CM, Suther, S, Steffen, A, & Matthews, AK. (2024). Understanding tobacco use disparities among Florida adolescents: The impact of sexual minority status and school-based violence victimization. *Tob Prev Cessat*, *10*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39569387>

Rajvong, W, Tarasenko, Y, & Ciobanu, A. (2024). Tobacco cessation, anti-tobacco education, and smoke-free schools: Findings from the Global Youth Tobacco Survey. *Tob Prev Cessat*, *10*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39575320>

Heo, G, Kim, S, Cho, SI, Yoo, S, & Hwang, J. (2024). Factors influencing the overall satisfaction of teachers participating in a nationwide school-based smoking prevention program in Korea. *Tob Induc Dis*, *22*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38988744>

Reba, YA, Prasetya, YY, Mataputun, Y, & Muttaqin, MZ. (2024). The importance of early education in smoking prevention among adolescents: a school-based approach. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38964789>

Chido-Amajuoyi, OG, Osaghae, I, Agaku, IT, Chen, B, & Mantey, DS. (2024). Exposure to school-based tobacco prevention interventions in low-income and middle-income countries and its association with psychosocial predictors of smoking among adolescents: a pooled cross-sectional analysis of Global Youth Tobacco Survey data from 38 countries. *BMJ Open*, *14*(2), e070749. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38413149>

Nian, Q, Yang, XY, Yang, T, Peng, S, & Bottorff, JL. (2023). Association between secondhand smoke exposure among women and the implementation of tobacco control measures on campus: A cross-sectional study in 50 universities across China. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38127442>

Rao, A, Rungta, N, Nandini, M, Unnikrishnan, B, Shenoy, R, Rao, A, & Shetty, MK. (2023). Effect of educational intervention in reducing exposure to second hand tobacco smoke among 12-year-old children as determined by their salivary cotinine levels and knowledge, attitude and behavior - a randomized controlled trial. *Front Oral Health*, *4*, 1277307. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37842016>

Huque, R, Siddiqi, K, Khokhar, M, Jackson, C, Kanaan, M, Hewitt, C et al. (2023). Children Learning About Secondhand Smoke (CLASS III): a protocol for a cluster randomised controlled trial of a school-based smoke-free intervention in Bangladesh and Pakistan. *BMJ Open*, *13*(7), e068620. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37451725>

Nagler, EM, Pednekar, M, Sinha, DN, Stoddard, AM, Narake, S, Adhikari, K et al. (2023). Implementation of an evidence-based tobacco control intervention for school teachers in India: Evaluating the effects of a capacity-building strategy. *Implement Res Pract*, *4*, 26334895231159428. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37091538>

Wellman, R. J., Dugas, E. N., Sylvestre, M. P., & O'Loughlin, J. (2023). Identifying high school smokers likely to persist in smoking at age 31. *Addict Behav*, *144*, 107720. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37059001>

Kjeld, SG, Thygesen, LC, Danielsen, D, Jakobsen, GS, Jensen, MP, Holmberg, T et al. (2023). Effectiveness of the multi-component intervention 'Focus' on reducing smoking among students in the vocational education setting: a cluster randomized controlled trial. *BMC Public Health*, *23*(1), 419. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36864450>

Sarkar, C, Mohanty, V, Balappanavar, AY, Chahar, P, & Rijhwani, K. (2022). Development and Validation of a Comic Tool: An Innovative Approach to Raise Awareness about Tobacco Control among School Teachers. *Indian J Community Med*, 47(4), 536-542. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36742968>

Abdul Halim, NA, Wee, LH, Mohd Saat, NZ, Jit Singh, SJ, Siau, CS, & Chan, CMH. (2022). Application of the Logic Model to the School-Based Fit and Smart Adolescent Smoking Cessation Programme. *Malays J Med Sci*, 29(5), 133-145. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36474542>

Kakodkar, PV, Kale, SS, Bhor, KB, & Sidhu, AK. (2022). Systematic review of school-based tobacco prevention programs for the adolescents in India from 2000 to 2020. *Indian J Cancer*, 59(3), 317-324. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36412311>

Hjort, AV, Kuipers, MAG, Stage, M, Pisinger, C, & Klinker, CD. (2022). Intervention Activities Associated with the Implementation of a Comprehensive School Tobacco Policy at Danish Vocational Schools: A Repeated Cross-Sectional Study. *Int J Environ Res Public Health*, 19(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36231788>

Furrer, K, Schuurmans, MM, Hebeisen, M, Schulte, S, Schneiter, D, Weder, W et al. (2022). Smoking prevention intervention with school classes in university hospital by thoracic surgeon und pulmonologist. The Zurich prevention project. *Prev Med Rep*, 29, 101964. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36161129>

Kennedy, H, Trujillo, M, Ryan, A, Cooley, D, Martinez, D, McNair, B, & Hunt, C. (2022). Identifying Root Causes: Evaluation of a Program to Engage Youth in a Social Justice Approach to Tobacco Control. *Health Promot Pract*, 15248399221112456. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36050932>

Cheng, X, Guo, X, & Jin, C. (2022). Social determinants of smoking among school adolescents in Beijing, China. *Tob Induc Dis*, 20, 73. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36118554>

Guo, SE, Chen, MY, Okoli, C, & Chiang, YF. (2022). Effectiveness of Smoking Prevention Programs on the Knowledge, Attitudes, and Anti-Smoking Exposure Self-Efficacy among Non-Smoking Rural Seventh-Grade Students in Taiwan. *Int J Environ Res Public Health*, 19(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35955124>

Burnett, T, Battista, K, Butt, M, Sherifali, D, Leatherdale, ST, & Dobbins, M. (2022). The association between public health engagement in school-based substance use prevention programs and student alcohol, cannabis, e-cigarette and cigarette use. *Can J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35864306>

Beneito, P, & Munoz, M. (2022). Preventing tobacco use from the start: Short- and medium-term impacts on the youth. *Health Policy*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35660113>

Hazard, R, Lines, S, Lu, K, & Ablah, E. (2022). An Overview of Tobacco Policies in Kansas Unified School Districts. *Kans J Med*, 15, 127-130. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35646253>

Panahi, R, Hosseini, N, Ramezankhani, A, Anbari, M, Amjadian, M, Dehghankar, L, & Niknami, S. (2022). Measuring the Structures of the Health Belief Model Integrated with Health Literacy in Predicting University Students' Adoption of Smoking Preventive Behaviors. *J Prev Med Hyg*, 63(1), E51-E58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35647364>

Zyambo, C, Olowski, P, Mulenga, D, Liamba, F, Syapiila, P, & Siziya, S. (2022). School tobacco-related curriculum and behavioral factors associated with cigarette smoking among school-going adolescents in Zambia: Results from the 2011 GYTS study. *Tob Induc Dis*, 20, 42. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35592593>

Parambil, NA, Philip, PM, Balasubramanian, S, & Padmanabhan, M. (2022). Educational short film versus powerpoint based lecture in school tobacco awareness programs: Study from a tertiary cancer Center, Kerala, India. *Indian J Public Health*, 66(1), 61-63. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35381717>

Triyana, M, & White, JS. (2022). Non-monetary incentives for tobacco prevention among youth in Indonesia. *J Health Econ*, 83, 102620. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35487104>

Park, S, & Kim, J. (2022). Relationships of Smoking Media Literacy with Smoking Behavior, Attitudes, and Susceptibility among Adolescents in the Republic of Korea. *J Health Commun*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34985408>

Mahmoodabad, SSM, Abdollahi, SZ, & Lotfi, MH. (2021). Designing an educational campaign intervention on smoking preventive behaviors in students: A protocol. *J Educ Health Promot*, 10, 381. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34912917>

Bassi, S, Bahl, D, Harrell, MB, Jain, N, Kandasamy, A, Salunke, SR et al(2021). Knowledge, attitude, and behaviours on diet, physical activity, and tobacco use among school students: A cross-sectional study in two Indian states. *F1000Res*, 10, 544. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34745560>

Gaiha, SM, Zorrilla, M, Sachnoff, I, Smuin, S, Lazaro, A, Ceballos, RD, et al (2021). Development and Reach of the Stanford Tobacco Prevention Toolkit: Implementation of a Community-Based Participatory Approach. *J Sch Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34426975>

Kim, S. (2021). Using Intervention Mapping to Develop a Media Literacy-Based Smoking Prevention Program for Female Adolescents. *Int J Environ Res Public Health*, 18(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34200803>

Zhang, L, Finan, LJ, Bersamin, M, Fisher, DA, & Paschall, MJ. (2020). Sexual Orientation-Based Alcohol, Tobacco, and Other Drug Use Disparities: The Protective Role of School-Based Health Centers. *Youth Soc*, 52(7), 1153-1173. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34321700>

Jackson, C, Huque, R, Ahmed, F, Nasreen, S, Shah, S, Ahluwalia, JS et al (2021). Children Learning About Second-hand Smoke (CLASS II): a mixed methods process evaluation of a school-based intervention. *Pilot Feasibility Stud*, 7(1), 112. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34030729>

Bast, LS, Andersen, S, Glenstrup, S, Damsgaard, MT, & Andersen, A. (2021). Assessing Differences in the Implementation of Smoke-Free Contracts-A Cross-Sectional Analysis from the School Randomized Controlled Trial X:IT. *Int J Environ Res Public Health*, 18(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33672151>

Gorini, G, Charrier, L, Cavallo, F, Lemma, P, Lazzeri, G, Carreras, G et al. (2020). [Smoking initiation in Italian regions, 2014, and Regional Prevention Plans]. *Epidemiol Prev*, 44(4), 271-279. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32921033>

Lund, L, Lauemoller, SG, Kjeld, SG, Andersen, A, & Bast, LS. (2020). Gender differences in attitudes towards a school-based smoking prevention intervention. *Scand J Public Health*, 1403494820953325. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32883175>

Hunter, RF, Montes, F, Murray, JM, Sanchez-Franco, SC, Montgomery, SC, Jaramillo, J et al (2020). MECHANISMS Study: Using Game Theory to Assess the Effects of Social Norms and Social Networks on Adolescent Smoking in Schools-Study Protocol. *Front Public Health*, 8, 377. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32850598>

Johannesen, CK, Andersen, S, & Bast, LS. (2020). Estimating future smoking in Danish youth - effects of three prevention strategies. *Scand J Public Health*, 1403494820942678. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32791944>

Borovanska, Z, Poyade, M Rea, PM, & Buksh, ID. (2020). Engaging with Children Using Augmented Reality on Clothing to Prevent Them from Smoking. *Adv Exp Med Biol*, 1262, 59-94. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32613580>

CORRIGENDUM: inverted exclamation mark Activate Ya! Co-learning about school-based tobacco prevention and physical activity promotion in secondary school students in Uruguay. (2020). *Glob Health Promot*, 27(2), NP1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32552413>

Chaplin, MD, Brogie, J, Burch, A, Hetzler, J, Hough, D, Gustafson, B et al (2020). Effectiveness of an educational intervention on health risks of vaping for high school-aged adolescents. *J Am Pharm Assoc (2003)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32586717>

Gettman, L, Douglass, GA, Wessel, M, & Kissack, J. (2020). Aspire to be smoke-free pilot study: A prevention educational outreach serving preschool children in rural Arkansas. *Tob Prev Cessat*, 6, 1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32548338>

King, JL, Merten, JW, & Nicksic, NE. (2020). Parents Are Unaware of Their Youths' Tobacco Use: Results from the Population Assessment of Tobacco and Health Study. *J Sch Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32367532>

Kim, SY, Jang, M, Yoo, S, JeKarl, J, Chung, JY, & Cho, SI. (2020). School-Based Tobacco Control and Smoking in Adolescents: Evidence from Multilevel Analyses. *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32423028>

AlAbdullah, H, AlFahid, AS, AlQarni, A, & Nazir, MA. (2019). Impact of Oral Health Educational Intervention on Smoking among Male Adolescents. *Contemp Clin Dent*, 10(3), 502-506. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32308328>

Rao, A, Mithra, P, Shenoy, R, & Rungta, N. (2019). Effectiveness of a School-Based 'Tobacco Free' Intervention on Adolescents' Knowledge and Exposure to Second Hand Tobacco Smoke - A Multiphase Study. *Asian Pac J Cancer Prev*, 20(12), 3533-3537. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31870091>

Csibi, M, Csibi, S, Khalil, GE, Abram, Z, & Foley, KL. (2019). The presence and stability of nicotine dependence symptoms among adolescents after the implementation of a smoking prevention program. *Tob Induc Dis*, 17, 08. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582920>

White, J, Holliday, J, Daniel, R, Campbell, R, & Moore, L. (2019). Diffusion of effects of the ASSIST school-based smoking prevention intervention to non-participating family members: a secondary analysis of a randomised controlled trial. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31656057>

Badham, J, McAneney, H, Dunne, L, Kee, F, Thurston, A, & Hunter, RF. (2019). The importance of social environment in preventing smoking: an analysis of the Dead Cool intervention. *BMC Public Health*, 19(1), 1182. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31462249>

Nurumal, MS, Zain, SHM, Mohamed, MHN, & Shorey, S. (2019). Effectiveness of School-Based Smoking Prevention Education Program (SPEP) Among Nonsmoking Adolescents: A Quasi-Experimental Study. *J Sch Nurs*, 1059840519871641. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31455149>

Jayakrishnan, R, Kumara Pillai Mohanan Nair, JK, Seema, G, Thomas, G, & Sebastian, P. (2019). Effectiveness of School based Awareness Programmes against Tobacco among Users and Non-Users- A Cross- Sectional Study from Rural Kerala, India. *Asian Pac J Cancer Prev*, 20(7), 2027-2032. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31350961>

Rozi, S, Zahid, N, Roome, T, Lakhdir, MPA, Sawani, S, Razzak, A, & Butt, ZA. (2019). Effectiveness of a School Based Smokeless Tobacco Intervention: A Cluster Randomized Trial. *J Community Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31267293>

Dobbie, F, Purves, R, McKell, J, Dougall, N, Campbell, R, White, J et al. (2019). Implementation of a peer-led school based smoking prevention programme: a mixed methods process evaluation. *BMC Public Health*, 19(1), 742. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31196124>

Bashirian, S, Barati, M, Sharma, M, Abasi, H, & Karami, M. (2019). Water Pipe Smoking Reduction in the Male Adolescent Students: An Educational Intervention Using Multi-Theory Model. *J Res Health Sci*, 19(1), e00438. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31133627>

Bast, LS, Due, P, Lauemoller, SG, Kjaer, NT, Christiansen, T, & Andersen, A. (2019). Study protocol of the X:IT II - a school-based smoking preventive intervention. *BMC Public Health*, 19(1), 497. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31046721>

Khayyati, F, Asghari Jafarabadi, M, Lotfizadeh, M, Karimi, A, & Rahmani, K. (2019). Effectiveness of a Community and School-Based Intervention to Control and Prevent of Tobacco Use in Adolescents: A Field Randomized Controlled Trial. *Iran J Public Health*, 48(1), 187-188. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30847332>

Brinker, TJ, Buslaff, F, Suhre, JL, Silchmuller, MP, Divizieva, E, Wilhelm, J et al. (2019). Process Evaluation of a Medical Student-Delivered Smoking Prevention Program for Secondary Schools: Protocol for the Education Against Tobacco Cluster Randomized Trial. *JMIR Res Protoc*, 8(4), e13508. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30973348>

Springer, AE, Harrell, MB, Martinez Gomensoro, L, Traversa Fresco, M, Rogers, S, Florines, M et al. (2019). inverted exclamation markActivate Ya! Co-learning about school-based tobacco prevention and physical activity promotion in secondary school students in Uruguay. *Glob Health Promot*, 1757975918813049. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30943128>

Lisboa, OC, Bernardes-Souza, B, Xavier, LEF, Almeida, MR, Correa, P, & Brinker, TJ. A Smoking Prevention Program Delivered by Medical Students to Secondary Schools in Brazil Called "Education Against Tobacco": Randomized Controlled Trial. *J Med Internet Res*, 2019. 21(2), e12854. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30789347>

McMenamin, SB, Cummins, SE, Zhuang, YL, Gamst, AC, Ruiz, CG, Mayoral, A, & Zhu, SH. Evaluation of the Tobacco-Use Prevention Education (TUPE) program in California. *PLoS One*, 2018. 13(11), e0206921. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6214574/pdf/pone.0206921.pdf>

Zhao, X, Young, RM, & White, KM. Challenges for school-based, anti-smoking education in China. *Lancet Child Adolesc Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30449677>

Andersen, A, Bast, LS, Due, P, Thygesen, LC. Evaluation of the smoking intervention X:IT after the second year: A randomized controlled trial. *Scand J Public Health*. 2018 Sep 17:1403494818799837. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30222087>

Bast, LS, Andersen, A, Ersboll, AK, Due, P. Implementation fidelity and adolescent smoking: The X:IT study-A school randomized smoking prevention trial. *Eval Program Plann*. 2018 Sep 18;72:24-32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30248621>

Nakkash, R, Lotfi, T, Bteddini, D, Haddad, P, Najm, H, Jbara, L, Alaouie, H, Al Aridi, L, Al Mulla, A, Mahfoud, Z, Afifi, RA. A Randomized Controlled Trial of a Theory-Informed School-Based Intervention to Prevent Waterpipe Tobacco Smoking: Changes in Knowledge, Attitude, and Behaviors in 6th and 7th Graders in Lebanon. *Int J Environ Res Public Health*. 2018 Aug 26;15(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30149668>

Vieira, S, Cheruel, F, Sancho-Garnier, H. Rationale, design and conduct of a school-based anti-smoking intervention: the "PEPITES" cluster randomized trial. *BMC Public Health*. 2018 Jul 31;18(1):942. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30064473>

La Torre, G, Sinopoli, A, Sestili, C, D'Egidio, V, Di Bella, O, Cocchiara, RA, Sciarra, I, Saulle, R, Backhaus, I, Mannocci, A. "GiochiAMO": a school-based smoking and alcohol prevention program for

children - a pilot randomized field trial. Part 2. *Ann Ig*. 2018 Jul-Aug;30(4):273-284. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29895045>

Gonzalvez, MT, Morales, A, Orgiles, M, Sussman, S, Espada, JP. Role of smoking intention in tobacco use reduction: A mediation analysis of an effective classroom-based prevention/cessation intervention for adolescents. *Addict Behav*. 2018 Sep;84:186-192. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29723801>

Gulayin, PE, Irazola, V, Rubinstein, A, Bruno, R, Rossi Diaz, A, Gulayin, M, Urrutia, MI, Bardach, A. Smoke-Free Adolescents. Effectiveness of an educational intervention. Controlled, before and after study. *Arch Argent Pediatr*. 2018 Jun 1;116(3):e392-e400. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29756711>

Dobbie, F, Angus, K, Littlecott, H, Allum, K, Wells, V, Amos, A, Haw, S, Bauld, L. Facilitators and barriers to the delivery of school-based smoking prevention interventions for children and young people: a protocol for a systematic review of qualitative studies. *Syst Rev*. 2018 Apr 6;7(1):56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29625623>

Nishio, A, Saito, J, Tomokawa, S, Kobayashi, J, Makino, Y, Akiyama, T, Miyake, K, Yamamoto, M. Systematic review of school tobacco prevention programs in African countries from 2000 to 2016. *PLoS One*. 2018 Feb 6;13(2):e0192489. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29408895>

Bilgic, N, Gunay, T. Evaluation of effectiveness of peer education on smoking behavior among high school students. *Saudi Med J*. 2018 Jan;39(1):74-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29332112>

Mohamadian, F, Baghri, M, Delpisheh, A, Veisani, Y. Interventional study plan to investigate the training effects on physical and psychological outcomes awareness of smoking in teenagers. *J Educ Health Promot*. 2017 Dec 4;6:99. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29296600>

No authors listed. Correction: A smoking prevention photoageing intervention for secondary schools in Brazil delivered by medical students: protocol for a randomised trial. *BMJ Open*. 2018 Jan 9;8(1):e018589corr1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29317425>

Rozema, AD, Hiemstra, M, Mathijssen, JJP, Jansen, MWJ, van Oers, H. Impact of an Outdoor Smoking Ban at Secondary Schools on Cigarettes, E-Cigarettes and Water Pipe Use among Adolescents: An 18-Month Follow-Up. *Int J Environ Res Public Health*. 2018 Jan 25;15(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29370137>

Champion, KE, Newton, NC, Spring, B, Wafford, QE, Parmenter, BJ, Teesson, M. A systematic review of school-based eHealth interventions targeting alcohol use, smoking, physical inactivity, diet, sedentary behaviour and sleep among adolescents: a review protocol. *Syst Rev*. 2017 Dec 6;6(1):246. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29208040>

Marabelli, C, Munarini, E, Lina, M, Mazza, R, Boffi, R, De Marco, C, Ruprecht, A, Angellotti, G, Veronese, C, Pozzi, P, Bruno, E, Gargano, G, Cavalleri, A, Garrone, G, Berrino, F. A pilot study with early adolescents: dealing with diet, tobacco and air pollution using practical experiences and

biological markers. *Multidiscip Respir Med*. 2017 Dec 1;12:30. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29214021>

Ostroff, JL, Wolff, ML, Andros, C, Nemec, EC. Student pharmacists provide tobacco use prevention education to elementary school children: A pilot experience. *Curr Pharm Teach Learn*. 2017 Sep;9(5):869-873. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29233317>

Szatkowski, L, Taylor, J, Taylor, A, Lewis, S, Wu, Q, Parrott, S, McNeill, A, Britton, J, Bauld, L, Jones, LL, Bains, M. Evaluation of a novel intervention providing insight into the tobacco industry to prevent the uptake of smoking in school-aged children: a mixed-methods study. *BMJ Open*. 2017 Nov 3;7(11):e018031. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29101143>

Waller, G, Finch, T, Giles, E L, Newbury-Birch, D. Exploring the factors affecting the implementation of tobacco and substance use interventions within a secondary school setting: a systematic review. *Implement Sci*. 2017 Nov 14;12(1):130. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29137649>

Cole, AG, Qian, W, Leatherdale, ST. Changing the Smoking Trajectory: Evaluating the Impact of School-Based Tobacco Interventions on Changes to Susceptibility to Future Smoking. *Int J Environ Res Public Health*. 2017 Oct 5;14(10). pii: E1182. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28981472>

Zaga, V, Giordano, F, Gremigni, P, Amram, DL, De Blasi, A, Amendola, M, Osborn, JF, Cattaruzza, MS. Are the school prevention programmes - aimed at de-normalizing smoking among youths - beneficial in the long term? An example from the Smoke Free Class Competition in Italy. *Ann Ig*. 2017 Nov-Dec;29(6):572-583. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29048454>

Hodder, RK, Freund, M, Bowman, J, Wolfenden, L, Campbell, E, Dray, J, Lecathelinais, C, Oldmeadow, C, Attia, J, Wiggers, J. Effectiveness of a pragmatic school-based universal resilience intervention in reducing tobacco, alcohol and illicit substance use in a population of adolescents: cluster-randomised controlled trial. *BMJ Open*. 2017 Aug 18;7(8):e016060. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28821523>

Mohd Zin, F, Hillaluddin, AH, Mustafa, J. Adolescents' Perceptions Regarding Effective Tobacco Use Prevention Strategies for their Younger Counterparts: A Qualitative Study in Malaysia. *Asian Pac J Cancer Prev*. 2016 Dec 1;17(12):6013-6019. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28122443>

Turhan, A, Onrust, S, Ten Klooster, P, Pieterse, M. A school-based program for tobacco and alcohol prevention in special education: effectiveness of the modified 'Healthy School and Drugs' intervention and moderation by school subtype. *Addiction*, Oct 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27767230>

Bast, LS, Due, P, Bendtsen, P, Ringgard, L, Wohllebe, L, Damsgaard, MT, Gronbaek, M, Ersboll, AK, Andersen, A. High impact of implementation on school-based smoking prevention: the X:IT study-a cluster-randomized smoking prevention trial. *Implement Sci*. 2016 Sep 17;11(1):125. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27640187>

Bier, MC, Zwarun, L, Sherblom, SA. Evidence of the value of the smoking media literacy framework for middle school students. *J Sch Health*. 2016 Oct;86(10):717-25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27619762>

Jayakrishnan, R, Geetha, S, Mohanan Nair, JK, Thomas, G, Sebastian, P. Tobacco and Alcohol Use and the Impact of School Based Antitobacco Education for Knowledge Enhancement among Adolescent Students of Rural Kerala, India. *J Addict*. 2016;2016:9570517. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27630784>

Mipatrini, D, Mannocci, A, Pizzi, C, La Torre, G. School-based anti-smoking intervention for physiotherapy students: a three-year non-randomized trial. *J Prev Med Hyg*. 2016;57(2):E91-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27582635>

Szatkowski, L, Taylor, J, Taylor, A, Lewis, S, Britton, J, McNeill, A, Bauld, L, Wu, Q, Parrott, S, Jones, L, Bains, M. Development and evaluation of an intervention providing insight into the tobacco industry to prevent smoking uptake: a mixed-methods study. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27656735>

de Graaf, A, van den Putte, B, Zebregs, S, Lammers, J, Neijens, P. Smoking education for low-educated adolescents: comparing print and audiovisual messages. *Health Promot Pract*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27466267>

Kousoulis, AA, Kypouropoulos, SP, Pouli, DK, Economopoulos, KP, Vardavas, CI. From the classroom to Facebook: a fresh approach for youth tobacco prevention. *Am J Health Promot*. 2016 May;30(5):390-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27404648>

Krist, L, Lotz, F, Buger, C, Stroebele-Benschop, N, Roll, S, Rieckmann, N, Muller-Nordhorn, J, Willich, SN, Muller-Riemenschneider, F. Long-term effectiveness of a combined student-parent and a student only smoking prevention intervention among 7th grade school children in Berlin, Germany. *Addiction*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27447693>

Taylor, J, Taylor, A, Lewis, S, McNeill, A, Britton, J, Jones, LL, Bauld, L, Parrott, S, Wu, Q, Szatkowski, L, Bains, M. A qualitative evaluation of a novel intervention using insight into tobacco industry tactics to prevent the uptake of smoking in school-aged children. *BMC Public Health*. 2016 Jul 11;16:539. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27401023>

Brinker, TJ, Seeger, W, Buslaff, F. Photoaging mobile apps in school-based tobacco prevention: the mirroring approach. *J Med Internet Res*. 2016 Jun 28;18(6):e183. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27352819>

Carreras, G, Bosi, S, Angelini, P, Gorini, G. Mediating factors of a school-based multi-component smoking prevention intervention: the LdP cluster randomized controlled trial. *Health Educ Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27288347>

Kolovelonis, A, Goudas, M, Theodorakis, Y. Examining the effectiveness of the smoking prevention program "I do not smoke, I exercise" in elementary and secondary school settings. *Health Promot Pract*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27230594>

McGee, CE, Trigwell, J, Fairclough, SJ, Murphy, RC, Porcellato, L, Ussher, M, Foweather, L. Effect of a sport-for-health intervention (SmokeFree Sports) on smoking-related intentions and cognitions among 9-10 year old primary school children: a controlled trial. BMC Public Health. 2016 May 26;16(1):445. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27229464>

Midford, R et al. Smoking prevention for students: findings from a three-year program of integrated harm minimization school drug education. Subst Use Misuse, 2016. Available from: : <http://www.ncbi.nlm.nih.gov/pubmed/26886503>

Peterson, AV, Jr et al. Does effectiveness of adolescent smoking-cessation intervention endure into young adulthood? 7-year follow-up results from a group-randomized trial. PLoS One, 2016 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26829013>

Terry, A, Zhang, NJ. The impact of tobacco-free school policies on youth smoking rates in Florida public school districts. : J Sch Health, Feb 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26762824>

Sudo, A, Kuroda, Y. Media exposure, interactive health literacy, and adolescents' susceptibility to future smoking. Int J Adolesc Med Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26536575>

Tahlil, T et al. Six-months follow-up of a cluster randomized trial of school-based smoking prevention education programs in Aceh, Indonesia. BMC Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26499860>

Brinker, TJ et al. Education Against Tobacco (EAT): a quasi-experimental prospective evaluation of a multinational medical-student-delivered smoking prevention programme for secondary schools in Germany. BMJ Open, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26384722>

Kuipers, MA et al. School smoking policies and educational inequalities in smoking behaviour of adolescents aged 14-17 years in Europe. J Epidemiol Community Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26359505>

de Kleijn, MJ et al. Systematic review of school-based interventions to prevent smoking for girls. Syst Rev, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26272326>

Khayyati, F et al. Tobacco use prevention by integrating inside and outside of school based programs: a systematic review article. Health Promot Perspect, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26290823>

Andersen, A et al. Effects of the X:IT smoking intervention: a school-based cluster randomized trial. International Journal of Epidemiology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26210612>

Feigl, AB et al. Teenage smoking behaviour following a high-school smoking ban in Chile: interrupted time-series analysis. Bulletin of the World Health Organization, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26170504>

Hedman, L et al. Evaluation of a tobacco prevention programme among teenagers in Sweden. BMJ Open, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25976765>

Vandenbergh, DJ et al. An adolescent substance prevention model blocks the effect of CHRNA5 genotype on smoking during high school. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25941207>

Maruska, K et al. The role of substance-specific skills and cognitions in the effectiveness of a school-based prevention program on smoking incidence. *Evaluation & the health professions*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26024672>

Leatherdale, ST, Cole, A. Examining the impact of changes in school tobacco control policies and programs on current smoking and susceptibility to future smoking among youth in the first two years of the COMPASS study: looking back to move forward. *Tobacco Induced Diseases*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25834482>

Smith, B, Carson, K. Commentary on Valdivieso Lopez et al. (2015): Lessons to be learnt from a randomized controlled trial of smoking prevention in secondary schools . *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25868545>

Trigwell, J et al. Process evaluation of a sport-for-health intervention to prevent smoking amongst primary school children: SmokeFree Sports . *BMC Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25886027>

Gharlipour, Z et al. The effect of preventive educational program in cigarette smoking: Extended Parallel Process Model. *Journal of Education and Health Promotion*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25767815>

Thomas, RE et al. Effectiveness of school-based smoking prevention curricula: systematic review and meta-analysis. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25757946>

Espada, JP et al. Immediate effects of project EX in Spain: a classroom-based smoking prevention and cessation intervention program. *Journal of Drug Education*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25721322>

Kankaanpaa, R et al. Associations between schools' guidelines and pupils' smoking and sweet consumption. *Community Dental Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25665357>

Obaid, HA et al. Tobacco use and associated factors among school students in Dubai, 2010: intervention study. *Eastern Mediterranean Health Journal*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25664514>

Palmer JW. Smoking, Caning, and Delinquency in a Secondary Modern School. *Int J Epidemiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25599693>

Verma A, Muddaiah P, Krishna Murthy A, and Sanga R. Exploring an effective tobacco prevention programme for Indian adolescents. *Public Health*, 2015; 129(1):23-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25555400>

Coppo A, Galanti MR, Giordano L, Buscemi D, Bremberg S, et al. School policies for preventing smoking among young people. *Cochrane Database Syst Rev*, 2014; 10:CD009990. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25342250>

Nakkash RT, Al Mulla A, Torossian L, Karhily R, Shuayb L, et al. Challenges to obtaining parental permission for child participation in a school-based waterpipe tobacco smoking prevention intervention in Qatar. *BMC Med Ethics*, 2014; 15(1):70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25267351>

5.29.1 Are school-based programs effective?

Haryati, W, Sahar, J, Rekawati, E, & Besral. (2024). A qualitative study to control adolescent smoking behaviour in junior high school. *J Pak Med Assoc*, 74(5 (Supple-5)), S21-S23. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39221792>

Brinker, TJ, Krieghoff-Henning, EI, Suhre, JL, Silchmuller, MP, Divizieva, E, Wilhelm, J et al. (2024). Evaluation of a medical student-delivered smoking prevention program utilizing a face-aging mobile app for secondary schools in Germany: The Education Against Tobacco cluster-randomized controlled trial. *Eur J Cancer*, 209, 114255. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39111207>

Jensen, MP, Krolner, RF, Thygesen, LC, Lund, L, & Andersen, S. (2024). The Impact of Implementation Fidelity of a School-Based Multi-Component Smoking Prevention Intervention on Vocational Students' Smoking Behavior: A Cluster-Randomized Controlled Trial. *Prev Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39093518>

Lareyre, O, Cousson-Gelie, F, Pereira, B, Stoebner-Delbarre, A, Lambert, C, & Gourlan, M. (2024). Effect of a peer-led prevention program (P2P) on smoking in vocational high school students: Results from a two-school-year cluster-randomized trial. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38780044>

Angeli, M, Hassandra, M, Krommidas, C, Morres, I, & Theodorakis, Y. (2024). Assessing the Impact of a Health Education Anti-Smoking Program for Students: A Follow-Up Investigation. *Children (Basel)*, 11(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38671604>

Bariya, B, Solanki, P, Mahyavanshi, D, & Tolani, J. (2024). Comparing the effectiveness of different health education approaches for preventing tobacco use among school-going students in a government school of Dadra and Nagar Haveli district. *J Educ Health Promot*, 13, 29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38545300>

Chitlange, P, Reche, A, Madhu, PP, Chhabra, KG, Sheikh, TB, & Kewelramani, M. (2024). An interventional study evaluating the NTCP (NATIONAL TOBACCO CONTROL PROGRAM) guidelines-based education model in semi-urban school population. *J Family Med Prim Care*, 13(1), 157-162. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38482332>

Kjeld, SG, Thygesen, LC, Danielsen, D, Jensen, MP, Krolner, RF, Pisinger, C, & Andersen, S. (2024). Do school-based smoking preventive interventions have unintended effects? Post hoc analysis of the Focus cluster randomised controlled trial. *BMJ Open*, 14(1), e070176. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38191253>

Carrion-Valero, F, Ribera-Osca, JA, Martin-Moreno, JM, & Martin-Gorgojo, A. (2023). Prevention of tobacco use in an adolescent population through a multi-personal intervention model. *Tob Prev Cessat*, 9, 37. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38111804>

Beeres, DT, Pulkki-Brannstrom, AM, Nilsson, M, & Galanti, MR. (2023). Child-Adult Contract for Prevention of Tobacco Use: "As-Treated" Analysis of a Cluster Randomized Controlled Trial (the TOPAS Study) at 3-Year Follow-Up. *Prev Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37875648>

Sheikh, TB, Reche, A, Madhu, PP, Chhabra, KG, Chitlange, P & Kewelramani, M. (2023). Assessing the NATIONAL TOBACCO CONTROL PROGRAMME (NTCP) guidelines-based education model in semi-urban school population: An interventional study. *J Family Med Prim Care*, 12(1), 90-95. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37025229>

Kjeld, SG, Glenstrup, S, Andersen, S, & Bast, LS. (2023). From a teacher and school leader perspective: What happened with smoking rules and practices during a three-year smoking preventive intervention? - Findings from the X:IT II study. *Eval Program Plann*, 97, 102236. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36645953>

Logo, DD, Enuameh, Y, Adjei, G, Singh, A, Nakua, E, Dassah, E et al. (2022). Effectiveness of school-based interventions for preventing tobacco smoking initiation among young people in low- and middle-income countries: a systematic review protocol. *Syst Rev*, 11(1), 253. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36419138>

Tinner, L, Palmer, JC, Lloyd, EC, Caldwell, DM, MacArthur, GJ, Dias, K et al. (2022). Individual-, family- and school-based interventions to prevent multiple risk behaviours relating to alcohol, tobacco and drug use in young people aged 8-25 years: a systematic review and meta-analysis. *BMC Public Health*, 22(1), 1111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35658920>

Song, R, & Park, M. (2021). Meta-analysis of the effects of smoking prevention programs for young adolescents. *Child Health Nurs Res*, 27(2), 95-110. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35004501>

Beeres, D, Arno, E, Pulkki-Brannstrom, AM, Nilsson, M, & Galanti, MR. (2021). Evaluation of the Swedish school-based program "tobacco-free DUO" in a cluster randomized controlled trial (TOPAS study). Results at 2-year follow-up. *Prev Med*, 106944. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34968635>

Vishwakarma, G, Singh, S, Marani, SK, Arya, A, Calabro, K, Gupta, G et al. (2021). Evaluation and Impact of ASPIRE: An Interactive Tobacco Prevention Curriculum among University Students in India. *South Asian J Cancer*, 10(3), 144-150. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34938675>

Mpousiou, DP, Sakkas, N, Soteriades, ES, Toumbis, M., Patrinos, S, Karakatsani, A et al. (2021). Evaluation of a school-based, experiential-learning smoking prevention program in promoting attitude change in adolescents. *Tob Induc Dis*, 19, 53. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34177415>

- Diaz Gomez, C, Morel, A, Sedano, I, & Aubin, H J. (2021). The Efficacy of Primavera, a Prevention Programme on Alcohol and Tobacco Use among 10-12-Year-Old Schoolchildren: A Randomized Controlled Cluster Study. *Int J Environ Res Public Health*, 18(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33916906>
- Bast, LS, Lund, L, LauemOller, SG, Kjeld, SG, Due, P, & Andersen, A. (2021). Socio-economic differences in smoking among adolescents in a school-based smoking intervention: The X:IT II study. *Scandinavian Journal of Public Health*, 14034948211007683. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33863260>
- Kim, S, Yoo, S, Cho, SI, Jung, H, & Yang, Y. (2021). Experiences of the First Year Implementation of a Nationwide School-Based Smoking Prevention Program in Korea. *International Journal of Environmental Research and Public Health*, 18(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33810138>
- Hwang, JH, Ryu, DH, & Park, SW. (2020). Influence of School-Based Smoking Prevention Education on Reducing Gap in Exposure to Anti-Tobacco Media Message among Korean Adolescents. *Int J Environ Res Public Health*, 17(23). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33255526>
- Al Agili, DE, & Salihu, HM. (2020). Effectiveness of a School-Based Tobacco Prevention Program for Middle School Students in Saudi Arabia: A Quasi-Experimental Controlled Trial. *Tob Use Insights*, 13, 1179173X20953403. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33110349>
- Masihay-Akbar, H, Amiri, P, Cheraghi, L, Momenan, AA, & Azizi, F. (2020). The cigarette smoking initiation and continuation in adolescents undergoing a long-term behavioral intervention. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33045085>
- Chatterjee, N, Gupte, H, Mandal, G, & Bhutia, T. (2019). Does adding a psychosocial cessation intervention to an existing life-skills and tobacco-prevention program influence the use of tobacco and supari among secondary school students?: Findings from a quasi-experimental trial in Mumbai, India. *Tob Prev Cessat*, 5, 45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411907>
- Gonzalvez, MT, Espada, JP, Orgiles, M, Sussman, S. Two-Year Effects of a Classroom-Based Smoking Prevention and Cessation Intervention Program. *Eur Addict Res*. 2017 Jun 9;23(3):122-128. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28595196>
- Hodder, RK, Freund, M, Wolfenden, L, Bowman, J, Nepal, S, Dray, J, Kingsland, M, Yoong, SL, Wiggers, J. Systematic review of universal school-based 'resilience' interventions targeting adolescent tobacco, alcohol or illicit substance use: A meta-analysis. *Prev Med*. 2017 Jul;100:248-268. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28390835>
- Xavier, LE, Bernardes-Souza, B, Lisboa, OC, Seeger, W, Groneberg, DA, Tran, TA, Fries, FN, Correa, PC, Brinker, TJ. A Medical Student-Delivered Smoking Prevention Program, Education Against Tobacco, for Secondary Schools in Brazil: Study Protocol for a Randomized Trial. *JMIR Res Protoc*. 2017 Jan 30;6(1):e16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28137703>

5.29.2 School-based smoking interventions in Australia

5.29.3 Making school-based interventions more effective

Bariya, B, Solanki, P, Mahyavanshi, D, & Tolani, J. (2024). Comparing the effectiveness of different health education approaches for preventing tobacco use among school-going students in a government school of Dadra and Nagar Haveli district. *J Educ Health Promot*, 13, 29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38545300>

Chitlange, P, Reche, A, Madhu, PP, Chhabra, KG, Sheikh, TB, & Kewelramani, M. (2024). An interventional study evaluating the NTCP (NATIONAL TOBACCO CONTROL PROGRAM) guidelines-based education model in semi-urban school population. *J Family Med Prim Care*, 13(1), 157-162. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38482332>

Harsamizadeh Tehrani, S, Trieu, SL, Dao, L, Samuel, C & Lui, CK. (2023). Engaging Students in Advancing Campus Tobacco-Free Policies: A Qualitative Study of California Community Colleges' Efforts. *Prev Chronic Dis*, 20, E102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37943726>

Martin, C, Estes, J, & Ickes, M. (2023). Engaging Appalachian Youth: Lessons Learned From a Virtual Tobacco Prevention and Advocacy Training. *Health Promot Pract*, 15248399231196858. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37724531>

Sanchez-Franco, S, Montgomery, SC, Torres-Narvaez, ES, Ramirez, AM, Murray, JM, Tate, C et al. (2023). How Do Adolescent Smoking Prevention Interventions Work in Different Contextual Settings? A Qualitative Comparative Study Between the UK and Colombia. *Int J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37697141>

Vallata, A, & Alla, F. (2023). Ensuring that a school-based smoking cessation program for adolescents is successful: A realist evaluation of the TABADO program and the program theory. *PLoS One*, 18(4), e0283937. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37023054>

Chadwick, G, Dobbs, PD, Gluesenkamp, K, Vinzant, D, & Everett, KD. (2022). Components in tobacco-free school policies-A coding tool for assessment. *J Am Coll Health*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35930361>

Wolfenden, L, McCrabb, S, Barnes, C, O'Brien, KM, Ng, KW, Nathan, NK et al. (2022). Strategies for enhancing the implementation of school-based policies or practices targeting diet, physical activity, obesity, tobacco or alcohol use. *Cochrane Database Syst Rev*, 8, CD011677. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36036664>

Tan, YL, Chen, ZY, He, YP, Xu, G, Yu, ZP & Zhu, JF. (2022). Awareness of tobacco control policies and anti-tobacco attitudes and behaviors among school personnel. *Tob Induc Dis*, 20, 54. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35799622>

Debenham, J, Grummitt, L, Newton, NC, Teesson, M, Slade, T, Conrod, P, & Kelly, EV. (2021). Personality-targeted prevention for adolescent tobacco use: Three-year outcomes for a randomised trial in Australia. *Prev Med*, 153, 106794. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34508734>

Guo, JL, Hsu, HP, Lai, TM, Lin, ML, Chung, CM, & Huang, CM. (2021). Acceptability Evaluation of the Use of Virtual Reality Games in Smoking-Prevention Education for High School Students: Prospective

Observational Study. *J Med Internet Res*, 23(9), e28037. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34581679>

Sanchez-Franco, S Arias, LF, Jaramillo, J, Murray, JM, Hunter, RF, Llorente, B et al (2021). Cultural adaptation of two school-based smoking prevention programs in Bogota, Colombia. *Translational Behavioral Medicine*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33899915>

Pradhan, A, Oswal, K, Adhikari, K, Singh, A, Kanodia, R, Sethuraman, L et al (2021). Key Drivers to Implement an Evidence-based Tobacco Control Programme in Schools of India: A Mixed-Methods Study. *Asian Pac J Cancer Prev*, 22(2), 419-426. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33639656>

Bast, LS, Andersen, HB, Andersen, A, Lauemoller, SG, Bonnesen, CT, & Krolner, RF. (2021). School Coordinators' Perceptions of Organizational Readiness Is Associated with Implementation Fidelity in a Smoking Prevention Program: Findings from the X:IT II Study. *Prev Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33404969>

Schreuders, M., van den Putte, B., & Kunst, A. E. (2020). Smoke-free school policies in Europe: Challenges for the future. *Prev Med*, 106130. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32439487>

Talley, B, Masyn, K, Chandora, R, Vivolo-Kantor, A. Multilevel analysis of school anti-smoking education and current cigarette use among South African students. *Pan Afr Med J*. 2017 Jan 24;26:37. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28451015>

5.29.4 School policies

Carrion-Valero, F, Ribera-Osca, JA, & Martin-Moreno, JM. (2024). Adolescent Health and Parents' and Teachers' Beliefs about Smoking: A Cross-Sectional Study. *Children (Basel)*, 11(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39334667>

Chen, N, Dai, L, Wang, J, Zhang, L, & Zhu, J. (2024). Changes of campus tobacco control environment and the impact on tobacco control behaviors among secondary school personnel in Shanghai, China. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39310712>

Al-Binali, F, Dargham, SR, & Mahfoud, ZR. (2024). Positive Association Between Family and Teachers' Tobacco Use on the Smoking Behaviors of Iraqi Adolescents Attending Schools - A Cross Sectional Study Using the Global Youth Tobacco Survey. *Tob Use Insights*, 17, 1179173X241283468. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39314802>

Shetiya, SH, Jadhav, SL, Kheur, S, Kapoor, S, & Gupta, R. (2024). Compliance to the Tobacco-Free Educational Institution(ToFEI) guidelines at Madhyamik Vidhyalayas of Pimpri-Chinchwad, Pune, Maharashtra-A cross sectional study. *Indian J Tuberc*, 71(3), 297-303. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39111938>

Gnonlonfin, E, Geindreau, D, & Gallopel-Morvan, K. (2024). What are the effects of smoke-free and tobacco-free university campus policies, and how can they be assessed? A systematic review. *J*

Epidemiol Popul Health, 72(2), 202520. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38579395>

Pahari, S, Sivanantham, P, & Kar, SS. (2024). Adherence to the National Tobacco-Free School Policy in Selected Schools of Puducherry District in India: A Cross-Sectional Exploratory Study. *Cureus*, 16(2), e53984. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38476790>

Beeres, DT, Pulkki-Brannstrom, AM, Nilsson, M, & Galanti, MR. (2023). Child-Adult Contract for Prevention of Tobacco Use: "As-Treated" Analysis of a Cluster Randomized Controlled Trial (the TOPAS Study) at 3-Year Follow-Up. *Prev Sci*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37875648>

Danielsen, D, Jensen, TS, Kjeld, SG, Bast, LS, & Andersen, S. (2023). Context matters in smoking prevention: evaluating smoke-free school hours in Danish vocational schools. *Health Promot Int*, 38(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37099679>

Melard, N, Grard, A, Delvenne, JC, Mercken, L, Perelman, J, Kunst, AE, & Lorant, V. (2023). The Diffusion of Smoking: Association Between School Tobacco Policies and the Diffusion of Adolescent Smoking in 38 Schools in 6 Countries. *Prev Sci*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/36652097>

Linnansaari, A, Schreuders, M, Kunst, AE, group, S.-R. s, & Lindfors, P. (2022). Facilitating conditions for staff's confidence to enforce school tobacco policies: qualitative analysis from seven European cities. *Implement Sci Commun*, 3(1), 113. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/36273225>

Asyary, A, Veruswati, M, Arianie, CP, Ratih, TSD, & Hamzah, A. (2021). Prevalence of Smoke-Free Zone Compliance among Schools in Indonesia: A Nationwide Representative Survey. *Asian Pac J Cancer Prev*, 22(2), 359-363. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33639648>

Backhaus, I, D'Egidio, V, Grassucci, D, Gelardini, M, Ardizzone, C, & La Torre, G. (2021). Compliance with the school smoking ban: A cross-sectional study from Italy. *Clin Ter*, 172(2), 138-144. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33763668>

Kumar, A, Gupta, A, Goel, S, Gauba, K, & Goyal, A. (2021). Adherence to the tobacco-free educational institution guidelines at schools of Raipur Rani, Haryana. *Indian J Public Health*, 65(1), 67-70. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33753694>

Glenstrup, S, Bast, LS, Danielsen, D, Andersen, A, & Tjornhoj-Thomsen, T. (2021). Places to Smoke: Exploring Smoking-Related Practices among Danish Adolescents. *Int J Environ Res Public Health*, 18(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33419139>

Mlinaric, M, Gunther, S, Moor, I, Winter, K, Hoffmann, L, & Richter, M. (2021). [The association between school tobacco policies and the perceived smoking prevalence of adolescents]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*, 64(1), 91-101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33284361>

Melard, N, Grard, A, Robert, PO, Kuipers, MAG, Schreuders, M, Rimpela, AH et al (2020). School tobacco policies and adolescent smoking in six European cities in 2013 and 2016: A school-level

longitudinal study. *Prev Med*, 106142. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32450162>

Hoffmann, L, Mlinaric, M, Mi Lard, N, Lei, OT, Grard, A, Lindfors, P et al. (2020). '[...] the situation in the schools still remains the Achilles heel.' Barriers to the implementation of school tobacco policies- a qualitative study from local stakeholder's perspective in seven European cities. *Health Education Research*, 35(1), 32-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31943060>

Boing, AC, Boing, AF, & Subramanian, SV. (2019). Association of violence in schools' vicinity and smoking in schools' premises with tobacco use among Brazilian adolescents. *Cad Saude Publica*, 35(12), e00057919. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31800782>

El Amin, SET. (2019). School Smoking Policies and Health Science Students' Use of Cigarettes, Shisha, and Dipping Tombak in Sudan. *Front Public Health*, 7, 290. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31681722>

Jayawardhana, J, Bolton, HE, & Gaughan, M. (2019). The Association Between School Tobacco Control Policies and Youth Smoking Behavior. *Int J Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31741294>

Schreuders, M, van den Putte, B, Mlinaric, M, Melard, N, Perelman, J, Richter, M et al. (2019). The association between smoke-free school policies and adolescents' perceived anti-smoking norms: moderation by school connectedness. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31723975>

Schreuders, M, Linnansaari, A, Lindfors, P, van den Putte, B, & Kunst, AE. (2019). Why staff at European schools abstain from enforcing smoke-free policies on persistent violators. *Health Promot Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31652317>

Schreuders, M, van den Putte, B, consortium, S.-R., & Kunst, AE. (2019). Why Secondary Schools Do Not Implement Far-Reaching Smoke-Free Policies: Exploring Deep Core, Policy Core, and Secondary Beliefs of School Staff in the Netherlands. *Int J Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31659672>

Schwartz, R. (2019). How much evidence is enough? A public health perspective on evidence-informed tobacco policy. *Can J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31659651>

Scalici, F, & Schulz, PJ. (2019). School policies and smoking intention in a Swiss sample of adolescents. *Health Promot Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31539024>

Schreuders, M, Kuipers, MA, Mlinaric, M, Grard, A, Linnansaari, A, Rimpela, A et al (2019). The association between smoke-free school policies and adolescents' anti-smoking beliefs: Moderation by family smoking norms. *Drug Alcohol Depend*, 204, 107521. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31476644>

Andersen, S, Pisinger, V, Rod, MH, & Tolstrup, J. (2019). Associations of school tobacco policies and legislation with youth smoking: a cross-sectional study of Danish vocational high schools. *BMJ Open*, 9(7), e028357. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31345969>

Linnansaari, A, Schreuders, M, Kunst, AE, Rimpela, A, & Lindfors, P. (2019). Understanding school staff members' enforcement of school tobacco policies to achieve tobacco-free school: a realist review. *Syst Rev*, 8(1), 177. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31324212>

Heinze, C, Hjort, AV, Elsborg, P, Maindal, HT, & Klinker, CD. (2019). Smoke-free-school-hours at vocational education and training schools in Denmark: attitudes among managers and teaching staff - a national cross-sectional study. *BMC Public Health*, 19(1), 813. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31234822>

Schreuders, M, Klomp maker, L, van den Putte, B, & Kunst, AE. (2019). Adolescent Smoking in Secondary Schools that Have Implemented Smoke-Free Policies: In-Depth Exploration of Shared Smoking Patterns. *Int J Environ Res Public Health*, 16(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31200563>

Cole, AG, Aleyan, S, Qian, W, & Leatherdale, ST. Assessing the strength of secondary school tobacco policies of schools in the COMPASS study and the association to student smoking behaviours. *Can J Public Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30726888>

Rozema, AD, Mathijssen, JJP, van Kesteren, JN, van Oers, JAM, & Jansen, MWJ. Results of outdoor smoking bans at secondary schools on adolescents smoking behaviour: a quasi-experimental study. *Eur J Public Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30726888>

Rozema, AD, Mathijssen, JJP, Jansen, MWJ, van Oers, JAM. Sustainability of outdoor school ground smoking bans at secondary schools: a mixed-method study. *Eur J Public Health*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29016786>

Chatterjee, N, Kadam, R, Patil, D, Todankar, P. Adherence to the Tobacco-Free School Policy in Rural India. *Asian Pac J Cancer Prev*. 2017 Sep 27;18(9):2367-2373. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28950680>

Bast, LS, Due, P, Ersboll, AK, Damsgaard, MT, Andersen, A. Association of School Characteristics and Implementation in the X:IT Study-A School-Randomized Smoking Prevention Program. *J Sch Health*. 2017 May;87(5):329-337. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28382673>

Schreuders, M, Nuyts, PAW, van den Putte, B, Kunst, AE. Understanding the impact of school tobacco policies on adolescent smoking behaviour: A realist review. *Soc Sci Med*. 2017 Jun;183:19-27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28458071>

Hallingberg, B, Fletcher, A, Murphy, S, Morgan, K, Littlecott, HJ, Roberts, C, Moore, GF. Do stronger school smoking policies make a difference? Analysis of the health behaviour in school-aged children survey. *Eur J Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27335332>

Nikaj, S, Chaloupka, F. School personnel smoking, school-level policies, and adolescent smoking in low- and middle-income countries. *Tob Control*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26519427>

News reports:

No authors listed. Youth tobacco education program for schools. Education Matters Magazine, 2019. June 17, 2019. Available from: <http://www.educationmattersmag.com.au/youth-tobacco-education-program-for-schools/>

No authors listed. truth® Partners with Epiphone to Donate Custom Guitars to High Schools in Regions Most Heavily Impacted by Tobacco. PR Newswire, 2018. Apr 16, 2018. Available from: <https://www.prnewswire.com/news-releases/truth-partners-with-epiphone-to-donate-custom-guitars-to-high-schools-in-regions-most-heavily-impacted-by-tobacco-300626376.html>

No authors listed. 78 groups call for tobacco education in Head Start programs. American Legacy Foundation, 2015. Sept 17, 2015. Available from: <http://truthinitiative.org/news/78-groups-call-tobacco-education-head-start-programs>

Page, Jemma. Secondary school pupils will help classmates quit smoking in Nottingham. Nottingham Post, 2015. May 13, 2015. Available from: <http://www.nottinghampost.com/Secondary-school-pupils-help-classmates-quit/story-26493019-detail/story.html>

5.29.4 School policies

Turner, Ellie. NT teachers allowed to smoke on school grounds if staff vote to allow measure. Northern Territory News and Sunday Territorian, 2016. Mar 20, 2016. Available from: <http://www.ntnews.com.au/news/northern-territory/nt-teachers-allowed-to-smoke-on-school-grounds-if-staff-vote-to-allow-measure/news-story/95c10694c5a22554be502bd03c97cc96>