

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 6.10 Acute effects of nicotine on the body

Last updated June 2024

##### Research:

Zhang, M, Niu, X, Tao, Q, Sun, J, Dang, J, Wang, W et al. (2024). Altered intrinsic neural timescales and neurotransmitter activity in males with tobacco use disorder. *J Psychiatr Res*, 175, 446-454. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38797041>

Papke, RL. (2024). The many enigmas of nicotine. *Adv Pharmacol*, 99, 327-354. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38467485>

Jiang, W, Cai, L, & Wang, Z. (2023). Common hyper-entropy patterns identified in nicotine smoking, marijuana use, and alcohol use based on uni-drug dependence cohorts. *Med Biol Eng Comput*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37718388>

Schultz, KE, Mantell, B, Berkman, ET, & Swann, NC. (2022). Prepared and reactive inhibition in smokers and non-smokers. *Behav Brain Res*, 437, 114120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36181947>

Sved, AF, Weeks, JJ, Grace, AA, Smith, TT, & Donny, EC. (2022). Monoamine oxidase inhibition in cigarette smokers: From preclinical studies to tobacco product regulation. *Front Neurosci*, 16, 886496. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36051642>

Elhabashy, M, Phan, L, Hamilton-Moseley, KR, Broun, A, Duarte, DA, Ajith, A et al. (2022). Exploring the Experiences and Perceptions of Cigar Craving and Addiction among Young Adult Black Cigar Smokers. *Int J Environ Res Public Health*, 19(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35682264>

Yu D, Yuan K, Cheng J, Guan Y, Li Y, et al. Reduced thalamus volume may reflect nicotine severity in young male smokers. *Nicotine Tob Res*, 2017. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/28651369>

Patel VD, Jadhav KB, Shah VS, and Gupta ND. Comparative assessment of salivary cotinine level and psychological dependence among tobacco users. *Dent Res J (Isfahan)*, 2017; 14(2):125-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28584536>

Marchand M, Brossard P, Merdjan H, Lama N, Weitkunat R, et al. Nicotine population pharmacokinetics in healthy adult smokers: A retrospective analysis. *Eur J Drug Metab Pharmacokinet*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28283988>

Kalhan R, Wilkins JT, and Hitsman BL. Tobacco smoking is a medical problem: We ought to treat it like one. *American Journal of Respiratory and Critical Care Medicine*, 2017. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29262267>

Ashare RL, Kimmey BA, Rupprecht LE, Bowers ME, Hayes MR, et al. Repeated administration of an acetylcholinesterase inhibitor attenuates nicotine taking in rats and smoking behavior in human smokers. *Transl Psychiatry*, 2017; 7(3):e1072. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/28350399>

Walton D, Newcombe R, Li J, Tu D, and DiFranza JR. Stages of physical dependence in New Zealand smokers: Prevalence and correlates. *Addict Behav*, 2016; 63:161-4. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27513594>

Tang R, Razi A, Friston KJ, and Tang YY. Mapping smoking addiction using effective connectivity analysis. *Front Hum Neurosci*, 2016; 10:195. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27199716>

Okita K, Mandelkern MA, and London ED. Cigarette use and striatal dopamine d2/3 receptors: Possible role in the link between smoking and nicotine dependence. *Int J Neuropsychopharmacol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27634830>

Li Z, Fang Z, Hager N, Rao H, and Wang Z. Hyper-resting brain entropy within chronic smokers and its moderation by sex. *Sci Rep*, 2016; 6:29435. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27377552>

Li Y, Yuan K, Bi Y, Guan Y, Cheng J, et al. Neural correlates of 12-h abstinence-induced craving in young adult smokers: A resting-state study. *Brain Imaging Behav*, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26995747>

Fedota JR, Matous AL, Salmeron BJ, Gu H, Ross TJ, et al. Insula demonstrates a non-linear response to varying demand for cognitive Control and weaker resting connectivity with the executive Control network in smokers. *Neuropsychopharmacology*, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27112116>

Derefinko KJ, Eisenlohr-Moul TA, Peters JR, Roberts W, Walsh EC, et al. Physiological response to reward and extinction predicts alcohol, marijuana, and cigarette use two years later. *Drug Alcohol Depend*, 2016; 163 Suppl 1:S29-36. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27306728>

Baeza-Loya S, Velasquez KM, Molfese DL, Viswanath H, Curtis KN, et al. Anterior cingulum white matter is altered in tobacco smokers. *Am J Addict*, 2016; 25(3):210-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27001211>

Wu G, Yang S, Zhu L, and Lin F. Altered spontaneous brain activity in heavy smokers revealed by regional homogeneity. *Psychopharmacology (Berl)*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25716308>

Stoeckel LE, Chai XJ, Zhang J, Whitfield-Gabrieli S, and Evins AE. Lower gray matter density and functional connectivity in the anterior insula in smokers compared with never smokers. *Addict Biol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25990865>

Potvin S, Tikasz A, Dinh-Williams LL, Bourque J, and Mendrek A. Cigarette cravings, impulsivity, and the brain. *Front Psychiatry*, 2015; 6:125. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26441686>

Mohamed TS, Jayakar SS, and Hamouda AK. Orthosteric and allosteric ligands of nicotinic acetylcholine receptors for smoking cessation. *Front Mol Neurosci*, 2015; 8:71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26635524>

Hogg RC. Contribution of monoamine oxidase inhibition to tobacco dependence: A review of the evidence. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26508396>

Erdem U, Gundogan FC, Dinc UA, Yolcu U, Ilhan A, et al. Acute effect of cigarette smoking on pupil size and ocular aberrations: A pre- and postsmoking study. *J Ophthalmol*, 2015; 2015:625470. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25699189>

Duke AN, Johnson MW, Reissig CJ, and Griffiths RR. Nicotine reinforcement in never-smokers. *Psychopharmacology (Berl)*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26345343>

Dubroff J, Doot R, Falcone M, Schnoll R, Ray R, et al. Decreased nicotinic receptor availability in smokers with slow rates of nicotine metabolism. *J Nucl Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26272810>

Brunzell DH, Stafford AM, and Dixon Cl. Nicotinic receptor contributions to smoking: Insights from human studies and animal models. *Curr Addict Rep*, 2015; 2(1):33-46. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26301171>

Wing VC, Payer DE, Houle S, George TP, and Boileau I. Measuring cigarette smoking-induced cortical dopamine release: A [c]flb-457 pet study. *Neuropsychopharmacology*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25502631>

Wetherill RR, Jagannathan K, Shin J, and Franklin TR. Sex differences in resting state neural networks of nicotine-dependent cigarette smokers. *Addict Behav*, 2014; 39(4):789-92. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24525300>

Tabibnia G, Creswell JD, Kraynak T, Westbrook C, Julson E, et al. Common prefrontal regions activate during self-control of craving, emotion, and motor impulses in smokers. *Clin Psychol Sci*, 2014; 2(5):611-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25485181>

Potts GF, Bloom EL, Evans DE, and Drobes DJ. Neural reward and punishment sensitivity in cigarette smokers. *Drug Alcohol Depend*, 2014. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25292454>

Kim SJ, Sullivan JM, Wang S, Cosgrove KP, and Morris ED. Voxelwise lp-ntpet for detecting localized, transient dopamine release of unknown timing: Sensitivity analysis and application to cigarette smoking in the pet scanner. *Hum Brain Mapp*, 2014; 35(9):4876-91. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/24700424>

Hu MC, Griesler PC, Wall MM, and Kandel DB. Reciprocal associations between cigarette consumption and DSM-IV nicotine dependence criteria in adolescent smokers. *Addiction*, 2014; 109(9):1518-28. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24845775>

Freeman TP, Das RK, Kamboj SK, and Curran HV. Dopamine, urges to smoke, and the relative salience of drug versus non-drug reward. *Soc Cogn Affect Neurosci*, 2014. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/24526184>

Xue Y, Morris M, Ni L, Guthrie S, Zubieta J, et al. Venous plasma nicotine correlates of hormonal effects of tobacco smoking. *Pharmacology, Biochemistry, and Behavior*, 2010; 95(2):209-15. Available from:  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20100507](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20100507)

Schrand J. Does insular stroke disrupt the self-medication effects of nicotine? *Medical Hypotheses*, 2010; 75(3):302-4. Available from:  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20350784](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20350784)

Golding J, Prosyannikova O, Flynn M, and Gresty M. The effect of smoking nicotine tobacco versus smoking deprivation on motion sickness. *Autonomic Neuroscience: Basic & Clinical*, 2010; [Epub ahead of print]. Available from:  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=21036110](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21036110)

Bailey S, Goedeker K, and Tiffany S. The impact of cigarette deprivation and cigarette availability on cue-reactivity in smokers. *Addiction*, 2010; 105(2):364-72. Available from:  
<http://www3.interscience.wiley.com/user/accessdenied?ID=122685954&Act=2138&Code=4719&Page=cgi-bin/fulltext/122685954/HTMLSTART>

Xiu X, Puskar NL, Shanata JAP, Lester HA, and Dougherty DA. Nicotine binding to brain receptors requires a strong cation– interaction. *Nature*, 2009; 458:534–7. Available from:  
<http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature07768.html>

Rehme AK, Frommann I, Peters S, Block V, Bludau J, et al. Startle cue-reactivity differentiates between light and heavy smokers. *Addiction*, 2009; 104(10):1757-64. Available from:  
<http://www3.interscience.wiley.com/journal/122540097/abstract?CRETRY=1&SRETRY=0>

McGehee D. Nicotine's allure. *Neuron*, 2009; 63(5):564–5. Available from:  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19755099](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19755099)

Martin L, Dávalos D, and Kisley M. Nicotine enhances automatic temporal processing as measured by the mismatch negativity waveform. *Nicotine and Tobacco Research*, 2009; 11(6):698-706. Available from:

[http://ntr.oxfordjournals.org/cgi/content/full/ntp052v1?maxtoshow=&HITS=10&hits=10&RESULTFO\\_RMAT=&fulltext=Nicotine+enhances+automatic+temporal+processing+as+measured+by+the+mismatch+negativity+waveform&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT](http://ntr.oxfordjournals.org/cgi/content/full/ntp052v1?maxtoshow=&HITS=10&hits=10&RESULTFO_RMAT=&fulltext=Nicotine+enhances+automatic+temporal+processing+as+measured+by+the+mismatch+negativity+waveform&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT)

Jaehne A, Loessl B, Bárkai Z, Riemann D, and Hornyak M. Effects of nicotine on sleep during consumption, withdrawal and replacement therapy. *Sleep Medicine Reviews*, 2009; 13(5):363-77. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19345124>

Greenstein J and Kassel J. The effects of smoking and smoking abstinence on verbal and visuospatial working memory capacity. *Experimental and Clinical Psychopharmacology*, 2009; 17(2):78–90. Available from: <http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2009-04252-006>

Gowadia N, Oldham M, and Dunn-Rankin D. Particle size distribution of nicotine in mainstream smoke from 2r4f, marlboro medium, and quest1 cigarettes under different puffing regimens. *Inhalation Toxicology*, 2009; 21(5):435–46. Available from:  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19496699](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19496699)

Gloria R, Angelos L, Schaefer H, Davis J, Majeskie M, et al. An fmri investigation of the impact of withdrawal on regional brain activity during nicotine anticipation. *Psychophysiology*, 2009. Available from: <http://www3.interscience.wiley.com/cgi-bin/fulltext/122324341/HTMLSTART>

Froeliger B, Gilbert D, and McClernon F. Effects of nicotine on novelty detection and memory recognition performance: Double-blind, placebo-controlled studies of smokers and nonsmokers. *Psychopharmacology*, 2009; 205(4):625-33. Available from:  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19488741](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19488741)

Domino EF, Ni L, Thompson M, Zhang H, Shikata H, et al. Tobacco smoking produces widespread dominant brain wave alpha frequency increases. *International Journal of Psychophysiology*, 2009; 74(3):192-8. Available from: [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6T3M-4X7GM8Y-1&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000050221&\\_version=1&\\_urlVersion=0&\\_userid=10&md5=a4c182b72d3d7533090c4f89de758cd1](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T3M-4X7GM8Y-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=a4c182b72d3d7533090c4f89de758cd1)

Corrigall W. Hypocretin mechanisms in nicotine addiction: Evidence and speculation. *Psychopharmacology (Berl)*, 2009; 206(1). Available from:  
<http://www.springerlink.com/content/r0r3324113871044/fulltext.pdf>

Benowitz NL, Hukkanen J, and Jacob P, 3rd. Nicotine chemistry, metabolism, kinetics and biomarkers. *Handb Exp Pharmacol*, 2009; 192(192):29–60. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/19184645>

Ashley DL, Pankow JF, Tavakoli AD, and Watson CH. Approaches, challenges, and experience in assessing free nicotine. *Handbook of Experimental Pharmacology*, 2009; (192):437–56. Available from: <http://www.springerlink.com/content/q5122344x0288m57/>

Allen A, Allen S, Widenmier J, and Al'absi M. Patterns of cortisol and craving by menstrual phase in women attempting to quit smoking. *Addictive Behaviors*, 2009; 34(8):632-5. Available from: [www.ncbi.nlm.nih.gov/pubmed/19409710](http://www.ncbi.nlm.nih.gov/pubmed/19409710)

Albrecht J Olfactive/trigeminal research: Brain activation following intranasal stimulation with low concentrations of nicotine vapor. *Perfumer & Flavorist*, 2009. Available from: <http://www.perfumerflavorist.com/fragrance/research/40100857.html>

Wang Z, Ray R, Faith M, Tang K, Wileyto E, et al. Nicotine abstinence-induced cerebral blood flow changes by genotype. *Neuroscience letters*, 2008; 438(3):275 – 80. Available from: [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6T0G-4SD29W9-1&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000050221&\\_version=1&\\_urlVersion=0&\\_userid=10&md5=807744d4305ca032bb43af23fe82fe0c](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T0G-4SD29W9-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=807744d4305ca032bb43af23fe82fe0c)

Kelemen W and Fulton E. Cigarette abstinence impairs memory and metacognition despite administration of 2 mg nicotine gum. *Experimental and Clinical Psychopharmacology*, 2008; 16(6):521–31. Available from: <http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2008-17521-009>

Chiolero A, Faeh D, Paccaud F, and Cornuz J. Consequences of smoking for body weight, body fat distribution, and insulin resistance. *Am J Clin Nutr*, 2008; 87(4):801–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18400700>

Perkins K. Individual variation in nicotine effects. in *Promoting a Future Without Tobacco: 11th World Congress on Tobacco Or Health*. Chicago. 2000.

Zevin S and Benowitz NL. Drug interactions with tobacco smoking. An update. *Clinical Pharmacokinetics*, 1999; 36(6):425-38. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/10427467>

Schein J. Cigarette smoking and clinically significant drug interactions. *Ann Pharmacother*, 1995; 29(11):1139-48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/8573960>

Henningfield J, Stapleton J, and Benowitz N. Higher levels of nicotine in arterial than in venous blood after cigarette smoking. *Drug and Alcohol Dependence*, 1993; 33(1):23–9. Available from: [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6T63-4BWFD64-VW&\\_user=10&\\_coverDate=06%2F30%2F1993&\\_alid=777082148&\\_rdoc=1&\\_fmt=high&\\_orig=search&\\_cdi=5019&\\_sort=d&\\_docanchor=&view=c&\\_ct=2&\\_acct=C000050221&\\_version=1&\\_urlVersion=0&\\_userid=10&md5=2fc9a959c42882f2b40455d54f0c9ad5](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T63-4BWFD64-VW&_user=10&_coverDate=06%2F30%2F1993&_alid=777082148&_rdoc=1&_fmt=high&_orig=search&_cdi=5019&_sort=d&_docanchor=&view=c&_ct=2&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=2fc9a959c42882f2b40455d54f0c9ad5)

Heatherton T, Kozlowski L, Frecker R, and Fagerström K. The Fagerström test for nicotine dependence: A revision of the Fagerström tolerance questionnaire. *British Journal of Addiction*, 1991; 86(9):1119-27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/1932883>

## News reports:

Kelland K. Is nicotine all bad? *Reuters*, 2015. Available from: <http://uk.reuters.com/article/2015/05/19/us-health-nicotine-insight-idUKKBN0O412Q20150519>

No authors listed. Studies of 'vaping' brain may offer clues on smoking addiction. Latinos Health, 2014. Available from: <http://www.latinoshealth.com/articles/3930/20141110/studies-of-vaping-brain-may-offer-clues-on-smoking-addiction.htm>

No authors listed. Nicotine "no more harmful to health than caffeine". Medical News Today, 2015. Available from: <http://www.medicalnewstoday.com/releases/298123.php?tw>

No authors listed. Study with 'never-smokers' sheds light on the earliest stages of nicotine dependence Medical News Today, 2015. Available from:  
<http://www.medicalnewstoday.com/releases/299330.php?tw>

No authors listed. Study reveals new mechanism in nicotine addiction. Medical Xpress, 2015. Available from: <http://medicalxpress.com/news/2015-12-reveals-mechanism-nicotine-addiction.html>

Higa de Landoni J. Nicotine. Poisons Information Monographs, Ottawa: International Programme on Chemical Safety - IPS INCHEM, 1991. Available from:  
<http://www.inchem.org/documents/pims/chemical/nicotine.htm>.

US Department of Health and Human Services. Reducing the health consequences of smoking: 25 years of progress. A report of the US surgeon general. Rockville, Maryland: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Centre for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health, 1989. Available from:  
[http://www.cdc.gov/tobacco/data\\_statistics/sgr/previous\\_sgr.htm](http://www.cdc.gov/tobacco/data_statistics/sgr/previous_sgr.htm).