

Tobacco in Australia

Facts & Issues

Relevant news and research

7.10 Role of health professionals and social services

Last updated December 2024

Research:.....	3
7.10.1 General practitioners (GPs).....	23
7.10.1.1 GP Practice nurses.....	38
7.10.2 Hospital-based interventions.....	40
7.10.2.1 Emergency department.....	51
7.10.2.2 In-patient care.....	54
7.10.2.3 Surgical care.....	59
7.10.2.4 Outpatient care.....	62
7.10.3 Pharmacists.....	65
7.10.4 Dentists.....	73
7.10.5 Specialists.....	81
7.10.6 Allied health professionals.....	92
7.10.7 Social and community service organisations.....	100
7.10.8 Practitioners of complementary and alternative medicine.....	105
7.10.9 Training health professionals in smoking cessation interventions.....	106
7.10.10 Increasing intervention delivery and referrals.....	119
News reports:.....	129
7.10.1 General practitioners (GPs).....	130
7.10.2 Hospital-based interventions.....	131

7.10.2.1 <i>Emergency department</i>	132
7.10.2.2 <i>In-patient care</i>	132
7.10.2.3 <i>Surgical care</i>	132
7.10.3 Pharmacists	132
7.10.5 Specialists	133
7.10.6 Allied health professionals	133
7.10.7 Social and community service organisations.....	134
7.10.9 Training health professionals in smoking cessation interventions	134

Research:

Baillet, E, Serre, F, & Auriacombe, M. (2024). Making alcohol and tobacco preventable deaths truly preventable! Addiction as a modifiable risk factor for alcohol and tobacco preventable mortality. *Arch Public Health*, 82(1), 167. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39334481>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. (2002). In *PDQ Cancer Information Summaries*. Bethesda (MD). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26389444>

QuickStats: Percentage* of Current Cigarette Smokers(dagger) Aged >=18 Years Who Received Advice from a Health Professional To Quit Smoking,(section sign) by Sex and Age Group - United States, 2022. (2024). *MMWR Morb Mortal Wkly Rep*, 73(24), 565. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38900706>

Cheng, CCW, He, WJA, Gouda, H, Zhang, MJ, Luk, TT, Wang, MP et al. (2024). Effectiveness of Very Brief Advice on Tobacco Cessation: A Systematic Review and Meta-Analysis. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38696026>

Costantino, C, Bonaccorso, N, Minutolo, G, Sciortino, M, Ripoli, G, Berardi, M et al. (2024). Prevalence of smoking habits, attitudes and knowledge on counteractive strategies among a sample of healthcare employees: results of the smoking-free health environments project in the province of Palermo, Italy. *Front Public Health*, 12, 1335937. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38375336>

Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. (2002). In *PDQ Cancer Information Summaries*. Bethesda (MD). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26389444>

Golden, T, Courtney-Long, E, & VanFrank, B. (2023). Healthcare Providers' Knowledge of Evidence-Based Treatment for Tobacco Dependence, DocStyles 2020. *Am J Health Promot*, 8901171231202626. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37731286>

Mohd Noordin, Z, Neoh, CF, Ibrahim Ghazali, NH, & Karuppanan, M. (2023). "A person who do not smoke will not understand a person who smokes and trying to quit..." Insights From Quit Smoking Clinics' Defaulters: A Qualitative Study. *J Patient Exp*, 10, 23743735231184690. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37424538>

Evenhuis, A, Occhipinti, S, Jones, L, & Wishart, D. (2023). Factors associated with cessation of smoking in health professionals: a scoping review. *Glob Health Action*, 16(1), 2216068. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37254873>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. (2002). In *PDQ Cancer Information Summaries*. Bethesda (MD). Bialous, S, Krishnasamy, M, Marsh, J, Downing, JD, So, WKW, & Yates, P. (2023). ISNCC Position Statement on Tobacco. *Cancer Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36962001>

Kunkulol, R., Tayade, M. C., & Narwane, S. (2023). Study of exit survey and awareness program analysis on tobacco cessation counselling amongst the health care professionals of the tertiary care.

J Family Med Prim Care, 12(2), 236-241. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37091032>

Mahoto, S. K., Mitonga, H. K., Oladimeji, O., & Oladimeji, O. (2023). Barriers to the provision of smoking cessation intervention/services: A mixed-methods study among health care workers in Zambezi region, Namibia. *J Public Health Afr*, 14(2), 1992. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37065816>

Brennan-Tovey, K, Aquino, MRJ, Flanagan, S, Kaner, E, Wearn, A, Bigirumurame, T et al. (2022). Implementation of the NHS-funded tobacco dependence services in England: a qualitative study to understand the contexts of implementation. *Lancet*, 400 Suppl 1, S24. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36929967>

Sachs, DPL, & Leone, FT. (2023). Treatment Is the Key to Addressing Tobacco Dependence. *Chest*, 163(1), e50-e51. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36628689>

Mersha, AG, Eftekhari, P, Kennedy, M, & Gould, GS. (2022). Attitudes and practices of health care providers towards improving adherence to smoking cessation medications in Australia: A descriptive study. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36284364>

Khalife, J. (2022). Mainstreaming smoking cessation brief advice in health systems using the United Nations human rights system. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36089565>

Stone, E, & Paul, C. (2022). The Tobacco Endgame-A New Paradigm for Smoking Cessation in Cancer Clinics. *Curr Oncol*, 29(9), 6325-6333. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36135066>

Fullerton, DG, & Evison, M. (2022). The medical management of tobacco dependency: from negligence to excellence. *Br J Hosp Med (Lond)*, 83(7), 1-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35938765>

Siddiqi, AD, Britton, M, Chen, TA, Carter, BJ, Wang, C, Martinez Leal, I et al. (2022). Tobacco Screening Practices and Perceived Barriers to Offering Tobacco Cessation Services among Texas Health Care Centers Providing Behavioral Health Treatment. *Int J Environ Res Public Health*, 19(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35955001>

van Westen-Lagerweij, NA, Bommele, J, Willemsen, MC, & Croes, EA. (2022). Mentioning smoking cessation assistance during healthcare consultations matters: findings from Dutch survey research. *Eur J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36001051>

McCormack, J, Walker, N, McRobbie, H, Wright, K, Nosa, V, Fernandes, B, & Bullen, C. (2022). Revised Guidelines for smoking cessation in New Zealand, 2021. *N Z Med J*, 135(1558), 54-64. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35834834>

Kralikova, E, Zvolaska, K, Stepankova, L, & Pankova, A. (2022). Tobacco dependence treatment guidelines. *Cas Lek Cesk*, 161(1), 33-43. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35354292>

Mansour, MB, Crone, MR, Sert, E, van Weert, HC, Chavannes, N H, & van Asselt, KM. (2022). Smoking cessation strategy in the national cervical cancer screening program (SUCCESS): study protocol for a

pragmatic cluster randomised trial and process evaluation in Dutch general practice. *BMJ Open*, 12(4), e055812. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35379626>

Mansour, MBL, Crone, MR, van Weert, HC, Chavannes, NH, & van Asselt, KM. (2022). Stop smoking advice by practice assistants after routine cervical screening in general practice: A qualitative exploration of potential barriers and enablers. *Eur J Gen Pract*, 28(1), 56-65. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35394361>

Pinho-Gomes, AC, Owen, L, Carmona, C, Baillie, N, & Richardson, J. (2022). Spotlight on tobacco guidance: NICE public health guidance update. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35373818>

Geevarghese, A, Baskaradoss, JK, Tsafa, TN, & Agaku, IT. (2022). Smoking Status of Faculty and Their Tobacco Cessation Counselling Advisory. *Int Dent J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35292174>

Ho, KY, Lam, KKW, Wu, CST, Leung, DYP, Yeung, WF, Hung, TM et al. (2022). Utilization of the Youth Quitline as an opportunity for an undergraduate nursing students to deliver smoking cessation counseling as their clinical placement: An implementation of a service-learning model. *Nurse Educ Today*, 112, 105330. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35303543>

Pipe, AL, Evans, W, & Papadakis, S. (2022). Smoking cessation: health system challenges and opportunities. *Tobacco Control*, 31(2), 340-347. Retrieved from <https://tobaccocontrol.bmj.com/content/tobaccocontrol/31/2/340.full.pdf>

Suen, LW, Rafferty, H, Le, T, Chung, K, Straus, E, Chen, E, & Vijayaraghavan, M. (2022). Factors associated with smoking cessation attempts in a public, safety-net primary care system. *Prev Med Rep*, 26, 101699. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35145838>

Streck, S, McIntire, R, Canale, L, Anderson, JM, Hartwell, M, Torgerson, T et al. (2022). An evaluation of evidence underpinning management recommendations in tobacco use disorder clinical practice guidelines. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35023556>

Hirvonen, E, Karlsson, A, Saaresranta, T, & Laitinen, T. (2021). Documentation of the patient's smoking status in common chronic diseases - analysis of medical narrative reports using the ULMFIT based text classification. *Eur Clin Respir J*, 8(1), 2004664. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34868489>

Matulewicz, RS, Feuer, Z, Birken, SA, Makarov, DV, Sherman, SE, Bjurlin, MA, & El Shahawy, O. (2021). National assessment of recommendations from healthcare providers for smoking cessation among adults with cancer. *Cancer Epidemiol*, 102088. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34930697>

Campo, L, Vecera, F, & Fustinoni, S. (2021). Validation of a Questionnaire to Assess Smoking Habits, Attitudes, Knowledge, and Needs among University Students: A Pilot Study among Obstetrics Students. *Int J Environ Res Public Health*, 18(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34831630>

Devresse, A, Gohy, S, Robert, A, & Kanaan, N. (2021). How to manage cigarette smoking in kidney transplant candidates and recipients? *Clin Kidney J*, 14(11), 2295-2303. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34754426>

- Buchanan, T, White, SL, Marshall, H, Carson-Chahhoud, KV, Magee, CA, & Kelly, PJ. (2021). Time to rethink tobacco dependence treatment in Australia. *Aust N Z J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34529331>
- Tamirat, T. (2021). Health Workers' Practice Towards Smoking Cessation Intervention Based on 5A's Model and Associated Factors in Public Hospitals, Hadiya Zone, Southern Ethiopia. *Patient Relat Outcome Meas*, 12, 291-298. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34557050>
- Hilts, KE, Yeager, VA, Kooreman, H, Smith, R, Busching, B, & Spitznagle, M. (2021). Public Health and Health Care Partnerships for Improved Tobacco Cessation. *J Public Health Manag Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34347652>
- Kohn, R, Vachani, A, Small, D, Stephens-Shields, AJ, Sheu, D, Madden, VL et al. (2021). Comparing Smoking Cessation Interventions among Underserved Patients Referred for Lung Cancer Screening: A Pragmatic Trial Protocol. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34384042>
- Ngoc Yen, P, Obeid, MJ, Quy Chau, N, Van Giap, V, Viet Nhung, N, Yen, NH et al. (2021). Behaviors and Attitudes Toward Smoking Among Health Care Workers at Health Facilities in 4 Provinces of Vietnam: A Representative Cross-Sectional Survey. *Asia Pac J Public Health*, 10105395211036275. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34330179>
- Baliunas, D, Selby, P, de Oliveira, C, Kurdyak, P, Rosella, L, Zawertailo, L et al (2021). Primary care-based smoking cessation treatment and subsequent healthcare service utilisation: a matched cohort study of smokers using linked administrative healthcare data. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34083493>
- Veldhuizen, S, Zawertailo, L, & Selby, P. (2021). Variability in outcomes and quality-of-care indicators across clinics participating in a large smoking-cessation program. *J Subst Abuse Treat*, 130, 108409. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34118701>
- Braillon, A. (2021). Smoking Cessation Is Not About Assessing Dependency But Practicing Empathy. *Chest*, 159(5), 2121-2122. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33965148>
- Harris, DR, Henderson, DW, & Corbeau, A. (2020). Improving the Utility of Tobacco-Related Problem List Entries Using Natural Language Processing. *AMIA Annu Symp Proc*, 2020, 534-543. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33936427>
- Li, L, Zhan, S, Hu, L, Wilson, KM, Mazumdar, M, & Liu, B. (2021). Examining the role of healthcare access in racial/ethnic disparities in receipt of provider-patient discussions about smoking: A latent class analysis. *Prev Med*, 148, 106584. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33930432>
- Ayo-Yusuf, OA, & Omole, OB. (2021). Smoking cessation advice and quit attempts in South Africa between 2007 and 2017: A cross-sectional study. *Tob Induc Dis*, 19, 11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33584166>
- Lewis, JA, Senft, N, Chen, H, Weaver, KE, Spalluto, LB, Sandler, KL et al (2021). Evidence-based smoking cessation treatment: a comparison by healthcare system. *BMC Health Serv Res*, 21(1), 33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33413353>

Ohde, JW, Master, Z, Tilburt, JC, & Warner, DO. (2021). Presumed Consent With Opt-Out: An Ethical Consent Approach to Automatically Refer Patients With Cancer to Tobacco Treatment Services. *J Clin Oncol*, JCO2003180. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33439692>

Klein, JD, Gorzkowski, J, Resnick, EA, Harris, D, Kaseeska, K, Pbert, L et al (2020). Delivery and Impact of a Motivational Intervention for Smoking Cessation: A PROS Study. *Pediatrics*, 146(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32989082>

Omorphos, NP, Kitchener, A, & Wilkinson, A. (2020). A retrospective analysis of smoking cessation measures: A single-center approach. *J Vasc Nurs*, 38(3), 137-139. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32950114>

Onchonga, D, Khatatbeh, H, Thurani, M, Lennox, K, & Venkatesh, MBR. (2020). Assessing the usability of a Willingness to Quit smoking questionnaire in a sample of active tobacco smokers: A qualitative study. *J Addict Dis*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32838698>

Persai, D, Karan, A, & Panda, R. (2020). Incremental Benefits of Multiple Tobacco Control Interventions: A Factorial Randomized Control Trial. *Asian Pac J Cancer Prev*, 21(7), 1905-1911. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32711414>

Siewchaisakul, P, Luh, DL, Chiu, SYH, Yen, AMF, Chen, CD, & Chen, HH. (2020). Smoking cessation advice from healthcare professionals helps those in the contemplation and preparation stage: An application with transtheoretical model underpinning in a community-based program. *Tob Induc Dis*, 18, 57. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32641923>

Almaaitah, S, Ciemins, EL, Joshi, V, Arora, A, Meskow, C, & Rothberg, MB. (2020). Variation in Patient Smoking Cessation Rates among Health Care Providers: An Observational Study. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32561440>

Jimenez-Ruiz, CA, Chatkin, JM, Morais, A, Zabert, G, Rosa, P, Gea, Q et al (2020). Consensus Document on Medical Faculty Education on the Treatment of Smoking. *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32513588>

La Torre, G, Tiberio, G, Sindoni, A, Dorelli, B, & Cammalleri, V. (2020). Smoking cessation interventions on health-care workers: a systematic review and meta-analysis. *PeerJ*, 8, e9396. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32587807>

Riley, C, & Ladak, N. (2020). Reducing paediatric exposure to environmental tobacco smoke: the effects of paediatric exposure to environmental tobacco smoke and the role of paediatric peri-operative care. *Paediatr Anaesth*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32395863>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. (2002). In *PDQ Cancer Information Summaries*. Bethesda (MD). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26389444>

Chu, S, Liang, L, Jing, H, Zhang, D, & Tong, Z. (2019). Patients' self-reported receipt of brief smoking cessation interventions based on a decision support tool embedded in the healthcare information

system of a large general hospital in China. *Tob Induc Dis*, 17, 73. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31768165>

Jordan, K. (2019). A Provider - Patient Relationship: The Critical First Step of Smoking Cessation. *J Gen Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31720963>

Lin, H, Xiao, D, Liu, Z, Shi, Q, Hajek, P, & Wang, C. (2019). National survey of smoking cessation provision in China. *Tob Induc Dis*, 17, 25. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31582936>

Meijer, E, Van der Kleij, R, & Chavannes, NH. (2019). Facilitating smoking cessation in patients who smoke: a large-scale cross-sectional comparison of fourteen groups of healthcare providers. *BMC Health Serv Res*, 19(1), 750. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31653215>

Bernstein, SL, & Toll, BA. (2019). Ask about smoking, not quitting: a chronic disease approach to assessing and treating tobacco use. *Addict Sci Clin Pract*, 14(1), 29. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31474229>

Tidey, JW. (2019). The Bad and Good News about Tobacco Treatment for People with Comorbid Conditions in the US Healthcare System. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31433057>

Meijer, E, van der Kleij, R, Segaar, D, & Chavannes, N. Determinants of providing smoking cessation care in five groups of healthcare professionals: A cross-sectional comparison. *Patient Educ Couns*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30718091>

Buduneli, N. Editorial: Can we help smoking patients? How? *Oral Health Prev Dent*, 2018. 16(5), 389-390. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30460351>

Goddard, A, Burn, W, Regan, L, Viner, R, Stokes-Lampard, H, Mahajan, R et al. Open letter to Simon Stevens to ensure that tobacco dependence treatment is provided for every smoker cared for by the NHS, as part of the long term plan. *BMJ*, 2018. 363, k4827. Available from:

<https://www.bmj.com/content/bmj/363/bmj.k4827.full.pdf>

Harutyunyan, A, Abrahamyan, A, Hayrumyan, V, & Petrosyan, V. Perceived barriers of tobacco dependence treatment: a mixed-methods study among primary healthcare physicians in Armenia. *Prim Health Care Res Dev*, 2018. 1-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30421696>

McRee, B, Babor, TF, Lynch, ML, Vendetti, JA. Reliability and Validity of a Two-Question Version of the World Health Organization's Alcohol, Smoking and Substance Involvement Screening Test: The ASSIST-FC. *J Stud Alcohol Drugs*. 2018 Jul;79(4):649-657. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30079882>

Bloom, EL, Burke, MV, Kotsen, C, Goldstein, AO, Ripley-Moffitt, C, Steinberg, MB, Dailey, M, Hunt, LE, Bars, MP. Billing Practices Among US Tobacco Use Treatment Providers. *J Addict Med*, 2018.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30044243>

Dai, H, Clements, M. Trends in Healthcare Provider Advice on Youth Tobacco Use, 2011-2015. *Am J Prev Med*. 2018 Jun 19. pii: S0749-3797(18)31698-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29934017>

Pierce, JP. Helping smokers to quit. *BMJ*. 2018 Jun 27;361:k2806. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29950493>

Polubriaginof, F, Salmasian, H, Albert, DA, Vawdrey, DK. Challenges with Collecting Smoking Status in Electronic Health Records. *AMIA Annu Symp Proc*. 2018 Apr 16;2017:1392-1400. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29854208>

Rojewski, AM, Bailey, SR, Bernstein, SL, Cooperman, NA, Gritz, ER, Karam-Hage, MA, Piper, ME, Rigotti, NA, Warren, GW, Comorbidities Workgroup of the Society for Research on, Nicotine and Tobacco Treatment, Network. *Nicotine Tob Res*, 2018. June 15, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29917118>

Meschia, JF, Brott, TG. Every physician should discourage cigarette smoking. *Eur J Neurol*. 2018 Jun;25(6):e65. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29756320>

Reile, R, Parna, K. Do physicians address their patients' smoking behavior? Results from a nationwide survey among physicians in Estonia. *Public Health*. 2018 May 24;161:1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29804054>

Tucker, JS, Stucky, BD, Edelen, MO, Shadel, WG, Klein, DJ. Healthcare provider counseling to quit smoking and patient desire to quit: The role of negative smoking outcome expectancies. *Addict Behav*. 2018 May 21;85:8-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29793182>

Hegde, H, Shimpi, N, Glurich, I, Acharya, A. Tobacco use status from clinical notes using Natural Language Processing and rule based algorithm. *Technol Health Care*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29614708>

Luck, KE, Doucet, S. What Are the Perceptions, Experiences, and Behaviors of Health Care Providers After Implementation of a Comprehensive Smoke-Free Hospital Policy? *Glob Qual Nurs Res*. 2018 Mar 15;5:2333393618756770. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29568792>

Minian, N, deRuiter, WK, Lingam, M, Corrin, T, Dragonetti, R, Manson, H, Taylor, VH, Zawertailo, L, Ebnahmady, A, Melamed, OC, Rodak, T, Hahn, M, Selby, P. The effects of interventions targeting multiple health behaviors on smoking cessation outcomes: a rapid realist review protocol. *Syst Rev*. 2018 Mar 1;7(1):38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29490688>

Newhouse, R, Byon, HD, Storkman Wolf, E, Johantgen, M. Multisite Studies Demonstrate Positive Relationship Between Practice Environments and Smoking Cessation Counseling Evidence-Based Practices. *Worldviews Evid Based Nurs*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29528194>

Nilan, K, McNeill, A, Murray, RL, McKeever, TM, Raw, M. A survey of tobacco dependence treatment guidelines content in 61 countries. *Addiction*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29488266>

Steliga, MA. Smoking Cessation in Clinical Practice: How to Get Patients to Stop. *Semin Thorac Cardiovasc Surg*. 2018 Mar 7. pii: S1043-0679(18)30079-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29524601>

Venkataramani, M, Solomon, BS, Cheng, TL, Pollack, CE. National Estimates of Advice to Quit and Child-Focused Smoking Counseling Provided to Parents Who Smoke. *J Gen Intern Med*. 2018 Mar 14. pii: 10.1007/s11606-018-4382-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29542007>

Iida, M. How Should We Effectively Support Smoking Cessation at Health Checkup Opportunity and Induce More Quitters. *J Atheroscler Thromb*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29467343>

Matouq, A, Khader, Y, Khader, A, Al-Rabadi, A, Al Omari, M, Iblan, I, Al-Sheyab, N. Knowledge, attitude, and behaviors of health professionals towards smoking cessation in primary healthcare settings. *Transl Behav Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29444289>

Sipos, V, Palinkas, A, Kovacs, N, Csenteri, KO, Vincze, F, Szollosi, JG, Jenei, T, Papp, M, Adany, R, Sandor, J. Smoking cessation support for regular smokers in Hungarian primary care: a nationwide representative cross-sectional study. *BMJ Open*. 2018 Feb 3;8(2):e018932. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29431134>

Cohen, JK, Bakamjian, A, Leng, L, Adhikari, M, Flattery, D, Berry, L. No Ifs, Ands, or Buts: Leveraging Population Health to Focus on the Care of Patients Who Smoke. *J Med Educ Curric Dev*. 2017 Oct 9;4:2382120517735010. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29349342>

Lu, CC, Hsiao, YC, Huang, HW, Lin, JY, Huang, CL. Effects of a Nurse-Led, Stage-Matched, Tailored Program for Smoking Cessation in Health Education Centers: A Prospective, Randomized, Controlled Trial. *Clin Nurs Res*. 2018 Jan 1:1054773817754276. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29363339>

Compton, W. The need to incorporate smoking cessation into behavioral health treatment. *Am J Addict*. 2018 Jan;27(1):42-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29283480>

Moyo, F, Archibald, E, Slyer, JT. Effectiveness of decision aids on smoking cessation in adult patients: a systematic review protocol. *JBI Database System Rev Implement Rep*. 2017 Dec;15(12):2881-2889. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29219872>

Nakamura, K, Watanabe, M, Okuda, N, Yoshita, K, Kabayama, M, Torii, S, Kuribayashi, T, Itai, K, Kamide, K, Miura, K, Okayama, A. The Influence of the Japanese Nationwide Cardiovascular Prevention System Health Guidance on Smoking Cessation Among Smokers: A Propensity Score Matching Analysis. *J Atheroscler Thromb*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29199202>

Rice, VH, Heath, L, Livingstone-Banks, J, Hartmann-Boyce, J. Nursing interventions for smoking cessation. *Cochrane Database Syst Rev*. 2017 Dec 15;12:CD001188. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29243221>

Martinez, C, Castellano, Y, Andres, A, Fu, M, Anton, L, Ballbe, M, Fernandez, P, Cabrera, S, Riccobene, A, Gavilan, E, Feliu, A, Baena, A, Margalef, M, Fernandez, E. Factors associated with implementation

of the 5A's smoking cessation model. *Tob Induc Dis*. 2017 Nov 2;15:41. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29142531>

Arenberg, D. "Quick, Where Is My Cigarette?" Mining Tobacco History for More Information on Risk. *J Thorac Oncol*. 2017 Nov;12(11):1606-1607. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29074206>

Klemperer, EM, Hughes, JR. Commentary on Wu et al. (2017): Do very brief reduction interventions increase quitting among smokers not ready to quit? *Addiction*. 2017 Nov;112(11):2041-2042.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28990300>

Prasad, S, Kaiser, MA, Cucullo, L. Unhealthy smokers: scopes for prophylactic intervention and clinical treatment. *BMC Neurosci*. 2017 Oct 4;18(1):70. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28985714>

Baker, CL, Bruno, M, Grant, L, Johnson, C, Bennett, B, Brohan, E, Emir, B. Content Validity of a Willingness to Quit Tool for Use with Current Smokers in Clinical Practice. *Adv Ther*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28940115>

Brown, C, Wei, F. The Impact of Insurance Gain and Discussions with Healthcare Providers on Quitting Smoking. *Behav Med*, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28876188>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Patient Version.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26389305>

Schayck, O, Williams, S, Barchilon, V, Baxter, N, Jawad, M, Katsaounou, PA, Kirenga, BJ, Panaitescu, C, Tsiligianni, I G, Zwar, N, Ostrem, A. Erratum: Treating tobacco dependence: guidance for primary care on life-saving interventions. Position statement of the IPCRG. *NPJ Prim Care Respir Med*. 2017 Sep 5;27(1):52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28874667>

Farley, A, Koshiaris, C, Oke, J, Ryan, R, Szatkowski, L, Stevens, R, Aveyard, P. Physician Support of Smoking Cessation After Diagnosis of Lung, Bladder, or Upper Aerodigestive Tract Cancer. *Ann Fam Med*. 2017 Sep;15(5):443-450. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28893814>

guyen, AB, Robinson, J, O'Brien, EK, Zhao, X. Racial and Ethnic Differences in Tobacco Information Seeking and Information Sources: Findings From the 2015 Health Information National Trends Survey. *J Health Commun*. 2017 Sep;22(9):743-752. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28762887>

Nguyen, N, Nguyen, T, Chapman, J, Nguyen, L, Kumar, P, VanDevanter, N, Shelley, D. Tobacco cessation in Vietnam: Exploring the role of village health workers. *Glob Public Health*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28776481>

Zuzelo, PR. Smokers' Guilt and Shame: Reactions to Smoking and to Providers' Cessation Efforts. *Holist Nurs Pract*. 2017 Sep/Oct;31(5):353-355. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28786893>

Martins, SR, Paceli, RB, Bussacos, MA, Fernandes, FLA, Prado, GF, Lombardi, EMS, Terra-Filho, M, Santos, UP. Effective tobacco control measures: agreement among medical students. *J Bras Pneumol*. 2017 May-Jun;43(3):202-207. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28746531>

Arif, I, Assad, S, Sulehria, T. Smoke on a white coat. *J Family Med Prim Care*. 2016 Oct-Dec;5(4):885.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28349015>

Capelletto, E, Rapetti, SG, Demichelis, S, Galetta, D, Catino, A, Ricci, D, Moretti, AM, Bria, E, Pilotto, S, Bruno, A, Valmadre, G, Bandelli, GP, Trisolini, R, Gianetta, M, Pacchiana, MV, Vallone, S, Novello, S. Final data of an Italian multicentric survey about counseling for smoking cessation in patients with diagnosis of a respiratory disease. *Clin Respir J*, May 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28466511>

Geletko, KW, Myers, K, Brownstein, N, Jameson, B, Lopez, D, Sharpe, A, Bellamy, GR. Medical Residents' and Practicing Physicians' e-Cigarette Knowledge and Patient Screening Activities: Do They Differ? *Health Serv Res Manag Epidemiol*, Nov 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28462285>

de Ruijter, D, Smit, ES, de Vries, H, Goossens, L, Hoving, C. Understanding Dutch practice nurses' adherence to evidence-based smoking cessation guidelines and their needs for web-based adherence support: results from semistructured interviews. *BMJ Open*. 2017 Mar 22;7(3):e014154.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28336746>

de Ruijter, D, Smit, ES, de Vries, H, Hoving, C. Dutch practice nurses' adherence to evidence-based smoking cessation treatment guidelines. *Fam Pract*, May 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28486612>

Holliday, R, Amin, K, Lawrence, V, Preshaw, PM. Tobacco education in UK dental schools: A survey of current practice. *Eur J Dent Educ*, Jun 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28653495>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26389444>

No authors listed. Readers' panel - Do nurses have a duty to set an example and quit smoking? *Nurs Stand*. 2017 Mar 8;31(28):33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28271764>

Landis, ZC, Rolius, R, Scott, IU. Practice Patterns Among Eye Care Providers at US Teaching Hospitals with Regards to Assessing and Educating Patients About Smoking. *Am J Ophthalmol*. 2017 Jun 1. pii: S0002-9394(17)30225-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28579064>

Farley, A, Tearne, S, Taskila, T, Williams, RH, MacAskill, S, Etter, JF, Aveyard, P. Erratum to: A mixed methods feasibility study of nicotine-assisted smoking reduction programmes delivered by community pharmacists - The RedPharm study. *BMC Public Health*. 2017 Mar 31;17(1):288. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28363278>

McCrabb, S, Baker, AL, Attia, J, Balogh, ZJ, Lott, N, Palazzi, K, Naylor, J, Harris, IA, Doran, C, George, J, Wolfenden, L, Skelton, E, Bonevski, B. Who is More Likely to Use the Internet for Health Behavior

Change? A Cross-Sectional Survey of Internet Use Among Smokers and Nonsmokers Who Are Orthopedic Trauma Patients. *JMIR Ment Health*. 2017 May 30;4(2):e18. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28559228>

Drouin, O, McMillen, RC, Klein, JD, Winickoff, JP. E-Cigarette Advice to Patients From Physicians and Dentists in the United States. *Am J Health Promot*, Jan 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28558492>

Schindler-Ruwisch, JM, Abrams, LC, Bernstein, SL, Heminger, CL. A content analysis of electronic health record (EHR) functionality to support tobacco treatment. *Transl Behav Med*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27800564>

Cawkwell, PB, Lee, L, Shearston, J, Sherman, SE, Weitzman, M. The difference a decade makes: smoking cessation counseling and screening at pediatric visits. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613894>

Eaves, ER, Nichter, M, Howerter, A, Floden, L, Ritenbaugh, C, Gordon, JS, Muramoto, ML. Printed educational materials' impact on tobacco cessation brief interventions in CAM practice: patient and practitioner experiences. *Health Promot Pract*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27591225>

Gallus, S, Lugo, A, Garattini, S, Pacifici, R, Mastrobattista, L, Marzo, G, Paglia, L. General practitioners and dentists: A call for action against tobacco. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613892>

choj, V, Mejia, R, Alderete, M, Kaplan, CP, Pena, L, Gregorich, SE, Alderete, E, Perez-Stable, EJ. Use of smoking cessation interventions by physicians in Argentina. *J Smok Cessat*. 2016 Sep;11(3):188-197. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27594922>

Watanabe, F, Shinohara, K, Dobashi, A, Amagai, K, Hara, K, Kurata, K, Iizima, H, Shimakawa, K, Shimada, M, Abe, S, Takei, K, Kamei, M. Assessment of assistance in smoking cessation therapy by pharmacies in collaboration with medical institutions- Implementation of a collaborative drug therapy management protocol based on a written agreement between physicians and pharmacists. *Yakugaku Zasshi*. 2016;136(9):1243-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27592827>

Allen, SR, Kritz-Silverstein, D. Dental vs. medical students' comfort with smoking cessation counseling: implications for dental education. *J Dent Educ*. 2016 Aug;80(8):959-65. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27480707>

Azuri, J, Nashef, S. Primary care physicians' characteristics and attitudes on smoking cessation. *Am J Health Behav*. 2016 Sep;40(5):578-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27561860>

Boykan, R, Milana, C, Propper, G, Bax, P, Celestino, P. Implementation of an inpatient electronic referral system (Opt-to-Quit) from the electronic health record to the New York State smokers' quitline: first steps. *Hosp Pediatr* Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27530349>

Kaplan, RM, Fang, Z, Morgan, G. Providers' advice concerning smoking cessation: Evidence from the Medical Expenditures Panel Survey. *Prev Med*. 2016 Jul 28;91:32-36. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27475105>

ala, R, Csikar, J, Douglas, G, Muarry, J. Factors that influence delivery of tobacco cessation support in general dental practice: a narrative review. *J Public Health Dent*, Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27568867>

Lasebikan, VO, Ola, BA. Community-based screening, Brief intervention, and referral for treatment for unhealthy tobacco use: single arm study experience and implementation success in rural and semi-rural settings, South-West Nigeria. *Front Psychiatry*. 2016 Aug 2;7:134. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27531984>

Zhang, B, Chaiton, MO, Diemert, LM, Bondy, SJ, Brown, KS, Ferrence, R. Health professional advice, use of medications and smoking cessation: A population-based prospective cohort study. *Prev Med*. 2016 Aug 2;91:117-122. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27496392>

Anthony, D, Dyson, PA, Lv, J, Thankappan, KR, Champgane, B, Matthews, DR. Community Interventions for Health can support clinicians in advising patients to reduce tobacco use, improve dietary intake and increase physical activity. *J Clin Nurs*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27453167>

Curry, SJ, Mermelstein, RJ, Sporer, AK. Sustainability of community-based youth smoking cessation programs: Results from a 3-year follow-up. *Health Promot Pract*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27371830>

McGeechan, GJ, Woodall, D, Anderson, L, Wilson, L, O'Neill, G, Newbury-Birch, D. A coproduction community based approach to reducing smoking prevalence in a local community setting. *J Environ Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27446219>

Pineiro, B, Simmons, VN, Palmer, AM, Correa, JB, Brandon, TH. Smoking cessation interventions within the context of Low-Dose Computed Tomography lung cancer screening: A systematic review. *Lung Cancer*. 2016 Aug;98:91-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27393513>

Ruhil, R. Sociodemographic characteristics of tobacco users as determinants of tobacco use screening done by healthcare providers: Global Adult Tobacco Survey India 2009-2010. *J Family Med Prim Care*. 2016 Jan-Mar;5(1):82-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27453849>

Schoenberg, NE, Studts, CR, Shelton, BJ, Liu, M, Clayton, R, Bispo, JB, Fields, N, Dignan, M, Cooper, T. A randomized controlled trial of a faith-placed, lay health advisor delivered smoking cessation intervention for rural residents. *Prev Med Rep*. 2016 Apr 2;3:317-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27419031>

Schultz, AS, Guzman, R, Sawatzky, JV, Thurmeier, R, Fedorowicz, A, Fulmore, K. Reframing tobacco dependency management in acute care: A case study. *Health Policy*. 2016 Jun 22. pii: S0168-8510(16)30154-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27392584>

Shaik, SS, Doshi, D, Bandari, SR, Madupu, PR, Kulkarni, S. Tobacco use cessation and prevention - a review. *J Clin Diagn Res.* 2016 May;10(5):ZE13-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27437378>

Sohanpal, R, Rivas, C, Steed, L, MacNeill, V, Kuan, V, Edwards, E, Griffiths, C, Eldridge, S, Taylor, S, Walton, R. Understanding recruitment and retention in the NHS community pharmacy stop smoking service: perceptions of smoking cessation advisers. *BMJ Open.* 2016 Jul 7;6(7):e010921. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27388355>

Drehmer, JE, Hipple, B, Nabi-Burza, E, Ossip, DJ, Chang, Y, Rigotti, NA, Winickoff, JP. Proactive enrollment of parents to tobacco quitlines in pediatric practices is associated with greater quitline use: a cross-sectional study. *BMC Public Health.* 2016 Jun 24;16(1):520. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27342141>

Hall, K, Kisely, S, Gastanaduy, M, Urrego, F. Pediatricians' confidence and behaviors in smoking cessation promotion and knowledge of the smoking cessation trust. *Ochsner J.* 2016 Summer;16(2):130-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27303221>

Jenssen, BP, Bryant-Stephens, T, Leone, FT, Grundmeier, RW, Fiks, AG. Clinical decision support tool for parental tobacco treatment in primary care. *Pediatrics.* 2016 May;137(5). pii: e20154185. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27244817>

onteiro Mantovani, V, Rodriguez Acelas, AL, de FatimaLucena, A, de Abreu Almeida, M, Paz da Silva Heldt, E, Klockner Boaz, S, Echer, IC. Nursing outcomes for the evaluation of patients during smoking cessation. *Int J Nurs Knowl.* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27247247>

Karn, S, Fernandez, A, Grossberg, LA, Robertson, T, Sharp, B, Huang, P, Loukas, A. Systematically improving tobacco cessation patient services through electronic medical record integration. *Health Promotion Practice.* 2016 Jul;17(4):482-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27199147>

Moysidou, A, Farsalinos, KE, Voudris, V, Merakou, K, Kourea, K, Barbouni, A. Knowledge and perceptions about nicotine, nicotine replacement therapies and electronic cigarettes among healthcare professionals in Greece. *Int J Environ Res Public Health.* 2016 May 20;13(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27213421>

Papadakis, S, Cole, AG, Reid, RD, Coja, M, Aitken, D, Mullen, KA, Gharib, M, Pipe, AL. Increasing rates of tobacco treatment delivery in primary care practice: evaluation of the Ottawa model for smoking cessation. *Ann Fam Med.* 2016 May;14(3):235-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27184994>

Suen, YN, Wang, MP, Li, WH, Kwong, AC, Lai, VW, Chan, SS, Lam, TH. Brief advice and active referral for smoking cessation services among community smokers: a study protocol for randomized controlled trial. *BMC Public Health.* 2016 May 11;16(1):387. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27169630>

Barber, D, Williamson, T, Biro, S, Hall Barber, K, Martin, D, Kinsella, L, Morkem, R. Data discipline in electronic medical records: Improving smoking status documentation with a standardized intake tool

and process. *Can Fam Physician*. 2015 Dec;61(12):e570-6. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27035007>

Twarozek, AM, Eggert, T, Puca, ZG, DuPont, N, Erwin, DO, Fox, CH, Mahoney, MC. Promoting tobacco cessation in a community-based women's health centre. *J Womens Health Care*. 2015 Mar;4(2). pii: 225. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27127729>

Augustine, JM, Taylor, AM, Pelger, M, Schiefer, D, Warholak, TL. Smoking quit rates among patients receiving pharmacist-provided pharmacotherapy and telephonic smoking cessation counselling. *J Am Pharm Assoc (2003)*. 2016 Mar-Apr;56(2):129-36. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27000162>

Brown, TJ, Todd, A, O'Malley, C, Moore, HJ, Husband, AK, Bamba, C, Kasim, A, Sniehotta, FF, Steed, L, Smith, S, Nield, L, Summerbell, CD. Community pharmacy-delivered interventions for public health priorities: a systematic review of interventions for alcohol reduction, smoking cessation and weight management, including meta-analysis for smoking cessation. *BMJ Open*. 2016 Feb 29;6(2):e009828. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26928025>

Couch, ET, Chaffee, BW, Gansky, SA, Walsh, MM. The changing tobacco landscape: What dental professionals need to know. *J Am Dent Assoc*, 2016. *J Am Dent Assoc*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26988178>

Williams, GC, Lowenstein, L, Cox, JF, 3rd, Patrick, H, Adams, M J, Block, RC, Rigby, CS. Brief report of virtual clinician research tools for tobacco dependence or dyslipidemia. *J Health Psychol*, 2016.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26929166>

Avey, JP et al. Perceptions of pharmacogenetic research to guide tobacco cessation by patients, providers and leaders in a tribal healthcare setting. *Pharmacogenomics*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26871371>

Bornemann, P et al. Smoking cessation: What should you recommend? *J Fam Pract*, Jan 2016.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26845161>

Kruger, J et al. Receipt of evidence-based brief cessation interventions by health professionals and use of cessation assisted treatments among current adult cigarette-only smokers: National Adult Tobacco Survey, 2009-2010. *BMC Public Health*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26868930>

Rojewski, AM et al. Exploring issues of comorbid conditions in people who smoke. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26783291>

Bae, J et al. The electronic medical record's role in support of smoking cessation activities. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26659415>

Bogdanovica, I et al. What is the quality of smoking cessation advice in guidelines of tobacco-related diseases? *Clin Med (Lond)*, Dec 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26621943>

Csikar, JI et al. The cost-effectiveness of smoking cessation services provided by general dental practice, general medical practice, pharmacy and NHS Stop Smoking Services in the North of England. *Community Dent Oral Epidemiol*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26403940>

Ganz, O et al. Exploring smoking cessation attitudes, beliefs, and practices in occupational health nursing. *Workplace Health & Safety*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26187173>

Bjork, J et al. 'Are smokers less deserving of expensive treatment? A randomised controlled trial that goes beyond official values'. *BMC Medical Ethics*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25935412>

Greiver, M et al. Are we asking patients if they smoke? : Missing information on tobacco use in Canadian electronic medical records. *American Journal of Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25997907>

Halcomb, EJ et al. Process evaluation of a practice nurse-led smoking cessation trial in Australian general practice: views of general practitioners and practice nurses. *Family practice*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26024924>

Downie, LE, Keller, PR. The self-reported clinical practice behaviors of Australian optometrists as related to smoking, diet and nutritional supplementation. *PLoS One*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25886641>

Neutze, D et al. The implementation of a tobacco use registry in an academic family practice. *Journal of the American Board of Family Medicine*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25748762>

Pbert, L et al. State-of-the-art office-based interventions to eliminate youth tobacco use: the past decade. *Pediatrics*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25780075>

Ripley-Moffitt, C et al. Patient care outcomes of a tobacco use registry in an academic family practice. *Journal of the American Board of Family Medicine*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25748761>

Sullivan, E. Re: Tackling tobacco smoking: opportunities for pharmacists. *The International journal of pharmacy practice*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25757702>

Braillon, A, Darville, A. Brief counseling for tobacco cessation in dental clinics: A toothless intervention? *Preventive medicine*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25752873>

Kottke, TE et al. Persistence of smoking-cessation decision support use in a dental practice. *American journal of preventive medicine*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25736977>

Nishina, M et al. Effect of collaborative intervention by medical and dental professionals on adherence to smoking abstinence. The Bulletin of Tokyo Dental College, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25765576>

King, JL et al. Poor health among smokers obtaining colonoscopy screening: making the case for cessation intervention. Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25769348>

Kim, SH et al. Results of an inpatient smoking cessation program: 3-month cessation rate and predictors of success. Korean journal of family medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25802686>

Gilbert, NL et al. Smoking cessation during pregnancy and relapse after childbirth in Canada. Journal of obstetrics and gynaecology Canada, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25764034>

Son, KY et al. Hospitalization as a teachable moment for cigarette smoking cessation. Korean journal of family medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25802684>

Adams, J et al. Cluster-randomized trial of clinical pharmacist tobacco cessation counseling among patients with cardiovascular disease. Population Health Management, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25647441>

Bryant, J et al. Missed opportunities: general practitioner identification of their patients inverted question mark smoking status. BMC family practice, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25649312>

Cantor, SB et al. Cost-effectiveness analysis of smoking-cessation counseling training for physicians and pharmacists. Addictive Behaviors, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25644592>

Leone, FT et al. Behavioral economic insights into physician tobacco treatment decision making. Annals of the American Thoracic Society, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25664676>

Marin Armero, A et al. Pharmaceutical care in smoking cessation. Patient Preference and Adherence, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25678779>

Moody-Thomas, S et al. Effect of systems change and use of electronic health records on quit rates among tobacco users in a public hospital system. American Journal of Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25689197>

No authors listed. Survey of Australian oral health practitioners and their smoking cessation practices. Australian dental journal, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25721287>

Patil, PU et al. Patient receptivity to tobacco cessation counseling and services in a dental teaching institute: a patient review. Journal of International Oral Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25709362>

Razavi, SM et al. Attitude and practices among dentists and senior dental students in iran toward tobacco cessation as an effort to prevent oral cancer. Asian Pacific Journal of Cancer Prevention, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25640375>

Schwartz, MD et al. Panel management to improve smoking and hypertension outcomes by VA primary care teams: a cluster-randomized controlled trial. Journal of General Internal Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25666215>

van Rossem, C et al. Smoking cessation in primary care: Exploration of barriers and solutions in current daily practice from the perspective of smokers and healthcare professionals. The European journal of general practice, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25649048>

Zwar, NA et al. Quit in general practice: a cluster randomized trial of enhanced in-practice support for smoking cessation. Family practice, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25670206>

Xiao, R S et al. Tobacco counseling experience prior to starting medical school, tobacco treatment self-efficacy and knowledge among first-year medical students in the United States. Preventive Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25666737>

Ford, P et al. Survey of Australian oral health practitioners and their smoking cessation practices. Australian Dental Journal, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25721277>

Galanti, MR et al. Reply to Ms. PM-14-1161: Brief counseling for tobacco cessation in dental clinics: A toothless intervention? Preventive medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25684409>

Halladay, JR et al. Patient perspectives on tobacco use treatment in primary care. Preventing Chronic Disease, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25654219>

Lee, SM et al. Long-term quit rates after a perioperative smoking cessation randomized controlled trial. Anesthesia and Analgesia, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25695576>

McNamara RS, Song EY, Reboussin BA, Spangler J, Pockey JR, et al. Motivational Interviewing Intervention With College Student Tobacco Users: Providers' Beliefs and Behaviors. J Am Coll Health, 2015;0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25580630>

Collins GB, Jerry JM, and Bales R. Quitting smoking: Still a challenge, but newer tools show promise. Cleve Clin J Med, 2015; 82(1):39-48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25552626>

Robinson LA, Clawson AH, Weinberg JA, Salgado-Garcia FI, and Ali JS. Physician Intervention for Improving Tobacco Control Among Parents Who Use Tobacco. Clin Pediatr (Phila), 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25609099>

Hayes RB, Geller AC, Crawford SL, Jolicoeur DG, Churchill LC, et al. Medical school curriculum characteristics associated with intentions and frequency of tobacco dependence treatment among

3rd year U.S. medical students. *Prev Med*, 2015; 72C:56-63. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25572623>

Poulsen PB, Spillemoser H, Nielsen G, Hergel LL, Wedell-Wedellsborg D, et al. Real-life effectiveness of smoking-cessation treatments in general practice clinics in Denmark. The Escape Smoke project. *Respir Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25592244>

Dempsey J, Regan S, Drehmer JE, Finch S, Hipple B, et al. Black versus white differences in rates of addressing parental tobacco use in the pediatric setting. *Acad Pediatr*, 2015; 15(1):47-53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25528125>

Ballbe M, Martinez C, Salto E, Cabezas C, Riccobene A, et al. Maintenance of tobacco cessation programmes in public hospitals in Catalonia, Spain. *Addict Behav*, 2015; 42:136-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25462661>

Jones JW, Novick WM, and Sade RM. Should a medical center deny employment to a physician because he smokes tobacco products? *Ann Thorac Surg*, 2014; 98(3):799-805. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25193184>

Turker Y, Aydin LY, Baltaci D, Erdem O, Tanriverdi MH, et al. Evaluation of post-graduate training effect on smoking cessation practice and attitudes of family physicians towards tobacco control. *Int J Clin Exp Med*, 2014; 7(9):2763-70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25356137>

Verbiest ME, Chavannes NH, Passchier E, Noordman J, Scharloo M, et al. Sequence-analysis of video-recorded practitioner-patient communication about smoking in general practice: Do smokers express negative statements about quitting? *Patient Educ Couns*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25176607>

Williams JM, Miskimen T, Minsky S, Cooperman NA, Miller M, et al. Increasing Tobacco Dependence Treatment Through Continuing Education Training for Behavioral Health Professionals. *Psychiatr Serv*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25220158>

Jamal A, Dube SR, Babb SD, and Malarcher AM. Tobacco use screening and cessation assistance during physician office visits among persons aged 11--21 years --- national ambulatory medical care survey, United States, 2004--2010. *MMWR Surveill Summ*, 2014; 63:71-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25208261>

Boyle R, Solberg L, and Fiore M. Use of electronic health records to support smoking cessation. *Cochrane Database Syst Rev*, 2014; 12:CD008743. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25547090>

Buchbinder M, Wilbur R, Zuskov D, McLean S, and Sleath B. Teachable moments and missed opportunities for smoking cessation counseling in a Hospital Emergency Department: a mixed-methods study of patient-provider communication. *BMC Health Serv Res*, 2014; 14(1):651. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25526749>

Diez Pina JM, Quilez Ruiz-Rico N, and Bilbao-Goyoaga Arenas T. Smoking Cessation Clinics as an Aid for Early Diagnosis of Chronic Obstructive Pulmonary Disease. *Arch Bronconeumol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25547268>

Flocke SA, Step MM, Antognoli E, Lawson PJ, Smith S, et al. A randomized trial to evaluate primary care clinician training to use the Teachable Moment Communication Process for smoking cessation counseling. *Prev Med*, 2014; 69C:267-273. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25456811>

Haas JS, Linder JA, Park ER, Gonzalez I, Rigotti NA, et al. Proactive Tobacco Cessation Outreach to Smokers of Low Socioeconomic Status: A Randomized Clinical Trial. *JAMA Intern Med*, 2014.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25506771>

Jannat-Khah DP, McNeely J, Pereyra MR, Parish C, Pollack HA, et al. Dentists' self-perceived role in offering tobacco cessation services: results from a nationally representative survey, United States, 2010-2011. *Prev Chronic Dis*, 2014; 11:E196. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25376018>

Kralikova E, Kmetova A, Stepankova L, Zvolaska K, Felbrova V, et al. Tobacco dependence, the most important cardiovascular risk factor: treatment in the Czech Republic. *Physiol Res*, 2014; 63 Suppl 3:S361-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25428741>

Kulkarni M, Huddleston L, Taylor A, Sayal K, and Ratschen E. A cross-sectional survey of mental health clinicians inverted question mark knowledge, attitudes, and practice relating to tobacco dependence among young people with mental disorders. *BMC Health Serv Res*, 2014; 14(1):618.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25424565>

Lawrenson JG, Roberts CA, and Offord L. A pilot study of the feasibility of delivering a brief smoking cessation intervention in community optometric practice. *Public Health*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25443108>

McAfee T, Babb S, McNabb S, and Fiore MC. Helping Smokers Quit - Opportunities Created by the Affordable Care Act. *N Engl J Med*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25409263>

McCallum DM, Fosson GH, and Pisu M. Making the case for medicaid funding of smoking cessation treatment programs: an application to state-level health care savings. *J Health Care Poor Underserved*, 2014; 25(4):1922-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25418250>

Muramoto ML, Howerter A, Matthews E, Ford-Floden L, Gordon J, et al. Tobacco brief intervention training for chiropractic, acupuncture, and massage practitioners: protocol for the CAM reach study. *BMC Complement Altern Med*, 2014; 14(1):510. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25524595>

Nelson KE, Hersh AL, Nkoy FL, Maselli JH, Srivastava R, et al. Primary care physician smoking screening and counseling for patients with chronic disease. *Prev Med*, 2014; 71C:77-82. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25448841>

Nugent CN, Schoenborn CA, and Vahratian A. Discussions between health care providers and their patients who smoke cigarettes. *NCHS Data Brief*, 2014; (174):1-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25483845>

Oude Wesselink SF, Lingsma HF, Reulings PG, Wentzel HR, Erasmus V, et al. Does government supervision improve stop-smoking counselling in midwifery practices? *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25239965>

Raupach T, Al-Harbi G, McNeill A, Bobak A, and McEwen A. Smoking cessation education and training in UK medical schools: a national survey. *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25257981>

Schultz CR, Benson JJ, Cook DA, and Warner DO. Training for perioperative smoking cessation interventions: a national survey of anesthesiology program directors and residents. *J Clin Anesth*, 2014; 26(7):563-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25439420>

Shadel WG, Elliott MN, Haas AC, Haviland AM, Orr N, et al. Clinician advice to quit smoking among seniors. *Prev Med*, 2015; 70:83-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25482423>

Shelley D, Nguyen L, Pham H, VanDevanter N, and Nguyen N. Barriers and facilitators to expanding the role of community health workers to include smoking cessation services in Vietnam: a qualitative analysis. *BMC Health Serv Res*, 2014; 14:606. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25424494>

Sheridan A and Howell F. An analysis of the recording inpatients in Irish hospitals of tobacco use among. *Ir Med J*, 2014; 107(9):275-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25417385>

Shershneva M, Cohen A, Larrison C, Detzler K, and Ales M. Smoking cessation: a community-based approach to continuing medical education. *Transl Behav Med*, 2014; 4(4):391-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25584088>

Smalls TD, Broughton AD, Hylick EV, and Woodard TJ. Providing Medication Therapy Management for Smoking Cessation Patients. *J Pharm Pract*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25500554>

Sutfin EL, Swords DC, Song EY, Reboussin BA, Helme D, et al. Screening and Counseling for Tobacco Use in Student Health Clinics: Reports of Health Care Providers. *Am J Health Promot*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25372237>

Tang M, Oakley R, Dale C, Purushotham A, Moller H, et al. A surgeon led smoking cessation intervention in a head and neck cancer centre. *BMC Health Serv Res*, 2014; 14(1):636. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25527115>

Verbiest M, Presseau J, Chavannes NH, Scharloo M, Kaptein AA, et al. Use of action planning to increase provision of smoking cessation care by general practitioners: role of plan specificity and enactment. *Implement Sci*, 2014; 9(1):779. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25547978>

Silfen SL, Farley SM, Shih SC, Duquaine DC, Ricci JM, et al. Increases in smoking cessation interventions after a feedback and improvement initiative using electronic health records - 19 community health centers, new york city, october 2010-march 2012. *MMWR Morb Mortal Wkly Rep*, 2014; 63(41):921-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25321069>

Shen X, Bachyrycz A, Anderson JR, Tinker D, and Raisch DW. Improving the Effectiveness of Pharmacist-Assisted Tobacco Cessation: A Study of Participant- and Pharmacy-Specific Differences in Quit Rates. *Ann Pharmacother*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25527101>

Dable RA, Wasnik PB, Pawar BR, Bopardikar SS, and Nagmode SN. Assessment of professional competency and need of smoking cessation counseling for dental students. *J Educ Eval Health Prof*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25284069>

Abar B, Ogedegbe C, Dalawari P, Freeman K, Boudreaux ED, et al. Promoting tobacco cessation utilizing pre-health professional students as research associates in the emergency department. *Addict Behav*, 2014; 40C:73-76. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25226592>

Routine smoking cessation support for hospital inpatients could reduce mortality. *Nurs Stand*, 2014; 29(13):16-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25424082>

Balmford J, Leifert JA, and Jaehne A. "Tobacco dependence treatment makes no sense because"....: Rebuttal of commonly-heard arguments against providing tobacco dependence treatment in the hospital setting. *BMC Public Health*, 2014; 14:1182. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25410166>

7.10.1 General practitioners (GPs)

Selby, K, Habfast-Robertson, I, Durand, MA, Hempel-Bruder, C, Boesch, A, Marti, J et al. (2024). Combining Default Choices and an Encounter Decision Aid to Improve Tobacco Cessation in Primary Care Patients: A Pragmatic, Cluster-Randomized Trial. *J Gen Intern Med*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/39384691>

Domalaon, K, & Valerio, C. (2024). Family Physician Education and Barriers to Promoting Smoking Cessation: A Multiservice Investigation. *Mil Med*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/39316387>

Malmartel, A, Ravaud, P, & Tran, VT. (2024). Discordances in patients' and physicians' perspectives on which contextual factors should be accounted for during smoking cessation. *Fam Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39093609>

Chaudhary, P, Choudhary, D, Singh, A, Mulla, SH, Gm, P, Modi, N et al. (2024). Evaluating the Impact of Chronic Care Model on Smoking Cessation: An Interventional Study. *Cureus*, 16(6), e61512.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38957252>

Karacorlu, FN, & Pirincci, E. (2024). Evaluation of smoking cessation counseling practices of physicians working in primary health care institutions. *Turk J Med Sci*, 54(2), 419-430. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/39050387>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. (2002). In *PDQ Cancer Information Summaries*. Bethesda (MD). Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/26389444>

Wilcox, AT, Hilts, KE, Thoma, L, Corelli, RL, & Hudmon, KS. (2024). Clinician Attitudes Toward Referring Patients to Pharmacists for Tobacco Cessation Services. *J Am Pharm Assoc (2003)*, 102147. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38914292>

Schnoll, R, Leone, FT, Bauer, AM, Wileyto, EP, Wollack, C, Stevens, N et al. (2024). A Pilot Study to Evaluate the Use of Automated Nicotine Metabolite Ratio Reporting within Primary Care as an Implementation Strategy to Increase the Use of Tobacco Treatments. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38779826>

No authors listed. Coleman, C, Ferguson, SG, & Nash, R. (2024). Barriers to smoking interventions in community healthcare settings: a scoping review. *Health Promot Int*, 39(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38666785>

Pranav, K, Goel, S, & Ghosh, A. (2024). Empowering tobacco users for improving outcomes: The transformative potential of shared decision making in tobacco cessation. *J Eval Clin Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38558494>

Ilesanmi, OS, Faseru, B, Afolabi, AA, Odukoya, O, Ayo-Yusuf, O, Akinsolu, F et al. (2024). Physician-brief advice for promoting smoking cessation among cancer patients on treatment in low and middle-income countries: a scoping review. *BMC Cancer*, 24(1), 149. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38291373>

Lua, YHA, How, CH, & Ng, CWM. (2024). Smoking cessation in primary care. *Singapore Med J*, 65(1), 38-44. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38212983>

Minian, N, Mehra, K, Lingam, M, Dragonetti, R, Veldhuizen, S, Zawertailo, L et al. (2024). Healthcare providers' perspectives on implementing a brief physical activity and diet intervention within a primary care smoking cessation program: a qualitative study. *BMC Prim Care*, 25(1), 16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38184559>

Zijlstra, DN, Bolman, CA, Muris, JW, & de Vries, H. (2024). Process and effect evaluation of a referral aid for smoking cessation counselling in primary care: Findings of a randomized controlled trial. *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38204986>

Adhikari, K, Teare, GF, Belon, AP, Lee, B, Kim, MO, & Nykiforuk, C. (2023). Screening, brief intervention, and referral to treatment for tobacco consumption, alcohol misuse, and physical inactivity: an equity-informed rapid review. *Public Health*, 226, 237-247. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38091812>

Fahey, MC, Wahlquist, AE, Diaz, VA, Player, MS, Natale, N, Sterba, KR et al. (2023). Rationale, design, and protocol for a hybrid type 1 effectiveness-implementation trial of a proactive smoking cessation electronic visit for scalable delivery via primary care: the E-STOP trial. *BMC Prim Care*, 24(1), 254. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38030991>

Gautier, S, Cloppet, A, Mir, S, Duville, C, Morvillers, JM, Simzac, AB et al. (2023). Knowledge, attitudes and practices of primary healthcare professionals regarding smoking and smoking cessation among the elderly in France. *Tob Prev Cessat*, 9, 32. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37915359>

Szklo, AS, & Martins, SR. (2023). Smokers who were seen by a doctor or other healthcare provider for any health concern in Brazil: what a missed opportunity to encourage smoking cessation! *Public Health*, 225, 176-181. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37931486>

Agbonlahor, O, Mattingly, DT, Rai, J, Hart, JL, McLeish, AC, & Walker, KL. (2023). Differences in health care provider screening for tobacco use among youth in the United States: The National Youth Tobacco Survey, 2021. *Prev Med*, 175, 107718. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37793477>

Dannapfel, P, Bendtsen, P, Bendtsen, M, & Thomas, K. (2023). Implementing smoking cessation in routine primary care—a qualitative study. *Front Health Serv*, 3, 1201447. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37899768>

Mundt, MP, McCarthy, DE, Baker, TB, Zehner, ME, Zwaga, D, & Fiore, MC. (2023). Cost-Effectiveness of a Comprehensive Primary Care Smoking Treatment Program. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37844710>

Manns, A, Mahdjoub, S, Ibanez, G, Jarrier, E, Daeipour, A, Melchior, M, & El-Khoury, F. (2023). Health professional's perception of a smoking cessation intervention among disadvantaged patients participating in a pragmatic randomized trial. *BMC Health Serv Res*, 23(1), 993. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37710246>

Lang, AE. (2023). Patients Who Present With Tobacco Use: More Than a Teachable Moment—A Treatable One. *Chest*, 164(2), 292-293. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37558325>

Meredith, LR, Hurley, B, Friedman, TC, Lee, ML, Rodriguez, L, Lopez, B et al (2023). Implementation of Specialty Tobacco Use Disorder Services in a Community Health Setting: Support for Enhanced Prescription Practices. *J Addict Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37594860>

van Westen-Lagerweij, NA, Willemsen, MC, Croes, EA, Chavannes, NH, & Meijer, E. (2023). Implementation of ask-advise-connect for smoking cessation in Dutch general practice during the COVID-19 pandemic: a mixed-methods evaluation using the CFIR framework. *Subst Abuse Treat Prev Policy*, 18(1), 26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37161574>

Agbonlahor, O, Mattingly, DT, Hart, JL, Rai, J, McLeish, AC, & Walker, KL. (2023). Differences in health care provider advice on abstaining from tobacco use: Findings from the 2020 National Youth Tobacco Survey. *Addict Behav*, 144, 107726. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37087767>

Appel, G, Shin, B, Shah, A, & Avery, JD. (2023). Curbing Physician Stigma Toward Adolescents With Nicotine and Opiate Use. *Prim Care Companion CNS Disord*, 25(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36946564>

Garg, A, Sinha, A, Kumar, N, Singh, A, Akhtar, S, & Singh, PK. (2022). Awareness about role of health literacy and self efficacy in tobacco cessation among primary health care workers: A quantitative questionnaire study. *J Family Med Prim Care*, 11(11), 7036-7041. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36993129>

Ekblad, MO. (2022). Treatment of nicotine dependence needs be strengthened in primary health care. *Scand J Prim Health Care*, 40(3), 329-330. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36593588>

Yehoshua, I, Adler, LHermoni, SA, Mizrahi Reuveni, M, Bilitzky, A, Oren, K, & Zacay, G. (2022). Smoking quit rates among patients receiving pharmacotherapy who received general practitioner counselling versus intensive counselling: a retrospective cohort study. *BMC Prim Care*, 23(1), 340. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36575392>

Dark, M, Klyushnenkova, E, Gaynor, A, Kernan, C, & Khanna, N. (2022). Tobacco Cessation Champions: Recognizing Physicians Who Ask, Advise, and Refer. [MS Top Pick]. *Ann Fam Med*, 20(6), 579. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36443068>

Gaddey, H. L., Dakkak, M., & Jackson, N. M. (2022). Smoking Cessation Interventions. *Am Fam Physician*, 106(5), 513-522. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36379496>

Gao, X, Shen, F, Li, S, Zhang, R, Jiang, W, Li, B, & Wang, R. (2022). The estimated influence of assumed physicians' advice for tobacco smoking cessation among current smokers in Shanghai, China: A cross-sectional study. *Tob Induc Dis*, 20, 86. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36317058>

Tas, D, Ertugrul, A, Tasar, A, Dibek Misirlioglu, E, Celik, T, & Bostanci, I. (2022). Knowledge and Attitudes of Pediatric Residents to Smoking Intervention in Adolescents. *Turk Arch Pediatr*, 57(6), 637-643. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36314955>

Wheat, H, Barnes, RK, Aveyard, P, Stevenson, F, & Begh, R. (2022). Brief opportunistic interventions by general practitioners to promote smoking cessation: A conversation analytic study. *Soc Sci Med*, 314, 115463. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36332533>

Drake, LA, Suresh, K, Chrastil, H, Lewis, CL, & Altman, R. (2022). Improving Tobacco Cessation Rates Using Inline Clinical Decision Support. *Appl Clin Inform*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36252806>

Takala, J, Vahatalo, I, Tuomisto, LE, Niemela, O, Ilmarinen, P, & Kankaanranta, H. (2022). Documentation of smoking in scheduled asthma contacts in primary health care: a 12-year follow-up study. *NPJ Prim Care Respir Med*, 32(1), 44. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36271085>

Hempel-Bruder, C, Habfast-Robertson, I, Durand, MA, Berlin, I, Marti, J, Khazaal, Y et al. (2022). Combining default choices and an encounter decision aid to improve tobacco cessation in primary care patients: protocol for a cluster-randomized trial. *BMC Prim Care*, 23(1), 246. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36151529>

Ngee Ling, BJ, Cheong, AT, & Manap, AHA. (2022). Factors influencing the practice of Smoking Cessation Assessment and Management among Primary Care Doctors (SCAAM-DOC) in three districts of Malaysia. *PLoS One*, 17(9), e0274568. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36174083>

Meyer, AF, Cervenka, A, Lammers, L, & Furst, J. (2022). Integration of a Tobacco Treatment Specialist into Primary Care: Perception from Multidisciplinary Team. *J Smok Cessat*, 2022, 9330393. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35821760>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. (2002). In *PDQ Cancer Information Summaries*. Bethesda (MD). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26389444>

Su, CH, Jeng, JS, Tu, ST, Huang, CN, & Yeh, HI. (2022). An Effective Strategy to Activate Physicians to Promote High Cardiovascular Risk Patients to Quit Smoking. *Acta Cardiol Sin*, 38(4), 521-525. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35873124>

Sreeramareddy, CT. (2022). The burden of nicotine-dependent smokers in China: The role of primary healthcare providers. *Lancet Reg Health West Pac*, 24, 100489. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35664442>

Geletko, KW, Graves, K, Lateef, H, & Harman, J. (2022). Tobacco Cessation Counseling and Medications Provided by Physicians to Tobacco Users During Primary Care Visits. *J Prim Care Community Health*, 13, 21501319221093115. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35619240>

Madawala, S, Enticott, J, Sturgiss, E, Selamoglu, M, & Barton, C. (2022). The impact of smoking status on anticipated stigma and experience of care among smokers and ex-smokers with chronic illness in general practice. *Chronic Illn*, 17423953221101337. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35575240>

Mergelsberg, ELP, de Ruijter, D, Crone, MR, Smit, ES, & Hoving, C. (2022). Active Ingredients of Interventions Improving Smoking Cessation Support by Dutch Primary Care Providers: A Systematic Review. *Eval Health Prof*, 1632787221099941. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35594377>

Brewer, JA. (2022). Avoidance of Risky Substances: Steps to Help Patients Reduce Anxiety, Overeating, and Smoking. *J Fam Pract*, 71(1 Suppl Lifestyle), S35-S37. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35389842>

deRuiter, WK, Barker, M, Rahimi, A, Ivanova, A, Zawertailo, L, Melamed, OC, & Selby, P. (2022). Smoking Cessation Training and Treatment: Options for Cancer Centres. *Curr Oncol*, 29(4), 2252-2262. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35448157>

Pires, GAR, Charlo, PB, Martins Marques, FRD, Silva, IR, Radovanovic, CAT, & Salci, MA. (2022). Longitudinal treatment of smoking in Primary Health Care: an evaluation research. *Rev Bras Enferm*, 75(4), e20210420. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35442306>

Kowitt, SD, Goldstein, AO, & Cykert, S. (2022). A Heart Healthy Intervention Improved Tobacco Screening Rates and Cessation Support in Primary Care Practices. *J Prev (2022)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35301643>

Erdmann, M, Edwards, B, & Adewumi, MT. (2022). Effect of Electronic Portal Messaging With Embedded Asynchronous Care on Physician-Assisted Smoking Cessation Attempts: A Randomized Clinical Trial. *JAMA Netw Open*, 5(2), e220348. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35226082>

- Coindard, G, Acquadro, M, Chaumont, R, Arnould, B, Boissault, P, Collignon-Portes, R et al. (2022). Attitudes & behaviors toward the management of tobacco smoking patients: qualitative study with French primary care physicians. *BMC Prim Care*, 23(1), 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35172740>
- Pittet, AL, Chevalley, AF, Jeannot, JG, Khazaal, Y, & Selby, K. (2021). [Mobile applications for smoking cessation in primary care]. *Rev Med Suisse*, 17(761), 2105-2109. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34851059>
- Erratum: "Quit attempts and tobacco abstinence in primary care patients: follow-up of a pragmatic, two-arm cluster randomised controlled trial on brief stop-smoking advice - ABC versus 5As". Sabrina Kastaun, Wolfgang Viechtbauer, Verena Leve, Jaqueline Hildebrandt, Christian Funke, Stephanie Klosterhalfen, Diana Lubisch, Olaf Reddemann, Tobias Raupach, Stefan Wilm and Daniel Kotz. *ERJ Open Res* 2021; 7: 00224-2021. (2021). *ERJ Open Res*, 7(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8685509/pdf/50224-2021.pdf>
- Adamson, A, Portas, L, Accordini, S, Marcon, A, Jarvis, D, Baio, G, & Minelli, C. (2021). Communication of personalised disease risk by general practitioners to motivate smoking cessation in England: A cost-effectiveness and research prioritisation study. *Addiction*. Retrieved from <https://onlinelibrary.wiley.com/doi/10.1111/add.15773>
- Kotz, D, van Rossem, C, Viechtbauer, W, Spigt, M, & van Schayck, OCP. (2021). Validity of urges to smoke measures in predicting smoking relapse during treatment in primary care. *NPJ Prim Care Respir Med*, 31(1), 48. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34887425>
- Moore, JR, Castro, Y, Cubbin, C, & von Sternberg, K. (2021). Associations of At-Risk Drinking, Current Smoking, and Their Co-Occurrence With Primary Care Service Utilization. *Am J Health Promot*, 8901171211056130. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34865517>
- Zabaleta-Del-Olmo, E, Casajuana-Closas, M, Lopez-Jimenez, T, Pombo, H, Pons-Vigues, M, Pujol-Ribera, E et al. (2021). Multiple health behaviour change primary care intervention for smoking cessation, physical activity and healthy diet in adults 45 to 75 years old (EIRA study): a hybrid effectiveness-implementation cluster randomised trial. *BMC Public Health*, 21(1), 2208. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34863136>
- de Ruijter, D, Mergelsberg, E, Crone, M, Smit, E, & Hoving, C. (2021). Identifying active ingredients, working mechanisms and fidelity characteristics reported in smoking cessation interventions in Dutch primary care: a systematic review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34788849>
- Melnick, R, Rech, GS, Rech, RS, & Faustino-Silva, DD. (2021). Factors Associated with Tobacco Cessation in Primary Health Care. *Int Arch Otorhinolaryngol*, 25(4), e551-e556. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34737826>
- Azagba, S, & Shan, L. (2021). Disparities in the receipt of medical doctors' advice to quit smoking in the U.S., 1992-2019. *Addict Behav*, 125, 107145. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34700153>

Lindson, N, Pritchard, G, Hong, B, Fanshawe, TR, Pipe, A, & Papadakis, S. (2021). Strategies to improve smoking cessation rates in primary care. *Cochrane Database Syst Rev*, 9, CD011556. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34693994>

Wang, R, Gao, X, Qiang, Y Yang, Q., Li, X, & Li, B. (2021). The Estimated Effect of Physicians' Advice for Smoking Cessation and Assumed Tobacco Retail Price Increase on Smoker's Intention to Quit in Shanghai, China: A Cross-Sectional Study. *Front Public Health*, 9, 740476. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34646806>

Ebbert, JO, Jimenez-Ruiz, C, Dutro, MP, Fisher, M, Li, J, & Hays, JT. (2021). In Reply: Changing the Culture of Tobacco Dependence Treatment Among Not Only Patients, But Also Prescribers. *Mayo Clin Proc*, 96(9), 2495. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34481605>

Marshall, ME, Shields, CG, & Alexander, SC. (2021). "Do You Smoke?" Physician-Patient Conversations About Smoking and Lung Cancer. *J Cancer Educ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34264511>

Zijlstra, DN, Hoving, C, Bolman, C, Muris, JWM, & De Vries, H. (2021). Do professional perspectives on evidence-based smoking cessation methods align? A Delphi study among researchers and healthcare professionals. *Health Educ Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34195810>

Manolios, E, Sibeoni, J, Teixeira, M, Revah-Levy, A, Verneuil, L, & Jovic, L. (2021). When primary care providers and smokers meet: a systematic review and metasynthesis. *NPJ Prim Care Respir Med*, 31(1), 31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34075057>

Wang, Y, Xu, X, Li, R, Zhang, L, Kang, J, Xiao, D et al (2021). Impact of Chinese Respiratory Physicians Participating in Smoking Cessation and Mobile Health: A Randomized Feasibility Trial. *Clin Respir J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34087057>

No authors listed. Interventions for Tobacco Smoking Cessation in Adults, Including Pregnant Persons: Recommendation Statement. (2021). *Am Fam Physician*, 103(12), Online. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34128620>

Chan, MF, Alsaïdi, Y, Al-Sumri, S, Al-Maskari, B, & Al-Hamrashdi, H. (2021). Knowledge, attitudes, practice and barriers of physicians to provide tobacco dependence treatment: a cluster analysis. *Pan Afr Med J*, 38, 193. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33995799>

Rouillon, M, Laporte, C, Ingrand, P, Castera, P, Di Patrizio, P, Messaadi, N et al (2021). Perceptions, professional responsibility and management experiences of patients with alcohol, tobacco and opioid use disorder by residents in general practice and teaching general practitioners. *Eur J Gen Pract*, 27(1), 77-82. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33978533>

He, T, Liu, L, Huang, J, Li, G, & Guo, X. (2021). Health Knowledge about Smoking, Role of Doctors, and Self-Perceived Health: A Cross-Sectional Study on Smokers' Intentions to Quit. *International Journal of Environmental Research and Public Health*, 18(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33807331>

- John, WS, Zhu, H, Greenblatt, LH, & Wu, LT. (2021). Recent and active problematic substance use among primary care patients: Results from the alcohol, smoking, and substance involvement screening test in a multisite study. *Substance Abuse*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33797348>
- Martin-Lujan, F, Basora-Gallisa, J, Villalobos, F, Martin-Vergara, N, Aparicio-Llopis, E, Pascual-Palacios, I et al (2021). Effectiveness of a motivational intervention based on spirometry results to achieve smoking cessation in primary healthcare patients: randomised, parallel, controlled multicentre study. *J Epidemiol Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33883199>
- Minian, N, Lingam, M, deRuiter, WK, Dragonetti, R, & Selby, P. (2021). Co-designing Behavior Change Resources With Treatment-Seeking Smokers: Engagement Events' Findings. *Front Public Health*, 9, 555449. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33791263>
- Trapl, ES, VanFrank, B, Kava, CM, Trinh, V, Land, SR, Williams, RS et al (2021). Smoking and cessation behaviors in patients at federally funded health centers - United States, 2014. *Drug Alcohol Depend*, 221, 108615. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33652378>
- Kilgore, EA, Waddell, EN, Tannert Niang, KM, Murphy, J, Thihalolipavan, S, & Chamany, S. (2021). Provider Attitudes and Practices on Treating Tobacco Dependence in New York City After 10 years of Comprehensive Tobacco Control Efforts. *J Prim Care Community Health*, 12, 2150132720957448. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33622072>
- Li, C, Mao, Z, He, G, & Hu, Q. (2021). Does smoking impact trust in physicians and satisfaction with the health system in China? *Tob Induc Dis*, 19, 06. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33542678>
- Jain, A, & Davis, AM. (2021). Initiating Pharmacologic Treatment in Tobacco-Dependent Adults. *JAMA*, 325(3), 301-302. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33464325>
- Masters, NJ. (2021). Extracting smoking data from GP electronic health records. *Br J Gen Pract*, 71(703), 58-59. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33509814>
- Wang, Q, Zhang, X, Wang, Z, Feng, S, Li, Y, Zhang, C, & Wang, C. (2021). Doctors' smoking control knowledge, attitudes and practices: a cross-sectional study conducted in Shandong Province, China. *BMC Public Health*, 21(1), 73. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33413255>
- Cogordan, C, Quatremere, G, Andler, R, Guignard, R, Richard, JB, & Nguyen-Thanh, V. (2020). [Dialogue between general practitioner and patient regarding tobacco and alcohol consumption, from the patient's standpoint]. *Rev Epidemiol Sante Publique*, 68(6), 319-326. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33162267>
- Fu, SS, & Melzer, AC. (2020). Helping Patients to Quit Smoking: New Approaches Needed. *Chest*, 158(5), 1822-1823. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33160528>
- Galiatsatos, P, Garfield, J, Melzer, AC, Leone, FT, Farber, HJ, Ruminjo, JK, & Thomson, CC. (2020). Summary for Clinicians: An ATS Clinical Practice Guideline for Initiating Pharmacologic Treatment in

Tobacco-Dependent Adults. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33052710>

Martin-Cantera, C, Sanmartin, JMI, Martinez, AF, Lorenzo, CM, Cohen, VB, Jimenez, MLC et al (2020). Good practice regarding smoking cessation management in Spain: Challenges and opportunities for primary care physicians and nurses. *Tob Prev Cessat*, 6, 55. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33083683>

Wilson, HHK, Norris, R, Tapley, A, Magin, P, & Klein, L. (2020). Role legitimacy, comfort and confidence providing tobacco, alcohol and other drug care: a cross-sectional study of Australian early-career general practitioners. *Educ Prim Care*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33090920>

Cheung, YTD, Jiang, N, Jiang, CQ, Zhuang, RS, Gao, WH, Zhou, J et al. (2020). Physicians' very brief (30-second) intervention for smoking cessation on 13,671 smokers in China: A pragmatic randomized controlled trial. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32918512>

Kim, S, Park, HK, Lee, JH, Cho, HJ, & Sung, NJ. (2020). Effect of usual source of care on receiving smoking cessation advice: Korean National Health Panel data analysis. *Fam Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32975279>

Pold, M, & Parna, K. (2020). Changes in Addressing Patients' Smoking: Cross-Sectional Data from 2002 and 2014 among Physicians in Estonia. *Tob Use Insights*, 13, 1179173X20949269. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32922108>

van Schayck, OCP, Bindels, L, Nijs, A, van Engelen, B, van den Bosch, A, Muller, IS, & Spigt, M. (2020). The experience of general practitioners with Very Brief Advice in the treatment of tobacco addiction. *NPJ Prim Care Respir Med*, 30(1), 40. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32968065>

Vanderkam, P, Solinas, M, Ingrand, I, Doux, N, Ebrahimighavam, S, Jaafari, N, & Lafay-Chebassier, C. (2020). Effectiveness of drugs acting on adrenergic receptors in the treatment for tobacco or alcohol use disorders: systematic review and meta-analysis. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32959918>

Margolis, SA. (2020). Editorial: Smoking cessation. *Aust J Gen Pract*, 49(8), 461. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32738854>

van de Graaf, RC. (2020). Smoking cessation counseling by physicians and dentists - Shouldn't a cobbler stick to his last? *Oral Oncol*, 108, 104952. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32768173>

Arslan, HN, Oruc, MA, Terzi, O, & Bilir, N. (2020). Evaluation of the Opinions of Family Physicians on Some Tobacco Products. *J Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32613534>

Flocke, SA, Seeholzer, E, Lewis, SA, Gill, IJ, Rose, JC, Albert, E et al (2020). 12-Month Evaluation of an EHR-Supported Staff Role Change for Provision of Tobacco Cessation Care in 8 Primary Care Safety-Net Clinics. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32705473>

- Jackson, SE, Garnett, C, & Brown, J. (2020). Prevalence and correlates of receipt by smokers of general practitioner advice on smoking cessation in England: a cross-sectional survey of adults. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32648976>
- Papadakis, S, Anastasaki, M, Papadakaki, M, Antonopoulou, M, Chliveros, C, Daskalaki, C et al. (2020). 'Very brief advice' (VBA) on smoking in family practice: a qualitative evaluation of the tobacco user's perspective. *BMC Fam Pract*, 21(1), 121. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32580760>
- Odorico, M, Le Goff, D, Aerts, N, Bastiaens, H, & Le Reste, JY. (2019). How To Support Smoking Cessation In Primary Care And The Community: A Systematic Review Of Interventions For The Prevention Of Cardiovascular Diseases. *Vasc Health Risk Manag*, 15, 485-502. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31802882>
- Adam, A, Schwartz, RP, Wu, LT, Subramaniam, G, Laska, E, Sharma, G et al (2019). Electronic self-administered screening for substance use in adult primary care patients: feasibility and acceptability of the tobacco, alcohol, prescription medication, and other substance use (myTAPS) screening tool. *Addict Sci Clin Pract*, 14(1), 39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31615549>
- Flocke, SA, Seeholzer, E, Lewis, SA, Gill, IJ, Ordillas, E, Rose, JC et al (2019). Designing for Sustainability: An Approach to Integrating Staff Role Changes and Electronic Health Record Functionality Within Safety-Net Clinics to Address Provision of Tobacco Cessation Care. *Jt Comm J Qual Patient Saf*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31648946>
- Chean, KY, Goh, LG, Liew, KW, Tan, CC, Choi, XL, Tan, KC, & Ooi, ST. (2019). Barriers to smoking cessation: a qualitative study from the perspective of primary care in Malaysia. *BMJ Open*, 9(7), e025491. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31289057>
- Kafadar, D, Esen, AD, & Arica, S. (2019). Determining health-promoting behavior in smokers preparing to quit: a holistic and personalized approach. *EPMA J*, 10(2), 115-123. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31258817>
- Kastaun, S, Leve, V, Hildebrandt, J, Funke, C, Becker, S, Lubisch, D et al (2019). Effectiveness of training general practitioners to improve the implementation of brief stop-smoking advice in German primary care: study protocol of a pragmatic, 2-arm cluster randomised controlled trial (the ABCII trial). *BMC Fam Pract*, 20(1), 107. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31351460>
- Williams, L. (2019). Understanding and addressing patients' use of tobacco. *Gen Dent*, 67(4), 16-18. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/31355758>
- Kalkhoran, S, Inman, EM, Kelley, JHK, Ashburner, JM, & Rigotti, NA. (2019). Proactive Population Health Strategy to Offer Tobacco Dependence Treatment to Smokers in a Primary Care Practice Network. *J Gen Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31197730>
- Tibuakuu, M, Okunrintemi, V, Jirru, E, Echouffo Tcheugui, JB, Orimoloye, OA, Mehta, PK et al (2019). National Trends in Cessation Counseling, Prescription Medication Use, and Associated Costs Among

US Adult Cigarette Smokers. *JAMA Netw Open*, 2(5), e194585. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31125108>

Shafer, PR, Borsky, A, Ngo-Metzger, Q, Miller, T, & Meyers, D. (2019). The Practice Gap: National Estimates of Screening and Counseling for Alcohol, Tobacco, and Obesity. *Ann Fam Med*, 17(2), 161-163. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30858260>

Bhad, R. Utilization of "Screening Brief Intervention and Referral to Treatment" Approach for Tobacco Addiction in Day-to-Day Clinical Practice in India: The Need of the Hour. *J Neurosci Rural Pract*, 2019. 10(1), 8-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30765963>

Leppanen, A, Ekblad, S, & Tomson, T. Tobacco Cessation on Prescription as a primary health care intervention targeting a context with socioeconomically disadvantaged groups in Sweden: A qualitative study of perceived implementation barriers and facilitators among providers. *PLoS One*, 2019. 14(2), e0212641. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30789969>

Suarez-Varela Ubeda, JF, Rodriguez-Vazquez, S, Ordonez Barranco, JA, Vega Caldera, G, Perez Alvarez, PP, & Buitrago, F. Effectiveness of individual and group multicomponent interventions for smoking cessation in primary care: a quasi-experimental study. *Fam Pract*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30772892>

Grischott, T, Senn, O, Rosemann, T, Frei, A, Cornuz, J, Martin-Diener, E, & Neuner-Jehle, S. Efficacy of motivating short interventions for smokers in primary care (COSMOS trial): study protocol for a cluster-RCT. *Trials*, 2019. 20(1), 81. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30683155>

Reddy, MM, Kanungo, S, Naik, BN, & Kar, SS. Willingness to quit tobacco smoking and its correlates among Indian smokers - Findings from Global Adult Tobacco Survey India, 2009-2010. *J Family Med Prim Care*, 2018. 2018. 7(6), 1353-1360. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30613524>

Mansour, MB, Crone, MR, van Weert, HC, Chavannes, NH, & van Asselt, KM. Smoking cessation advice after cervical screening: a qualitative interview study of acceptability in Dutch primary care. *Br J Gen Pract*, 2018. 69(678), e15-e23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30510096>

Meijer, E, Kampman, M, Geisler, MS, & Chavannes, NH. (2018). "It's on everyone's plate": a qualitative study into physicians' perceptions of responsibility for smoking cessation. *Subst Abuse Treat Prev Policy*, 2018. 13(1), 48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30541580>

Papadakis, S, Cole, AG, Reid, RD, Assi, R, Gharib, M, Tulloch, HE et al. From Good to Great: The Role of Performance Coaching in Enhancing Tobacco-Dependence Treatment Rates. *Ann Fam Med*, 16(6), 498-506. Available from: <http://www.annfammed.org/content/16/6/498.full.pdf>

Shadel, WG, Seelam, R, Parast, L, Meredith, LS, & D'Amico, EJ. Is the National Institutes on Alcohol and Alcoholism Screening Guide Useful for Identifying Adolescents at Risk for Later Cigarette Smoking? A Prospective Study in Primary Care Clinics. *J Addict Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30273256>

Sylvestre, MP, Hanusaik, N, Berger, D, Dugas, E, Pbert, L, Winickoff, J, & O'Loughlin, JL. A Tool to Identify Adolescents at Risk of Cigarette Smoking Initiation. *Pediatrics*, 2018. 142(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30275237>

Al-Jdani, S, Mashabi, S, Alsaywid, B, Zahrani, A. Smoking cessation counseling: Knowledge, attitude and practices of primary healthcare providers at National Guard Primary Healthcare Centers, Western Region, Saudi Arabia. *J Family Community Med*. 2018 Sep-Dec;25(3):175-182. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30220847>

Piper, ME, Cook, JW, Schlam, TR, Jorenby, DE, Smith, SS, Collins, LM, Mermelstein, R, Fraser, D, Fiore, MC, Baker, TB. A Randomized Controlled Trial of an Optimized Smoking Treatment Delivered in Primary Care. *Ann Behav Med*. 2018 Sep 13;52(10):854-864. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30212849>

Mai, Y, Soulakova, JN. Retrospective reports of former smokers: Receiving doctor's advice to quit smoking and using behavioral interventions for smoking cessation in the United States. *Prev Med Rep*. 2018 Jul 29;11:290-296. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30116700>

Bryant, J, Hobden, B, Forshaw, K, Oldmeadow, C, Walsh, J, Sanson-Fisher, R. How accurately do general practitioners detect concurrent tobacco use and risky alcohol consumption? A cross-sectional study in Australian general practice. *Aust J Prim Health*, 2018. Jun 14, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29898813>

Chung, YH, Chang, HH, Lu, CW, Huang, KC, Guo, FR. Addition of one session with a specialist counselor did not increase efficacy of a family physician-led smoking cessation program. *J Int Med Res*. 2018 Jan 1:300060518780151. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29896996>

Mahoney, MC, Erwin, DO, Twarozek, AM, Saad-Harfouche, FG, Rodriguez, EM, Sun, X, Underwood, W, Fox, C. Leveraging technology to promote smoking cessation in urban and rural primary care medical offices. *Prev Med*. 2018 Jun 25. pii: S0091-7435(18)30205-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29953897>

Taylor, GMJ, Davies, NM. Response to: Long-term smoking cessation: from general practice to public health. *Int J Epidemiol*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29746641>

Tinkler, SE, Sharma, RL, Susu-Mago, RRH, Pal, S, Stano, M. Access to US primary care physicians for new patients concerned about smoking or weight. *Prev Med*. 2018 Aug;113:51-56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29719220>

Andler, R, Cogordan, C, Pasquereau, A, Buyck, JF, Nguyen-Thanh, V. The practices of French general practitioners regarding screening and counselling pregnant women for tobacco smoking and alcohol drinking. *Int J Public Health*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29679105>

Minian, N, Noormohamed, A, Baliunas, D, Zawertailo, L, Mulder, C, Ravindran, A, de Oliveira, C, Selby, P. Tailored Versus Generic Knowledge Brokering to Integrate Mood Management Into Smoking Cessation Interventions in Primary Care Settings: Protocol for a Cluster Randomized

Controlled Trial. JMIR Res Protoc. 2018 Apr 27;7(4):e111. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29703714>

Bailey, SR, Stevens, VJ, Fortmann, SP, Kurtz, SE, McBurnie, MA, Priest, E, Puro, J, Solberg, LI, Schweitzer, R, Masica, AL, Hazlehurst, B. Long-Term Outcomes From Repeated Smoking Cessation Assistance in Routine Primary Care. Am J Health Promot. 2018 Jan 1:890117118761886. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29534598>

Rosembaun, A, Rojas, P, Rodriguez, MV, Barticevic, N, Rivera Mercado, S. Brief interventions to promote behavioral change in primary care settings, a review of their effectiveness for smoking, alcohol and physical inactivity. Medwave. 2018 Jan 29;18(1):e7148. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29385118>

Girvalaki, C, Papadakis, S, Vardavas, C, Petridou, E, Pipe, A, Lionis, C. Smoking cessation delivery by general practitioners in Crete, Greece. Eur J Public Health. 2017 Nov 13. pii: 4621433. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29140450>

Northrup, TF, Klawans, MR, Villarreal, YR, Abramovici, A, Suter, MA, Mastrobattista, JM, Moreno, CA, Aagaard, KM, Stotts, AL. Family Physicians' Perceived Prevalence, Safety, and Screening for Cigarettes, Marijuana, and Electronic-Nicotine Delivery Systems (ENDS) Use during Pregnancy. J Am Board Fam Med. 2017 Nov-Dec;30(6):743-757. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29180549>

Wray, JM, Funderburk, JS, Maisto, SA. Willingness to Engage in Health Behavior Change Interventions Among Primary Care Patients Positive For Tobacco Use and At-Risk Drinking. Prim Care Companion CNS Disord. 2017 Nov 9;19(6). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29141122>

Bae, J, Ford, EW, Kharrazi, HHK, Huerta, TR. Electronic medical record reminders and smoking cessation activities in primary care. Addict Behav. 2017 Oct 16;77:203-209. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29065376>

Byers, MA, Wright, P, Tilford, JM, Nemeth, LS, Matthews, E, Mitchell, A. Comparing Smoking Cessation Outcomes in Nurse-Led and Physician-Led Primary Care Visits. J Nurs Care Qual, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28968336>

Taylor, GMJ, Taylor, AE, Thomas, KH, Jones, T, Martin, RM, Munafo, MR, Windmeijer, F, Davies, NM. The effectiveness of varenicline versus nicotine replacement therapy on long-term smoking cessation in primary care: a prospective cohort study of electronic medical records. Int J Epidemiol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29040555>

Wray, Jennifer M, Funderburk, Jennifer S, Acker, John D, Wray, Laura O and Maisto, Stephen A. A meta-analysis of brief tobacco interventions for use in integrated primary care. Nicotine and Tobacco Research, 2017. Sept 16, 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx212/4160115/A-meta-analysis-of-brief-tobacco-interventions-for?redirectedFrom=fulltext>

- Cakir, B, Tas, A, Sanver, TM, Aslan, D. Doctor's enquiry: an opportunity for promoting smoking cessation-findings from Global Adult Tobacco Surveys in Europe. *Eur J Public Health*. 2017 Oct 1;27(5):921-925. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28957479>
- Sabari Sridhar, OT, Murthy, P, Kishore Kumar, KV. Integrated brief tobacco and alcohol cessation intervention in a primary health-care setting in Karnataka. *Indian J Public Health*. 2017 Sep;61(Supplement):S29-S34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28928316>
- Almeida, MF, Ferreira, FF, Martins, MA, Ferreira, M. Alcohol and tobacco use and the diseases treated in general practice. *Rev Assoc Med Bras (1992)*. 2017 May;63(5):452-458. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28724044>
- van Rossem, C, Spigt, M, Viechtbauer, W, Lucas, AEM, van Schayck, OCP, Kotz, D. Effectiveness of intensive practice nurse counselling versus brief general practitioner advice, both combined with varenicline, for smoking cessation: a randomised pragmatic trial in primary care. *Addiction*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28667826>
- Hitsman, B, Baker, AL, King, A. POINT: Are advanced practice professionals more likely to achieve better tobacco cessation results than physicians? Yes. *Chest*. 2017 Apr 12. pii: S0012-3692(17)30700-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28414030>
- Perez, MF, Bastian, LA, Oncken, C. Counterpoint: Are advanced practice professionals more likely to achieve better tobacco cessation results than physicians? No. *Chest*. 2017 Apr 12. pii: S0012-3692(17)30698-0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28414033>
- Wu, L, He, Y, Jiang, B, Zhang, D, Tian, H, Zuo, F, Lam, TH. Very brief physician advice and supplemental proactive telephone calls to promote smoking reduction and cessation in Chinese male smokers with no intention to quit: A randomized trial. *Addiction*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28623848>
- No authors listed. Motivational interventions: The tobacco-using periodontal patient: role of the dental practitioner in tobacco cessation and periodontal disease management. *Br Dent J*. 2016 Jul 22;221(2):62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27444596>
- Papadakis, S, Tulloch, HE, Gharib, M, Pipe, AL. Profile of tobacco users identified in primary care practice and predictors of readiness to quit: a cross-sectional survey. *CMAJ Open*. 2016 Feb 8;4(1):E41-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27280113>
- Chaffee, BW, Couch, ET, Ryder, MI. The tobacco-using periodontal patient: role of the dental practitioner in tobacco cessation and periodontal disease management. *Periodontol 2000*. 2016 Jun;71(1):52-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27045430>
- Levy, JM, Abramowicz, S. Medications to assist in tobacco cessation for dental patients. *Dent Clin North Am*. 2016 Apr;60(2):533-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27040301>
- Luh, DL, Chen, SL, Yen, AM, Chiu, SY, Fann, CY, Chen, HH. Effectiveness of advice from physician and nurse on smoking cessation stage in Taiwanese male smokers attending a community-based integrated screening program. *Tob Induc Dis*. 2016 Apr 23;14:15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27110231>

Winpenny, E, Elliott, MN, Haas, A, Haviland, AM, Orr, N, Shadel, WG, Ma, S, Friedberg, MW, Cleary, PD. Advice to quit smoking and ratings of health care among Medicare beneficiaries aged 65. *Health Serv Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27061081>

Davis, JM et al. Tobacco dependence education: A survey of US and Canadian dental schools. *J Am Dent Assoc*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26857040>

Omana-Cepeda, C et al. Effectiveness of dentist's intervention in smoking cessation: A review. *J Clin Exp Dent*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26855711>

Peletidi, A et al. Smoking cessation support services at community pharmacies in the UK: a systematic review. *Hellenic J Cardiol*, Jan–Feb 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26856195>

Brown, J et al. Comparison of brief interventions in primary care on smoking and excessive alcohol consumption: a population survey in England. *Br J Gen Pract*, Jan 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26719481>

Clawson, AH et al. Physician advice to adolescents about smoking: who gets advised and who benefits most? *J Adolesc Health*, Feb 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26802992>

Huang, CL et al. Using the short-form cigarette dependence questionnaire in a busy clinical practice. *Clin Nurs Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26810440>

Szatkowski, L, Aveyard, P. Provision of smoking cessation support in UK primary care: impact of the 2012 QO. *Br J Gen Pract*, Jan 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26639948>

Kalavrezos, Scully, C. Mouth cancer for clinicians part 3: Risk factors (Traditional: Tobacco). *Dent Update*. 2015 Jun;42(5):476-8, 480-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26964449>

Albaroodi, KA et al. Developing and validating a new tool: physicians' barriers, attitudes and practices towards applying smoking cessation interventions in their clinics. *Value Health*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26533997>

Andersson, P, Johannsen, A. Dental patients' perceptions and motivation in smoking cessation activities. *Acta Odontol Scand*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26609892>

Burke, MV et al. Treatment outcomes from a specialist model for treating tobacco use disorder in a medical center. *Medicine (Baltimore)*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26554789>

Keto, J et al. Physicians discuss the risks of smoking with their patients, but seldom offer practical cessation support. *Subst Abuse Treat Prev Policy*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26525302>

Kohli, IS. Effects of clinical computing systems during consultations on smoking cessation - evidence landscape from randomized and quasi randomized trials. *Value Health*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26532842>

MacKenzie, R, Rogers, W. Potential conflict of interest and bias in the RACGP's smoking cessation guidelines: are GPs provided with the best advice on smoking cessation for their patients? *Public Health Ethics*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26566398>

St Claire, AW, Boyle, RG. The clinician's role in addressing disparities in tobacco use. *Minn Med*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26596076>

Bryant, J et al. Is identification of smoking, risky alcohol consumption and overweight and obesity by General Practitioner's improving? A comparison over time. *Fam Pract*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26477009>

Ramsay, PP et al. A longitudinal study of medical practices' treatment of patients who use tobacco. *Am J Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26365836>

El-Shahawy, O et al. Assessment of the efficiency of tobacco cessation counseling in primary care. *Eval Health Prof*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26290271>

Mackie, ZF et al. Evaluation of a comprehensive tobacco dependence treatment program: dental students' perceptions of preparedness and clinical practice. *J Dent Educ*, Aug 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26246534>

Mitra, DK et al. Attitudes of dental professionals toward tobacco use. *J Indian Soc Periodontol*, May – Jun 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26229275>

Stassen, LF, Hammarfjord, O. Smoking cessation and the role of the dental practitioner. *J Ir Dent Assoc*, Apr-May 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26281707>

Spear, SE et al. Feasibility and acceptability of an audio computer-assisted self-interview version of the Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST) in primary care patients. *Substance Abuse*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26158798>

7.10.1.1 GP Practice nurses

Jongebloed, H, Cole, E, Dean, E, & Ugalde, A. (2024). The role of general practice nurses in supporting people to quit smoking: A qualitative study. *PLoS One*, 19(7), e0306555. . Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39024273>

Lonn, RJ. (2024). Pioneers of Prevention: Implementation of a Nurse Practitioner-Led Smoking Cessation Program. *Clin J Oncol Nurs*, 28(1), 15-19. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38252856>

Song, J, Chen, Y, Zhang, Z, Cao, Y, & Zhang, L. (2023). Study on the participation of nursing staff in tobacco cessation support and related influencing factors: A survey from Chongqing, China. *Tob Induc Dis*, 21, 131. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37842547>

- Miller, RE, Hill, JM, & Meyer, AF. (2023). The Evaluation of an Integrated Tobacco Treatment Specialist in Primary Care. *J Smok Cessat*, 2023, 9200402. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37766802>
- Ali, NF, Barolia, R, Ajani, K, Khan, F, Anastasia, J, & Iqbal, S. (2023). Nurse-led culturally relevant smoking reduction intervention among cardiovascular and respiratory patients in Pakistan. *Public Health Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37119004>
- Boni, FG, da Rosa, YL, Leite, RM, Lopes, FM, & Echer, IC. (2022). Effects of an educational intervention with nursing professionals on approaches to hospitalized smokers: a quasi-experimental study. *Rev Esc Enferm USP*, 56, e20210569. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35635790>
- Taniguchi, C, Sezai, I, Yoshimi, I, Hirano, T, & Wakao, F. (2022). Effectiveness of a smoking cessation educational program for Japanese nurses on subsequent changes of behavior in delivering smoking cessation counseling. *Tob Induc Dis*, 20, 19. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35280046>
- Rodriguez-Bolanos, R, Ponciano-Rodriguez, G, Rojas-Carmona, A, Cartujano-Barrera, F, Arana-Chicas, E, Cupertino, AP, & Reynales-Shigematsu, LM. (2022). Practice, barriers, and facilitators of healthcare providers in smoking cessation in Mexico. *Enferm Clin (Engl Ed)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35094967>
- Sezai, I, Taniguchi, C, Yoshimi, I, Hirano, T, & Wakao, F. (2022). How Self-Efficacy toward, Perceived Importance of, and Beliefs about Smoking Cessation Support Impact-Related Behaviors in Japanese Nursing Professionals. *Int J Environ Res Public Health*, 19(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35206486>
- Zhang, S, & Jose Duaso, M. (2021). The delivery of smoking cessation interventions by nurses who smoke: A meta-ethnographic synthesis. *J Adv Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33626209>
- Draucker, CB, Rawl, SM, Vode, E, Fields, M, Elkins, C, Morgan, O et al (2020). Smoking-Related Social Interactions as Experienced by Persons Who Smoked Long-term. *Clin Nurse Spec*, 34(6), 282-289. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33009116>
- Keller, KG, & Lach, HW. (2020). Nurse Counseling as Part of a Multicomponent Tobacco Treatment Intervention: An Integrative Review. *J Addict Nurs*, 31(3), 161-179. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32868609>
- Thornberry, A Garcia, TJ, Peck, J, & Sefcik, E. (2020). Occupational Health Nurses' Self-Efficacy in Smoking Cessation Interventions: An Integrative Review of the Literature. *Workplace Health Saf*, 2165079920925106. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32600221>
- Zampier, VSB, Silva, MHD, Machado, RET, Jesus, RR, Jesus, MCP, & Merighi, MAB. (2019). Nursing approach to tobacco users in primary health care. *Rev Bras Enferm*, 72(4), 948-955. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31432951>

7.10.2 Hospital-based interventions

Fletcher, R, Hammant, A, Moll, C, Souto, M, & Agrawal, S. (2024). The feasibility of a novel national quality improvement programme for tobacco dependency treatment pathways in acute UK hospitals. *Clin Med (Lond)*, 25(1), 100263. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39542425>

Kaldal, A, Tonstad, S, & Jortveit, J. (2024). Self-reported smoking status and exhaled carbon monoxide in secondary preventive follow-up after coronary heart events: Do our patients tell the truth? *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39323439>

Nielsen, EM, Ware, EC, Heincelman, M, Schreiner, AD, Lenert, LA, & Toll, BA. (2024). Prescription of Nicotine Replacement Therapy for Hospitalized Tobacco Users. *South Med J*, 117(8), 517-520. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39094806>

McDaniel, AM, Cooley, ME, Andrews, JO, Bialous, S, Buettner-Schmidt, K, Heath, et al. (2024). Nursing leadership in tobacco dependence treatment to advance health equity: An American Academy of Nursing policy manuscript. *Nurs Outlook*, 72(5), 102236. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39043053>

Streck, JM, Rigotti, NA, Livingstone-Banks, J, Tindle, HA, Clair, C, Munafo, MR et al. (2024). Interventions for smoking cessation in hospitalised patients. *Cochrane Database Syst Rev*, 5(5), CD001837. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38770804>

Preston, W. (2024). Medical management of tobacco dependency for hospital clinicians. *Thorax*, 79(Suppl 1), 1-2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38531602>

Robins, J, Patel, I, McNeill, A, Moxham, J, Woodhouse, A, Absalom, G et al. (2024). Evaluation of a hospital-initiated tobacco dependence treatment service: uptake, smoking cessation, readmission and mortality. *BMC Med*, 22(1), 139. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38528543>

Flores, A, Wiener, RS, Hon, S, Wakeman, C, Howard, J, Virani, N et al. (2024). Sustainability of an Opt-Out Electronic-Health Record-based Tobacco Treatment Consult Service at a large safety-net hospital: A 6-year Analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38320328>

Banerjee, S, Alabaster, A, Adams, AS, Fogelberg, R, Patel, N, & Young-Wolff, K. (2023). Clinical impacts of an integrated electronic health record-based smoking cessation intervention during hospitalisation. *BMJ Open*, 13(12), e068629. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38056936>

Nielsen, EM, Zhang, J, Marsden, J, Bays, C, Moran, WP, Mauldin, PD et al. (2023). Is hospitalization a missed opportunity to intervene on tobacco cessation? *Am J Med Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38043793>

Lyons, A, Bhardwaj, N, Masalkhi, M, Fox, P, Frazer, K, McCann, A et al. (2023). Correction to: Specialist cancer hospital-based smoking cessation service provision in Ireland. *Ir J Med Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37934402>

Devani, N, Mangera, Z, Smith, H, Gates, J, Woodhouse, A, Fullerton, D et al. (2023). 'The dark before the dawn': the 2021 British Thoracic Society Audit of the treatment of tobacco dependency in acute trusts. *BMJ Open Respir Res*, 10(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38030263>

Hock, ES, Franklin, M, Baxter, S, Clowes, M, Chilcott, J, & Gillespie, D. (2023). Covariates of success in quitting smoking: a systematic review of studies from 2008 to 2021 conducted to inform the statistical analyses of quitting outcomes of a hospital-based tobacco dependence treatment service in the United Kingdom. *NIHR Open Res*, 3, 28. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37881466>

Song, J, Chen, Y, Zhang, Z, Cao, Y, & Zhang, L. (2023). Study on the participation of nursing staff in tobacco cessation support and related influencing factors: A survey from Chongqing, China. *Tob Induc Dis*, 21, 131. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37842547>

Cummings, KM, Talbot, V, Roberson, A, Bliss, AA, Likins, E, Brownstein, NC et al. (2023). Implementation of an "Opt-Out" Tobacco Treatment Program in Six Hospitals in South Carolina. *Res Sq*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37720041>

Mattson, A, Doherty, K, Lyons, A, Douglass, A, Kerley, M, Stynes, S et al. (2023). Evidence from a Smoking Management Service in a University Teaching Hospital in Dublin, Ireland monitored by repeat surveys, 1997-2022. *Prev Med Rep*, 36, 102415. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37744740>

Satish, P, Khetan, A, Shah, D, Srinivasan, S, Balakrishnan, R, Padmanandan, A et al. (2023). Response to Effectiveness of Medical Student Counseling for Hospitalized Patients Addicted to Tobacco. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37723365>

Westmaas, JL, Kates, I, Makaroff, L, & Henson, R. (2023). Barriers to helping patients quit smoking: Lack of knowledge about cessation methods, E-cigarettes, and why nurse practitioners and physician assistants can help. *Public Health Pract (Oxf)*, 6, 100409. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37554288>

Civljak, M, Ackar, L, & Puljak, L. (2023). The knowledge, attitudes and behaviors of hospital nurses on smoking cessation interventions: a cross-sectional study. *BMC Nurs*, 22(1), 228. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37394472>

Farver-Vestergaard, I, Hjorth, P, Pisinger, C, Larsen, PV, & Lokke, A. (2023). A survey exploring the practices of smoking cessation support among hospital-based healthcare providers. *BMC Health Serv Res*, 23(1), 645. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37328757>

Li, Y, Eliaho, C, Liu, B, & Wilson, K. (2023). Comfort levels in discussing tobacco smoking among hospital staff in a children's hospital. *Tob Prev Cessat*, 9, 18. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37274934>

Shusterman, S, Villarreal-Calderon, R, Gunawan, A, Gallardo Foreman, A, O'Donnell, C, Wakeman, C et al Financial Incentives Program to Promote Smoking Cessation Among Recently Hospitalized

- Individuals: Feasibility and Acceptability Study. *JMIR Form Res*, 7, e44979. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37247216>
- Young, AL, Stefanovska, E, Paul, C, McCarter, K, McEnallay, M, Tait, J et al. (2023). Implementing Smoking Cessation Interventions for Tobacco Users Within Oncology Settings: A Systematic Review. *JAMA Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37103911>
- Grable, JC, Lin, JK, Peltzer, K, Schultz, R, Bugbee, D, Pilipenko, M et al. (2023). Integrating Tobacco Dependence Treatment into Hospital Practice Using the Rochester Model. *J Multidiscip Healthc*, 16, 905-911. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37038455>
- de Frel, DL, Janssen, VR, Meijer, E, & Atsma, DE. (2022). Optimizing Smoking Cessation Counseling in a University Hospital: Results and Pitfalls. *Front Health Serv*, 2, 882964. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36925867>
- Qiao, K, Liu, H, Li, X, Jin, Q, Wang, Y, Gu, M et al. (2023). An intervention study on a hospital-community integrated management model of tobacco dependence based on a community intervention trial. *Front Psychiatry*, 14, 1029640. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36960455>
- Civljak, M, Civljak, R, Kuzman, I, Grgic, A, Sember, D, Belak Kovacevic, S, & Puljak, L. (2022). Feasibility of the Multimodal Smoking Cessation Intervention during Hospitalization with Six-Month Follow-up Post-Discharge: A Pilot Study. *Acta Clin Croat*, 61(2), 273-283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36818939>
- Sitas, F, Harris-Roxas, B, White, SL, Haigh, FA, Barr, ML, & Harris, MF. (2023). Smoking cessation on discharge summaries. *Medical Journal of Australia*, 218(1), 46-46. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.5694/mja2.51792>
- Alba, LH, Penaloza, M, Olejua, P, Cespedes, E, Cuevas, V, Almonacid, I et al. (2022). Brief counseling for smoking cessation and alcohol use reduction concomitant with hospital procedures: a randomized clinical trial. *Braz J Psychiatry*, 44(5), 507-516. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36420908>
- Akbar, S, Kavi, K, Azam, R, Parvez, M, Zafar, H, Kingsley, O et al. (2022). The impact of a smoking cessation programme on referrals in a cardiorespiratory admissions unit. *Future Healthc J*, 9(Suppl 2), 113. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36310941>
- Mendes, A. (2022). Nurses' role in smoking cessation interventions. *Br J Community Nurs*, 27(11), 525-526. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36327205>
- Hryhorskyj, L, Howle, F, Groom, K, Moore, R, Clegg, H, Shackley, D et al. (2022). Patient survey examining the experience of care of a hospital-based opt-out tobacco dependency treatment service (the CURE Project). *BMJ Open Respir Res*, 9(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36216401>
- Braillon, A. (2022). Why are so few professionals providing adequate care for smoking cessation? *Cancer Epidemiol*, 79, 102213. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35810655>

- Ingrid, A, Olaya, L, Cuevas, V, Castillo, JS, Becerra, N, Delgado, J et al. (2022). Effectiveness of brief counselling in a hospital setting for smoking cessation and risky alcohol drinking reduction: randomised clinical trial protocol. *Rev Colomb Psiquiatr (Engl Ed)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35717385>
- Mahase, E. (2022). Smoking cessation: access in hospitals remains inadequate, audit finds. *BMJ*, 377, o1414. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35675915>
- Rigotti, NA, Chang, Y, Davis, EM, Regan, S, Levy, DE Ylioja, T et al. (2022). Comparative Effectiveness of Postdischarge Smoking Cessation Interventions for Hospital Patients: The Helping HAND 4 Randomized Clinical Trial. *JAMA Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35759282>
- Agrawal, S, Mangera, Z, Murray, RL, Howle, F, & Evison, M. (2022). Successes and Challenges of Implementing Tobacco Dependency Treatment in Health Care Institutions in England. *Curr Oncol*, 29(5), 3738-3747. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35621689>
- Kuo, CW, Chen, CY, Wu, CH, Chen, CW, Guo, FR, & Yang, SC. (2022). Multiple in-hospital counseling increases six-month smoking abstinence among individuals participating in a hospital-initiated smoking cessation program. *Addict Sci Clin Pract*, 17(1), 29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35597973>
- Lauridsen, SV, Thomsen, T, Jensen, JB, Kallemose, T, Schmidt Behrend, M, Steffensen, K et al. (2022). Effect of a Smoking and Alcohol Cessation Intervention Initiated Shortly Before Radical Cystectomy- the STOP-OP Study: A Randomised Clinical Trial. *Eur Urol Focus*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35241394>
- Mullen, KA, Walker, KL, Noble, S, Pritchard, G, Garg, A, Martin, N et al. (2021). Nicotine replacement therapy 'gift cards' for hospital inpatients who smoke: a prospective before-and-after controlled pilot evaluation. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34911813>
- Vitangcol, KJ, Puljevic, C, Gupta, D, & Snoswell, CL. (2021). Smoking status on subsequent readmission to hospital: The impact of inpatient brief interventions for smokers. *Tob Prev Cessat*, 7, 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34966879>
- Feliu, A, Ravara, S, Papadakis, S, Enriquez, M, Anton, L, Saura, J et al. (2021). Factors associated with changes in inpatients' smoking pattern during hospitalization and one month after discharge: A cohort study. *J Nurs Scholarsh*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34755457>
- Ugalde, A, White, V, Rankin, NM, Paul, C, Segan, C, Aranda, S et al. (2021). How can hospitals change practice to better implement smoking cessation interventions? A systematic review. *CA Cancer J Clin*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34797562>
- Foster, J. (2021). Why a 30-second chat about smoking could save someone's life. *Br J Nurs*, 30(18), 1094-1095. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34645338>
- Craig, EJ, Ramsey, AT, Baker, TB, James, AS, Luke, DA, Malone, S et al (2021). Point of care tobacco treatment sustains during COVID-19, a global pandemic. *Cancer Epidemiol*, 102005. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34446379>

- Obieche, O, Lee, M, & Salehi, N. (2021). Exploring attitudes towards smoking behaviour and cessation among hospitalised smokers via a socio-ecological framework: A scoping review. *Addict Behav*, 122, 107040. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34246988>
- Russell, L, Whiffen, R, Chapman, L, Just, J, Dean, E, Ugalde, A, & White, S. (2021). Hospital staff perspectives on the provision of smoking cessation care: a qualitative description study. *BMJ Open*, 11(5), e044489. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34011592>
- Wearn, A, Haste, A, Haighton, C, Mallion, V, & Rodrigues, AM. (2021). Barriers and facilitators to implementing the CURE stop smoking project: a qualitative study. *BMC Health Serv Res*, 21(1), 481. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34016109>
- Lopez-Olivo, MA, Minnix, JA, Fox, JG, Nishi, SPE., Lowenstein, LM, Maki, KG et al. (2021). Smoking cessation and shared decision-making practices about lung cancer screening among primary care providers. *Cancer Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33463091>
- Palmer, AM, Rojewski, AM, Chen, LS, Fucito, LM, Galiatsatos, P, Kathuria, H et al (2020). Tobacco Treatment Program Models in US Hospitals and Outpatient Centers. *Chest*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33259805>
- Wang, X, VanFrank, B, Zhang, L, Shrestha, S, & Trivers, KF. (2020). Availability and Characteristics of Hospital-Affiliated Tobacco-Cessation Programs in the U.S., 2000-2018. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33059916>
- Datta, SK, Dennis, PA, & Davis, JM. (2020). Health benefits and economic advantages associated with increased utilization of a smoking cessation program. *J Comp Eff Res*, 9(11), 817-828. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32815740>
- Davis, JM, Thomas, LC, Dirkes, JE, Datta, SK, & Dennis, PA. (2020). Comparison of referral methods into a smoking cessation program. *J Comp Eff Res*, 9(11), 807-815. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32795088>
- Davis, JM, Thomas, LC, Dirkes, JEH, & Swartzwelder, HS. (2020). Strategies for Referring Cancer Patients in a Smoking Cessation Program. *Int J Environ Res Public Health*, 17(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32825665>
- Holland, JM, Holland, E, Chen, Y, & Brown, SA. (2020). Smoking history and cessation discussions in cancer patients receiving definitive radiotherapy: Do we treat all patients equally? *Tob Prev Cessat*, 6, 31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32760866>
- Amaral, LMD, Macedo, A, Lanzieri, IO, Andrade, RO, Richter, KP, & Leite, ICG. (2020). Promoting cessation in hospitalized smoking patients: a systematic review. *Rev Assoc Med Bras (1992)*, 66(6), 849-860. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32696879>
- Caccamisi, A, Jorgensen, L, Dalianis, H, & Rosenlund, M. (2020). Natural language processing and machine learning to enable automatic extraction and classification of patients' smoking status from electronic medical records. *Ups J Med Sci*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32696698>

Carrion Valero, F, Martinez Gonzalez, D, Bobes-Bascaran, MT, Galan Gil, G, Ortega Serrano, J, Chorro Gasco, FJ et al (2020). Smoking in hospitalized patients. A great opportunity. *Adicciones*, 0(0), 1358. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32677696>

Balmer, JC, Anderson, AB Barfield, WR, Pellegrini, VD, & Demos, HA. (2020). Preoperative Smoking Cessation as a Durable Form of Long-Term Smoking Cessation. *J Surg Orthop Adv*, 29(2), 103-105. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32584224>

Roy, PJ, & Saitz, R. (2020). The Cost of a Cigarette: Opportunities to Engage Hospitalized Patients With Opioid Use Disorder. *J Addict Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32541361>

Phelan, MP, Nithianandam, B, Eikoff, N, Good, D, Hustey, FM, & Meldon, S. (2019). An intervention based on the Electronic Medical Record to improve smoking cessation guidance in an urban tertiary care center emergency department. *Tob Prev Cessat*, 5, 16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411880>

Rigotti, NA, Schnitzer, K, Davis, EM, Regan, S, Chang, Y, Kelley, JHK et al (2020). Correction to: Comparative effectiveness of post-discharge strategies for hospitalized smokers: Study protocol for the Helping HAND 4 randomized controlled trial. *Trials*, 21(1), 375. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32366273>

Martinez, C, Feliu, A, Castellano, Y, Fu, M, Fernandez, P, Cabrera-Jaime, S et al. (2020). Factors associated with receipt of the 5As model of brief intervention for smoking cessation among hospitalized patients. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32297373>

Rigotti, NA, Schnitzer, K, Davis, EM, Regan, S, Chang, Y, Kelley, JHK et al (2020). Comparative effectiveness of post-discharge strategies for hospitalized smokers: Study protocol for the Helping HAND 4 randomized controlled trial. *Trials*, 21(1), 336. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32299470>

Evison, M, Pearse, C, Howle, F, Baugh, M, Huddart, H, Ashton, E et al. (2020). Feasibility, uptake and impact of a hospital-wide tobacco addiction treatment pathway: Results from the CURE project pilot. *Clin Med (Lond)*, 20(2), 196-202. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32188658>

Yu, SH, Kim, MJ, Jeon, J, Park, HK, Hwang, HS, & Park, KY. (2019). Short-Term Success Rates of Smoking Cessation Support Programs and Factors Predicting Smoking Relapse: Using Data from a Smoking Cessation Clinic in a Hospital. *Korean J Fam Med*, 40(6), 373-379. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31779064>

Blok, AC, Sadasivam, RS, Hogan, TP, Patterson, A, Day, N, & Houston, TK. (2019). Nurse-Driven mHealth Implementation Using the Technology Inpatient Program for Smokers (TIPS): Mixed Methods Study. *JMIR Mhealth Uhealth*, 7(10), e14331. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31588908>

Michibayashi, C, Omote, S, Nakamura, M, Okamoto, R, & Nakada, AI. (2019). Competency model for public health nurses working on tobacco control in local governments in Japan: A qualitative study. *Jpn J Nurs Sci*, e12288. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31642605>

Patel, VN, Richter, KP, Mussulman, LM, Nazir, N, & Gajewski, B. (2019). Which hospitalized smokers receive a prescription for quit-smoking medication at discharge? A secondary analysis of a smoking cessation randomized clinical trial. *J Am Pharm Assoc (2003)*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31585702>

Pham, J, Pitney, S, Sweeney, D, Reekie, C, & Harkness, N. (2019). Poor initiation of smoking cessation therapies in hospitalised patients with COPD is associated with low levels of formal training amongst hospital doctors and under-utilisation of nursing-lead interventions. *Intern Med J*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31591807>

Zhang, L, Chen, Y, Lv, Y, Yang, X, Yin, Q, Bai, L et al (2019). The Perception and Intervention of Internship Nursing Students Helping Smokers to Quit: A Cross-Sectional Study in Chongqing, China. *Int J Environ Res Public Health*, 16(20). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31614952>

Mullen, KA, Walker, KL, Hobler, LA, Wells, GA, Moroz, IA, Pipe, AL et al. (2019). Performance obligations to improve delivery of hospital-initiated smoking cessation interventions: A before-and-after evaluation. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31563965>

Walley, SC, & Boykan, R. (2019). Correctly Identifying Hospitalized Pediatric Patients With Tobacco Smoke Exposure: The First Step in Addressing Parental Tobacco Use. *Hosp Pediatr*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31451582>

Ramsey, AT, Prentice, D, Ballard, E, Chen, LS, & Bierut, LJ. (2019). Leverage points to improve smoking cessation treatment in a large tertiary care hospital: a systems-based mixed methods study. *BMJ Open*, 9(7), e030066. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31270124>

Grad, GF, Pincelli, MP, Moura, K, Rocha, C, Alves, AK, Lobo, LMM et al (2019). Motivations for smoking in hospitalized patients. *Rev Assoc Med Bras (1992)*, 65(5), 603-610. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31166435>

Mussulman, LM, Scheuermann, TS, Faseru, B, Nazir, N, & Richter, KP. (2019). Rapid relapse to smoking following hospital discharge. *Prev Med Rep*, 15, 100891. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31193919>

Li, WHC, Ho, KY, Xia, VW, Wang, MP, Lam, KKW, Chan, SSC, & Lam, TH. (2019). Helping hospitalized smokers quit smoking by understanding their risk perception, behaviour and attitudes related to smoking. *J Adv Nurs*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31144361>

Liebmann, EP, Scheuermann, TS, Faseru, B, & Richter, KP. (2019). Critical steps in the path to using cessation pharmacotherapy following hospital-initiated tobacco treatment. *BMC Health Serv Res*, 19(1), 246. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31018852>

Boykan, R, Blair, R, Baldelli, P, & Owens, S. (2019). Using Motivational Interviewing to Address Tobacco Cessation: Two Standardized Patient Cases for Pediatric Residents. *MedEdPORTAL*, 15, 10807. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30931386>

Iacobucci, G. NHS to set up new alcohol and tobacco services for patients admitted to hospital. *BMJ*, 2019. 364, l78. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30617105>

Nichols, A., Clarke, P., & Notley, C. (2019). Parental smoking and support in the NICU. *Arch Dis Child Fetal Neonatal Ed*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30636693>

Goldsand, G. Pursuing reflective equilibrium when hospital patients smoke. *Healthc Manage Forum*, 840470418812108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30509123>

Najeeb, N, Halawani, M, McElvaney, N G, & Doyle, F. Prevalence of Smoking and Provision of Smoking Cessation Advice during Hospitalization. *Ir Med J*, 2018. 111(9), 821. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30556669>

Grau, LE, Weiss, J, O'Leary, TK, Camenga, D, & Bernstein, SL. Electronic decision support for treatment of hospitalized smokers: A qualitative analysis of physicians' knowledge, attitudes, and practices. *Drug Alcohol Depend*, 2018. 194, 296-301. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30469101>

Li, W, Kung, K, Li, Z, Hui, C, Holroyd, E, & Wong, WCW. Quitting Smoking in Mainland China: A New Role for Hospital-Based Nurses. *Holist Nurs Pract*, 2019. 33(1), 45-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30422924>

Taylor, D, Medaglio, D, Jurkovitz, C, Patterson, F, Zhang, Z, Gbadebo, A et al. Evaluation of a Systems-Based Tobacco Cessation Program Using Bedside Volunteers. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30462274>

Torok, MR, Lowary, M, Ziniel, SI, Rohde, J, Kerby, GS, Hovell, MF et al.). Perceptions of Parental Tobacco Dependence Treatment Among a Children's Hospital Staff. *Hosp Pediatr*, 2018. 8(11), 724-728. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30377220>

Feterik, K, Ylioja, T, Schulze, AE, Douaihy, A, Abebe, KZ, & Davis, EM. Hospitalists' Role in Improving Prescriptions of Nicotine Replacement Therapy Among Tobacco Users During Hospitalization and at Discharge. *J Gen Intern Med*, 2018. Available from: <https://link.springer.com/article/10.1007%2Fs11606-018-4693-2>

Chu, TP, Chen, ML, Lin, YC, Chen, MY. The Impact of Innovative Smoking Reduction Education at Hospital Entrances: A Prospective Pre- and Post-Test Study Design. *Int J Environ Res Public Health*. 2018 Sep 4;15(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30181464>

Celestin, MD, Ferguson, T, Ledford, EC, Tseng, TS, Carton, T, Moody-Thomas, S. Differences in Treating Tobacco Use Across National, State, and Public Hospital System Surveys. *Prev Chronic Dis*. 2018 Aug 16;15:E103. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30124428>

Cruvinel, E, Richter, KP, Colugnati, F, Ronzani, TM. An experimental feasibility study of a hybrid telephone counseling/text messaging intervention for post-discharge cessation support among hospitalized smokers in Brazil. *Nicotine Tob Res*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30137529>

Snaterse, M, Jorstad, HT, Minneboo, M, Lachman, S, Boekholdt, SM, Ter Riet, G, Scholte Op Reimer, WJ, Peters, RJ. Smoking cessation after nurse-coordinated referral to a comprehensive lifestyle programme in patients with coronary artery disease: a substudy of the RESPONSE-2 trial. *Eur J Cardiovasc Nurs*. 2018 Aug 20;1474515118795722. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30122068>

Streck, JM, Chang, Y, Tindle, HA, Regan, S, Park, ER, Levy, DE, Singer, DE, Ylioja, T, Rigotti, NA. Smoking Cessation After Hospital Discharge: Factors Associated With Abstinence. *J Hosp Med*. 2018 Aug 29:E1-E5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30156578>

Scheuermann, TS, Preacher, KJ, Carlini, BH, Bush, T, Magnusson, B, Nazir, N, Richter, KP. Predictors of engagement in post-discharge quitline counseling among hospitalized smokers. *J Behav Med*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30027388>

Chen, J, Grossman, E, Link, A, Wang, B, Sherman, S. Disparities in hospital smoking cessation treatment by immigrant status. *J Ethn Subst Abuse*. 2018 May 4:1-14. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29727588>

Egici, MT, Ozturk, GZ, Bukhari, MH, Toprak, D. Smoking Cessation with Medication and Behaviour Therapy. *Pak J Med Sci*. 2017 Nov-Dec;33(6):1459-1462. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29492078>

Evison, M, Agrawal, S, Conroy, M, Bendel, N, Sewak, N, Fitzgibbon, A, McWilliams, L, Jerram, J, Regan, D, Shackley, D, Preece, R, Brown, L, Barber, P. Building the case for comprehensive hospital-based tobacco addiction services: Applying the Ottawa Model to the City of Manchester. *Lung Cancer*. 2018 Jul;121:99-100. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29739705>

Kuperman, EF, Chapin, J, Grant, KM, Vander Weg, MW, Katz, DA. The Association between the Electronic Health Record and Patient-Reported Receipt of Tobacco Cessation Care in Hospitalized Veterans. *Jt Comm J Qual Patient Saf*. 2018 May;44(5):304-306. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29759264>

Mak, YW, Loke, AY, Wong, FKY. Nursing Intervention Practices for Smoking Cessation: A Large Survey in Hong Kong. *Int J Environ Res Public Health*. 2018 May 22;15(5). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29789484>

Walley, SC, Mussman, GM, Lossius, M, Shadman, KA, Destino, L, Garber, M, Ralston, SL. Implementing Parental Tobacco Dependence Treatment Within Bronchiolitis QI Collaboratives. *Pediatrics*. 2018 Jun;141(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29769242>

Egici, MT, Ozturk, GZ, Bukhari, MH, Toprak, D. Smoking Cessation with Medication and Behaviour Therapy. *Pak J Med Sci*. 2017 Nov-Dec;33(6):1459-1462. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29492078>

Garcia, T, Andrade, Sads, Biral, AT, Bertani, AL, Caram, LMO, Cezare, TJ, Godoy, I, Tanni, SE. Evaluation of smoking cessation treatment initiated during hospitalization in patients with heart disease or respiratory disease. *J Bras Pneumol*. 2018 Jan-Feb;44(1):42-48. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29538542>

Chui, CY, Thomas, D, Taylor, S, Bonevski, B, Abramson, MJ., Paul, E, Poole, SG, Weeks, GR, Dooley, MJ, George, J. Factors associated with nicotine replacement therapy use among hospitalised smokers. *Drug Alcohol Rev*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29411446>

Hutchinson, J, Mangera, Z, Searle, L, Lewis, A, Agrawal, S, British Thoracic, Society. Treatment of tobacco dependence in UK hospitals: an observational study. *Clin Med (Lond)*. 2018 Feb;18(1):35-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29436437>

McGain, F, Durie, ML, Bates, S, Polmear, CM, Meyer, J, French, CJ, George Institute for Global, Health, the, Australian and New Zealand Intensive Care Society Clinical Trials, Group. Smoking cessation therapy in Australian and New Zealand intensive care units: a multicentre point prevalence study. *Crit Care Resusc*. 2018 Mar;20(1):68-73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29458324>

Neerukonda, T, Scheuermann, TS, Lauer, SJ, Hudelson, M, Ellerbeck, EF. An Evaluation of SmokeFree for Kansas Kids: An Intervention to Promote Tobacco Cessation in Pediatric Clinics. *Kans J Med*. 2017 Feb 15;10(1):7-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29472958>

Abdullah, AS, Guangmin, N, Kaiyong, H, Jing, L, Yang, L, Zhang, Z, Winickoff, JP. Implementing Tobacco Control Assistance in Pediatric Departments of Chinese Hospitals: A Feasibility Study. *Pediatrics*. 2018 Jan;141(Suppl 1):S51-S62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29292306>

Ylioja, T, Reddy, V, Ambrosino, R, Davis, EM, Douaihy, A, Slovenkay, K, Kogut, V, Frenak, B, Palombo, K, Schulze, A, Cochran, G, Tindle, HA. Using Bioinformatics to Treat Hospitalized Smokers: Successes and Challenges of a Tobacco Treatment Service. *Jt Comm J Qual Patient Saf*. 2017 Dec;43(12):621-632. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29173282>

Lasser, KE, Quintiliani, LM, Truong, V, Xuan, Z, Murillo, J, Jean, C and Pbert, L. Effect of Patient Navigation and Financial Incentives on Smoking Cessation Among Primary Care Patients at an Urban Safety-Net Hospital: A Randomized Clinical Trial. *JAMA Intern Med*, 2017. Oct 30, 2017. Available from: <https://jamanetwork.com/journals/jamainternalmedicine/article-abstract/2659556?resultClick=3>

Ylioja, T, Cochran, G, Chang, Y, Tindle, HA, Rigotti, NA. IC04750 Post-discharge smoking cessation in subgroups of hospitalized smokers: a latent class analysis. *Subst Abus*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28727541>

Khalaf, IA, Abu-Moghli, F, LaRocco, SA, Al-Maharma, DY. Jordanian Nurses' Perception and Interventions Related to Promoting Smoking Cessation. *J Clin Nurs*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28618086>

Liu, W, Johantgen, M, Newhouse, R. Psychometric Testing of the Smoking Cessation Counseling Scale Among Magnet(R) Hospital Nurses. *West J Nurs Res*. 2017 Mar 1:193945917698689. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28367716>

Shelley, D, Goldfeld, KS, Park, H, Mola, A, Sullivan, R, Austrian, J. System Changes to Implement the Joint Commission Tobacco Treatment (TOB) Performance Measures for Improving the Treatment of

Tobacco Use Among Hospitalized Patients. *Jt Comm J Qual Patient Saf.* 2017 May;43(5):234-240. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28434457>

Duffy, SA, Ronis, DL, Ewing, LA, Waltje, AH, Hall, SV, Thomas, PL, Olree, CM, Maguire, KA, Friedman, L, Klotz, S, Jordan, N, Landstrom, GL. Implementation of the Tobacco Tactics intervention versus usual care in Trinity Health community hospitals. *Implement Sci.* 2016 Nov 4;11(1):147. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27814722>

Sheik-Ali, S, Farwana, M. RE: 'Orthopaedic trauma patients and smoking: Knowledge deficits and interest in quitting'. *Injury.* 2016 Nov;47(11):2596. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27667118>

Thomas, KE, Kisely, S, Urrego, F. Increasing pediatricians' smoking cessation promotion and knowledge of the Smoking Cessation trust. *Clin Pediatr (Phila)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27462047>

Hall, K, Kisely, S, Urrego, F. The use of pediatrician interventions to increase smoking cessation counseling among smoking caregivers: a systematic review. *Clin Pediatr (Phila)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26928569>

Lorenatto, F et al. A survey of UK optometry trainees' smoking cessation training. *Ophthalmic Physiol Opt*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26920077>

Mendez-Rubio, S et al. Urological disease and tobacco. A review for raising the awareness of urologists. *Actas Urol Esp*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26920096>

Mobley, D, Baum, N. Smoking: Its impact on urologic health. *Rev Urol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26839519>

Efrainsson, EO et al. Nurses' and patients' communication in smoking cessation at nurse-led COPD clinics in primary health care. *Eur Clin Respir J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26672958>

Nickerson, JW et al. Respiratory therapy and tobacco: Exploring our role. *Can J Respir Ther*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26566374>

Cozar Olmo, JM et al. Towards greater involvement of the urologist in smoking prevention. *Actas Urol Esp*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26233480>

Song, F et al. Differences in longer-term smoking abstinence after treatment by specialist or nonspecialist advisors: secondary analysis of data from a relapse prevention trial. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26152558>

Awan, KH et al. Knowledge and attitude of tobacco use and cessation among dental professionals. *The Saudi Dental Journal*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26082577>

Ford, P et al. Survey of dental clinic patients: Smoking and preferences for cessation support. *Australian Dental Journal*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26086696>

Dumitrescu, AL et al. Opinions of Romanian dental students toward tobacco use interventions in the dental setting. *Journal of Cancer Education*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26007635>

Semple, S. Employment, smoking, and health: The role of the hygienist. *The Annals of Occupational Hygiene*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25925743>

Zeun, P et al. Stubbing it out: tackling smoking in rheumatology clinics, 2015. *Rheumatology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26018439>

7.10.2.1 Emergency department

Notley, C, Belderson, P, Ward, E, Clark, L V, Clark, A, Stirling, S et al. (2024). The Context of the Emergency Department as a Location for a Smoking Cessation Intervention-Process Evaluation Findings From the Cessation of Smoking Trial in the Emergency Department Trial. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39505370>

Pope, I, Rashid, S, Iqbal, H, Belderson, P, Ward, E, Clark, L et al. (2024). Engagement With Stop Smoking Services After Referral or Signposting: A Mixed Methods Study. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38955669>

Pope, I, Clark, LV, Clark, A, Ward, E, Belderson, P, Stirling, S et al. (2024). Cessation of Smoking Trial in the Emergency Department (COSTED): a multicentre randomised controlled trial. *Emerg Med J.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38531658>

Ashburn, NP, Snavely, AC, Rikhi, RR, Chado, MA, Colbaugh, WB, Noe, GR et al. (2023). Chest pain observation unit: A missed opportunity to initiate smoking cessation therapy. *Am J Emerg Med*, 68, 17-21. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36905881>

Kucukaksu, MH, van Meijel, B, Jansen, L, Hoekstra, T, & Adriaanse, MC. (2023). A smoking cessation intervention for people with severe mental illness treated in ambulatory mental health care (KISMET): study protocol of a randomised controlled trial. *BMC Psychiatry*, 23(1), 108. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36797709>

Notley, C, Clark, L, Belderson, P, Ward, E, Clark, AB, Parrott, S et al. (2023). Cessation of smoking trial in the emergency department (CoSTED): protocol for a multicentre randomised controlled trial. *BMJ Open*, 13(1), e064585. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36657751>

Bernstein, S L, Dziura, J, Weiss, J, Brooks, AH, Miller, T, Vickerman, KA et al. (2022). Successful Optimization of Tobacco Dependence Treatment in the Emergency Department: A Randomized Controlled Trial Using the Multiphase Optimization Strategy. [MS Top Pick]. *Ann Emerg Med.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36585318>

Ng, CCC, Kowalski, S, Mu, WL, Tan, PT, Leong, EYL, Goh, PL et al. (2022). Evaluating smoking cessation service at an emergency department clinical observation unit. *Am J Manag Care*, 28(10), e388-e391. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36252179>

- Grau, LE, Jurczak, E, Zahid, M, Brooks, AH, Weiss, J, O'Leary, TK et al. (2022). A qualitative study of smokers' assessments of four smoking cessation interventions delivered in a hospital emergency department. *Drug Alcohol Depend*, 237, 109512. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35714533>
- Ocak, M, Unal, M, Ozturk, O, Vural, A, Ayraller, A, Oruc, MA et al. (2022). Attitudes and Behaviors Regarding Smoking in Friends and Relatives of Patients in Emergency Room: A New Frontier in the Fight against Tobacco. *Addict Health*, 14(1), 15-25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35573762>
- Merianos, AL, Fiser, KA, Mahabee-Gittens, EM, Lyons, MS, & Gordon, JS. (2022). Barriers to implementation of pediatric emergency department interventions for parental tobacco use and dependence: a qualitative study using the theoretical domains framework. *Implement Sci Commun*, 3(1), 3. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35022066>
- Mullen, KA, Garg, A, Gagnon, F, Wells, G, Kapur, A, Hawken, S et al. (2021). The INITIATE trial protocol: a randomized controlled trial testing the effectiveness of a "quit card" intervention on long-term abstinence among tobacco smokers presenting to the emergency department. *Trials*, 22(1), 733. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34688291>
- Castello, LM, Airoidi, C, Baldrighi, M, Bortoluzzi, S, Cammarata, LM, Franchetti Pardo, L et al. (2021). Effectiveness and feasibility of smoking counselling: a randomized controlled trial in an Italian emergency department. *Eur J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34252178>
- Merianos, AL, Gordon, JS, Lyons, MS, Jandarov, RA, & Mahabee-Gittens, EM. (2021). Evaluation of tobacco screening and counseling in a large, midwestern pediatric emergency department. *Tob Prev Cessat*, 7, 39. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34056146>
- Pantalon, MV, Dziura, J, Li, FY, D'Onofrio, G, Weiss, J, & Bernstein, SL. (2021). A Brief Negotiation Interview Adherence Scale for Smoking Cessation: A psychometric evaluation. *J Subst Abuse Treat*, 126, 108398. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34116807>
- Greenberg, MR, Greco, NM, Batchelor, TJ, Miller, AHF, Doherty, T, Aziz, AS et al (2020). Physician-directed smoking cessation using patient "opt-out" approach in the emergency department: A pilot program. *J Am Coll Emerg Physicians Open*, 1(5), 782-789. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33145519>
- Mahabee-Gittens, EM, Ammerman, RT, Khoury, JC, Tabangin, ME, Ding, L, Merianos, A et al(2020). A Parental Smoking Cessation Intervention in the Pediatric Emergency Setting: A Randomized Trial. *Int J Environ Res Public Health*, 17(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33158230>
- Tolmie, AD, Erker, R, Oyedokun, T, Sullivan, E, Graham, T, & Stempien, J. (2020). Prevalence of Cigarette Smoking Among Adult Emergency Department Patients in Canada. *West J Emerg Med*, 21(6), 190-197. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33207165>

Mahabee-Gittens, EM, Merianos, AL, Tabangin, ME, Stone, L, Gordon, JS, & Khoury, JC. (2020). Provision of free nicotine replacement therapy to parental smokers in the pediatric emergency setting. *Tob Prev Cessat*, 6, 30. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32760865>

Herbst, N, Wiener, RS, Helm, ED, O'Donnell, C, Fitzgerald, C, Wong, C et al. (2020). Effectiveness of an Opt-Out Electronic-Health Record-based Tobacco Treatment Consult Service at an Urban Safety-Net Hospital. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32428510>

Li, WHC, Ho, KY, Wang, MP, Cheung, DYT, Lam, KKW, Xia, W et al. (2019). Effectiveness of a Brief Self-determination Theory-Based Smoking Cessation Intervention for Smokers at Emergency Departments in Hong Kong: A Randomized Clinical Trial. *JAMA Intern Med*. Available from: Onda, M., Kuwanoe, T., Hashimoto, A., Horiguchi, M., Domichi, M., & Sakane, N. (2019). Pharmacist-Delivered Smoking Cessation Program in Community Pharmacy (The FINE Program) in Japan-The Development of a Training Course and a Feasibility Study. *J Pharm Pract*, 897190019889745.

Cunradi, CB, Lee, J, Pagano, A, Caetano, R, & Alter, HJ. (2019). Gender Differences in Smoking Among an Urban Emergency Department Sample. *Tob Use Insights*, 12, 1179173X19879136. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31598064>

Weiss-Gerlach, E, McCarthy, WJ, Wellmann, J, Graunke, M, Spies, C, & Neuner, B. (2019). Secondary analysis of an RCT on Emergency Department-Initiated Tobacco Control: Repeatedly assessed point-prevalence abstinence up to 12 months and extension of results through a 10-year follow-up. *Tob Induc Dis*, 17, 26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582937>

ernstein, SL et al. Successful tobacco dependence treatment in low-income emergency department patients: a randomized trial. *Annals of Emergency Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25920384>

Kantrow, SP, Jolley, SE, Price-Haywood, EG, Wang, X, Tseng, TS, Arnold, D et al. Using the emergency department to investigate smoking in young adults. *Ann Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30555003>

Gonzalez, J. M., de Tantillo, L., Snowden, K., Gattamorta, K. and Ortega, J. Implementation of a Smoking Cessation Education Program in the Emergency Department. *Adv Emerg Nurs J*. 2018 Jul/Sep;40(3):204-213. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30059376>

Lemhoefer, C, Rabe, GL, Wellmann, J, Bernstein, SL, Cheung, KW, McCarthy, WJ, Lauridsen, SV, Spies, C, Neuner, B. Emergency Department-Initiated Tobacco Control: Update of a Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Prev Chronic Dis*. 2017 Oct 5;14:E89. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28981403>

Simerson, D, Hackbarth, D. Emergency Nurse Implementation of the Brief Smoking-Cessation Intervention: Ask, Advise, and Refer. *J Emerg Nurs*. 2017 Aug 29. pii: S0099-1767(17)30100-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28864084>

Baron, MD, DeFrancesco, CJ, Liu, TC, Leone, FT, Ahn, J. A Teachable Moment After Orthopaedic Fracture in the Smoking Patient: A Randomized, Controlled Trial. *J Orthop Trauma*. 2017 Aug;31(8):e252-e254. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28737593>

Cheung, KW, Wong, IW, Fingrut, W, Tsai, APY, Ke, SR, Shojaie, S, Brubacher, JR, Stewart, LC, Erdelyi, S. Randomized controlled trial of emergency department initiated smoking cessation counselling and referral to a community counselling service. *CJEM*. 2017 Jul 11:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28693638>

McCrabb, S, Baker, AL, Attia, J, Balogh, ZJ, Lott, N, Palazzi, K, Naylor, J, Harris, IA, Doran, CM, George, J, Wolfenden, L, Skelton, E, Bonevski, B. Smoking, quitting and the provision of smoking cessation support: A survey of orthopaedic trauma patients. *J Orthop Trauma*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28459775>

Fingrut, W, Stewart, L, Cheung, KW. Choice of smoking cessation counselling via phone, text, or email in emergency department patients. *Prev Med Rep*. 2016 Oct 29;4:597-600. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27843760>

7.10.2.2 In-patient care

Gupte, HA, Kruse, GR, Chang, Y, Jagiasi, D, Pradhan, S, & Rigotti, NA. (2024). Post-discharge tobacco abstinence in a Mumbai hospital after implementation of tobacco cessation counseling: A pragmatic evaluation of the LifeFirst program. *PLoS One*, 19(11), e0312319. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39531416>

Jiang, Y, Zhao, Y, Tang, P, Wang, X, Guo, Y, & Tang, L. (2024). The role of nurses in smoking cessation interventions for patients: a scoping review. *BMC Nurs*, 23(1), 803. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39497075>

Meanger, D, Webb, A, Banakh, I, Coward, L, Cripps, G, & George, J. (2024). Pharmacist E-script transcription service initiated nicotine replacement therapy uptake in pre-admission clinic: A pilot study. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39223443>

Singh, N, & Koegelenberg, CFN. (2024). Smoking cessation for hospitalised inpatients: Butt where do we begin? *Afr J Thorac Crit Care Med*, 30(2), e2379. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39171158>

Soin, G, Kok, J, Allie, A, Bhawoodien, Q, Dheda, K, Geragotellis, A et al. (2024). The need for smoking cessation counselling and nicotine withdrawal therapy for hospitalised patients: A smoking point prevalence study at Groote Schuur Hospital, Cape Town, South Africa. *Afr J Thorac Crit Care Med*, 30(2), e1360. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39171153>

Weeks, GR, Gobarani, RK, Abramson, MJ, Bonevski, B, Webb, A, Thomas, D et al. (2024). Varenicline and Nicotine Replacement Therapy for Smokers Admitted to Hospitals: A Randomized Clinical Trial. *JAMA Netw Open*, 7(6), e2418120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38935378>

- Shin, HS, Park, YH, Lee, SS, Cho, YJ, Kwon, JT, Chang, Y et al (2024). Development of a Risk Score to Predict Short-term Smoking Relapse Following an Inpatient Smoking Cessation Intervention. *Asia Pac J Public Health*, 10105395241240949. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38553968>
- Epton, L, Patman, S, Coventry, T, & Bulsara, C. (2023). Hospitalised Smokers' and Staff Perspectives of Inpatient Smoking Cessation Interventions and Impact on Smokers' Quality of Life: An Integrative Review of the Qualitative Literature. *J Smok Cessat*, 2023, 6544215. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36911248>
- Martinez, C, Lisha, N, McCuistian, C, Strauss, E, Deluchi, K, & Guydish, J. (2023). Comparing client and staff reports on tobacco-related knowledge, attitudes, beliefs and services provided in substance use treatment. *Tob Induc Dis*, 21, 45. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36916452>
- Vitangcol, K, Puljevic, C, & Snoswell, C. (2023). Assessing the Effect of an Inpatient Smoking Cessation Brief Intervention Tool on Long-Term Smoking Cessation Rates and Patient Interest for Nicotine Replacement Therapy: A Retrospective Analysis. *Eur Addict Res*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36716711>
- Sitas, F, Harris-Roxas, B, White, SL, Haigh, FA, Barr, M L, & Harris, MF. (2022). Smoking cessation on discharge summaries. [MS Top Pick]. *Med J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36423644>
- Gobarani, RK, Weeks, GR, Abramson, MJ, Bonevski, B, Paul, E, Webb, A et al. (2022). Which smokers enroll in a hospital based smoking cessation trial? Survey of smoking related behaviors, quit attempts, and motivation to quit. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36065155>
- Tsemach, R, Enden-Izhaki, A, & Amit Aharon, A. (2022). Intervention training of urology healthcare staff to counsel acute care inpatients on smoking cessation: an evaluation study. *Nurs Open*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36059078>
- Gilgien-Denereaz, L, Jakob, J, Tal, K, Gencer, B, Carballo, D, Raber, L et al. (2022). Long-term effects of systematic smoking cessation counselling during acute coronary syndrome, a multicentre before-after study. *Swiss Med Wkly*, 152, w30209. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35964324>
- Moyo, S, Hefler, M, Carson-Chahhoud, KV, & Thomas, DP. (2022). A qualitative exploration of the provision and prioritisation of smoking cessation support to patient carers in a paediatric ward in Australia. *BMC Nurs*, 21(1), 227. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35971122>
- Rodrigues, AM, Wearn, A, Haste, A, Mallion, V, Evison, M, Howle, F, & Haighton, C. (2022). Understanding the implementation strategy of a secondary care tobacco addiction treatment pathway (the CURE project) in England: a strategic behavioural analysis. *BMJ Open*, 12(6), e054739. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35701059>
- Trapskin, PJ, Sheehy, A, Creswell, PD, McCarthy, DE, Skora, A, Adsit, RT et al. (2022). Development of a Pharmacist-Led Opt-Out Cessation Treatment Protocol for Combustible Tobacco Smoking Within

Inpatient Settings. *Hosp Pharm*, 57(1), 167-175. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35521012>

Buttery, SC, Williams, P, Mweseli, R, Philip, KEJ, Sadaka, A, Bartlett, EJ et al. (2022). Immediate smoking cessation support versus usual care in smokers attending a targeted lung health check: the QuLIT trial. *BMJ Open Respir Res*, 9(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35121633>

Harrington, C, Kosirog, M, Campbell, P, Gregory, D, Daud, A, Levitsky, J et al. (2022). Poor Practitioner Adherence to Clinical Tobacco Use Guidelines in Liver Transplant Recipients. *Transplant Direct*, 8(2), e1288. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35187212>

Holstein, JA, O'Hara, K, Moss, A, Lowary, M, Kerby, G, Hovell, M et al. (2022). Barriers and Motivators for Smoking Cessation Among Caregivers of Inpatient Pediatric Patients. *Hosp Pediatr*, 12(2), 220-228. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35083490>

Worni-Schudel, I, Tzalis, V, Jakob, J, Tal, K, Gilgien-Denereaz, L, Gencer, B et al. (2021). Association between self-reported motivation to quit smoking with effectiveness of smoking cessation intervention among patients hospitalized for acute coronary syndromes in Switzerland. *Prev Med Rep*, 24, 101583. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34976644>

Lin, CJ, Huang, WH, Hsu, CY, Tjung, JJ, & Chan, HL. (2021). Smoking Cessation Rate and Its Predictors among Heavy Smokers in a Smoking-Free Hospital in Taiwan. *Int J Environ Res Public Health*, 18(24). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34948559>

Creswell, PD, McCarthy, DE, Trapskin, P, Sheehy, A, Skora, A, Adsit, RT et al. (2021). Can inpatient pharmacists move the needle on smoking cessation? Evaluating reach and representativeness of a pharmacist-led opt-out smoking cessation intervention protocol for hospital settings. *Am J Health Syst Pharm*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34951621>

Katz, DA, Mott, SL, Utech, JA, Bahlmann, AC, Dukes, KA, Seaman, AT et al. (2021). Corrigendum to: Time to put it out - nurse-facilitated tobacco treatment in a comprehensive cancer center. *Transl Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34865161>

Shoenbill, KA, Newcomer, E, Valcourt-Hall, C, Baca-Atlas, MH, Smith, CA, & Goldstein, AO. (2021). An Analysis of Inpatient Tobacco Use Treatment Transition to Telehealth. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34929731>

Frischknecht, U, Patz, T, Reinhard, I, Dinter, C, Kiefer, F, & Weber, T. (2021). Predicting Participation in and Success of a Concurrent Smoking Cessation Program during Inpatient Treatment for Alcohol Dependence. *Psychiatr Danub*, 33(Suppl 10), 76-88. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34672276>

Williams, BS, Nacht, C, Fiore, MC, & Kelly, MM. (2021). Smoke Exposure Disclosure: Parental Perspectives of Screening in the Inpatient Setting. *Hosp Pediatr*, 11(10), e210-e217. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34507976>

No authors listed. Improving Inpatient Tobacco Treatment Measures: Outcomes Through Standardized Treatment, Care Coordination, and Electronic Health Record Optimization: Erratum. (2021). *J Healthc Qual*, 43(4), 259. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34180870>

Lee, SE Kim, CW, Im, HB, & Jang, M. (2021). Patterns and predictors of smoking relapse among inpatient smoking intervention participants: A 1-year follow-up study in South Korea. *Epidemiol Health*, e2021043. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34126705>

Zoorob, RJ, Levine, RS, & Hennekens, CH. (2021). Smoking Cessation and Hospitalized Patients: A Missed Opportunity to Avoid Premature Deaths. *Ochsner J*, 21(1), 10-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33828420>

Wilcockson, TDW, Pothos, EM, Osborne, AM, & Crawford, TJ. (2021). Top-down and bottom-up attentional biases for smoking-related stimuli: Comparing dependent and non-dependent smokers. *Addict Behav*, 118, 106886. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33714035>

Park, HY, Choe, YR, Oh, IJ, Kim, MS, Kho, BG Shin, HJ et al (2021). Efficacy of an inpatient smoking cessation program at a single regional cancer center: A prospective observational study. *Medicine (Baltimore)*, 100(6), e24745. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33578625>

Dickinson, BJ, Thompson, ED, Gracely, EJ, Wilson, KM, & Pediatric Research In Inpatient Settings, N. (2021). Smoking Cessation Counseling in the Inpatient Unit: A Survey of Pediatric Hospitalists. *Hosp Pediatr*, 11(1), 30-35. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33386295>

Iannello, J, Levitt, MP, Poetter, D, Bromberg, D, James, L, Cruz, M et al (2021). Improving Inpatient Tobacco Treatment Measures: Outcomes Through Standardized Treatment, Care Coordination, and Electronic Health Record Optimization. *J Healthc Qual*, 43(1), 48-58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33394840>

Masonbrink, AR, Berg, K, Harrison, A, Rossetti, A, Heller, K, Darby, J et al (2021). Barriers to Tobacco Cessation for Caregivers of Hospitalized Children: Perspectives of Pediatric Hospitalists. *Hosp Pediatr*, 11(1), 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33262220>

Matuszewski, PE, Joseph, K, O'Hara, NN, DiClemente, C, & O'Toole, RV. (2020). Prospective Randomized Trial on Smoking Cessation in Orthopaedic Trauma Patients: Results from the Let's STOP (Smoking in Trauma Orthopaedic Patients) Now Trial. *J Orthop Trauma*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33252440>

Quintiliani, LM, Kathuria, H, Truong, V, Murillo, J, Borrelli, B, Xuan, Z, & Lasser, KE. (2020). Patient navigation among recently hospitalized smokers to promote tobacco treatment: Results from a randomized exploratory pilot study. *Addict Behav*, 113, 106659. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33010473>

Romano, I, Costello, MJ, Sousa, S, Li, Y, Bruce, D, Roth, D et al. (2020). Evaluating the Associations Between Exposure to Tobacco Interventions During Inpatient Treatment and Substance Use Outcomes: Findings From a Natural Experiment. *J Addict Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32956163>

Williams, BS, Smith, SS, Marbin, JN, Huang, MZ, Garell, CL, Kosack, AS et al. (2020). Addressing Environmental Smoke Exposure During Pediatric Hospitalization: Attitudes and Practices of Pediatric Nurses versus Respiratory Therapists. *Respir Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32962999>

Zhang, L, Li, J, Lv, Y, Yang, X, Bai, L, Luo, Y et al. (2020). Impact of tobacco control auxiliary resources on the 5As behavior in nursing interns: Self-reports from students. *Tob Induc Dis*, 18, 65. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32818028>

Gonzales, D, Bjornson, WG, Markin, CJ, Coleman, TM, Favela, F, Clemons, N et al. (2020). Improving Smoking Cessation Outcomes Through Tailored-Risk Patient Messages at a University Hospital Tobacco Cessation Service. *Jt Comm J Qual Patient Saf*, 46(5), 250-260. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32362354>

Seth, B, Herbst, N, Oleinik, K, Clark, K, Helm, ED, O'Donnell, C et al (2019). Feasibility, Acceptability, and Adoption of an Inpatient Tobacco Treatment Service at a Safety-Net Hospital: A Mixed Methods Study. *Ann Am Thorac Soc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31593497>

Ward, CE, Hall, SV, Barnett, PG, Jordan, N, & Duffy, SA. (2019). Cost-effectiveness of a nurse-delivered, inpatient smoking cessation intervention. *Transl Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31228196>

Shoorijeh, FT, Palenik, CJ, & Askarian, M. (2019). Effect of a Smoking Cessation Program on Inpatients in the Largest Hospital in Southern Iran. *Int J Prev Med*, 10, 54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31143428>

Bernstein, SL, Weiss, J, DeWitt, M, Tetrault, JM, Hsiao, AL, Dziura, J et al. A randomized trial of decision support for tobacco dependence treatment in an inpatient electronic medical record: clinical results. *Implement Sci*, 2019. 14(1), 8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30670043>

Ho, KY, Li, WHC, Lam, KKW, Wang, MP, Xia, W, Ho, LY et al. Smoking behaviours of Hong Kong Chinese hospitalised patients and predictors of smoking abstinence after discharge: a cross-sectional study. *BMJ Open*, 2018. 8(12), e023965. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30573486>

Campos, ACF, Nani, ASF, Fonseca, Vads, Silva, EN, Castro, MCS, Martins, WA. Comparison of two smoking cessation interventions for inpatients. *J Bras Pneumol*. 2018 May-Jun;44(3):195-201. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30043885>

Reid, RD, Mullen, KA, Pipe, AL. Tackling smoking cessation systematically among inpatients with heart disease. *CMAJ*. 2018 Mar 26;190(12):E345-E346. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29581160>

Cartmell, KB, Dooley, M, Mueller, M, Nahhas, GJ, Dismuke, CE, Warren, GW, Talbot, V, Cummings, KM. Effect of an Evidence-based Inpatient Tobacco Dependence Treatment Service on 30-, 90-, and 180-Day Hospital Readmission Rates. *Med Care*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29401186>

Polmear, CM, Nathan, H, Bates, S, French, C, Odisho, J, Skinner, E, Karahalios, A, McGain, F. The effect of intensive care unit admission on smokers' attitudes and their likelihood of quitting smoking. *Anaesth Intensive Care*. 2017 Nov;45(6):720-726. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29137583>

Sisler, L, Omofoye, O, Paci, K, Hadar, E, Goldstein, AO, Ripley-Moffitt, C. Using Lean Quality Improvement Tools to Increase Delivery of Evidence-Based Tobacco Use Treatment in Hospitalized Neurosurgical Patients. *Jt Comm J Qual Patient Saf*. 2017 Dec;43(12):633-641. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29173283>

Trout, S, Ripley-Moffitt, C, Meernik, C, Greyber, J, Goldstein, AO. Provider satisfaction with an inpatient tobacco treatment program: results from an inpatient provider survey. *Int J Gen Med*. 2017 Oct 19;10:363-369. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29089783>

van den Broek-Altenburg, EM, Atherly, AJ. The Effect of an Inpatient Smoking Cessation Treatment Program on Hospital Readmissions and Length of Stay. *J Hosp Med*. 2017 Nov;12(11):880-885. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29091974>

Ng, KT, Gillies, M, Griffith, DM. Effect of nicotine replacement therapy on mortality, delirium, and duration of therapy in critically ill smokers: a systematic review and meta-analysis. *Anaesth Intensive Care*. 2017 Sep;45(5):556-561. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28911284>

Pack, QR, Priya, A, Lagu, TC, Pekow, PS, Rigotti, NA, Lindenauer, PK. Smoking Cessation Pharmacotherapy Among Smokers Hospitalized for Coronary Heart Disease. *JAMA Intern Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28828485>

Siudak, Z, Krawczyk-Ozog, A, Twarda, I, Franczak, I, Rajtar-Salwa, R, Bartus, S, Godlewski, J, Dudek, D. "Heart without smoke" educational campaign - the role of patient education in secondary prevention of cardiovascular disease. *Kardiol Pol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28832093>

Luo, JG, Han, L, Chen, LW, Gao, Y, Ding, XJ, Li, Y, Ja, Y, Yang, M, Ma, CS. Effect of Intensive Personalized "5As+5Rs" Intervention on Smoking Cessation in Hospitalized Acute Coronary Syndrome Patients Not Ready to Quit Immediately: A Randomized Controlled Trial. *Nicotine Tob Res*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28637193>

Kerr, A, McVey, JT, Wood, AM, Van Haren, F. Safety of nicotine replacement therapy in critically ill smokers: a retrospective cohort study. *Anaesth Intensive Care*. 2016 Nov;44(6):758-761. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27832565>

7.10.2.3 Surgical care

Trivedi, H, Kay, H, Reines, K, Hartzell, J, Newcomer, E, Myers, S et al . (2024). Efficacy of Inpatient, Evidence-Based Tobacco Use Treatment of Patients With Bladder Cancer After Radical Cystectomy. *Clin Genitourin Cancer*, 23(1), 102252. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39577125>

Golden, SE, Sun, CJ, Young, A, Katz, DA, Vander Weg, MW, Mayeda, MS et al. (2024). "We're On The Same Team": A Qualitative Study On Communication And Care Coordination Surrounding The Requirement To Quit Smoking Prior To Elective Orthopaedic Surgery. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38826068>

Gemoules, ME, Wolfe, RC, & Maamari, JA. (2024). Preoperative Optimization of Patients Using Tobacco. *J Perianesth Nurs*, 39(2), 324-328. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38575298>

Ostroff, JS, Reilly, EM, Burris, JL, Warren, GW, Shelton, RC, Mullett, TW, & Just, ASKQITF. (2023). Current Practices, Perceived Barriers, and Promising Implementation Strategies for Improving Quality of Smoking Cessation Support in Accredited Cancer Programs of the American College of Surgeons. *JCO Oncol Pract*, OP2300393. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37967292>

Lussiez, A, Zondlak, A, Hsu, PJ, Delaney, L, Vitous, CA, Telem, D, & Rubyan, M. (2023). Surgeon behaviors related to engaging patients in smoking cessation at the time of elective surgery. *Am J Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37105853>

Paulsen, K, Carender, CN, Noiseux, NO, Elkins, JM, Brown, TS, & Bedard, NA. (2023). What Is the Fate of Total Joint Arthroplasty Patients Who Are Asked to Quit Smoking Prior to Surgery? *Arthroplast Today*, 19, 101087. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36691461>

Lussiez, A, Hallway, A, Lui, M, Perez-Escolano, J, Sukhon, D, Palazzolo, W et al. (2022). Evaluation of an Intervention to Address Smoking and Food Insecurity at Preoperative Surgical Clinic Appointments. *JAMA Netw Open*, 5(10), e2238677. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36301545>

Warner, DO. (2022). Anesthesiologists and the Other Pandemic: Tobacco Use. *Anesthesiology*, 137(4), 484-508. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36137257>

Fankhauser, CD, Affentranger, A, Cortonesi, B, Jeker, U, Gass, M, Minervini, F et al. (2022). Preoperative smoking cessation program in patients undergoing intermediate to high-risk surgery: a randomized, single-blinded, controlled, superiority trial. *Trials*, 23(1), 717. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36038883>

Heiden, BT, Smock, N, Pham, G, Chen, J, Craig, EJ, Meyers, BF et al. (2022). Underutilization of guideline-concordant smoking cessation treatments in surgical patients: Lessons from a learning health system. *Ann Surg Open*, 3(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35992313>

Dlott, CC, Metcalfe, T, Jain, S, Bahel, A, Donnelley, CA, & Wiznia, DH. (2022). Preoperative Risk Management Programs at the Top 50 Orthopaedic Institutions Frequently Enforce Strict Cutoffs for BMI and Hemoglobin A1c Which May Limit Access to Total Joint Arthroplasty and Provide Limited Resources for Smoking Cessation and Dental Care. *Clin Orthop Relat Res*. Retrieved <https://www.ncbi.nlm.nih.gov/pubmed/35862861>

O'Connor, MI, Burney, D, 3rd, & Jones, LC. (2022). Movement is Life-Optimizing Patient Access to Total Joint Arthroplasty: Smoking Cessation Disparities. *J Am Acad Orthop Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35297802>

Correction: Clinical practice guideline: evidence, recommendations and algorithm for the preoperative optimization of anemia, hyperglycemic and smoking. (2021). *Can J Surg*, 64(6), E619. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34794970>

Ellis, ST, Rao, BM, Kohlrieser, D, Kollmorgen, RC, & Sochacki, KR. (2020). Validation of Self-Reported Smoking Status Among Orthopedic Hip Surgery Patients. *Cureus*, 12(10), e10753. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33150105>

Matuszewski, PE, Raffetto, M, Joseph, K, & O'Toole, RV. (2020). Can You Believe Your Patients If They Say They Have Quit Smoking? *J Orthop Trauma*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33208713>

Lugg, ST, Kerr, A, Kadiri, S, Budacan, AM, Farley, A, Perski, O et al (2020). Protocol for a feasibility study of smoking cessation in the surgical pathway before major lung surgery: Project MURRAY. *BMJ Open*, 10(11), e036568. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33158819>

Wolvers, PJD, Ayubi, O, Bruin, SC, Hutten, BA, Brandjes, DPM, Meesters, EW, & Gerdes, VEA. (2020). Smoking Behaviour and Beliefs About Smoking Cessation After Bariatric Surgery. *Obes Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32803711>

Etteldorf, JR, Robertson, S, & Taha, A. (2020). Implementing Smoking Cessation Interventions in a Preoperative Clinic. *AANA J*, 88(4), 283-288. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32718425>

Jose, T, McNamara, M, Barrone, ML, Johnson, WS, Larsen, HA, Martin, EE et al. (2020). Feasibility of Nurse-Managed Tobacco Use Interventions in Outpatient Surgical Practice. *J Perianesth Nurs*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32005603>

Leopold, SS. (2019). Editorial: The Shortcomings and Harms of Using Hard Cutoffs for BMI, Hemoglobin A1C, and Smoking Cessation as Conditions for Elective Orthopaedic Surgery. *Clin Orthop Relat Res*, 477(11), 2391-2394. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31580270>

Warner, DO et al. Decision aid for cigarette smokers scheduled for elective surgery. *Anesthesiology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25978327>

Zaballos, M et al. Preoperative smoking cessation counseling activities of anesthesiologists: a cross-sectional study. *BMC Anesthesiology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25927569>

Marrufo, AS, Kozower, BD, Tancredi, DJ, Nuno, M, Cooke, DT, Pollock, BH et al. Thoracic Surgeons' Beliefs and Practices on Smoking Cessation Prior to Lung Resection. *Ann Thorac Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30586576>

Nolan, Margaret B and Warner, David O. Perioperative tobacco use treatments: putting them into practice. *BMJ*, 2017. Sept 6, 2017. Available from: <http://www.bmj.com/content/358/bmj.j3340>

Gaskill, CE, Kling, CE, Varghese, TK, Veenstra, DL, Thirlby, RC, Flum, DR, Alfonso-Cristancho, R. Financial benefit of a smoking cessation program prior to elective colorectal surgery. *J Surg Res*. 2017 Jul;215:183-189. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28688645>

Taylor, H, Karahalios, A, Bramley, D. Long-term effectiveness of the preoperative smoking cessation programme at Western Health. *ANZ J Surg*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28733996>

Lugg, ST, Tikka, T, Agostini, PJ, Kerr, A, Adams, K, Kalkat, MS, Steyn, RS, Rajesh, PB, Bishay, E, Thickett, DR, Naidu, B. Smoking and timing of cessation on postoperative pulmonary complications after curative-intent lung cancer surgery. *J Cardiothorac Surg*. 2017 Jun 19;12(1):52. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28629433>

McHugh, SM, Eisenberg, N, Montbriand, J, Roche-Nagle, G. Smoking cessation rates amongst patients undergoing vascular surgery in a Canadian center. *Ann Vasc Surg*. 2017 Jun 21. pii: S0890-5096(16)31348-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28647626>

Prestwich, A, Moore, S, Kotze, A, Budworth, L, Lawton, R, Kellar, I. How Can Smoking Cessation Be Induced Before Surgery? A Systematic Review and Meta-Analysis of Behavior Change Techniques and Other Intervention Characteristics. *Front Psychol*. 2017 Jun 7;8:915. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28638356>

Saxony, J, Cowling, L, Catchpole, L, Walker, N. Evaluation of a smoking cessation service in elective surgery. *J Surg Res*. 2017 May 15;212:33-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28550919>

Smeds, MR, Privratsky, A, Thrush, CR, Barone, CP, Escobar, GA, Ali, AT, Moursi, MM. Nicotine dependence and willingness to quit smoking in vascular surgery patients. *Ann Vasc Surg*. 2017 Jun 21. pii: S0890-5096(16)31350-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28647633>

Wong, J, Abrishami, A, Riazi, S, Siddiqui, N, You-Ten, E, Korman, J, Islam, S, Chen, X, Andrawes, MS, Selby, P, Wong, DT, Chung, F. A Perioperative Smoking Cessation Intervention With Varenicline, Counseling, and Fax Referral to a Telephone Quitline Versus a Brief Intervention: A Randomized Controlled Trial. *Anesth Analg*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28319515>

7.10.2.4 Outpatient care

Siemer, L, Pieterse, ME, Ben Allouch, S, Postel, MG, & Brusse-Keizer, MGJ. (2024). Comparing the Effectiveness of the Blended Delivery Mode With the Face-to-Face Delivery Mode of Smoking Cessation Treatment: Noninferiority Randomized Controlled Trial. *J Med Internet Res*, 26, e47040. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38376901>

Power Foley, M, Fahy, R, Khan, T, Gosi, G, McGonagle, MP, & Simon Cross, K. (2023). National Survey of Non-Consultant Hospital Doctors' Awareness & Attitudes towards Smoking Cessation Interventions in the Outpatient Setting. *Ir Med J*, 116(5), 778. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37555535>

Cruvinel, E, Ellerbeck, E, Richter, KP, Taylor, NL, Shergina, E, Nazir, N, & Scheuermann, TS. (2023). Hospital to Outpatient Transitions of Care for Tobacco Treatment. *Chest*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36731786>

Kan, K, Shimazu, Y, Adachi, K, Konishi, A, Otsuki, R, Hanzawa, K et al. (2022). Smoking cessation treatment by anesthesiologists. *J Anesth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36562813>

Cooper, SL, Kovar, V, & Levinson, AH. (2022). Developing a Collaborative, Team-Based Smoking Cessation Treatment Program in an Outpatient Oncology Setting. *JCO Oncol Pract*, OP2200273. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36516366>

Affentranger, A, & Mulkey, D. (2022). Standardizing Tobacco Cessation Counseling Using the 5 A's Intervention. *J Nurs Care Qual*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36240518>

Nayak, MM, Mazzola, E, Jaklitsch, MT, Drehmer, JE, Nabi-Burza, E, Bueno, R et al. (2022). Feasibility of collecting computer-facilitated patient-reported tobacco use, interest, and preferences for smoking cessation in an outpatient thoracic surgery and oncology setting. *Tob Induc Dis*, 20, 63. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35854879>

Huang, WC, Marks, GB, Pham, NY, Nguyen, TA, Nguyen, TA, Vu, VG et al. (2022). A smoking quitline integrated with clinician counselling at outpatient health facilities in Vietnam: a single-arm prospective cohort study. *BMC Public Health*, 22(1), 739. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35418052>

Chiu, DT, Lavoie, R, Nathanson, LA, & Sanchez, LD. (2021). An Automated Tobacco Cessation Intervention for Emergency Department Discharged Patients. *West J Emerg Med*, 22(4), 1010-1013. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35354016>

Baskerville, WA, Friedman, TC, Hurley, B, Hsieh, S, Dixon, T, Mtume, N et al. (2022). Embedding comprehensive smoking cessation programs into community clinics: study protocol for a cluster-randomized controlled trial. *Trials*, 23(1), 109. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35115017>

Harrington, C, Kosirog, M, Campbell, P, Gregory, D, Daud, A, Levitsky, J et al. (2022). Poor Practitioner Adherence to Clinical Tobacco Use Guidelines in Liver Transplant Recipients. *Transplant Direct*, 8(2), e1288. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35187212>

Hill, A, Scherr, D, Stark, T, & Shoag, JE. (2021). Tobacco Screening and Treatment during Outpatient Urology Office Visits in the United States. Letter. *J Urol*, 101097JU0000000000001938. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34181470>

Himelfarb-Blyth, S, Vanderwater, C, & Hartwick, J. (2021). Implementing a 3As and 'Opt-Out' Tobacco Cessation Framework in an Outpatient Oncology Setting. *Current Oncology (Toronto, Ont.)*, 28(2), 1197-1203. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33799451>

Sadek, J, Moloo, H, Belanger, P, Nadeau, K, Aitken, D, Foss, K et al (2021). Implementation of a systematic tobacco treatment protocol in a surgical outpatient setting: a feasibility study. *Can J Surg*, 64(1), E51-E58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33533579>

- Bokoro, AI, Reji, E, & Omole, OB. (2020). Quit attempts among current tobacco users attending the outpatient department of Dr Yusuf Dadoo district hospital, South Africa. *S Afr Fam Pract (2004)*, 62(1), e1-e6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32896138>
- Hsu, CY, Liao, HE, & Huang, LC. (2020). Exploring smoking cessation behaviors of outpatients in outpatient clinics: Application of the transtheoretical model. *Medicine (Baltimore)*, 99(27), e20971. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32629709>
- Rigotti, NA, Schnitzer, K, Davis, EM, Regan, S, Chang, Y, Kelley, JHK et al (2020). Correction to: Comparative effectiveness of post-discharge strategies for hospitalized smokers: Study protocol for the Helping HAND 4 randomized controlled trial. *Trials*, 21(1), 375. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32366273>
- Wang, Y, Guadalupe-Fernandez, V, Salamanca, LF, Saiz, PG, Saiz, JG, & Sanchez, CS. (2020). Characteristics of patients seeking outpatient smoking cessation treatment before and after the implementation of a smoke-free law in Valencia (Spain): a cross-sectional study. *BMJ Open*, 10(5), e035319. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32414826>
- Radaeli, A, Nardin, M, Azzolina, D, & Malerba, M. (2019). Determinants of Smoking Status in a Sample of Outpatients Afferent to a Tertiary Referral Hospital. *Int J Environ Res Public Health*, 16(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31717846>
- Ellerbeck, EF, Cox, LS, Hui, SA, Keighley, J, Hutcheson, TD, Fitzgerald, SA. (2019). Impact of Adding Telephone-Based Care Coordination to Standard Telephone-Based Smoking Cessation Counseling Post-hospital Discharge: a Randomized Controlled Trial. *J Gen Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31367875>
- Liebmann, EP, Richter, KP, Scheuermann, T, & Faseru, B. (2019). Effects of post-discharge counseling and medication utilization on short and long-term smoking cessation among hospitalized patients. *Prev Med Rep*, 15, 100937. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31338281>
- Thorley, R, Britton, J, Nyakutsikwa, B, Opazo Breton, M, Lewis, SA, & Murray, RL. (2019). Enhanced smoking cessation support for newly abstinent smokers discharged from hospital (The Hospital to Home trial): A randomised controlled trial. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31240811>
- Huang, WH, Hsu, HY, Chang, BC, Chang, FC. Factors Correlated with Success Rate of Outpatient Smoking Cessation Services in Taiwan. *Int J Environ Res Public Health*. 2018 Jun 10;15(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29890766>
- Ho, KY, Li, WHC, Wang, MP, Lam, KKW, Lam, TH, Chan, SSC. Comparison of two approaches in achieving smoking abstinence among patients in an outpatient clinic: A Phase 2 randomized controlled trial. *Patient Educ Couns*. 2018 Feb 8. pii: S0738-3991(18)30050-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29439844>
- Mola, A, Lloyd, MM, Villegas-Pantoja, MA. A Mixed Method Review of Tobacco Cessation for the Cardiopulmonary Rehabilitation Clinician. *J Cardiopulm Rehabil Prev*. 2017 May;37(3):160-174. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28448378>

Rigotti, NA, Chang, Y, Rosenfeld, LC, Japuntich, SJ, Park, ER, Tindle, HA, Levy, DE, Reid, ZZ, Streck, J, Gomperts, T, Kelley, JHK, Singer, DE. Interactive Voice Response Calls to Promote Smoking Cessation after Hospital Discharge: Pooled Analysis of Two Randomized Clinical Trials. *J Gen Intern Med*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28616847>

7.10.3 Pharmacists

Lio, EL, Maharajan, MK, & Rajiah, K. (2024). Perspectives of Malaysian community pharmacists on challenges and barriers to smoking cessation programme: a qualitative study. *Int J Pharm Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39603261>

Meanger, D, Webb, A, Banakh, I, Coward, L, Cripps, G, & George, J. (2024). Pharmacist E-script transcription service initiated nicotine replacement therapy uptake in pre-admission clinic: A pilot study. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39223443>

Moehlenbrock, RC, Kuzmaul, AK, Woodrum, KL, & Wyatt, BV. (2024). Standardizing a transitions of care pharmacist workflow for tobacco cessation efforts. *J Am Pharm Assoc (2003)*, 102203. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39111663>

Porter, KJ, Dunlap, CM, Krukowski, RA, Wester, AG, & Little, MA. (2024). The potential feasibility of tobacco-focused medication therapy management in pharmacies affiliated with Federally Qualified Health Centers: Perspectives of pharmacists. *J Am Pharm Assoc (2003)*, 102210. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39182649>

Wilcox, AT, Hilts, KE, Thoma, L, Corelli, RL, & Hudmon, KS. (2024). Clinician Attitudes Toward Referring Patients to Pharmacists for Tobacco Cessation Services. *J Am Pharm Assoc (2003)*, 102147. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38914292>

Ellis Hilts, K, Elkhadragy, N, Corelli, RL, Hata, M, Tong, EK, Vitale, FM, & Hudmon, KS. (2024). Closing the Tobacco Treatment Gap: A Qualitative Study of Tobacco Cessation Service Implementation in Community Pharmacies. *Pharmacy (Basel)*, 12(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38668085>

Cummings, KM, Toll, BA, Talbot, V, Roberson, A, Wilson, D, Dunlap, M et al. (2024). Implementation, enrollment, and engagement in an opt-out telehealth pharmacist-assisted tobacco treatment program for patients seen in oncology outpatient clinics. *Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38546445>

Thomas, T, Sykes, B, Shah, S, & Corlett, S. (2023). Pharmacist prescriber smoking cessation intervention during the COVID-19 pandemic. *Tob Induc Dis*, 21, 142. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37901881>

Berry, J, Hilts, KE, Thoma, L, Corelli, RL, Stump, TE, Monahan, PO, & Hudmon, KS. (2023). Patient awareness, perceptions, and attitudes towards pharmacists prescribing tobacco cessation medications. *Res Social Adm Pharm*, 19(12), 1531-1542. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37777388>

Gomez Martinez, JC, Gaztelurrutia Lavesa, L, Mendoza Barbero, A, Plaza Zamora, J, Lage Pinon, M, Aguilo Juanola, M et al. (2023). Smoking cessation intervention in the community pharmacy: Cost-

effectiveness of a non-randomized cluster-controlled trial at 12-months' follow-up. *Res Social Adm Pharm*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37704533>

Barat, E, Vanbergue, B, Leguillon, R, Chenailler, C, Arrii, M, Curado, J et al. (2023). [Tobacco and Surgery: A Survey of Health Professionals' Practices and Knowledge. A role for the community pharmacist]. *Ann Pharm Fr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37481067>

De Los Reyes, G, Ng, A, Valencia Chavez, J, Apollonio, DE, Kroon, L, Lee, P, & Vijayaraghavan, M. (2023). Evaluation of a Pharmacist-Linked Smoking Cessation Intervention for Adults Experiencing Homelessness. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37401115>

Hudmon, KS, Czarnik, JS, Lahey, AM, Crowe, SJ, Conklin, M, Corelli, RL et al. (2023). Pharmacist-Led Implementation of Brief Tobacco Cessation Interventions during Mobile Health Access Events. *Pharmacy (Basel)*, 11(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37104078>

Sokol, M, Do, A, Hui, D, St Jacques, S., Sureshbabu, S, Weerakoon-Wijeratne, A et al. (2022). Community pharmacists' counseling regarding nicotine replacement therapy: A secret shopper study. *J Am Pharm Assoc (2003)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36549932>

Phillips, LCE, Nguyen, H, Genge, TL, & Maddigan, WJ. (2022). Effectiveness and cost-effectiveness of an intensive and abbreviated individualized smoking cessation program delivered by pharmacists: A pragmatic, mixed-method, randomized trial. [MS Top Pick]. *Can Pharm J (Ott)*, 155(6), 334-344. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36386606>

Bordner, LS, & Lavino, J. (2022). Pharmacist-led Smoking-Cessation Services in the United States - A Multijurisdictional Legal Analysis. *Innov Pharm*, 13(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36304682>

Laborne, EVMEP, Ahouagi, AEO, Braga, DG, Pinto, IVL, Lara-Junior, CR, Ferreira, SG et al. (2022). Assessment of Pharmaceutical Services for Smoking Cessation: An Effectiveness-Implementation Hybrid Study. *Int J Environ Res Public Health*, 19(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36231605>

McDuffie, AC, Varughese, SJ, Duffy, AR, Faiella, AS, Wegener, LF, Singer, KA et al. (2022). Pharmacist-led telehealth tobacco cessation services compared with usual care in a community health center. *J Am Pharm Assoc (2003)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35970728>

Little, MA, Porter, KJ, Pebley, K, Wiseman, KP, Cohn, W, Anderson, RT, & Krukowski, RA. (2022). Evaluating the feasibility of pharmacist-facilitated tobacco cessation interventions in independent community pharmacies in rural Appalachia. *J Am Pharm Assoc (2003)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35953377>

Rzepka, AM, Wong, L, Chaudhry, M, Sproule, BA, He, N, & Cadarette, SM. (2022). The Ontario Pharmacy Evidence Network Atlas of Smoking Cessation Services. *Can Pharm J (Ott)*, 155(4), 194-199. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35813528>

Balayssac, D, Pereira, B, Julien, E, Chennell, P, Brousse, G, Laporte, C et al. (2022). Attitude of community pharmacists toward patients with a substance-related disorder (heroin, alcohol and tobacco), estimation of harmfulness and knowledge of these substances, and continuing education:

A pilot cross-sectional study. *Ann Pharm Fr*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35667462>

Hilts, KE, Corelli, RL, Prokhorov, AV, Zbikowski, SM, Zillich, AJ, & Hudmon, KS. (2022). Implementing Brief Tobacco Cessation Interventions in Community Pharmacies: An Application of Rogers' Diffusion of Innovations Theory. *Pharmacy (Basel)*, 10(3). Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35736771>

Jumbe, S, Madurasinghe, VW, James, WY, Houlihan, C, Jumbe, SL, Yau, T et al. (2022). STOP- a training intervention to optimise treatment for smoking cessation in community pharmacies: cluster randomised controlled trial. *BMC Med*, 20(1), 212. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35761321>

Latif, AMandane, B, & Qureshi, S. (2022). Commentary on the new English smoking cessation Advanced service: a sustainable gateway to care or will it disappear in a puff of smoke? *Int J Pharm Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35695831>

Trapskin, PJ, Sheehy, A, Creswell, PD, McCarthy, DE, Skora, A, Adsit, RT et al. (2022). Development of a Pharmacist-Led Opt-Out Cessation Treatment Protocol for Combustible Tobacco Smoking Within Inpatient Settings. *Hosp Pharm*, 57(1), 167-175. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35521012>

Sakka, S., Al-Shatanawi, T. N., Bataineh, D. Z., Haddad, W., Al Tamimi, S., Al Salamat, H., . . . Kheirallah, K. (2022). Knowledge, attitude, practice and perceived barriers towards smoking cessation services among community pharmacists. *Pharm Pract (Granada)*, 20(1), 2637. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35497892>

Newlon, J, Hilts, KE, Champion, V, & Hudmon, KS. (2022). Bridging the Gap in Tobacco Cessation Services: Utilizing Community Pharmacists to Facilitate Transitions of Care in the USA. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35426008>

Appalasamy, JR, Selvaraj, A, Wong, YH, Dujaili, JA, & Kow, CS. (2022). Effects of educational interventions on the smoking cessation service provided by community pharmacists: A systematic review. *Res Social Adm Pharm*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35168890>

Creswell, PD, McCarthy, DE, Trapskin, P, Sheehy, A, Skora, A, Adsit, RT et al. (2021). Can inpatient pharmacists move the needle on smoking cessation? Evaluating reach and representativeness of a pharmacist-led opt-out smoking cessation intervention protocol for hospital settings. *Am J Health Syst Pharm*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34951621>

Onda, M, Horiguchi, M, Domichi, M, & Sakane, N. (2021). A Pragmatic Pilot Cluster-Randomized Study of Tobacco Screening and Smoking Cessation Program for Community Pharmacies in Japan: FINE Program. *J Smok Cessat*, 2021, 9983515. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/34956405>

Carter, G, Yu, Z, Aryana Bryan, M, Brown, JL, Winhusen, T, & Cochran, G. (2021). Validation of the tobacco, alcohol, prescription medication, and other substance use (TAPS) tool with the WHO

alcohol, smoking, and substance Involvement screening test (ASSIST). *Addict Behav*, 107178. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34802777>

Lertsinudom, S, Kaewketthong, P, Chankaew, T, Chinwong, D, & Chinwong, S. (2021). Smoking Cessation Services by Community Pharmacists: Real-World Practice in Thailand. *Int J Environ Res Public Health*, 18(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34831660>

Corelli, RL, Merchant, KR, Hilts, KE, Kroon, LA, Vatanka, P, Hille, BT, & Hudmon, KS. (2021). Community pharmacy technicians' engagement in the delivery of brief tobacco cessation interventions: Results of a randomized trial. *Res Social Adm Pharm*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34544660>

Condinho, M, Ramalhinho, I, & Sinogas, C. (2021). Smoking Cessation at the Community Pharmacy: Determinants of Success from a Real-Life Practice. *Pharmacy (Basel)*, 9(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34449711>

Hilts, KE, Hudmon, KS, Benson, AF, & Elkhadragy, N. (2021). Rural-urban disparities in tobacco use and the role of pharmacists in closing the gap. *J Rural Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34374450>

Alzubaidi, H, Austin, Z, Saidawi, W, & Rees, VW. (2021). Exploring the quality of smoking cessation in community pharmacies: A simulated patient study. *Res Social Adm Pharm*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34284972>

El Hajj, MS, Sheikh Ali, SAS, Awaisu, A, Saleh, R, Kheir, N, & Shami, R. (2021). A pharmacist-delivered smoking cessation program in Qatar: an exploration of pharmacists' and patients' perspectives of the program. *Int J Clin Pharm*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34080087>

Butt, K, & Nakhla, N. (2021). Creating Standardized Tools for the Pharmacist-Led Assessment and Pharmacologic Management of Adult Canadians Wishing to Quit Smoking: A Consensus-Based Approach. *Pharmacy (Basel)*, 9(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33919918>

Gobarani, RK, Zwar, NA, Russell, G, Abramson, MJ, Bonevski, B, Holland, AE et al (2021). Smoking cessation intervention in Australian general practice: a secondary analysis of a cluster randomised controlled trial. *Br J Gen Pract*, 71(707), e458-e464. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33947668>

Tse, SS, Sands, BE, Keefer, L, Cohen, BL, Maser, E, Ungaro, RC et al (2021). Improved Smoking Cessation Rates in a Pharmacist-Led Program Embedded in an Inflammatory Bowel Disease Specialty Medical Home. *Journal of Pharmacy Practice*, 8971900211000682. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33827316>

Xiong, S, Willis, R, Lalama, J, Farinha, T, & Hamper, J. (2021). Perspectives and perceived barriers to pharmacist-prescribed tobacco cessation services in the community pharmacy setting. *J Am Pharm Assoc (2003)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33483273>

Beaupre, LA, Hammal, F, Stiegelmar, R, Masson, E, & Finegan, B. (2020). A community-based pharmacist-led smoking cessation program, before elective total joint replacement surgery,

markedly enhances smoking cessation rates. *Tob Induc Dis*, 18, 78. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33013274>

Onda, M, Kuwanoe, T, Hashimoto, A, Horiguchi, M, Domichi, M, & Sakane, N. (2019). Pharmacist-Delivered Smoking Cessation Program in Community Pharmacy (The FINE Program) in Japan-The Development of a Training Course and a Feasibility Study. *J Pharm Pract*, 897190019889745. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31835966>

Brett, K, Yeung, SST, & Ford, C. (2019). Pharmacist-Led Interventions for Tobacco Smoking Cessation: A Review of Clinical Effectiveness and Cost-Effectiveness *Pharmacist-Led Interventions for Tobacco Smoking Cessation: A Review of Clinical Effectiveness and Cost-Effectiveness*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31714701>

Carson-Chahhoud, KV, Livingstone-Banks, J, Sharrad, KJ, Kopsaftis, Z, Brinn, MP, To, ANR, & Bond, C M. (2019). Community pharmacy personnel interventions for smoking cessation. *Cochrane Database Syst Rev*, 2019(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31684695>

Beaupre, LA, Hammal, F, DeSutter, C, Stiegelmar, RE, Masson, E, & Finegan, BA. (2019). Impact of a standardized referral to a community pharmacist-led smoking cessation program before elective joint replacement surgery. *Tob Induc Dis*, 17, 14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582925>

Erku, DA, Hailemeskel, B, Netere, AK, & Belachew, SA. (2019). Pharmacist-led smoking cessation services in Ethiopia: Knowledge and skills gap analysis. *Tob Induc Dis*, 17, 01. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582913>

O'Reilly, E, Frederick, E, & Palmer, E. (2019). Models for pharmacist-delivered tobacco cessation services: a systematic review. *J Am Pharm Assoc (2003)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31307963>

Sohanpal, R, Jumbe, S, James, WY, Steed, L, Yau, T, Rivas, C et al (2019). Evaluating the effectiveness and cost-effectiveness of the Smoking Treatment Optimisation in Pharmacies (STOP) intervention: protocol for a cluster randomised controlled trial. *Trials*, 20(1), 337. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31182134>

Jumbe, S, James, WY, Madurasinghe, V, Steed, L, Sohanpal, R, Yau, TK et al (2019). Evaluating NHS Stop Smoking Service engagement in community pharmacies using simulated smokers: fidelity assessment of a theory-based intervention. *BMJ Open*, 9(5), e026841. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31110097>

Elkhadragy, N, Corelli, RL, Russ, AL, Snyder, ME, Clabaugh, M, & Hudmon, KS. Faculty perceptions of a tobacco cessation train-the-trainer workshop and experiences with implementation: A qualitative follow-up study. *Res Social Adm Pharm*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30737194>

El Hajj, MS, Awaisu, A, Kheir, N, Mohamed, MHN, Haddad, RS, Saleh, RA et al. Evaluation of an intensive education program on the treatment of tobacco-use disorder for pharmacists: a study

protocol for a randomized controlled trial. *Trials*, 2019. 20(1), 25. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30621772>

Nduaguba, SO, Ford, KH, Bamgbade, BA, Ubanyionwu, O. Comparison of pharmacy students' self-efficacy to address cessation counseling needs for traditional and electronic cigarette use. *Curr Pharm Teach Learn*. 2018 Jul;10(7):955-963. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30236434>

Bouchet-Benezech, B, Champanet, B, Rouzaud, P. Smoking cessation at the pharmacy: feasibility and benefits based on a French observational study with six-month follow-up. *Subst Abuse Rehabil*. 2018 Jul 17;9:31-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30046265>

Drovandi, A, Teague, PA, Glass, B, Malau-Aduli, B. Australian community pharmacist experiences with smoking cessation and opinions of health warnings on individual cigarette sticks. *Int J Pharm Pract*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30019785>

Li, VW, Lam, J, Heise, P, Reid, RD, Mullen, KA. Implementation of a Pharmacist-Led Inpatient Tobacco Cessation Intervention in a Rehabilitation Hospital: A Before-and-After Pilot Study. *Can J Hosp Pharm*. 2018 May-Jun;71(3):180-186. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29955191>

Cheng, HM, Liu, WC, Chua, G, Liew, CF, Li, W, Choo, W, Oon, HH. Impact of a pharmacy-led smoking cessation clinic in a dermatology centre. *Singapore Med J*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29774362>

Hudmon, KS, Corelli, RL, de Moor, C, Zillich, AJ, Fenlon, C, Miles, L, Prokhorov, AV, Zbikowski, SM. Outcomes of a randomized trial evaluating two approaches for promoting pharmacy-based referrals to the tobacco quitline. *J Am Pharm Assoc (2003)*. 2018 May 17. pii: S1544-3191(18)30188-2. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29779983>

Adams, AJ, Hudmon, KS. Pharmacist prescriptive authority for smoking cessation medications in the United States. *J Am Pharm Assoc (2003)*. 2018 Feb 6. pii: S1544-3191(18)30001-3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29426612>

Caponnetto, P., DiPiazza, J., Aiello, M. R. and Polosa, R. Training pharmacists in the stage-of-change model of smoking cessation and motivational interviewing: A randomized controlled trial. *Health Psychol Open*. 2017 Oct 28;4(2):2055102917736429. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29379624>

Nduaguba, SO, Ford, KH, Bamgbade, B, Iwuorie, O. Comparison of pharmacy students' knowledge and self-efficacy to provide cessation counseling for hookah and cigarette use. *Curr Pharm Teach Learn*. 2017 Jan - Feb;9(1):37-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29180151>

Phung, A, Luo, L, Breik, N, Alessi-Severini, S. Use of smoking cessation products: A survey of patients in community pharmacies. *Can Pharm J (Ott)*. 2017 Aug 2;150(5):326-333. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28894502>

Snoswell, C, Barras, M. Inpatient smoking cessation - turn to your clinical pharmacist. Aust N Z J Public Health. 2016 Oct;40(5):498. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27624184>

Afzal, Z, Pogge, E, Boomershine, V. Evaluation of a pharmacist and nurse practitioner smoking cessation program. J Pharm Pract. 2016 Jul 21. pii: 0897190016659221. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27443829>

Steed, L, Sohanpal, R, James, WY, Rivas, C, Jumbe, S, Chater, A, Todd, A, Edwards, E, Macneil, V, Macfarlane, F, Greenhalgh, T, Griffiths, C, Eldridge, S, Taylor, S, Walton, R. Equipping community pharmacy workers as agents for health behaviour change: developing and testing a theory-based smoking cessation intervention. BMJ Open. 2017 Aug 11;7(8):e015637. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28801403>

Gong, J, Baker, CL, Zou, KH, Bruno, M, Jumadilova, Z, Lawrence, D, Wilson, B, Ewel, C. A pragmatic randomized trial comparing telephone-based enhanced pharmacy care and usual care to support smoking cessation. J Manag Care Spec Pharm. 2016 Dec;22(12):1417-1425. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27882838>

Leon-Salas, A, Hunt, JJ, Richter, KP, Nazir, N, Ellerbeck, EF, Shireman, TI. Pharmaceutical assistance programs to support smoking cessation medication access. J Am Pharm Assoc (2003). 2016 Nov 2. pii: S1544-3191(16)30782-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27816543>

Hyndman, K, Thomas, R, Patterson, S, Compton, S, Schira, R, Godfrey, C, Bradley, J, Chachula, K. Effectiveness of tobacco intervention education in health professional students' practice: a systematic review protocol. JBI Database System Rev Implement Rep. 2016 Jun;14(6):78-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27532652>

Llambi, L, Barros, M, Parodi, C, Cora, M, Garces, G. Teaching tobacco cessation to large student cohorts through train-the-trainers and problem based learning strategies. Educ Health (Abingdon). 2016 May-Aug;29(2):89-94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27549645>

Schwindt, RG, McNelis, AM, Agle, J. Curricular innovations in tobacco cessation education for Prelicensure Baccalaureate nursing students. J Nurs Educ. 2016 Aug 1;55(8):425-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27459428>

O'Sullivan, MM, Hoskote, SS, Lesko, MB, Mallozzi, CM, Lee, YI, Fayanju, OA, Haller, D, Rashad, MA, Khusainova, E, Fortune, D, Mathew, R, Van Tassel, C, Fried, ED. Rotation in a smoking cessation clinic improves nicotine dependence treatment provided by first-year internal medicine trainees. Fam Med. 2016 Jun;48(6):472-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27272425>

Albert, DA, Bruzelius, E, Ward, A, Gordon, JS. Identifying multilevel barriers to tobacco intervention in postdoctoral dental education. Identifying multilevel barriers to tobacco intervention in postdoctoral dental education. J Dent Educ. 2016 Apr;80(4):408-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27037448>

de Ruijter, D, Smit, ES, de Vries, H, Hoving, C. Web-based computer-tailoring for practice nurses aimed to improve smoking cessation guideline adherence: A study protocol for a randomized

controlled effectiveness trial. *Contemp Clin Trials*. 2016 Apr 18. pii: S1551-7144(16)30054-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27103232>

Gesthalter, YB, Wiener, RS, Kathuria, H. A call to formalize training in tobacco dependence treatment for pulmonologists. *Ann Am Thorac Soc*. 2016 Apr;13(4):460-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27058182>

Schwindt, RG, McNelis, AM, Lay, K, Bentley, M. Students' perceptions of a tobacco education intervention. *Arch Psychiatr Nurs*. 2016 Apr;30(2):167-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26992866>

Rigotti, NA et al. Training future physicians to deliver tobacco cessation treatment. *J Gen Intern Med*, Feb 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26747628>

Prabandari, YS, Nichter, M, Nichter, M, Padmawathi, RS, Muramoto, M. Laying the groundwork for tobacco cessation education in medical colleges in Indonesia. *Educ Health (Abingdon)*. 2015 Sep-Dec;28(3):169-75. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26996640>

Pignataro, RM et al. Educating physical therapist students in tobacco cessation counseling: feasibility and preliminary outcomes. *J Phys Ther Educ*, Sep 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26848209>

Markham, AW et al. Improving the health of Canadians: Why a certification program for tobacco educators is necessary. *Can J Respir Ther*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26566379>

Schultz, Ash et al. Situating tobacco dependency education in health professional prelicensure curricula: An interprofessional learning opportunity. *Can J Respir Ther*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26566378>

Ockene, JK et al. Teaching medical students to help patients quit smoking: outcomes of a 10-school randomized controlled trial. *J Gen Intern Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26391030>

Zhou, S et al. A study of the use, knowledge, and beliefs about cigarettes and alternative tobacco products among students at one U.S. medical school. *Acad Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26308126>

Mazor, KM et al. Assessing medical students' tobacco dependence treatment skills using a detailed behavioral checklist. *Teaching and Learning in Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26158331>

Brose, LS et al. Treatment manuals, training and successful provision of stop smoking behavioural support. *Behaviour Research and Therapy*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26057438>

Folan, PA et al. Improving tobacco dependence treatment delivery: medical student training and assessment. *American Journal of Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26091923>

Kruse, GR et al. Tobacco Dependence Treatment Training Programs: An International Survey. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26117835>

Yamini, TR et al. Developing a fully integrated tobacco curriculum in medical colleges in India. *BMC medical education*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25990861>

Selby, P et al. Review and evaluation of online tobacco dependence treatment training programs for health care practitioners. *Journal of Medical Internet Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25887187>

Svetanoff, E et al. Tobacco dependence education in US. Dental assisting programs' curricula. *Journal of Dental Education*, 2015. Available from: <http://www.jdentaled.org/content/79/4/378.long>

Thebault, JL et al. Patient-physician agreement on tobacco and alcohol consumption: a multilevel analysis of GPs' characteristics. *BMC health services research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25890044>

7.10.4 Dentists

Steel, R. (2024). Should dental practices take control of smoking cessation? *Br Dent J*, 237(9), 712-713. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39516611>

Weke, A, Holmes, RD, McColl, E, Finch, R, Butcher, C, & Holliday, R. (2024). Delivering smoking cessation interventions in NHS primary dental care - lessons from the ENHANCE-D trial. *Br Dent J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39304791>

Fang, P, Adkins-Hempel, M, Lischka, T, Basile, S, Rindal, DB, Carpenter, MJ et al. (2024). A National Dental Practice-Based Research Network phase II, cluster-randomized clinical trial assessing nicotine replacement therapy sampling in dental settings: study protocol for the Free Samples for Health (FreSH) study. *BMC Oral Health*, 24(1), 1007. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39198824>

Alsoghier, A, Alnutaifi, A, Alotaibi, O, Alotaibi, A, Alharbi, A, Almubarak, N, & Albassam, S. (2024). Barriers and facilitators for oral health screening among tobacco users: a mixed-methods study. *BMC Oral Health*, 24(1), 306. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38443882>

Bati, BC, Buduneli, N, & Meric, P. (2024). Examining awareness of tobacco's oral health effects: Dentists' role in smoking cessation among dental patients. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38370493>

Majid, OW. (2024). How far does feedback on oral malodor assessment influence the decision to quit smoking? *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38383601>

Alblowi, JA. (2024). Perception of tobacco hazards on general and periodontal health and tobacco cessation counseling among dental students. *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38259604>

Japuntich, SJ, Dunbar, MS, Predmore, Z, Bloom, EL, Fang, P, Basile, S et al. (2023). Dental staff and patient attitudes about nicotine replacement therapy samples in dental care: A National Dental

Practice-Based Research Network study. *Community Dent Oral Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38095239>

Shete, AV, Shete, MV, Nerkar Rajbhoj, A, Rajpurohit, L, Hajarnavis, A, & Sande, A. (2023). Assessment of knowledge, attitude and practices of tobacco cessation counselling and nicotine replacement therapy among dental professionals. *J Family Med Prim Care*, 12(10), 2338-2345. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38074232>

Amaral, AL, da Costa Andrade, PA, Lwaleed, BA, & Andrade, SA. (2023). Tobacco dependence: a comprehensive guide to prevention and treatment. *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37993686>

Chan, HL, Chan, AKY, Chu, C H, & Tsang, YC. (2023). Smoking cessation in dental setting: a narrative review on dental professionals' attitude, preparedness, practices and barriers. *Front Oral Health*, 4, 1266467. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37808607>

Kumaresan, S, D S S, Meignana, AI, Balasubramaniam, A, & Rathinavelu, PK. (2023). Comparison of in-person versus telephonic interview on tobacco cessation in an Indian dental setting. *Bioinformatics*, 19(6), 775-780. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37885778>

Wiener, RC, Waters, C, Gaydos, MS, Bastin, M, Abdulhay, N, & Bhandari, R. (2023). Sex gaps in perception of tobacco conversations between adult patients who now smoke cigarettes and oral health care providers: National Health and Nutrition Examination Survey 2017-March 2020 prepandemic. *J Am Dent Assoc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37831025>

Amaral, AL, da Costa Andrade, PA, Lwaleed, BA, & Andrade, SA. (2023). Impacts of smoking on oral health-what is the role of the dental team in smoking cessation? *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37679450>

Linden, J, & Fletcher, R. (2023). Clearing the smoke: are tobacco cessation interventions by the dental team successful? *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37644194>

Gupta, S, Srivastava, N, Goel, S, Kamarthi, N, Malik, S, Sharma, A, & Bhalla, K. (2023). Tobacco cessation center in a dental college: An 8 year institution-based study. *J Cancer Res Ther*, 19(3), 808-812. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37470615>

Virk, I, Agnihotri, A, Sood, P, Arora, R, & Bansal, N. (2023). Tobacco Turmoil in Teens and Preparedness of Pediatric Dentists: A Global Survey. *Int J Clin Pediatr Dent*, 16(3), 483-488. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37496949>

Thakur, D, Kaur, N, Chahar, M, Barman, N, Gupta, R, & Sharma, V. (2023). Tobacco Smoking among the Online Respondent Dental Students of a Dental College: A Descriptive Cross-sectional Study. *JNMA J Nepal Med Assoc*, 61(259), 252-254. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37203962>

Bangera, DS, Takana, MT, Gopakumar, A, & Muttappallymyalil, J. (2022). Dentists' perception of health-risk associated with cigarettes and alternative tobacco products: A descriptive study. *Nepal J Epidemiol*, 12(4), 1248-1255. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36741770>

- Gajendra, S, McIntosh, S, & Ghosh, S. (2023). Effects of tobacco product use on oral health and the role of oral healthcare providers in cessation: A narrative review. *Tob Induc Dis*, 21, 12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36741542>
- Nethan, ST, John, A, Ravi, P, Dhanasekaran, K, Babu, R, & Hariprasad, R. (2022). Advanced virtual mentoring of dentists in oral cancer screening and tobacco cessation - An interventional study. *Indian J Dent Res*, 33(3), 241-246. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36656181>
- Priya, H, Deb Barma, M, Purohit, BM, Agarwal, D, Bhadauria, US, Tewari, N et al. (2022). Global Status of Knowledge, Attitude and Practice on Tobacco Cessation Interventions Among Dental Professionals: A Systematic Review. *Tob Use Insights*, 15, 1179173X221137218. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36601000>
- Wiener, RC, Gaydos, MS, Morgan, S, & Swager, L. (2022). Integration of a Nationally Recognized Tobacco Treatment Specialist Certification into Health Sciences Curricula: A short report. *J Dent Hyg*, 96(5), 37-41. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36224085>
- Kawamura, K, Doi, T, Kano, K, Matsui, M, Hattori, Y, Onishi, F et al. (2022). Association between smoking habits and dental care utilization and cost using administrative claims database and specific medical check-up data. *BMC Oral Health*, 22(1), 372. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36056338>
- Rindal, DB, Kottke, TE, Jurkovich, MW, Asche, SE, Enstad, CJ, Truitt, AR et al. (2022). Findings and Future Directions from a Smoking Cessation Trial Utilizing a Clinical Decision Support Tool. *J Evid Based Dent Pract*, 22(3), 101747. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36162898>
- Borrelli, B, Endrighi, R, Jurasic, MM, Hernandez, H, Jones, E, Ospina, J et al. (2022). A smoking cessation induction intervention via virtual reality headset during a dental cleaning: protocol for a randomized controlled trial. *BMC Public Health*, 22(1), 1074. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35641925>
- Sujatha, S, Iyengar, A, Pruthvish, S, Radhaprashanth, & Nagi, R. (2022). Toolkit for delivering the 3Es and 6As tobacco interventions in dental care. *Indian J Cancer*, 59(1), 12-17. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35645050>
- Oyapero, A, Erinoso, O, & Olatosi, O. (2022). Policy Proposal for Integration of Tobacco Cessation Interventions into Oral Health Care in Dental Settings. *West Afr J Med*, 39(5), 486-496. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35633628>
- Halboub, E, Jafer, MA, Khormi, HI, Kariri, AA, Atiah, SA, Lughbi, SJ et al. (2022). Attitudes and practices of tobacco cessation counseling among Saudi dental professionals: A nationwide cross-sectional survey. *Niger J Clin Pract*, 25(4), 502-508. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35439911>
- Alsiwat, AJ, & Alayadi, HM. (2022). Knowledge, attitude and practice of smoking cessation counseling among dental hygienists in Saudi Arabia. *Tob Prev Cessat*, 8, 09. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35280521>

No authors listed. Koka, KM, Yadlapalli, S, Pillarisetti, P, Yasangi, MK, Yaragani, A, & Kummamuru, S. (2021). The barriers for tobacco cessation counseling in teaching health care institutions: A qualitative data analysis using MAXQDA software. *J Family Med Prim Care*, 10(9), 3262-3267. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34760741>

Yadav, S, Lee, M, & Hong, YR. (2021). Smoking-cessation advice from dental care professionals and its association with smoking status: Analysis of National Health and Nutrition Examination Survey 2015-2018. *J Am Dent Assoc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34688451>

Kumar, P, Viola, T, Frazier, K, Duong, ML, Khajotia, S, Urquhart, O, & Council on Scientific, A. (2021). Smoking cessation counseling and treatment: An American Dental Association Clinical Evaluators Panel survey. *J Am Dent Assoc*, 152(10), 872-873 e872. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34579811>

Alblowi, JA. (2021). Perception of Tobacco Counseling and Cessation among Dental Practitioners. *J Smok Cessat*, 2021, 6692525. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34306235>

Moafa, I, Hoving, C, van den Borne, B, & Jafer, M. (2021). Identifying Behavior Change Techniques Used in Tobacco Cessation Interventions by Oral Health Professionals and Their Relation to Intervention Effects-A Review of the Scientific Literature. *Int J Environ Res Public Health*, 18(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34299931>

More, AB, Rodrigues, A, & Sadhu, BJ. (2021). Effects of smoking on oral health: Awareness among dental patients and their attitude towards its cessation. *Indian J Dent Res*, 32(1), 23-26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34269231>

Beklen, A, Yildirim, BG, Mimaroglu, M, & Yavuz, MB. (2021). The impact of smoking on oral health and patient assessment of tobacco cessation support from Turkish dentists. *Tob Induc Dis*, 19, 49. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34163316>

Mehta, A, Ahmed, S, Verma, A, & Kumar, R. (2020). Evaluation of cessation services provided at a tobacco cessation clinic in a teaching dental hospital. *Indian J Dent Res*, 31(6), 852-856. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33753653>

Nagao, T, Fukuta, J, Hanioka, T, Nakayama, Y, Warnakulasuriya, S, Sasaki, T et al (2021). A multicentre tobacco cessation intervention study in the dental setting in Japan. *Int Dent J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33743994>

Holliday, R, Hong, B, McColl, E, Livingstone-Banks, J, & Preshaw, PM. (2021). Interventions for tobacco cessation delivered by dental professionals. *Cochrane Database Syst Rev*, 2, CD005084. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33605440>

Holliday, R, McColl, E, Bauld, L, Preshaw, PM, Sniehotta, FF, & McDonald, S. (2020). Perceived influences on smoking behaviour and perceptions of dentist-delivered smoking cessation advice: A qualitative interview study. *Community Dent Oral Epidemiol*, 48(5), 433-439. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33448485>

Maharani, DA Nadira, KV, Setiawati, F, & El Tantawi, M. (2021). Intention to provide tobacco cessation counseling among Indonesian dental students and association with the theory of planned

behavior. *BMC Oral Health*, 21(1), 23. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33413333>

Bendotti, H, McGowan, K, & Lawler, S. (2020). Utilisation of a brief tobacco smoking cessation intervention tool in public dental services. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33314415>

Goel, D, Chaudhary, PK, Khan, A, Patthi, B, Singla, A, Malhi, R, & Gambhir, RS. (2020). Acquaintance and Approach in the Direction of Tobacco Cessation Among Dental Practitioners-A Systematic Review. *Int J Prev Med*, 11, 167. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33312476>

Bauer-Kemeny, C, Lis, IV, Raupach, T, & Kreuter, M. (2020). Tobacco Use, Knowledge about Smoking-Associated Risks, and Cessation Programs among Dental Students in Germany - ToDent. *Respiration*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33045709>

Kumar, PS. (2020). Interventions to prevent periodontal disease in tobacco-, alcohol-, and drug-dependent individuals. *Periodontol 2000*, 84(1), 84-101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32844411>

van de Graaf, RC. (2020). Smoking cessation counseling by physicians and dentists - Shouldn't a cobbler stick to his last? *Oral Oncol*, 108, 104952. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32768173>

Dental, S, Gallusi, G, Avantaggiato, P, Baggi, L, & Marchetti, E. (2020). Why dentists and dental hygienists should improve programs for inducing smoking cessation? The effect of tobacco smoking on periodontal health. *J Biol Regul Homeost Agents*, 34(1 Suppl. 1), 133-138. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32064847>

Pohjola, V, Lahti, S, Rantala, H, & Tolvanen, M. (2020). Tobacco use and dental fear among 15-16 year-old adolescents in Finland. *Community Dent Health*, 37(1), 22-25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32031344>

Vollath, SE, Bobak, A, Jackson, S, Sennhenn-Kirchner, S, Kanzow, P, Wiegand, A, & Raupach, T. (2020). Effectiveness of an innovative and interactive smoking cessation training module for dental students: A prospective study. *Eur J Dent Educ*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32034972>

Chaffee, BW, Urata, J, Silverstein, S, & Couch, ET. (2020). Dental Hygienists' and Dentists' Tobacco Cessation Continuing Education Preferences: Application of a Discrete Choice Method. *Journal of Dental Education*, 84(1), 72-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31977090>

Ramseier, CA, Woelber, JP, Kitzmann, J, Detzen, L, Carra, MC, & Bouchard, P. (2020). Impact of risk factor control interventions for smoking cessation and promotion of healthy lifestyles in patients with periodontitis: a systematic review. *Journal of Clinical Periodontology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31912512>

Nelson, JL, Kennedy, EN, Aldosari, M, Agaku, I, & Vardavas, C. (2019). Patient-reported receipt of oral cancer screenings and smoking cessation counseling from US oral health care providers: National

Health and Nutrition Examination Survey, 2015-2016. *J Am Dent Assoc*, 150(12), 995-1003. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31761028>

Borrelli, B, Rueras, N, & Jurasic, M. (2019). Delivery of a smoking cessation induction intervention via virtual reality headset during a dental cleaning. *Transl Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31665495>

Chaffee, BW, Urata, J, Silverstein, S, & Couch, ET. (2019). Dental Hygienists' and Dentists' Tobacco Cessation Continuing Education Preferences: Application of a Discrete Choice Method. *J Dent Educ*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31611255>

Natto, ZS. (2019). Dental Students' Knowledge and Attitudes About Electronic Cigarettes: A Cross-Sectional Study at One Saudi University. *J Dent Educ*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31611254>

Kachwaha, P, Singhal, DK, & Singh, N. (2019). Perceptions Regarding Tobacco Cessation Counselling among Dental Students and Graduates: A Cross-Sectional Study. *Asian Pac J Cancer Prev*, 20(9), 2589-2593. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31554350>

Feldman, I, Helgason, AR, Johansson, P, Tegelberg, A, & Nohlert, E. (2019). Cost-effectiveness of a high-intensity versus a low-intensity smoking cessation intervention in a dental setting: long-term follow-up. *BMJ Open*, 9(8), e030934. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31420398>

Rajesh, G, Pinto, AS, Binnal, A, Naik, D, & Rao, A. (2019). Counselling as a Tool for Tobacco Cessation in a Dental Institution: Insights from India. *Asian Pac J Cancer Prev*, 20(8), 2541-2550. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31450930>

Shah, R, Shah, R, Shah, S, & Bhojani, U. (2019). Integrating tobacco cessation into routine dental practice: protocol for a qualitative study. *BMJ Open*, 9(8), e028792. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31377706>

Chaffee, BW, Urata, J, Couch, ET, & Silverstein, S. (2019). Dental Professionals' Engagement in Tobacco, Electronic Cigarette, and Cannabis Patient Counseling. *JDR Clin Trans Res*, 2380084419861384. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31323182>

Khalaf, ME, Curtin, S, & O'Reilly, A. (2019). Perception and Attitudes of Dental Students' Towards Their Role in the Delivery of a Brief Smoking Cessation Intervention. *Med Princ Pract*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31185479>

Thomas, J, Kumar, RV, Akhil, S, Saji, AM, Iype, AK, & Antony, D. (2019). Prevalence of smoking among dental students and gauging their knowledge about tobacco cessation methods: An original study. *J Family Med Prim Care*, 8(5), 1562-1566. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31198714>

Brown, EM, Hayes, KA, Olson, LT, Battles, H, & Ortega-Peluso, C. (2019). Dentist and hygienist smoking cessation counseling and awareness of Medicaid benefits. *J Public Health Dent*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31063236>

Hellyer, P. (2019). Smoking cessation advice in dental practice. *Br Dent J*, 226(9), 666. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31076694>

Liu, DCY, Ho, TCY, Duangthip, D, Gao, SS, Lo, ECM, & Chu, CH. (2019). Dental Students' Awareness, Preparedness and Barriers towards Managing Tobacco-Using Patients-A Cross-Sectional Study. *Int J Environ Res Public Health*, 16(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31137792>

McClure, JB, Anderson, ML, Krakauer, C, Blasi, P, Bush, T, Nelson, J, & Catz, SL. Impact of a novel oral health promotion program on routine oral hygiene among socioeconomically disadvantaged smokers: results from a randomized semi-pragmatic trial. *Transl Behav Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30753662>

Neumann, A, Kumar, S, Bangar, S, Kookal, KK, Spallek, H, Tokede, O et al. Tobacco screening and cessation efforts by dental providers: A quality measure evaluation. *J Public Health Dent*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30566752>

Ahmed, Z, Preshaw, PM, Bauld, L, & Holliday, R. Dental professionals' opinions and knowledge of smoking cessation and electronic cigarettes: a cross-sectional survey in the north of England. *Br Dent J*, 2018. 225(10), 947-952. Available from: <https://www.nature.com/articles/sj.bdj.2018.1026>

Blasi, PR, Krakauer, C, Anderson, ML, Nelson, J, Bush, T, Catz, SL, & McClure, JB. Factors associated with future dental care utilization among low-income smokers overdue for dental visits. *BMC Oral Health*, 2018. 18(1), 183. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6211575/pdf/12903_2018_Article_646.pdf

Patel, J, Siddiqui, Z, Krishnan, A, & Thyvalikakath, TP. Leveraging Electronic Dental Record Data to Classify Patients Based on Their Smoking Intensity. *Methods Inf Med*, 2018. Available from: <https://www.thieme-connect.com/products/ejournals/pdf/10.1055/s-0038-1675817.pdf>

Ryder, MI, Couch, ET, Chaffee, BW. Personalized periodontal treatment for the tobacco- and alcohol-using patient. *Periodontol 2000*. 2018 Oct;78(1):30-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30198132>

Komar, K, Glavina, A, Boras, VV, Verzak, Z, Brailo, V. Impact of Smoking on Oral Health: Knowledge and Attitudes of Croatian Dentists and Dental Students. *Acta Stomatol Croat*. 2018 Jun;52(2):148-155. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30034014>

Nowlin, JP, Lee, JGL, Wright, WG. Implementation of Recommended Tobacco Cessation Systems in Dental Practices: A Qualitative Exploration in Northeastern North Carolina. *J Dent Educ*. 2018 May;82(5):475-482. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29717071>

Yahya, NA, Saub, R, Nor, MM, Yusoff, N. Dental Patient Knowledge About the Effects of Smoking and Attitudes About the Role of Dentists in Smoking Cessation. *Southeast Asian J Trop Med Public Health*. 2017 Mar;48(2):473-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29642311>

Zhang, B, Bondy, SJ, Diemert, LM, Chaiton, M. Can Dentists Help Patients Quit Smoking? The Role of Cessation Medications. *J Can Dent Assoc*. 2017 Mar;83:h1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29513207>

Prabhu, A, Jain, JK, Sakeenabhi, B, Kumar, PGN, Imranulla, M, Ragher, M. Smoking Cessation Advice: Knowledge, Attitude, and Practice among Clinical Dental Students'. J Pharm Bioallied Sci. 2017 Nov;9(Suppl 1):S117-S120. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29284949>

Gronholm, A, Litkey, D, Jokelainen, J, Keto, J, Poyry, M, Linden, K, Heikkinen, AM. Finnish Dentists Find Smoking Cessation Important but Seldom Offer Practical Support for Their Patients. Community Dent Health. 2017 Dec 1;34(4):241-247. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29112340>

Shearston, JA, Shah, K, Cheng, E, Moosvi, R, Park, SH, Patel, N, Spielman, AI, Weitzman, ML. Dental, Dental Hygiene, and Advanced Dental Students' Use, Knowledge, and Beliefs Regarding Tobacco Products. J Dent Educ. 2017 Nov;81(11):1317-1326. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29093145>

Bilodeau, EA, Guggenheimer, J. Relevance of smoking interventions for dental clinic patients with smoking-related disease. J Public Health Dent, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29077193>

Pippi, R, Vita, M, Alvaro, R, Di Paolo, C. How Much Do Italian Patients in Supportive Periodontal Therapy Know about the Role of Smoking in Oral Health and What is Their Lifestyle? J Int Soc Prev Community Dent. 2017 Sep-Oct;7(5):279-291. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29026701>

Lorenzo-Pouso, AI, Perez-Sayans, M, Perez-Lopez, D, Otero-Rey, EM, Garcia-Garcia, A, Blanco-Carrion, A. Knowledge About the Relation Between Tobacco and Disease and the Attitude Toward Advising the Cessation of Its Consumption Among a Group of Spanish Dental Students. J Cancer Educ, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28889345>

Bassetti, MA, Bassetti, RG, Sculean, A, Salvi, GE, Bornstein, MM, Ramseier, CA. The Impact of Brief Interventions for Tobacco Cessation on Patients' Awareness of Cigarette Smoking as a Risk Factor for Chronic Periodontitis. Oral Health Prev Dent. 2017;15(4):391-397. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28831461>

Virtanen, SE, Galanti, MR, Johansson, PM, Feldman, I. Economic evaluation of a brief counselling for smoking cessation in dentistry: a case study comparing two health economic models. BMJ Open. 2017 Jul 20;7(7):e016375. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28729321>

Zaborskis, A, Volkyte, A, Narbutaite, J, Virtanen, JI. Smoking and attitudes towards its cessation among native and international dental students in Lithuania. BMC Oral Health. 2017 Jul 11;17(1):106. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28693469>

Virtue, SM, Waldron, EM, Darabos, K, DeAngelis, C, Moore, DA, Fornatora, M, Tellez, M. Dental Students' Attitudes Toward Tobacco Cessation in the Dental Setting: A Systematic Review. J Dent Educ. 2017 May;81(5):500-516. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28461627>

Khara, M et al. Smoking cessation outcomes of referral to a specialist hospital outpatient clinic. Am J Addict, Sep 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26303966>

7.10.5 Specialists

Bird, JE, Chladek, JS, D'Angelo, H, Minion, M, Pauk, D, Adsit, RT et al (2024). Specialty Tobacco Treatment Implementation in Oncology: A Qualitative Study. *JCO Oncol Pract*, OP2400145. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39531601>

Minervini, F, Kestenholz, P, Rassouli, F, Pohle, S, & Mayer, N. (2024). Smoking cessation assistance among pneumologists and thoracic surgeons in Switzerland: a national survey. *Front Health Serv*, 4, 1420277. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39359346>

Hoek, D, van de Water, LF, Vos, PG, Hoedjes, M, Roodbeen, R, Klarenbeek, BR et al. (2024). Oncologists' communication about tobacco and alcohol use during treatment for esophagogastric cancer: a qualitative observational study of simulated consultations. *Support Care Cancer*, 32(10), 676. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39302465>

Frazer, K, Bhardwaj, N, Fox, P, Lyons, A, Syed, S, Niranjana, V et al. (2024). A qualitative study to understand the barriers and facilitators in smoking cessation practices among oncology health care practitioners in one health system. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39037899>

Lavallee, P, Charles, H, Labreuche, J, Albers, GW, Caplan, L, Donnan, GA et al (2024). Assessment of smoking care by stroke specialists in patients with recent TIA and minor stroke: an international prospective registry-based cohort study. *BMJ Open*, 14(7), e078632. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38960468>

Mascarenhas, L, Campbell, M, Hagedorn, H, Fu, SS, & Melzer, AC. (2023). Experiences With Tobacco Dependence Treatment Training Among Respiratory Care Clinicians: A Qualitative Assessment. *CHEST Pulm*, 1(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39070016>

Abushamma, S, Chen, LS, Chen, J, Smock, N, Pham, G, & Chen, CH. (2024). Enabling tobacco treatment for gastroenterology patients via a novel low-burden point-of-care model. *BMC Health Serv Res*, 24(1), 752. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38902682>

Aulivola, B. (2024). A critical look at our role in smoking cessation in the patient with claudication. *J Vasc Surg*, 80(1), 175-176. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38906661>

Najdi, J, Hawa, ME, El-Achkar, A, Naji, N, Telvizian, T, Romani, M et al. (2024). Smoking cessation counselling patterns in cancer patients - survey of Lebanese physicians. *Ecancermedicalscience*, 18, 1699. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38774569>

Rodriguez-Cano, R, Kypriotakis, G, Robinson, JD, Karam-Hage, M, Blalock, JA, Minnix, JA et al (2024). Comparing the Fagerstrom Test and Heaviness of Smoking Index in Predicting Smoking Abstinence in Cancer Patients. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38785358>

Tami-Maury, I, Tundealao, S, Noe-Diaz, V, Garcia, E, Diaz, V, Meier, J et al. (2024). Boosting self-efficacy and improving practices for smoking prevention and cessation among South American cancer care providers with a web-based algorithm. *Addict Sci Clin Pract*, 19(1), 36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38715116>

- Warren, GW, & Present, CA. (2024). Overcoming Delays in the Progress against Cancer: Identifying Tobacco Use among Cancer Patients Enrolled in Clinical Trials. *Cancer Epidemiol Biomarkers Prev*, 33(5), 643-645. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38689573>
- Brandt, J, Ramly, E, Lim, SS, Bao, G, Messina, ML, Piper, ME, & Bartels, CM. (2024). Implementing a Staff-Led Smoking Cessation Intervention in a Diverse Safety-Net Rheumatology Clinic: a pre-post scalability study in a low resource setting. *Arthritis Care Res (Hoboken)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38622089>
- Nayak, MM, Mazzola, E, Jaklitsch, MT, Drehmer, JE, Nabi-Burza, E, Bueno, R et al. (2024). Effectiveness of a computer-facilitated intervention on improving provider delivery of tobacco treatment in a thoracic surgery and oncology outpatient setting: A pilot study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38650848>
- Mays, D, Macisco, JM, Hawkins, KB, Sleiman, MM, Jr, Yockel, MR, Xie, S et al. (2024). A multilevel intervention in pediatric primary care for youth tobacco control: Outcomes of implementing an Ask, Advise, and Connect model. *Transl Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38330454>
- Bronsema, I, van Lonkhuijzen, L, Scholten, P, Laan, J, Westerveld, H, & Stalpers, L. (2024). Improving referral rates for smoking cessation: A multifaceted intervention aimed at radiation oncologists. *Tech Innov Patient Support Radiat Oncol*, 29, 100225. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38173986>
- Haussaire, D, Couchoud, C, Elharrar, X, & Rostoker, G. (2024). Epidemiology of tobacco use in dialysis patients in France and survey of nephrologists' involvement in counseling on tobacco discontinuation. *J Nephrol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38253969>
- Khalil, N, Bala, L, Hussain, K, & Patel, NP. (2024). What support is available for patients with hidradenitis suppurativa to stop smoking and maintain a healthy weight? A guide for clinicians. *Clin Exp Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38197475>
- Lyons, A, Bhardwaj, N, Masalkhi, M, Fox, P, Frazer, K, McCann, A et al. (2023). Correction to: Specialist cancer hospital-based smoking cessation service provision in Ireland. *Ir J Med Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37934402>
- Muther, EF, Kerby, GS, Moralez, E, Herndon, J, Bronsert, M, & Bunik, M. (2023). Motivational Interviewing Training for Pediatricians Counseling Caregivers about Secondhand Smoke. *Clin Pediatr (Phila)*, 99228231216284. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38031936>
- Shenton, LM, Perera, U, Leader, A, & Klassen, AC. (2023). Perceptions of Facilitators and Barriers to Smoking Cessation Among Patients and Providers in a Cancer Center: A Single Institution Qualitative Exploratory Study. *Integr Cancer Ther*, 22, 15347354231198072. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37694880>
- Kaya, MN, Yurumez, S, Tekgoz, E, Kilic, O, Cinar, M, & Yilmaz, S. (2023). The Role of Rheumatologist in Smoking Cessation of Ankylosing Spondylitis Patients: A Single-Center Cross-Sectional Study. *Cureus*, 15(9), e45461. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37727839>

Gama da Silva, A, Constant, C, Madeira, S, Sousa, AR, & Bandeira, T. (2023). A contribution towards a world without tobacco - The TabacoPed study. *Pulmonology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37743170>

Lyons, A, Bhardwaj, N, Masalkhi, M, Fox, P, Frazer, K, McCann, A et al. (2023). Specialist cancer hospital-based smoking cessation service provision in Ireland. *Ir J Med Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37740109>

Ohde, JW, Warner, DO, Egginton, JS, & Hagedorn, HJ. (2023). Stakeholder perceptions of using "opt-out" for tobacco use treatment in a cancer care setting: a qualitative evaluation of patients, providers, and desk staff. *Implement Sci Commun*, 4(1), 117. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37730738>

Slattery, B, Dimond, R, Went, G, Ugalde, A, & Wong Shee, A. (2023). Cigarette smoke exposure of hospitalised children: Prevalence of smoking in parents or carers and admission practices of health services. *J Paediatr Child Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37522319>

Matulewicz, RS, Meeks, W, Mbassa, R, Fang, R, Pittman, A, Mossanen, M et al. (2023). Urologists' perceptions and practices related to patient smoking and cessation: a national assessment from the 2021 American Urological Association Census. *Urology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37422137>

Krech, R, Peters, S, Kroemer, H, Fu, D, Giuliani, R, Sehouli, J et al. (2023). Tobacco cessation and the role of ESMO and medical oncologists: addressing the specific needs of cancer patients in times of the COVID-19 pandemic. *ESMO Open*, 8(3), 101579. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37393095>

Tami-Maury, I, Tundealao, S, Guzman, J, Noe-Diaz, V, Markham, C, & Vigil, K. (2023). Developing and pre-testing a digital decision-tree smartphone application for smoking prevention and cessation among HIV care providers. *Digit Health*, 9, 20552076231179029. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37368119>

Daniel, E, Lu, L, Nunez-Davis, R, Thiara, A, Tahai, M, Sommers, M, & Hamline, MY. (2023). Quality Improvement Increases Pediatric Community Hospital Smoking Cessation Interventions. *Hosp Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37248946>

Jenssen, BP, Kelly, MK, Faerber, JA, Asch, DA, Shults, J, Schnoll, RA, & Fiks, AG. (2023). Pediatrician-Delivered Smoking-Cessation Messages for Parents: An Update. *Acad Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37244523>

Melinda Mahabee-Gittens, E, Southworth, H, Kranich, C, Lorenz, A, Arnold, MW, & Gittelman, MA. (2023). Assessment of the Smoke Free Families Tobacco Screening, Counseling, and Referral Program in Pediatric Primary Care Practices. *Acad Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37245665>

Taylor, KL, Webster, MA, Philips, JG, Whealan, JM, Lobo, T, Davis, KM et al. (2023). Integrating Tobacco Use Assessment and Treatment in the Oncology Setting: Quality Improvement Results from

the Georgetown Lombardi Smoking Treatment and Recovery Program. *Curr Oncol*, 30(4), 3755-3775. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37185398>

Bostan, P, Salepci, B, & Uysal, MA. (2023). The effect of postgraduate training in smoking cessation care on the clinical practice of pulmonologists. *Tob Induc Dis*, 21, 35. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36909815>

Jenssen, BP, Kelleher, S, Karavite, D, Nekrasova, E, Thayer, JG, Ratwani, R et al. (2023). A Clinical Decision Support System for Motivational Messaging and Tobacco Cessation Treatment for Parents: Pilot Evaluation of Use and Acceptance. *Appl Clin Inform*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36972687>

Shields, PG, Bierut, L, Arenberg, D, Balis, D, Cinciripini, PM, Davis, J et al. (2023). Smoking Cessation, Version 3.2022, NCCN Clinical Practice Guidelines in Oncology. *J Natl Compr Canc Netw*, 21(3), 297-322. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36898367>

Studts, JL, & Hamann, HA. (2023). Implementing Evidence-Based Tobacco Treatment Interventions in Oncology to Achieve Optimal Outcomes. *J Clin Oncol*, JCO2202534. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36926991>

Moyo, S, Hefler, M, Carson-Chahhoud, KV, & Thomas, D. (2023). Research translation to improve carer smoking cessation support in a paediatric ward of a regional hospital in the Northern Territory. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36727287>

Hohl, SD, Matulewicz, RS, Salloum, RG, Ostroff, JS, Baker, TB, Schnoll, R et al. (2022). Integrating Tobacco Treatment Into Oncology Care: Reach and Effectiveness of Evidence-Based Tobacco Treatment Across National Cancer Institute-Designated Cancer Centers. *J Clin Oncol*, JCO2200936. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36473135>

Kan, K, Shimazu, Y, Adachi, K, Konishi, A, Otsuki, R, Hanzawa, K et al. (2022). Smoking cessation treatment by anesthesiologists. *J Anesth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36562813>

Merlano, MC, Denaro, N, Galizia, D, Abbona, A, Paccagnella, M, Minei, S et al. (2022). Why oncologists should feel directly involved in persuading patients with Head and Neck cancer to quit smoking. *Oncology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36538910>

Rapoport, E, Bjurlin, MA, Furberg, H, Donahue, TF, Taneja, SS, Bochner, BH et al. (2022). Smoking cessation pharmacotherapy use during index hospital admission following cystectomy for bladder cancer: A retrospective cohort study. *Urol Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36529654>

Lowy, DR, Fiore, MC, Willis, G, Mangold, KN, Bloch, MH, & Baker, TB. (2022). Treating Smoking in Cancer Patients: An Essential Component of Cancer Care-The New National Cancer Institute Tobacco Control Monograph. *JCO Oncol Pract*, OP2200385. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36343305>

Schuler, BR, Collins, BN, Scheuermann, TS, Baishya, M, Kilby, L, & Lepore, SJ. (2022). Translating pediatric primary care best practice guidelines for addressing tobacco in the WIC system. *Transl Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36434752>

Ferguson, K, Krishnan, S, Sullivan, E, Bhela, S, Dozor, AJ, & Welter, JJ. (2022). Counseling Tobacco Smoke Exposure Reduction Measures in Pediatrics: A Quality Improvement Project. *Pediatr Qual Saf*, 7(5), e588. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36128331>

Gribben, V, Kosack, A, Garell, C, Shaikh, U, Huang, M, Chang, AY et al. (2022). Impacts of a Multicenter Medical Education Curriculum for Training Pediatric Residents on Tobacco Cessation for Adult Caregivers of Pediatric Patients. *Clin Pediatr (Phila)*, 99228221113783. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35891607>

Goshe, BM, Rasmussen, AW, Wagner, LI, Sicks, JD, Gareen, IF, Carlos, RC et al. (2022). Study protocol for a hybrid type 1 effectiveness-implementation trial testing virtual tobacco treatment in oncology practices [Smokefree Support Study 2.0]. *BMC Public Health*, 22(1), 1359. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35841024>

Tong, M, Gilmore-Bykovskiy, A, Block, L Ramly, E, White, DW, Messina, ML, & Bartels, CM. (2022). Rheumatology Clinic Staff Needs: Barriers and Strategies to Addressing High Blood Pressure and Smoking Risk. *J Clin Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35696986>

Bold, KW, Deng, Y, Dziura, J, Porter, E, Sigel, KM, Yager, JE et al. (2022). Practices, attitudes, and confidence related to tobacco treatment interventions in HIV clinics: a multisite cross-sectional survey. *Transl Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35608982>

Affentranger, A, Matulewicz, RS, & Fankhauser, CD. (2022). Why and How Smoking Cessation Must Be Implemented in Urology Clinics as a Standard of Care. *Eur Urol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35525775>

Dai, S, Chan, MHM, Kam, RKT, Li, AM, Au, CT, & Chan, KC. (2022). Monthly Motivational Interview Counseling and Nicotine Replacement Therapy for Smoking Parents of Pediatric Patients: A Randomized Controlled Trial. *Front Pediatr*, 10, 798351. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35498786>

Jensen, BP, Karavite, DJ, Kelleher, S, Nekrasova, E, Thayer, JG, Ratwani, R et al. (2022). Electronic Health Record-Embedded, Behavioral Science-Informed System for Smoking Cessation for the Parents of Pediatric Patients. *Appl Clin Inform*, 13(2), 504-515. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35584789>

Nabi-Burza, E, Winickoff, JP, Drehmer, JE, Zeegers, MP, & Walters, BH. (2022). A Qualitative Study of Factors Influencing Implementation of Tobacco Control in Pediatric Practices. *J Smok Cessat*, 2022, 4156982. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35603037>

Ramsey, AT, Baker, TB, Stoneking, F, Smock, N, Chen, J, Pham, G et al. (2022). Increased Reach and Effectiveness With a Low-Burden Point-of-Care Tobacco Treatment Program in Cancer Clinics. *J Natl Compr Canc Netw*, 20(5), 488-495 e484. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35545172>

DiGiacomo, M, Simoes Dos Santos, P, Furestad, E, Hearnshaw, G, Nichols, S, Chang, S, & Scott, N. (2022). Cancer care clinicians' provision of smoking cessation support: A mixed methods study in New South Wales, Australia. *Asia Pac J Clin Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35362249>

- Gittelman, M, Southworth, H, Carle, AC, Anzeljc, S, Qian, X, Wervey Arnold, M, & Mahabee-Gittens, EM. (2022). Types of Tobacco Products Used by Caregivers of Newborns in the Primary Care Setting. *Clin Pediatr (Phila)*, 99228221091030. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35484841>
- Hohl, SD, Bird, JE, Nguyen, CVT, D'Angelo, H, Minion, M, Pauk, D et al. (2022). Operationalizing Leadership and Clinician Buy-In to Implement Evidence-Based Tobacco Treatment Programs in Routine Oncology Care: A Mixed-Method Study of the U.S. Cancer Center Cessation Initiative. *Curr Oncol*, 29(4), 2406-2421. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35448169>
- Osinibi, M, Lawton, A, Bossley, C, & Gupta, A. (2022). Promoting smoking cessation in the paediatric respiratory clinic. *Eur J Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35412093>
- Warren, GW, Silverman, C, & Halligan, M. (2022). Challenges and Adaptations for Providing Smoking Cessation for Patients with Cancer across Canada during the COVID-19 Pandemic. *Curr Oncol*, 29(4), 2263-2271. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35448158>
- Cancer Center Cessation Diversity, E, & Inclusion Working, G. (2021). Integrating Diversity, Equity, and Inclusion Approaches Into Treatment of Commercial Tobacco Use for Optimal Cancer Care Delivery. *J Natl Compr Canc Netw*, 19(Suppl_1), S4-S7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34872050>
- Matulewicz, RS, Bassett, JC, Kwan, L, Sherman, SE McCarthy, WJ, Saigal, CS, & Gore, JL. (2021). Using a multilevel implementation strategy to facilitate the screening and treatment of tobacco use in the outpatient urology clinic: A prospective hybrid type I study. *Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34875105>
- Cancer Center Cessation Initiative Coordinating, C., & Expert Advisory, P. (2021). Introduction to the Cancer Center Cessation Initiative Working Groups: Improving Oncology Care and Outcomes by Including Tobacco Treatment. *J Natl Compr Canc Netw*, 19(Suppl_1), S1-S3. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34872051>
- Fiore, MC, Baker, TB, Nolan, MB, & Emamekhoo, H. (2021). Providing cessation treatment to every oncology patient who smokes: An essential component of cancer care. *Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34875104>
- Jawed, A, & Jassal, M. (2021). Hard to Reach or Just Not Enough? A Narrative Review of Inpatient Tobacco Cessation Programs in Pediatrics. *Int J Environ Res Public Health*, 18(24). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34949029>
- Michael, J, Matulewicz, RS, & Bjurlin, MA. (2021). Assessment of Tobacco Screening and Smoking Cessation Recommendations among Bladder Cancer Guidelines: A Call to Action. *J Urol*, 101097JU00000000000002360. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34846170>
- Cancer Center Cessation Initiative Implementation Science Working, G. (2021). Implementation Science to Improve Tobacco Cessation Services in Oncology Care. *J Natl Compr Canc Netw*, 19(Suppl_1), S12-S15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34872048>

Cancer Center Cessation Initiative Sustainability Working, G. (2021). Sustainability of Tobacco Treatment Programs in the Cancer Center Cessation Initiative. *J Natl Compr Canc Netw*, 19(Suppl_1), S16-S20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34872053>

Cancer Center Cessation Initiative Telehealth Working, G. (2021). Telehealth Delivery of Tobacco Cessation Treatment in Cancer Care: An Ongoing Innovation Accelerated by the COVID-19 Pandemic. *J Natl Compr Canc Netw*, 19(Suppl_1), S21-S24. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34872049>

Rzepakowska, A, Marcinkiewicz, B, Zurek, M, Wisniewska, D, & Niemczyk, K. (2021). Motivation to smoking cessation in head and neck cancer and dysplasia patients in confrontation with the attitudes of otorhinolaryngologists in delivering anti-smoking therapies. *Eur Arch Otorhinolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34893934>

Charlesworth, L, Hutton, D, Hussain, H, & Wong, H. (2021). Therapeutic radiographers supporting individuals undergoing radiotherapy to stop smoking: Testing a training resource in clinical practice. *Radiography (Lond)*, 27 Suppl 1, S50-S57. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34507902>

Schatz, MJ, McGeehan, BC, Maguire, MG, & Briceno, CA. (2021). Tobacco counseling in the setting of thyroid eye disease. *Arq Bras Oftalmol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34586224>

Scheffers-van Schayck, T, Hipple Walters, B, Otten, R, & Kleinjan, M. (2021). Implementation of a proactive referral tool for child healthcare professionals to encourage and facilitate parental smoking cessation in the Netherlands: a mixed-methods study. *BMC Health Serv Res*, 21(1), 973. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34530809>

Thayer, LS, Tiffany, EM, & Carreira, DS. (2021). Addressing Smoking in Musculoskeletal Specialty Care. *J Bone Joint Surg Am*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34546983>

Schaer, DA, Singh, B, Steinberg, MB, & Delnevo, CD. (2021). Tobacco Treatment Guideline Use and Predictors Among U.S. Physicians by Specialty. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34364726>

Hayden, MC, Limbach, M, Glockl, R, Dewey, S, Rupp, A, & Schultz, K. (2021). [Smoking Cessation and Prescription of Ambulatory Exercise Training as Part of Pulmonary Rehabilitation in Germany]. *Pneumologie*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34233362>

Matulewicz, RS, Bjurlin, MA, Carvalho, FL, Mossanen, M, & El-Shahawy, O. (2021). Best practices for assessing and reporting tobacco use in urology oncology practice and research. *Urol Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34078582>

Bartels, CM, Johnson, L, Ramly, E, Panyard, DJ, Gilmore-Bykovskiy, A, Johnson, HM et al (2021). Impact of a Rheumatology Clinic Protocol on Tobacco Cessation Quit Line Referrals. *Arthritis Care & Research*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33825349>

Boeckmann, M, Dogar, O, Saeed, S, Majidulla, A, Swami, S, Khan, A et al(2021). Measuring fidelity to delivery of a new smoking cessation intervention integrated into routine tuberculosis care in

Pakistan and Bangladesh: Contextual differences and opportunities. *Tobacco Induced Diseases*, 19, 24. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33841063>

Ostroff, JS, Bolutayo Gaffney, KL, O'Brien, M, deLeon-Sanchez, ST, Whitlock, CW, Kotsen, CS et al (2021). Training oncology care providers in the assessment and treatment of tobacco use and dependence. *Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33914922>

Salloum, RG, D'Angelo, H, Theis, RP, Rolland, B, Hohl, S, Pauk, D et al (2021). Mixed-methods economic evaluation of the implementation of tobacco treatment programs in National Cancer Institute-designated cancer centers. *Implement Sci Commun*, 2(1), 41. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33836840>

Bernstein, AP, Bjurlin, MA, Sherman, SE, Makarov, DV, Rogers, E, & Matulewicz, RS. (2021). Tobacco Screening and Treatment during Outpatient Urologic Office Visits in the United States. *J Urol*, 101097JU000000000000001572. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33525926>

Karacabeyli, D, Shojania, K, Dehghan, N, & Lacaille, D. (2021). Rheumatology health care providers' views and practices on obesity and smoking cessation management in rheumatoid arthritis. *Clin Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33517485>

Matulewicz, RS, Makarov, DV, Sherman, SE, Birken, SA, & Bjurlin, MA. (2021). Urologist-led smoking cessation: a way forward through implementation science. *Transl Androl Urol*, 10(1), 7-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33532289>

Simoneau, T, Hollenbach, JP, Langton, CR, Kuo, CL, & Cloutier, MM. (2021). Smoking cessation and counseling: A mixed methods study of pediatricians and parents. *PLoS One*, 16(2), e0246231. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33561136>

Tami-Maury, I, Suchil, L, Reynales-Shigematsu, LM, Garcia-Gomez, L, Chen, M, Shete, S et al (2021). Cross-sectional survey for assessing cancer care providers' characteristics and attitudes on smoking cessation in Colombia and Mexico. *BMJ Open*, 11(2), e041447. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33526497>

Giannopoulos, E, Papadakos, J, Cameron, E, Brual, J, Truscott, R, Evans, WK, & Giuliani, ME. (2021). Identifying Best Implementation Practices for Smoking Cessation in Complex Cancer Settings. *Curr Oncol*, 28(1), 471-484. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33451147>

Harutyunyan, A, Abrahamyan, A, Grigoryan, Z, Hayrumyan, V, Truzyan, N, & Petrosyan, V. (2020). Smoking cessation knowledge, attitude and practices among tuberculosis physicians: A qualitative study. *Tob Prev Cessat*, 6, 70. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33409424>

Lafont, M, Morin, C, Arrouy, A, Rabeau, A, Labouret, G, Roditis, L et al (2021). Pediatrician intervention impacts parental smoking in cystic fibrosis, diabetes and bronchiolitis. *Pediatr Pulmonol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33480170>

Haluzá, D, Saustingl, M, & Halavina, K. (2020). Perceptions of Practitioners on Telehealth and App Use for Smoking Cessation and COPD Care-An Exploratory Study. *Medicina (Kaunas)*, 56(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33333856>

Scheffers-van Schayck, T, Mujcic, A, Otten, R, Engels, R, & Kleinjan, M. (2020). The Effectiveness of Smoking Cessation Interventions Tailored to Smoking Parents of Children Aged 0-18 Years: A Meta-Analysis. *Eur Addict Res*, 1-16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33311028>

Radakrishnan, A, Coughlin, JM, Odell, DD, & Johnson, JK. (2020). "Are We Gonna Talk About It or Not?" Thoracic Oncology Provider Perspectives on Smoking Cessation. *J Surg Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33059909>

Ramey, SJ, Silver, B, Diaz, DA, Munjal, A, Mehta, S, Rich, B et al (2020). Smoking Cessation at a Safety-Net Hospital: A Radiation Oncology Resident-Led Quality Improvement Initiative. *Adv Radiat Oncol*, 5(5), 1061-1065. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33083667>

Hudmon, KS, Vitale, FM, Elkhadragy, N, Corelli, RL, Strickland, SL, Varekojis, SM, & Heeg, MO. (2020). Evaluation of an Interprofessional Tobacco Cessation Train-the-Trainer Program for Respiratory Therapy Faculty. *Respir Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32900914>

Nitturi, V, Chen, TA, Kyburz, B, I, ML, Correa-Fernandez, V, O'Connor, DP et al (2020). Organizational Characteristics and Readiness for Tobacco-Free Workplace Program Implementation Moderates Changes in Clinician's Delivery of Smoking Interventions within Behavioral Health Treatment Clinics. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32832980>

D'Angelo, H, Ramsey, AT, Rolland, B, Chen, LS, Bernstein, SL, Fucito, LM et al. (2020). Pragmatic Application of the RE-AIM Framework to Evaluate the Implementation of Tobacco Cessation Programs Within NCI-Designated Cancer Centers. *Front Public Health*, 8, 221. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32596200>

Jenssen, BP, Kelly, MK, Faerber, J, Hannan, C, Asch, DA, Shults, J et al (2020). Pediatrician Delivered Smoking Cessation Messages for Parents: A Latent Class Approach to Behavioral Phenotyping. *Acad Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32730914>

Mustoe, MM, Clark, JM, Huynh, TT, Tong, EK, Wolf, TP, Brown, LM, & Cooke, DT. (2020). Engagement and Effectiveness of a Smoking Cessation Quitline Intervention in a Thoracic Surgery Clinic. *JAMA Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32609348>

Soriano, LF, Poole, H, Ingram, JR, & Abbott, RA. (2020). Effectiveness of a stop smoking service in reducing cigarette smoking in patients referred from an NHS dermatology centre. *Br J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32623726>

Sweeney, L, Taylor, L, Peurifoy, J, Kauffman, K, & Napolitano, N. (2020). Success of a Tobacco Cessation Program for Parents at a Children's Hospital. *Respir Care*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32071131>

Coovadia, S, D'Alimonte, L, Bristow, B, Curle, E, Gibson, L, & Di Prospero, L. (2019). Catalyst for Change: Measuring the Effectiveness of Training of All Health Care Professionals to Provide Brief Intervention for Smoking Cessation to Cancer Patients. *J Med Imaging Radiat Sci*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31864933>

Mooren, K, van der Linden, G, Pool, K, & Engels, Y. (2019). The Attitudes of Pulmonologists Regarding Smoking Behavior of Their Patients with Advanced COPD: A Qualitative Research. *Int J Chron Obstruct Pulmon Dis*, 14, 2673-2679. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31819400>

Nabi-Burza, E, Drehmer, JE, Hipple Walters, B, Rigotti, NA, Ossip, DJ, Levy, DE et al. (2019). Treating Parents for Tobacco Use in the Pediatric Setting: The Clinical Effort Against Secondhand Smoke Exposure Cluster Randomized Clinical Trial. *JAMA Pediatr*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31403675>

Riese, A, Tarr, E, Baird, J, & Alverson, B. (2019). Documentation of Tobacco, Alcohol, and Drug Screening in Hospitalized Adolescents. *Hosp Pediatr*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31413069>

Sosnowski, R, Kamecki, H, Bjurlin, MA, & Przewozniak, K. (2019). The diagnosis of bladder cancer: are we missing a teachable moment for smoking cessation? *Transl Androl Urol*, 8(Suppl 3), S318-S321.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31392157>

Jassem, J. (2019). Tobacco smoking after diagnosis of cancer: clinical aspects. *Transl Lung Cancer Res*, 8(Suppl 1), S50-S58. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31211105>

Jenssen, B, Leone, F, Evers-Casey, S, Beidas, R, & Schnoll, R. (2019). Building Systems to Address Tobacco Use in Oncology: Early Benefits and Opportunities From the Cancer Center Cessation Initiative. *J Natl Compr Canc Netw*, 17(6), 638-643. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31200354>

Nabi-Burza, E, Winickoff, JP, Drehmer, JE, Gorzkowski, JA, Klein, JD, Levy, DE et al (2019). Innovations in parental smoking cessation assistance delivered in the child healthcare setting. *Transl Behav Med*.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31157864>

Sardana, M, Tang, Y, Magnani, JW, Ockene, IS, Allison, JJ, Arnold, SV et al (2019). Provider-Level Variation in Smoking Cessation Assistance Provided in the Cardiology Clinics: Insights From the NCDR PINNACLE Registry. *J Am Heart Assoc*, 8(13), e011412. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31248329>

Bhatt, G, & Goel, S. (2018). Using non-communicable disease clinics for tobacco cessation: A promising perspective. *Natl Med J India*, 31(3), 172-175. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31044768>

Jenssen, BP, Muthu, N, Kelly, MK, Baca, H, Shults, J, Grundmeier, RW, & Fiks, AG. (2019). Parent eReferral to Tobacco Quitline: A Pragmatic Randomized Trial in Pediatric Primary Care. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31122792>

Marbin, JN, & Gribben, V. Tobacco Use as a Health Disparity: What Can Pediatric Clinicians Do? *Children (Basel)*, 2019. 6(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30791653>

Barua, RS, Rigotti, NA, Benowitz, NL, Cummings, KM, Jazayeri, MA, Morris, PB et al. 2018 ACC Expert Consensus Decision Pathway on Tobacco Cessation Treatment: A Report of the American College of

Cardiology Task Force on Clinical Expert Consensus Documents. *J Am Coll Cardiol*, 72(25), 3332-3365. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30527452>

Vetter, M., Thomas, K., Mohammed, A., & Urrego, F. (2018). Comparison Between Pediatricians and Physicians in Other Medical Specialties in Promoting Smoking Cessation in the Clinic. *Ochsner J*, 18(4), 326-331. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30559616>

Kralikova, E, Pankova, A, Zvolaska, K, & Perlik, F. Treatment of tobacco dependence as a standard part of oncology care. *Cas Lek Cesk*, 2018. 157(5), 244-247. Available from <https://www.ncbi.nlm.nih.gov/pubmed/30441936>

El-Awa, F, Sarrafzadegan, N, Slama, S, & Hammerich, A. World No Tobacco Day 2018: towards a sustainable campaign involving the cardiovascular community (Editorial). *East Mediterr Health J*, 2018. 24(5), 409-410. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30370919>

Singer, L, Braunstein, S, Singer, CM, Silveira, WR, Fogh, S. Residents' Views on Tobacco Cessation in Radiation Oncology. *J Am Coll Radiol*. 2018 Sep 20. pii: S1546-1440(18)31027-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30245215>

Kalkhoran, S, Benowitz, NL, Rigotti, NA. Prevention and Treatment of Tobacco Use: JACC Health Promotion Series. *J Am Coll Cardiol*. 2018 Aug 28;72(9):1030-1045. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30139432>

Ratajczak, A, Ratajczak, K, Feleszko, W. A Cross-Sectional Study of Smoking Behaviors and Attitudes of Parents in Pediatric Primary Care Settings. *Int J Environ Res Public Health*. 2018 Jul 2;15(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30004403>

Bruce, SD. Smoking Cessation: An Oncology Clinical Nurse Specialist-Led Program. *Clin J Oncol Nurs*. 2018 Jun 1;22(3):259-261. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29781453>

Day, FL, Sherwood, E, Chen, TY, Barbouttis, M, Varlow, M, Martin, J, Weber, M, Sitas, F, Paul, C. Oncologist provision of smoking cessation support: A national survey of Australian medical and radiation oncologists. *Asia Pac J Clin Oncol*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29706029>

Luxton, NA, MacKenzie, R, Shih, P. Smoking Cessation Care in Cardiothoracic Surgery: A Qualitative Study Exploring the Views of Australian Clinicians. *Heart Lung Circ*. 2018 May 8. pii: S1443-9506(18)30464-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29805088>

Dulger, S, Dogan, C, Dikis, OS, Yildirim, E, Tapan, U, Ozmen, I, Satilmis, BS, Intepe, YS, Ocakli, B, Kacan, CY, Budak, E, Yildiz, T. Analysis of the Role of Physicians in the Cessation of Cigarette Smoking Based on Medical Specialization. *Clinics (Sao Paulo)*. 2018;73:e347. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29694604>

Khan, M, Papa, N, Manning, T, Nzenza, T, Simionato, L, Lawrentschuk, N. Knowledge of smoking as a risk factor for disease among urology clinic patients in Australia. *World J Urol*. 2018 Mar 27. pii: 10.1007/s00345-018-2276-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29589133>

Srivastava, AB, Ramsey, AT, McIntosh, LD, Bailey, TC, Fisher, SL, Fox, L, Castro, M, Ma, Y, Baker, TB, Chen, LS, Bierut, LJ. Tobacco use prevalence and smoking cessation pharmacotherapy prescription patterns among hospitalized patients by medical specialty. *Nicotine Tob Res.* 2018 Feb 22. pii: 4898038. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29481616>

Bott, D, Huntjens, B, Binns, A. Nutritional and smoking advice recalled by patients attending a UK age-related macular degeneration clinic. *J Public Health (Oxf).* 2017 Sep 11:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28977430>

Conlon, K, Pattinson, L, Hutton, D. Attitudes of oncology healthcare practitioners towards smoking cessation: A systematic review of the facilitators, barriers and recommendations for delivery of advice and support to cancer patients. *Radiography (Lond).* 2017 Aug;23(3):256-263. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28687295>

Vreede, AP, Johnson, HM, Piper, M, Panyard, DJ, Wong, JC, Bartels, CM. Rheumatologists Modestly More Likely to Counsel Smokers in Visits Without Rheumatoid Arthritis Control: An Observational Study. *J Clin Rheumatol.* 2017 Aug;23(5):273-277. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28700529>

Asfar, T, Lee, DJ, Lam, BL, Murchison, AP, Mayro, EL, Owsley, C, McGwin, G, Gower, EW, Friedman, DS, Saaddine, J. Evaluation of a Web-Based Training in Smoking Cessation Counseling Targeting U.S. Eye-Care Professionals. *Health Educ Behav,* Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28580802>

Kim, M, Lin, Y, Scali, ST, Giles, KA, Feezor, RJ, Berceci, SA, Huber, TS, Beck, AW. Successful Implementation and Outcomes of A Simple Smoking Cessation Program In A Busy Vascular Practice. *Ann Vasc Surg.* 2017 Jan;38:5-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28335110>

Silva, AC, Lucchese, R, Vargas, LS, Benicio, PR, Vera, I. Application of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) instrument: an integrative review. *Rev Gaucha Enferm.* 2016;37(1):e52918. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27074305>

Kim, JS, Coyte, PC, Cotterchio, M, Keogh, LA, Flander, LB, Gaff, C, Laporte, A. The impact of receiving predictive genetic information about Lynch syndrome on individual colonoscopy and smoking behaviours. *Cancer Epidemiol Biomarkers Prev,* Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27528600>

Hagerman, CJ et al. Incorporating a smoking cessation intervention into lung cancer screening programs: preliminary studies. : *J Psychosoc Oncol,* Nov-Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26600242>

7.10.6 Allied health professionals

Jorgensen, CU, Lokke, A, Hjorth, P, Pisinger, C, & Farver-Vestergaard, I. (2024). Barriers to implementation of smoking cessation support among healthcare professionals in the secondary

healthcare sector: A qualitative and quantitative evaluation. *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38389587>

Malin, M, Luukkonen, R, Majuri, M, Lamminpaa, A, & Reijula, K. (2023). Collaboration between occupational health professionals in smoking cessation treatment and support. *Work*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38160385>

Darabseh, MZ, Aburub, A, & Fayed, EE. (2023). The Role of Physiotherapists in Smoking Cessation Management: A Scoping Review. *Healthcare (Basel)*, 11(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36766911>

Evins, E, & Cather, C. (2022). Addressing Barriers to Provision of First-Line Pharmacotherapy for Tobacco Use Disorder. [MS Top Pick]. *Psychiatr Serv*, appips20220467. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36349498>

Baskerville, WA, Friedman, TC, Hurley, B, Hsieh, S, Dixon, T, Mtume, N et al. (2022). Embedding comprehensive smoking cessation programs into community clinics: study protocol for a cluster-randomized controlled trial. *Trials*, 23(1), 109. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35115017>

Le, K, Chen, TA, Martinez Leal, I, Correa-Fernandez, V., Obasi, EM, Kyburz, B et al. (2021). Organizational Factors Moderating Changes in Tobacco Use Dependence Care Delivery Following a Comprehensive Tobacco-Free Workplace Intervention in Non-Profit Substance Use Treatment Centers. *Int J Environ Res Public Health*, 18(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34639785>

Umnuaypornlert, A, Dede, AJO, & Pangtri, S. (2021). Community Health Workers Improve Smoking Cessation When They Recruit Patients in Their Home Villages. *J Prim Care Community Health*, 12, 21501327211048363. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34634974>

Lee, J, Lee, S, Lee, M, & Kang, YJ. (2021). Occupational health nurses' personal attitudes toward smoking: A cross-sectional study. *J Occup Health*, 63(1), e12221. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33938100>

Erten, T, Sapmaz, SY, Gulec, AG, Hesapcioglu, ST, Kandemir, H, Yilmaz, O , & Yuksel, H. (2020). Awareness and intervention approaches related to smoking addiction among child and adolescent psychiatrists. *Turk Peditri Ars*, 55(4), 401-408. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33414658>

Kahraman, N, Yaglioglu, LM, Dogru Balakbabalar, AP, & Ozturk, O. (2020). Unusual palliative medicine intervention: smoking cessation. *BMJ Support Palliat Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33268474>

Siegel, SD, Laurenceau, JP, Hill, N, Bauer, AM, Flitter, A, Ziedonis, D et al (2020). Assessing barriers to providing tobacco use disorder treatment in community mental health settings with a revised version of the Smoking Knowledge, Attitudes, and Practices (S-KAP) instrument. *Addict Behav*, 106735. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33248743>

No authors listed. CE Module: Occupational Health Nurses' Self-Efficacy in Smoking Cessation Interventions: An Integrative Review of the Literature. (2020). *Workplace Health Saf*, 68(11), 544. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33107413>

Luxton, N, & Redfern, J. (2020). The role of physiotherapists in smoking cessation. *J Physiother*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33036933>

Bodner, ME, Rhodes, RE, Miller W, Dean E. Predictors of physical therapists' intentions to counsel for smoking cessation: Implications for practice and professional education. *Physiother Theory Pract*. 2018 Jun 26:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29944038>

Cadet, MJ. Cigarette Smoking Cessation Involving the 5-A Framework. *Workplace Health Saf*. 2018 Jun;66(6):312. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29788862>

Lorencatto, F, Asif, S, Francis, JJ, Harper, A. M. and Lawrenson, JG. Seeing new opportunities to help smokers quit: A UK national survey of optometrist delivered smoking cessation behavioural support interventions. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29660046>

Bass, B, Lake, E, Elvy, C, Fodemesi, S, Iacoe, M, Mazik, E, Brooks, D, Lee, A. Smoking-Related Stigma Expressed by Physiotherapists toward Individuals with Lung Disease. *Physiother Can*. 2018;70(1):65-71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29434420>

Wolinsky, FD, Lou, Y, Edmonds, SW, Saag, KG, Roblin, DW, Wright, NC, Jones, MP, Cram, P. The effects of a patient activation intervention on smoking and excessive drinking cessations: results from the PAADRN randomized controlled trial. *Osteoporos Int*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28573377>

Auer, R, Gencer, B, Tango, R, Nanchen, D, Matter, CM, Luscher, TF, Windecker, S, Mach, F, Cornuz, J, Humair, JP, Rodondi, N. Uptake and efficacy of a systematic intensive smoking cessation intervention using motivational interviewing for smokers hospitalised for an acute coronary syndrome: a multicentre before-after study with parallel group comparisons. *BMJ Open*. 2016 Sep 20;6(9):e011520. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27650761>

Borondy Kitts, AK, McKee, AB, Regis, SM, Wald, C, Flacke, S, McKee, BJ. Smoking cessation results in a clinical lung cancer screening program. *J Thorac Dis*. 2016 Jul;8(Suppl 6):S481-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27606076>

Cummins, SE, Gamst, AC, Brandstein, K, Seymann, GB, Klonoff-Cohen, H, Kirby, CA, Tong, EK, Chaplin, E, Tedeschi, GJ, Zhu, SH. Helping hospitalized smokers: a factorial RCT of nicotine patches and counselling. *Am J Prev Med*. 2016 Oct;51(4):578-86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27647058>

Denny, JT, Denny, AM, Tse, JT, Deangelis, VJ, Chyu, D, Pantin, EJ, Yeh, SS, Cohen, S, Fratzola, CH, Solina, A. Hospital initiatives in promoting smoking cessation: A 12-year follow-up. *Exp Ther Med*. 2016 Sep;12(3):1599-1603. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27588081>

Duffy, SA, Ronis, DL, Karvonen-Gutierrez, CA, Ewing, LA, Hall, SV, Yang, JJ, Thomas, PL, Olree, CM, Maguire, KA, Friedman, L, Gray, D, Jordan, N. Effectiveness of the tobacco tactics program in the

Trinity Health System. Am J Prev Med. 2016 Oct;51(4):551-65. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27647056>

Fellows, JL, Mularski, RA, Leo, MC, Bentz, CJ, Waiwai, LA, Francisco, MC, Funkhouser, K, Stoney, CM. Referring hospitalized smokers to outpatient quit services: a randomized trial. Am J Prev Med. 2016 Oct;51(4):609-19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27647061>

Kathleen, FH, Young-II, K, Meifang, C, Rekha, R, Maria, P, Rajani, SS, Thomas, KH, William, CB. Web-based intervention for transitioning smokers from inpatient to outpatient care: an RCT. Am J Prev Med. 2016 Oct;51(4):620-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27647062>

Richter, KP, Faseru, B, Shireman, TI, Mussulman, LM, Nazir, N, Bush, T, Scheuermann, TS, Preacher, KJ, Carlini, BH, Magnusson, B, Ellerbeck, EF, Cramer, C, Cook, DJ, Martell, MJ. Warm handoff versus fax referral for linking hospitalized smokers to quitlines. Am J Prev Med. 2016 Oct;51(4):587-96. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27647059>

Rigotti, NA, Stoney, CM. CHARTing the future course of tobacco-cessation interventions for hospitalized smokers. Am J Prev Med. 2016 Oct;51(4):549-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27647055>

Rigotti, NA, Tindle, HA, Regan, S, Levy, DE, Chang, Y, Carpenter, KM, Park, ER, Kelley, JH, Streck, JM, Reid, ZZ, Ylioja, T, Reyen, M, Singer, DE. A post-discharge smoking-cessation intervention for hospital patients: helping hand 2 randomized clinical trial. Am J Prev Med. 2016 Oct;51(4):597-608. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27647060>

Sherman, SE, Link, AR, Rogers, ES, Krebs, P, Ladapo, JA, Shelley, DR, Fang, Y, Wang, B, Grossman, E. Smoking-cessation interventions for urban hospital patients: a randomized comparative effectiveness trial. Am J Prev Med. 2016 Oct;51(4):566-77. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27647057>

Newhall, K, Suckow, B, Spangler, E, Brooke, BS, Schanzer, A, Tan, T, Burnette, M, Edelen, MO, Farber, A, Goodney, P, investigators, Vapor. Impact and duration of brief surgeon-delivered smoking cessation advice on attitudes regarding nicotine dependence and tobacco harms for patients with peripheral arterial disease. Ann Vasc Surg. 2016 Aug 10. pii: S0890-5096(16)30599-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27521828>

Tindle, HA, Daigh, R, Reddy, VK, Bailey, LA, Ochs, JA, Maness, MH, Davis, EM, Schulze, AE, Powers, KM, Ylioja, TE, Baca, HB, Mast, JL, Freiberg, MS, Pennsylvania eReferral, Workgroup. Ereferral between hospitals and Quitlines: an emerging tobacco control strategy. Am J Prev Med. 2016 Jul 28. pii: S0749-3797(16)30206-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27476383>

Mahabee-Gittens, EM, Dexheimer, JW, Khoury, JC, Miller, JA, Gordon, JS. Development and testing of a computerized decision support system to facilitate brief tobacco cessation treatment in the pediatric emergency department: proposal and protocol. JMIR Res Protoc. 2016 Apr 20;5(2):e64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27098215>

Weiland, T, Jelinek, GA, Taylor, SE, Taylor, DM. Tobacco smoking by adult emergency department patients in Australia: a point-prevalence study. *Public Health Res Pract.* 2016 Jul 15;26(3). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27421346>

Jenssen, BP, Shelov, ED, Bonafide, CP, Bernstein, SL, Fiks, AG, Bryant-Stephens, T. Clinical decision support tool for parental tobacco treatment in hospitalized children. *Appl Clin Inform.* 2016 May 25;7(2):399-411. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27437049>

Niedermeier, K, Selleck, CS. Parental smoking and children undergoing anesthesia: is there a role for pediatric hospitals in smoking cessation? *J Spec Pediatr Nurs*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27460517>

Bittner, JC, Hasegawa, K, Probst, BD, Mould-Millman, NK, Silverman, RA, Camargo, CA, Jr. Smoking status and smoking cessation intervention among U.S. adults hospitalized for asthma exacerbation. *Allergy Asthma Proc.* 2016 Jul;37(4):318-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27401318>

Goldberg, DN, Krantz, AJ, Semal, S, Zhang, H, Trick, WE. Outcomes for a public hospital tobacco cessation program: The Cook County Health and Hospitals System Experience. *J Community Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27393143>

Chang, YY, Yu, SM, Lai, YJ, Wu, PL, Huang, KC, Huang, HL. Improving smoking cessation outcomes in secondary care: Predictors of hospital staff willingness to provide smoking cessation referral. *Prev Med Rep.* 2016 Mar 4;3:229-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27419019>

Lee, J. False replies on smoking rate surveys and an in-hospital smoking cessation clinic. *Korean J Fam Med.* 2016 May;37(3):135-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27274383>

Shin, GH, Yi, SW, Cheong, YS, Park, EW, Choi, EY. Compliance and effectiveness of smoking cessation program started on hospitalized patients. *Korean J Fam Med.* 2016 May;37(3):149-55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27274385>

van der Westhuizen, C, Wyatt, G, Williams, JK, Stein, DJ, Sorsdahl, K. Validation of the alcohol, smoking and substance involvement screening test in a low- and middle-income country cross-sectional emergency centre study. *Drug Alcohol Rev*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27247085>

Bernstein, SL, Rosner, J, Toll, B. A multicomponent intervention including texting to promote tobacco abstinence in emergency department smokers: a pilot study. *Acad Emerg Med*, 2016 Jul;23(7):803-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27146116>

Hajjar, WM, Al-Nassar, SA, Alahmadi, RM, Almohanna, SM, Alhilali, SM. Behavior, knowledge, and attitude of surgeons and patients toward preoperative smoking cessation. *Ann Thorac Med.* 2016 Apr-Jun;11(2):132-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27168862>

Mullen, KA, Manuel, DG, Hawken, SJ, Pipe, AL, Coyle, D, Hobler, LA, Younger, J, Wells, GA, Reid, RD. Effectiveness of a hospital-initiated smoking cessation programme: 2-year health and healthcare outcomes. *Tob Control*, May 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27225016>

Bjornson, WG, Gonzales, DH, Markin, CJ, Clemons, N, Favela, F, Coleman, TM, Koudelka, C, Lapidus, JA. Two years in the life of a University Hospital tobacco cessation service: recommendations for

improving the quality of referrals. *Jt Comm J Qual Patient Saf.* 2016 May;42(5):209-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27066924>

Fiore, MC, Adsit, R. Will hospitals finally "Do the Right Thing"? Providing evidence-based tobacco dependence treatments to hospitalized patients who smoke. *Jt Comm J Qual Patient Saf.* 2016 May;42(5):207-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27066923>

Katz, DA, Stewart, K, Paez, M, Holman, J, Adams, SL, Vander Weg, MW, Battaglia, CT, Joseph, AM, Titler, MG, Ono, S. "Let Me Get You a Nicotine Patch": Nurses' perceptions of implementing smoking cessation guidelines for hospitalized veterans. *Mil Med.* 2016 Apr;181(4):373-82. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27046185>

Mahabee-Gittens, EM, Dexheimer, JW, Khoury, JC, Miller, JA, Gordon, JS. Development and testing of a computerized decision support system to facilitate brief tobacco cessation treatment in the pediatric emergency department: proposal and protocol. *JMIR Res Protoc.* 2016 Apr 20;5(2):e64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27098215>

Matuszewski, PE, Boulton, CL, O'Toole, RV. Orthopaedic trauma patients and smoking: Knowledge deficits and interest in quitting. *Injury.* 2016 Apr 8. pii: S0020-1383(16)30045-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27090096>

Nahmias, J, Doben, A, Poola, S, Korntner, S, Carrens, K, Gross, R. Implementation of a quality improvement project on smoking cessation reduces smoking in a high risk trauma patient population. *World J Emerg Surg.* 2016 Apr 26;11:15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27118989>

Schulte, DM, Duster, M, Warrack, S, Valentine, S, Jorenby, D, Shirley, D, Sosman, J, Catz, S, Safdar, N. Feasibility and patient satisfaction with smoking cessation interventions for prevention of healthcare-associated infections in inpatients. *Subst Abuse Treat Prev Policy.* 2016 Apr 26;11:15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27113448>

Silva, AC, Lucchese, R, Vargas, LS, Benicio, PR, Vera, I. Application of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) instrument: an integrative review. *Rev Gaucha Enferm.* 2016;37(1):e52918. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27074305>

Vande Loo, SJ, North, F. Patient question set proliferation: scope and informatics challenges of patient question set management in a large multispecialty practice with case examples pertaining to tobacco use, menopause, and Urology and Orthopedics specialties. *BMC Med Inform Decis Mak.* 2016 Apr 12;16(1):41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27066892>

Yousefzadeh, A, Chung, F, Wong, DT, Warner, DO, Wong, J. Smoking cessation: The role of the anesthesiologist. *Anesth Analg.* 2016 May;122(5):1311-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27101492>

Choi, SH, Kim, YH. Factors affecting Korean registered nurses' intention to implement smoking cessation intervention. *Osong Public Health Res Perspect.* 2016 Feb;7(1):63-70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26981345>

Obeidat, NA, Ayub, HS, Amarin, R, Ghonimat, I, Hawari, FI, Aburajab Altamimi, B, Abughosh, S. Smoking cessation support among oncology practitioners in a regional cancer center in the Middle

East-improving a critical service for cancer care. *Oncologist*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26961922>

Stefaniak, M, Dmoch-Gajzlerska, E. Response to provision and effect of quit-smoking counselling by primary care midwives. *Midwifery*. 2016 Mar;34:21-2. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26971443>

Slattery, C, Freund, M, Gillham, K, Knight, J, Wolfenden, L, Bisquera, A, Wiggers, J. Increasing smoking cessation care across a network of hospitals: an implementation study. *Implement Sci*. 2016 Mar 1;11(1):28. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26927023>

Solano Reina, S et al. Prevalence, knowledge and attitudes towards smoking among SEPAR members. *Arch Bronconeumol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26905777>

Taniguchi, C et al. Japanese nurses' perceptions toward tobacco use intervention for hospitalized cancer patients who entered end of life. *Cancer Nurs*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26863050>

VanDevanter, N et al. Knowledge, beliefs, behaviors, and social norms related to use of alternative tobacco products among undergraduate and graduate nursing students in an urban U.S. university setting. *J Nurs Scholarsh*, Mar 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26845631>

Leuthard, L et al. Increased evidence-based tobacco treatment through Oklahoma hospital system changes. *J Okla State Med Assoc*, Nov 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26817064>

Newhall, K et al. Smoking cessation counseling in vascular surgical practice using the results of interviews and focus groups in the Vascular Surgeon offer and report smoking cessation pilot trial. *J Vasc Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26747682>

Wong, L et al. Initial uptake of the Ontario Pharmacy Smoking Cessation Program: Descriptive analysis over 2 years. *Can Pharm J (Ott)*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26759563>

Al Kazzi, ES et al. Differences in the prevalence of obesity, smoking and alcohol in the United States nationwide inpatient sample and the behavioral risk factor surveillance system. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26536469>

Smith, BK et al. Utilization of the electronic health record to improve provision of smoking cessation resources for vascular surgery inpatients. *Int J Cardiovasc Res*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26566531>

Song, F. Identifying and recruiting smokers for preoperative smoking cessation-a systematic review of methods reported in published studies. *Syst Rev*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26560883>

Sonmez, CI et al. Comparison of smoking habits, knowledge, attitudes and tobacco control interventions between primary care physicians and nurses. *Tob Induc Dis*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26566385>

Thomas, D et al. Integrating smoking cessation into routine care in hospitals - a randomised controlled trial. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26597421>

Boudreaux, ED et al. Health evaluation and referral assistant: a randomized controlled trial to improve smoking cessation among emergency department patients. *Addict Sci Clin Pract*, 2015.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26542471>

Ceass, T, Parsons, LC. Addressing tobacco dependence through a nurse-driven tobacco intervention protocol. *Nurs Clin North Am*, Dec 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26596660>

Chandrakumar, S, Adams, J. Attitudes to smoking and smoking cessation among nurses. *Nurs Stand*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26508254>

Faulkner, K et al. Are nurses and auxiliary healthcare workers equally effective in delivering smoking cessation support in primary care? *Nicotine Tob Res*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26453668>

Lang, E. In adult smokers in the ED, a multicomponent intervention increased smoking cessation at 3 months. *Ann Intern Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26502146>

Leone, FT et al. Integrating tobacco use treatment into practice: billing and documentation. *Chest*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26426215>

Martin Cantera, C et al. Effectiveness of multicomponent interventions in primary healthcare settings to promote continuous smoking cessation in adults: a systematic review. *BMJ Open*, 2015.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26428333>

No authors listed. Cigarette smoking: Health risks and how to quit (PDQ(R)): Health Professional Version. PDQ Cancer Information Summaries, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26389444>

No authors listed. Cigarette smoking: Health risks and how to quit (PDQ(R)): Health Professional Version. PDQ Cancer Information Summaries, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26389444>

No authors listed. Cigarette smoking: Health risks and how to quit (PDQ(R)): Patient Version. PDQ Cancer Information Summaries, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26389305>

No authors listed. Smoking in cancer care (PDQ(R)): Health professional version. PDQ Cancer Information Summaries, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26389207>

No authors listed. Smoking in cancer care (PDQ(R)): Patient version. PDQ Cancer Information Summaries, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26389200>

Ostroff, JS et al. Readiness of lung cancer screening sites to deliver smoking cessation treatment: Current practices, organizational priority, and perceived barriers. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26346948>

Ma, L et al. Optimizing tobacco cessation resource awareness among patients and providers. *J Oncol Pract*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26330532>

Jamal, A et al. Tobacco use screening and counseling during hospital outpatient visits among US Adults, 2005-2010. *Prev Chronic Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26292063>

Mendelsohn, C et al. Managing nicotine dependence in NSW hospitals under the Smoke-free Health Care Policy. *Public Health Res Pract*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26243492>

Panda, R et al. Preparedness of frontline health workers for tobacco cessation: An exploratory study from two states of India. *J Family Med Prim Care*, Jul-Sep 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26288762>

Wong, J, Chung, F. Peri-operative cessation of smoking: time for anaesthetists to act. *Anaesthesia*, Aug 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26152251>

Lang, M et al. What are the factors that influence the delivery of smoking cessation advice in critical care? *Nursing in Critical Care*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26177914>

Japuntich, SJ et al. Integrating tobacco treatment into thoracic oncology settings: Lessons learned. *Journal of Health Psychology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26044717>

Park, ER et al. Primary care provider-delivered smoking cessation interventions and smoking cessation among participants in the National Lung Screening trial. *JAMA Internal Medicine*, 2015 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26076313>

Pua, BB et al. Integrating smoking cessation into lung cancer screening programs. *Clinical Imaging*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26088006>

West, R et al. Healthcare interventions to promote and assist tobacco cessation: a review of efficacy, effectiveness and affordability for use in national guideline development. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26031929>

King, JL et al. Poor health among smokers obtaining colonoscopy screening: making the case for cessation intervention. *Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25769348>

Pozzi, P et al. A combined smoking cessation intervention within a lung cancer screening trial: a pilot observational study. *Tumori*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25838249>

7.10.7 Social and community service organisations

Huard, C, Villacis Alvarez, E, Veluz-Wilkins, A, Garcia Sierra, AM, & Tan, M. (2024). How Community Health Workers can Address Tobacco Dependence of High-Risk patients: A Qualitative Analysis of the Unique Training Needs of Community Health Workers. *Tob Use Insights*, 17, 1179173X241272369. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39513181>

- Visser, JEM, Burger, J, Rozema, AD, Kunst, AE, & Kuipers, MAG. (2024). Suitability of smoking cessation support from social and community service organizations: perspectives of Dutch clients. *Health Promot Int*, 39(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39446974>
- Ward, E, Varley, A, Wright, M, Pope, I, & Notley, C. (2024). Theoretically framing views of people who smoke in understanding what might work to support smoking cessation in coastal communities: adapting the TIDieR checklist to qualitative analysis for complex intervention development. *BMC Public Health*, 24(1), 2443. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39251941>
- Potter, MB, Tsoh, JY, Lugtu, K, Parra, J, Bowyer, V, & Hessler, D. (2024). Smoking Cessation Support in the Context of Other Social and Behavioral Needs in Community Health Centers. *J Am Board Fam Med*, 37(1), 84-94. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38448242>
- Foo, CYS, Potter, K, Nielsen, L, Rohila, A, Maravic, MC, Schnitzer, K et al. (2024). Implementation of Community Health Worker Support for Tobacco Cessation: A Mixed-Methods Study. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38343842>
- Visser, JEM, Rozema, AD, Kunst, AE, & Kuipers, MAG. (2024). Smoking cessation support in social and community service organizations: potential activities, barriers and facilitators. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38195238>
- Meredith, LR, Hurley, B, Friedman, TC, Lee, ML, Rodriguez, L, Lopez, B et al. (2023). Implementation of Specialty Tobacco Use Disorder Services in a Community Health Setting: Support for Enhanced Prescription Practices. *J Addict Med*, 17(6), 677-684. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37934530>
- Lin, B, Nan, Y, Xie, X, Yang, Y, Xie, H, Yan, Y et al. (2023). Assessing the Effectiveness of a Community-Based Smoking Cessation Intervention - Shenzhen City, Guangdong Province, China, 2022. *China CDC Wkly*, 5(28), 619-624. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37520446>
- Leta, K, Lauwerier, E, Willems, S, Vermeersch, S, Demeester, B, & Verloigne, M. (2023). Smoking prevention within social work organizations: a qualitative study about youngsters' and youth workers' perceptions. *Health Promot Int*, 38(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37202340>
- Tan, MM, Oke, S, Ellison, D, Huard, C, & Veluz-Wilkins, A. (2023). Addressing Tobacco Use in Underserved Communities Outside of Primary Care: The Need to Tailor Tobacco Cessation Training for Community Health Workers. *Int J Environ Res Public Health*, 20(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37107861>
- Thanomsat, K, Yunibhand, J, & Preechawong, S. (2022). Effectiveness of an integrated smoking cessation service model on smoking status: A preliminary study. *Tob Induc Dis*, 20, 104. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36465518>
- Cunningham, JA, Leatherdale, ST, Chaiton, M, Tyndale, RF, Schell, C, & Godinho, A. (2022). Concentrated distribution of nicotine patches to a town with high smoking rates - any evidence of large impacts on tobacco cessation? *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36264570>

- Terzi, H, Kitis, Y, & Akin, B. (2022). Effectiveness of non-pharmacological community-based nursing interventions for smoking cessation in adults: A systematic review. *Public Health Nurs.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36163702>
- Young, AL, Rankin, NM, Whippy, E, Cooke, S, Milross, C, Zielinski, R et al. (2022). Implementation and evaluation of a smoking cessation checklist implemented within Australian cancer services. *Asia Pac J Clin Oncol.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35238146>
- Paula, TCS, Chagas, C, Henrique, AEG, Vargas, RC, Noto, AR, & Ferri, CP. (2022). Late-life drinking and smoking in primary care users in Brazil. *Aging Ment Health*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35189752>
- Steinberg, ML. (2022). Think Globally, Act Locally: Local Tobacco Control. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35034119>
- Meredith, LR, Baskerville, WA, Friedman, TC, Hurley, B, Dixon, T, Mtume, N et al. (2021). Safety Net Provider Attitudes Toward Smoking Cessation Treatment. *Front Psychiatry*, 12, 744816. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34650457>
- Galiatsatos, P, Judge, E, Koehl, R, Hill, M, Veira, O, Hansel, N et al (2020). The Lung Health Ambassador Program: A Community-Engagement Initiative Focusing on Pulmonary-Related Health Issues and Disparities Regarding Tobacco Use. *Int J Environ Res Public Health*, 18(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33374951>
- Leal, IM, Chen, TA, Correa-Fernandez, V, Le, K, O'Connor, DP, Kyburz, B et al (2020). Adapting and Evaluating Implementation of a Tobacco-Free Workplace Program in Behavioral Health Centers. *Am J Health Behav*, 44(6), 820-839. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33081879>
- Weng, X, Luk, TT, Suen, YN, Wu, Y, Li, HCW, Cheung, YTD et al. (2020). Effects of simple active referrals of different intensities on smoking abstinence and smoking cessation services attendance: a cluster-randomized clinical trial. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32149425>
- Parnell, A, Box, E, Biagioni, N, Bonevski, B, Anwar-McHenry, J, Slevin, T, & Pettigrew, S. (2020). Factors influencing the willingness of community service organisation staff to provide smoking cessation support: a qualitative study. *Australian and New Zealand Journal of Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32050298>
- Grattan, LE, Schmitt, CL, & Porter, L. (2020). Community Program Activities Predict Local Tobacco Policy Adoption in Florida Counties. *American Journal of Health Promotion*, 890117120904005. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32030993>
- Burki, TK. (2020). Stop-smoking services in the UK. *Lancet Oncology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31954433>
- Fortmann, SP, Bailey, SR, Brooks, NB, Hitsman, B, Rittner, SS, Gillespie, SE et al. (2020). Trends in smoking documentation rates in safety net clinics. *Health Services Research*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31930738>

- Gesinde, B. (2019). Community-Based Smoking Cessation Programs: A Way Forward? *Front Public Health*, 7, 364. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31850297>
- Hayes, C., Ciblis, A., Darker, C., Dougall, N., Vance, J., O'Connell, N., . . . Bauld, L. (2019). We Can Quit2 (WCQ2): a community-based intervention on smoking cessation for women living in disadvantaged areas of Ireland-study protocol for a pilot cluster randomised controlled trial. *Pilot Feasibility Stud*, 5, 138. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31788324>
- Reisinger, S. A., Kamel, S., Seiber, E., Klein, E. G., Paskett, E. D., & Wewers, M. E. (2019). Cost-Effectiveness of Community-Based Tobacco Dependence Treatment Interventions: Initial Findings of a Systematic Review. *Prev Chronic Dis*, 16, E161. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31831106>
- Fry, CE, Tindle, HA, Young, C, Rogus, El Frist, WH, & Buntin, MB. (2019). Development of a Tobacco Control Prescription in a Southern US City. *Prog Community Health Partnersh*, 13(3), 237-245. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31564664>
- Fry, CE, Young, C, Sudderth, M, & Holzer, J. (2019). Beyond the Manuscript: Development of a Tobacco control 'Prescription' in a Southern US City. *Prog Community Health Partnersh*, 13(3), 247-251. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31564665>
- Shishani, K, Graves, JM, McGowan, P, Lockwood, W, Nystrom, M, & Barbosa-Leiker, C. (2019). Quit Happens: A community clinic-based, multitiered smoking cessation intervention. *Public Health Nurs*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31489706>
- Belamarich, PF, & Racine, AD. (2019). Parental Tobacco Counseling in the Well-Child Visit-A Method With Enhanced Effectiveness but Nowhere to Go. *JAMA Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31403681>
- Parnell, A, Box, E, Chapman, L, Bonevski, B, Anwar McHenry, J, & Pettigrew, S. (2019). Receptiveness to smoking cessation training among community service organisation staff. *Health Promot J Austr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31278872>
- Nguyen, N, Nguyen, T, Truong, V, Dang, K, Siman, N, & Shelley, D. (2019). Impact of a tobacco cessation intervention on adherence to tobacco use treatment guidelines among village health workers in Vietnam. *Glob Health Promot*, 1757975919854032. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31319786>
- Onion, DK, Prior, RE, Record, NB, Record, SS, Cayer, GR, Amos, CI, & Pearson, TA. (2019). Assessment of Mortality and Smoking Rates Before and After Reduction in Community-wide Prevention Programs in Rural Maine. *JAMA Netw Open*, 2(6), e195877. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31199453>
- Lautner, S, Garney, W, Nimmons, K, Macareno, B, Harvey, IS, & Garcia, K. (2019). Delivering Tobacco Cessation Through Community Health Workers: Curriculum and Training Considerations. *Fam Community Health*, 42(3), 197-202. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31107730>

Ho, KY, Li, WHC, Lam, KKW, Wang, MP, Xia, W, Ho, LY et al. Promoting smoking cessation among community-living female smokers by training smoking cessation and reduction ambassadors. *J Public Health (Oxf)*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30608601>

Honeycutt, A, Bradley, C, Khavjou, O, Yarnoff, B, Soler, R, & Orenstein, D. Simulated impacts and potential cost effectiveness of Communities Putting Prevention to Work: Tobacco control interventions in 21 U.S. communities, 2010-2020. *Prev Med*, 2019. 120, 100-106. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30659909>

Charron, CB, Hudani, A, Kaur, T, Rose, T, Florence, K, Jama, S, & Pakhale, S. Assessing community (peer) researcher's experiences with conducting spirometry and being engaged in the 'Participatory Research in Ottawa: Management and Point-of-care for Tobacco-dependence' (PROMPT) project. *Res Involv Engagem*, 2018. 4, 43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30519486>

Flocke, SA, Lewis, S, Seeholzer, E, Gill, I, Antognoli, E, Rose, JC, & Love, TE. Electronic medical record documentation of tobacco cessation support at eight community safety-net clinics with a high prevalence of tobacco use. *J Eval Clin Pract*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30456776>

Cofta-Woerpel, L, Lam, C, Reitzel, LR, Wilson, W, Karam-Hage, M, Beneventi, D et al. A tele-mentoring tobacco cessation case consultation and education model for healthcare providers in community mental health centers. *Cogent Med*, 2018. 5(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30364535>

Selby, P, Voci, S, Zawertailo, L, Baliunas, D, Dragonetti, R, Hussain, S. Public health impact of a novel smoking cessation outreach program in Ontario, Canada. *BMC Public Health*. 2018 Sep 14;18(1):1117. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30217187>

Weng, X, Wang, MP, Suen, YN, Li, WHC, Wu, Y, Cheung, DYT, Kwong, ACS, Lai, VWY, Chan, SSC, Lam, TH. Comparing different intensities of active referral to smoking cessation services in promoting smoking cessation among community smokers: a study protocol of a cluster randomized controlled trial. *BMC Public Health*. 2018 Jul 4;18(1):830. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29973191>

Bonevski, B, Twyman, L, Paul, C, D'Este, C, West, R, Siahpush, M, Oldmeadow, C, Palazzi, K. Smoking cessation intervention delivered by social service organisations for a diverse population of Australian disadvantaged smokers: A pragmatic randomised controlled trial. *Prev Med*. 2018 Apr 5;112:38-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29626552>

Petteway, RJ, Sheikhattari, P, Wagner, F. Toward an Intergenerational Model for Tobacco-Focused CBPR: Integrating Youth Perspectives via Photovoice. *Health Promot Pract*. 2018 Mar 1:1524839918759526. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29514503>

Estreet, A, Apata, J, Kamangar, F, Schutzman, C, Buccheri, J, O'Keefe, AM, Wagner, F, Sheikhattari, P. Improving Participants' Retention in a Smoking Cessation Intervention Using a Community-based Participatory Research Approach. *Int J Prev Med*. 2017 Dec 19;8:106. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29416835>

Pakhale, S, Kaur, T, Charron, C, Florence, K, Rose, T, Jama, S, Boyd, R, Haddad, J, Alvarez, G, Tyndall, M. Management and Point-of-Care for Tobacco Dependence (PROMPT): a feasibility mixed methods community-based participatory action research project in Ottawa, Canada. *BMJ Open*. 2018 Jan 25;8(1):e018416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29371273>

Brooks, DR, Burtner, JL, Borrelli, B, Heeren, TC, Evans, T, Davine, JA, Greenbaum, J, Scarpaci, M, Kane, J, Rees, VW, Geller, AC. Twelve-Month Outcomes of a Group-Randomized Community Health Advocate-Led Smoking Cessation Intervention in Public Housing. *Nicotine Tob Res*. 2017 Nov 14. pii: 4627007. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29145626>

Orouji, MA, Shojaeizadeh, D, Sadeghi, R, Rafiei, M. Effects of a theory-driven educational package and social support on durability of cigarette smoking cessation behavior: A community-based program. *Electron Physician*. 2017 Sep 25;9(9):5331-5338. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29038718>

Meernik, C, McCullough, A, Ranney, L, Walsh, B, Goldstein, AO. Evaluation of Community-Based Cessation Programs: How Do Smokers with Behavioral Health Conditions Fare? *Community Ment Health J*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28770359>

Li, WH, Chan, SS, Wan, ZS, Wang, MP, Ho, KY, Lam, TH. Development of a community-based network to promote smoking cessation among female smokers in Hong Kong. *BMC Public Health*. 2017 Apr 11;17(1):311. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28399845>

Wewers, ME, Shoben, A, Conroy, S, Curry, E, Ferketich, AK, Murray, DM, Nemeth, J, Wermert, A. Effectiveness of two community health worker models of tobacco dependence treatment among community residents of Ohio Appalachia. *Nicotine Tob Res*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27694436>

7.10.8 Practitioners of complementary and alternative medicine

Buettner-Schmidt, K, Maack, B, Larson, M, Orr, M, Miller, DR, & Mills, K. Systems change to improve tobacco use identification and referral in the chiropractic setting: a pilot study. *Chiropr Man Therap*, 2018. 26, 45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30534361>

Muramoto, ML et al. Intervention development for integration of conventional tobacco cessation interventions into routine CAM practice. *BMC Complementary and Alternative Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25887742>

Eaves, ER, Howerter, A, Nichter, M, Floden, L, Gordon, JS, Ritenbaugh, C, Muramoto, ML. Implementation of tobacco cessation brief intervention in complementary and alternative medicine practice: qualitative evaluation. *BMC Complement Altern Med*. 2017 Jun 23;17(1):331. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28645292>

7.10.9 Training health professionals in smoking cessation interventions

Herpich, TL, Mendes, EM, Roxo-Goncalves, M, Katz, N, Almeida, JD, Martins, MD et al (2024). Impact of an educational intervention regarding tobacco counseling on dentists and dental students. *Braz Oral Res*, **38**, e102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39536203>

Selby, K, Habfast-Robertson, I, Durand, MA, Hempel-Bruder, C, Boesch, A, Marti, J et al. (2024). Combining Default Choices and an Encounter Decision Aid to Improve Tobacco Cessation in Primary Care Patients: A Pragmatic, Cluster-Randomized Trial. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39384691>

Deepak, J, Gesthalter, YB, Gogineni, HP, & Melzer, AC. (2024). Reply to Patel and LaNou: The Missing Piece: The Intersection of Pharmacist Board Certification and Tobacco Use Disorder Treatment. *ATS Sch*, **5**(3), 469. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39371231>

Wittmann, H, Prediger, S, & Harendza, S. (2024). "Do you smoke?" - content and linguistic analysis of students' substance histories in simulated patient interviews. *GMS J Med Educ*, **41**(4), Doc43. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39415815>

Patel, PH, & LaNou, E. (2024). The Missing Piece: The Intersection of Pharmacist Board Certification and Tobacco Use Disorder Treatment. *ATS Sch*, **5**(3), 467-468. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39371240>

Onda, M, Horiguchi, M, Domichi, M, & Sakane, N. (2024). Effect of a Smoking Cessation Education Program on the Knowledge, Attitude, and Self-Efficacy of Community Pharmacists in Japan: A Quasi-Experimental Study. *Tob Use Insights*, **17**, 1179173X241272362. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39131666>

Cheung, YTD, Zhang, G, Luk, TT, Zhang, M, Lam, VSF, Chan, MMK et al. (2024). Effect of narrative videos and mini-VR games in nursing smoking cessation training on empathy and self-efficacy of smoking cessation counseling: A randomized controlled trial. *Nurse Educ Today*, **140**, 106272. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38851019>

Malinovska, J, & Michalec, J. (2024). Effectiveness of Medical Student Counseling for Hospitalized Patients Addicted to Tobacco. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38455826>

Berger, DJ, Nickolich, S, & Nasir, M. (2024). Introduction to Tobacco Cessation and Motivational Interviewing: Evaluation of a Lecture and Case-Based Learning Activity for Medical Students. *Cureus*, **16**(2), e53704. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38478209>

David, JC, Rascle, N, Auriacombe, M, Serre, F, Sutter-Dallay, AL, & Loyal, D. (2024). A video-based intervention to overcome pregnancy smoking stigma among healthcare students: a randomised controlled trial. *Psychol Health*, 1-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38372141>

Grable, JC, Shan, K, Wang, M, Han, DD, Sportiello, K, Chang, M et al (2024). Training Medical Student Counselors for the Rochester Model, a Hospital Tobacco Treatment Program. *J Multidiscip Healthc*, 17, 601-607. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38343754>

Moeteke, NS, Oyibo, P, Ochei, O, Ntaji, MI, Awunor, NS, Adeyemi, MO et al. (2024). Effectiveness of online training in improving primary care doctors' competency in brief tobacco interventions: A cluster-randomized controlled trial of WHO modules in Delta State, Nigeria. *PLoS One*, 19(2), e0292027. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38386654>

Wiener, R. C., & Gaydos, S. (2024). Exploring Students' Compassion Outcomes within a Dental School's Tobacco Treatment Training Program: A pilot study. *J Dent Hyg*, 98(1), 58-67. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38346899>

Zhang, G, Zhou, J, Luk, TT, Lam, VSF, Yao, Z, Wang, MP, & Cheung, YTD. (2024). The learning outcomes of smoking cessation training in undergraduate nursing students: A systematic review. *Nurse Educ Pract*, 75, 103907. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38308947>

Melzer, AC, Reese, ZA, Mascarhenas, L, Clancy, CB, Deepak, J, Gogineni, H et al. (2023). Education for Tobacco Use Disorder Treatment: Current State, Evidence, and Unmet Needs. *ATS Sch*, 4(4), 546-566. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38196686>

Chandrashekar, BR, Chacko, TV, Jayashankar, HP, Suma, S, Km, A, & Kannappan, S. (2023). Effectiveness of tobacco counseling training module (TCTM) in enhancing the knowledge, attitude, ability to identify oral manifestations, self-confidence, and skills (KAASS) in tobacco counseling among undergraduate dental students - An interventional study. *Indian J Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38155453>

Foster, CD, Quinn, MH, Koita, F, Leone, FT, Stevens, N, Siegel, SD et al. (2023). Predictors of improved clinician screening, assessment, and treatment for tobacco use for clients in community mental healthcare following training. *Drug Alcohol Depend Rep*, 9, 100208. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38094574>

Hudmon, KS, Lahey, AM, Czarnik, JS, Elkhadragey, N, & Corelli, R. L. (2023). Tobacco Education in Doctor of Pharmacy Programs in the United States (2021-2022). *Am J Pharm Educ*, 87(11), 100120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37914465>

Syrjanen, K, Patrakka, I, Paloniemi, E, Soppi, A, Hendolin, P, & Suovaniemi, O. (2023). Awareness and Acceptance of Nicotine-free Smoking Intervention Methods (Acetium((R)) Lozenge) Increased Among Health Care Professionals by Targeted E-training as Confirmed by Post-training Surveys. *Anticancer Res*, 43(11), 4961-4968. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37909990>

Sheffer, CE, Shevorykin, A, Freitas-Lemos, R, Vantucci, D, Carl, E, Bensch, L et al. (2023). Advancing Proficiencies for Health Professionals in the Treatment of Tobacco Use Among Marginalized Communities: Development of a Competency-Based Curriculum and Virtual Workshop. *Subst Abus*, 44(4), 313-322. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37842906>

Shin, SR, & Lee, EH. (2023). Effects of a Smoking Cessation Counseling Education Program on Nursing Students. *Healthcare (Basel)*, 11(20). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37893808>

Karadogan, D, Ardic, C, Telatar, TG, Kanbay, Y, Kayaalp, E, Dedecan, MA et al (2023). Towards a comprehensive tobacco-cessation approach: A pilot-training using simulation based-learning among medical students in Turkiye. *Tob Induc Dis*, 21, 118. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37753195>

Pardavila-Belio, MI, Moreno-Arroyo, C, Romero-Clara, O, Tricas-Sauras, S, Barroso, T, Duaso, M et al (2023). Adaptation, implementation, and evaluation of an online health sciences training program for brief smoking intervention: A pre-post study in four European countries. *Nurse Educ Today*, 130, 105924. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37677986>

Elkhadragy, N, Corelli, RL, Campbell, NL, Zillich, AJ, & Hudmon, KS. (2023). Lessons Learned from a Shared Curriculum on Tobacco Cessation Using a Mixed-Methods Approach. *Pharmacy (Basel)*, 11(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37624078>

Digman, A, Barrickman, A, Goodhart, A, & Whetsel, T. (2023). Student knowledge, confidence, and perceptions prior to and following an inhaler and tobacco cessation simulation. *Curr Pharm Teach Learn*, 15(5), 500-507. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37258369>

Satish, P, Khetan, A, Shah, D, Srinivasan, S, Balakrishnan, R, Padmanandan, A et al. (2023). Effectiveness of Medical Student Counseling for Hospitalized Patients Addicted to Tobacco (MS-CHAT): a Randomized Controlled Trial. *J Gen Intern Med*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37286774>

Elfandi, S, & Poudyal, H. (2023). Tobacco Cessation Curriculum in Medical Schools: a Scoping Review. *J Cancer Educ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37188986>

Gribben, V, Chang, AY, Ling, P, Rasmussen, J, Tebb, K, Fuentes-Afflick, E, & Marbin, J. (2023). Impact of a Multidisciplinary Curriculum Training Students and Residents in Tobacco Cessation Strategies for Adult Caregivers of Children. *MedEdPORTAL*, 19, 11313. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37228253>

Gaydos, MS, Wiener, RC, Morgan, S, & Puette, E. (2023). Integration of tobacco treatment specialist (TTS) training into dental and dental hygiene curricula. *J Dent Educ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36933234>

Moxham, L, Thomas, T, Curtis, E, Mackay, M, Pratt, H, & Livingstone, K. (2023). Nursing students' attitudes, behaviour, and knowledge toward smoking cessation: Results from a descriptive survey at a regional university. *Nurse Educ Today*, 125, 105798. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36933373>

Farnell, E, Tankard, S, & Lee, NC. (2022). Smoking cessation training for foundation year doctors: a positive step towards a smoke-free society. *Future Healthc J*, 9(Suppl 2), 76. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36310953>

Wiener, RC, Gaydos, MS, Morgan, S, & Swager, L. (2022). Integration of a Nationally Recognized Tobacco Treatment Specialist Certification into Health Sciences Curricula: A short report. *J Dent Hyg*, 96(5), 37-41. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36224085>

Ryan, A, Young, AL, Tait, J, McCarter, K, McEnallay, M, Day, F et al. (2022). Building staff capability, opportunity, and motivation to provide smoking cessation to people with cancer in Australian cancer treatment centres: development of an implementation intervention framework for the Care to Quit cluster randomised controlled trial. *Health Serv Outcomes Res Methodol*, 1-33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36193179>

Christiansen, B, Riemer, D, Conner, KL, & Fiore, MC. (2022). The Bucket Approach: Developing and Implementing an On-line Training Program in Tobacco Dependence Interventions Tailored for Behavioral Health Clinicians. *Community Ment Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36050593>

Faint, N, Cuesta-Briand, B, & Coleman, M. (2022). An evaluation of junior doctors' experience in smoking cessation training in a rural mental health setting. *Front Psychiatry*, 13, 868212. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36090379>

VanFrank, B, Uhd, J, Savage, TR, Shah, JR, & Twentyman, E. (2022). Availability and content of clinical guidance for tobacco use and dependence treatment - United States, 2000-2019. *Prev Med*, 164, 107276. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36152817>

Yang, C, He, W, Deng, R, Giri, M, & Dai, H. (2022). Perceptions and preparedness toward tobacco cessation counseling amongst clinical medical students in Chongqing, Southwest China: A cross-sectional study. *Front Public Health*, 10, 934782. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35979466>

Ghali, H, Ben Sik Ali, H, Ben Cheikh, A, Bhiri, S, Khefacha, S, Ben Rejeb, M, & Said Laatiri, H. (2022). Educational effectiveness of simulation in teaching health science students Smoking cessation: A Systematic Review. *Tunis Med*, 100(2), 102-113. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35852243>

Gribben, V, Kosack, A, Garell, C, Shaikh, U, Huang, M, Chang, AY et al. (2022). Impacts of a Multicenter Medical Education Curriculum for Training Pediatric Residents on Tobacco Cessation for Adult Caregivers of Pediatric Patients. *Clin Pediatr (Phila)*, 99228221113783. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35891607>

Martinez Leal, I, Martinez, J, Britton, M, Chen, TA, Correa-Fernandez, V, Kyburz, B et al(2022). Collaborative Learning: A Qualitative Study Exploring Factors Contributing to a Successful Tobacco Cessation Train-the-Trainer Program as a Community of Practice. *Int J Environ Res Public Health*, 19(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35805323>

M. Aldiabat K, Aquino-Russell, C, Alsayheen, E, Qadire, M. A. Barriers to Providing Smoking Cessation Intervention by Nursing Students: What is the Solution in Nursing Education? *Florence Nightingale J Nurs*. 2022 Feb;30(1):83-91. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35635351>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. (2002). In *PDQ Cancer Information Summaries*. Bethesda (MD). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26389444>

Diaz, D, Quisenberry, AJ, Fix, BV, Sheffer, CE, & O'Connor, RJ. (2022). Stigmatizing attitudes about lung cancer among individuals who smoke cigarettes. *Tob Induc Dis*, 20, 38. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35529324>

Tan, MM, Veluz-Wilkins, A, Styrzula, P, & McBrayer, S. (2022). Gaps in Knowledge and Practice in Treating Tobacco Use Among Non-physician Healthcare Professionals and Lay Health Workers in Chicago, Illinois. *Cancer Control*, 29, 10732748221105310. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35632990>

Alwhaibi, A, Wajid, S, Alenezi, A, Salami, Y, Alhaydan, I, Samreen, S et al. (2022). Prevalence of Smoking and Beliefs and Attitude Toward Smoking Habit and Smoking Cessation Methods Among Pharmacy Students: A Cross-Sectional Study in Saudi Arabia. *Front Public Health*, 10, 816101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35433590>

El Hajj, MS, Awaisu, A, Nik Mohamed, MH, Saleh, RA, Al Hamad, NM, Kheir, N, & Mahfoud, ZR. (2022). Assessment of an intensive education program for pharmacists on treatment of tobacco use disorder using an objective structured clinical examination: a randomized controlled trial. *BMC Med Educ*, 22(1), 289. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35436957>

Wiener, RC, Swager, LW, Gaydos, MS, & Morgan, SK. (2022). Evaluation of a Tobacco Treatment Training Program. *Int J Environ Res Public Health*, 19(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35457301>

Darville, A, Rademacher, K, Wiggins, AT, Lenhof, MG, & Hahn, EJ. (2022). Training Tobacco Treatment Specialists through Virtual Asynchronous Learning. *Int J Environ Res Public Health*, 19(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35328889>

Khan, A, Green, K, Smoll, N, Khandaker, G, Gartner, C, & Lawler, S. (2022). Roles, experiences, and perspectives of the stakeholders of "10,000 Lives" smoking cessation initiative in Central Queensland: findings from an online survey during COVID-19 situation. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35322498>

Wadlin, J, Ford, DE, Albert, MC, Wang, NY, & Chander, G. (2022). Implementing an EMR-Based Referral for Smoking Quitline Services with Additional Provider Education, a Cluster-Randomized Trial. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35260960>

Wittekind, CE, Takano, K, Sckopke, P, Winkler, MH, Werner, GG, Ehring, T, & Ruther, T. (2022). Efficacy of approach bias modification as an add-on to smoking cessation treatment: study protocol for a randomized-controlled double-blind trial. *Trials*, 23(1), 223. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35313949>

Quartey, NK, Papadakos, J, Umakanthan, B, & Giuliani, ME. (2021). Pivoting the Provision of Smoking Cessation Education in a Virtual Clinical World: The Princess Margaret Cancer Centre Experience. *Curr Oncol*, 28(6), 5395-5400. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34940088>

Tiedemann, E, & Simmenroth, A. (2021). Teaching alcohol and smoking counselling in times of COVID-19 to 6(th)-semester medical students: experiences with a digital-only and a blended learning teaching approach using role-play and feedback. *GMS J Med Educ*, 38(7), Doc117. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34957322>

- Essenmacher, C, Baird, C, Houfek, J, Spielmann, MR, & Adams, S. (2021). Developing Competency-Based Nursing Treatment for Persons With Tobacco Use Disorder. *J Am Psychiatr Nurses Assoc*, 10783903211058785. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34763557>
- Maniscalco, L, Barretta, S, Pizzo, G, & Matranga, D. (2021). Knowledge and attitudes towards smoking cessation counselling: an Italian cross-sectional survey on tertiary care nursing staff. *PeerJ*, 9, e12213. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34721965>
- Mizuno, M, Yagasaki, K, Imai, Y, Ueta, I, Bando, T, Takahashi, A et al. (2021). Impact of a web-based educational program on Japanese nurses tobacco cessation practice and attitudes in oncology settings. *J Nurs Scholarsh*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34750960>
- Nitturi, V, Chen, TA, Martinez Leal, I, Correa-Fernandez, V, Drenner, K, Kyburz, B et al. (2021). Implementation and Outcomes of a Train-the-Trainer Program at Behavioral Health Treatment Centers as a Mechanism to Maintain Organizational Capacity to Address Tobacco Use Disorder. *Int J Environ Res Public Health*, 18(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34770149>
- Prijic, Z, & Igc, R. (2021). Cigarette smoking and medical students. *J BUON*, 26(5), 1709-1718. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34761573>
- Le, K, Chen, TA, Martinez Leal, I, Correa-Fernandez, V., Obasi, EM, Kyburz, B et al. (2021). Organizational Factors Moderating Changes in Tobacco Use Dependence Care Delivery Following a Comprehensive Tobacco-Free Workplace Intervention in Non-Profit Substance Use Treatment Centers. *Int J Environ Res Public Health*, 18(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34639785>
- Asif, A, Dailey, H, Sheth, HS, & Petroulakis, M. (2021). Enhancing hospitalists smoking cessation counseling and billing compliance by education intervention: a quality improvement project. *J Community Hosp Intern Med Perspect*, 11(5), 612-618. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34567450>
- Gennette, RL. (2021). Improving smoking cessation education and documentation. *J Am Assoc Nurse Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34469361>
- Lang, AE. (2021). Changing the Culture of Tobacco Dependence Treatment Among Not Only Patients, But Also Prescribers. *Mayo Clin Proc*, 96(9), 2494-2495. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34481604>
- Thornberry, A, Garcia, TJ, Peck, J, & Sefcik, E. (2021). Occupational Health Nurses' Self-Efficacy in Implementing Smoking Cessation Interventions for Workers: A Manufacturing Company Quality Improvement Project. *Workplace Health Saf*, 21650799211022991. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34338092>
- Kastaun, S, Leve, V, Hildebrandt, J, Funke, C, Klosterhalfen, S, Lubisch, D et al. (2021). Training general practitioners in the ABC versus 5As method of delivering stop-smoking advice: a pragmatic, two-arm cluster randomised controlled trial. *ERJ Open Res*, 7(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34322552>
- Kastaun, S, Viechtbauer, W, Leve, V, Hildebrandt, J, Funke, C, Klosterhalfen, S et al. (2021). Quit attempts and tobacco abstinence in primary care patients: follow-up of a pragmatic, two-arm cluster

randomised controlled trial on brief stop-smoking advice - ABC versus 5As. *ERJ Open Res*, 7(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34322551>

Satish, P, Khetan, A, Shah, D, Ganesan, S, Balakrishnan, R, Srinivasan, S et al. (2021). Rationale and Design of a Randomized Controlled Trial to Evaluate the Effectiveness of Medical Student Counseling for Hospitalized Patients Addicted to Tobacco (the MS-CHAT Trial). *J Smok Cessat*, 2021, 6682408. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34306233>

Zhang, L, Long Huang, X, Ye Luo, T, Jiang, L, Xue Jiang, M, & Yan Chen, H. (2021). Impact of tobacco cessation education on behaviors of nursing undergraduates in helping smokers to quit smoking. *Tob Induc Dis*, 19, 58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34305504>

Cho, A, Lee, J, Kim, Y Cho, BM, Lee, SY, Kong, E et al (2021). Effects of education methods on self-efficacy of smoking cessation counseling among medical students. *PeerJ*, 9, e11408. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34012731>

Elkhadragy, N, Aviado, J, Huang, H, Corelli, RL, & Hudmon, KS. (2021). Shared Tobacco Cessation Curriculum Website for Health Professionals: Longitudinal Analysis of User and Utilization Data Over a Period of 15 Years. *JMIR Med Educ*, 7(2), e20704. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34032582>

Flocke, SA, Albert, EL, Lewis, SA Love, TE Rose, JC, Kaelber, DC, & Seeholzer, EL. (2021). A cluster randomized trial evaluating a teachable moment communication process for tobacco cessation support. *BMC Fam Pract*, 22(1), 85. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33947346>

Grech, J. (2021). Impact of a nurse-led brief tobacco cessation training program for healthcare professionals. *Public Health Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34043822>

AlMulla, A, Kouyoumjian, S, & ElNakib, N. (2021). Cross-sectional online survey to determine the prevalence, knowledge, attitude and practice of tobacco cessation among governmental healthcare workers in Qatar. *BMJ Open*, 11(4), e044379. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33795305>

Sheffer, CE, Al-Zalabani, A, Aubrey, A, Bader, R, Beltrez, C, Bennett, S et al (2021). The Emerging Global Tobacco Treatment Workforce: Characteristics of Tobacco Treatment Specialists Trained in Council-Accredited Training Programs from 2017 to 2019. *International Journal of Environmental Research and Public Health*, 18(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33801227>

Boni, FG, Silva, L, Grigolo, JI, Boaz, SK, Cogo, ALP, & Echer, IC. (2021). Blended learning in permanent education of nursing professionals on smoking cessation. *Rev Gaucha Enferm*, 42(spe), e20200183. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33566890>

Ivanova, A, Baliunas, D, Ahad, S, Tanzini, E, Dragonetti, R, Fahim, M, & Selby, P. (2021). Performance Change in Treating Tobacco Addiction: An Online, Interprofessional, Facilitated Continuing Education Course (TEACH) Evaluation at Moore's Level 5. *J Contin Educ Health Prof*, Publish Ahead of Print. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33433131>

Lauerer, E, Tiedemann, E, Polak, T, & Simmenroth, A. (2021). Can smoking cessation be taught online? A prospective study comparing e-learning and role-playing in medical education. *Int J Med Educ*, 12, 12-21. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33507877>

Martins, SR, Szklo, AS Bussacos, MA, Prado, GF, Paceli, RB, Fernandes, FLA et al (2021). Knowledge of and attitudes toward the WHO MPOWER policies to reduce tobacco use at the population level: a comparison between third-year and sixth-year medical students. *J Bras Pneumol*, 47(1), e20190402. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33439961>

Omar, H, & Bilal, S. (2020). Development and implementation of an e-tutorial to provide tobacco cessation training for dental students. *J Dent Educ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33314054>

Boykan, R, Gorzkowski, J, Wellman, RJ, Jenssen, BP, Klein, JD, Krugman, J et al (2020). Pediatric Resident Training in Tobacco Control and the Electronic Health Record. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33131991>

Ekezie, W, Murray, RL, Agrawal, S, Bogdanovica, Britton, J, & Leonardi-Bee, J. (2020). Quality of smoking cessation advice in guidelines of tobacco-related diseases: An updated systematic review. *Clin Med (Lond)*, 20(6), 551-559. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33199319>

Wee, LH, West, R, Hiong, TG, Yeap, L, Chan, CMH, Kiau, HB et al (2020). Effectiveness of training stop-smoking advisers to deliver cessation support to the UK national proposed standard versus usual care in Malaysia: a two-arm cluster randomised controlled trial. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33220115>

Samara, AA, Rachiotis, G, Petteimeridou, S, Papastamatiou, K, Turlakopoulos, K, Chelioti, E et al (2020). Prevalence of tobacco use, exposure to secondhand smoke and knowledge on smoking cessation among students of health professions in Central Greece: a cross-sectional study. *BMJ Open*, 10(10), e036512. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33087367>

Nurse Counseling as Part of A Multicomponent Tobacco Treatment Intervention: An Integrative Review. (2020). *J Addict Nurs*, 31(3), E25-E26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32868618>

Grech, J, Sammut, R, Buontempo, MB, Vassallo, P, & Calleja, N. (2020). Brief tobacco cessation interventions: Practices, opinions, and attitudes of healthcare professionals. *Tob Prev Cessat*, 6, 48. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32954061>

Meijer, E, & Chavannes, NH. (2020). Lacking willpower? A latent class analysis of healthcare providers' perceptions of smokers' responsibility for smoking. *Patient Educ Couns*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32943247>

Bauer, A, Brenner, L, Moser, J, Trudzinski, F, Kollner, V & Bals, R. (2020). The effects of a short-term physician training on smoking cessation in a university pulmonary department. *Ger Med Sci*, 18, Doc06. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32733176>

McMenamin, SB Yoeun, S.W, Wellman, JP, & Zhu, SH. (2020). Implementation of a Comprehensive Tobacco-Cessation Policy in Medicaid Managed Care Plans in California. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32828584>

Malin, M, Jaakkola, N, Luukkonen, R, Heloma, A, Lamminpaa, A, & Reijula, K. (2020). Occupational health professionals' attitudes, knowledge, and motivation concerning smoking cessation-Cross-sectional survey. *J Occup Health*, 62(1), e12145. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32701202>

Vides-Porras, A, Caceres, P, Company, A, Guillen, O, Arrien, MA, Castellano, Y et al (2020). Gaining insight into the implementation of an e-learning smoking cessation course in Latin American countries. *Health Promot Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32594125>

Girvalaki, C, Papadakis, S, Mechili, EA, Nikitara, K, Demin, A, Trofor, AC et al (2020). Impact of the ENSP eLearning platform on improving knowledge, attitudes and self-efficacy for treating tobacco dependence: An assessment across 15 European countries. *Tob Induc Dis*, 18, 40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32435174>

Baliunas, D, Ivanova, A, Tanzini, E, Dragonetti, R, & Selby, P. (2020). Impact of comprehensive smoking cessation training of practitioners on patients' 6-month quit outcome. *Can J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32441021>

Hasan, SI, Mohd Hairi, F, Amer Nordin, AS, & Danaee, M. (2019). Development and Validation of an Evaluation Tool to Measure the Effectiveness of a Smoking Cessation Training among Healthcare Providers in Malaysia: The Providers' Smoking Cessation Training Evaluation (ProSCiTE). *Int J Environ Res Public Health*, 16(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31694286>

Hyndman, K, Thomas, RE, Schira, HR, Bradley, J, Chachula, K, Patterson, SK, & Compton, SM. (2019). The Effectiveness of Tobacco Dependence Education in Health Professional Students' Practice: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *International Journal of Environmental Research and Public Health*, 16(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31661922>

Ramos-Morcillo, AJ, Leal-Costa, C, Garcia-Moral, AT, Del-Pino-Casado, R, & Ruzafa-Martinez, M. (2019). Design and Validation of an Instrument to Evaluate the Learning Acquired by Nursing Students from a Brief Tobacco Intervention (BTI-St(c)). *Int J Environ Res Public Health*, 16(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31623268>

Hasan, SI, Mohd Hairi, F, Ahmad Tajuddin, NA, & Amer Nordin, AS. (2019). Empowering healthcare providers through smoking cessation training in Malaysia: a preintervention and postintervention evaluation on the improvement of knowledge, attitude and self-efficacy. *BMJ Open*, 9(9), e030670. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31562154>

Movsisyan, NK, Petrosyan, V, Abelyan, G, Sochor, O, Baghdasaryan, S, & Etter, JF. (2019). Learning to assist smokers through encounters with standardized patients: An innovative training for physicians in an Eastern European country. *PLoS One*, 14(9), e0222813. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31557211>

Araujo, AJ. (2019). Reasons for smoking or reasons for quitting, that is the question: can administering the Modified Reasons for Smoking Scale make a difference in clinical practice? *J Bras Pneumol*, 45(4), e20190253. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31411281>

de Ruijter, D, Hoving, C, Evers, S, Hudales, R, de Vries, H, & Smit, E. (2019). An economic evaluation of a computer-tailored e-learning program to promote smoking cessation counseling guideline adherence among practice nurses. *Patient Educ Couns*, 102(10), 1802-1811. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31395391>

La Torre, G, Dorelli, B, Ricciardi, M, Grassi, MC, & Mannocci, A. (2019). Smoking E-CigaRette and HEat-noT-burn products: validation of the SECRHET questionnaire. *Clin Ter*, 170(4), e247-e251. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31312741>

Tobari, H, Takahashi, Y, Yamagishi, K, & Sugiura, M. (2019). Tobacco cessation training in 6-year pharmacy schools in Japan: a cross-sectional survey. *BMJ Open*, 9(7), e027971. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31300498>

Hunter, A, Bobak, A, & Anderson, C. (2019). A survey of smoking cessation training within UK pharmacy education. *Curr Pharm Teach Learn*, 11(7), 696-701. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31227092>

Park, KY, Park, HK, & Hwang, HS. (2019). Group randomized trial of teaching tobacco-cessation counseling to senior medical students: a peer role-play module versus a standardized patient module. *BMC Med Educ*, 19(1), 231. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31238920>

Wilhite, JA, Velcani, F, Watsula-Morley, A, Hanley, K, Altshuler, L, Kalet, A et al (2019). Igniting activation: Using unannounced standardized patients to measure patient activation in smoking cessation. *Addict Behav Rep*, 9, 100179. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193839>

Aho, H, Pietila, I, & Joronen, K. (2019). Practical nursing students' discursive practices on smoking in Finland. *Int J Qual Stud Health Well-being*, 14(1), 1610274. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31107188>

Bourbon, A, Boyer, L, Auquier, P, Boucekine, M, Barrow, V, Lancon, C, & Fond, G. (2019). Anxiolytic consumption is associated with tobacco smoking and severe nicotine dependence. Results from the national French medical students (BOURBON) study. *Prog Neuropsychopharmacol Biol Psychiatry*, 109645. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31082413>

Di Frances, CD, Childs, E, Fetterman, JL, Villanti, AC, Stanton, CA, Russo, AR et al (2019). Implementing and Evaluating a Mentor Training to Improve Support for Early-Career Scholars in Tobacco Regulatory Science. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31095330>

Nethan, ST, Hariprasad, R, Babu, R, Kumar, V, Sharma, S, & Mehrotra, R. (2019). Project ECHO: a Potential Best-Practice Tool for Training Healthcare Providers in Oral Cancer Screening and Tobacco Cessation. *J Cancer Educ*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31124001>

Nims, L, Jordan, TR, Price, JH, Dake, JA, & Khubchandani, J. (2019). Smoking cessation education and training in obstetrics and gynecology residency programs in the United States. *J Family Med Prim Care*, 8(3), 1151-1158. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31041266>

Williams, JM, Poulsen, R, Chaguturu, V, Tobia, A, & Palmeri, B. (2019). Evaluation of an Online Residency Training in Tobacco Use Disorder. *Am J Addict*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30993797>

Wu, D, Yang, T, Stillman, FA, Guo, W, Zhou, H, & Feng, X. Assessment of tobacco control advocacy behavioural capacity among public health faculty and students: a cluster intervention study. *Public Health*, 2018. 165, 95-105. Available from: [https://www.publichealthjrn.com/article/S0033-3506\(18\)30305-6/fulltext](https://www.publichealthjrn.com/article/S0033-3506(18)30305-6/fulltext)

Gainforth, HL, Aujla, SY, Beard, E, Croghan, E, & West, R. Associations between Practitioner Personality and Client Quit Rates in Smoking Cessation Behavioural Support Interventions. *J Smok Cessat*, 2018. 13(2), 103-109. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6160791/pdf/S183426121700010Xa.pdf>

Schwindt, R, McNelis, AM, Agle, J, Hudmon, KS, Lay, K, & Wilgenbusch, B. Training future clinicians: An interprofessional approach to treating tobacco use and dependence. *J Interprof Care*, 2018. 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30335530>

Hughes, J, Smith, LS, Garrett-Wright, D. Brief Intervention on Nurses' Knowledge and Behavior Regarding Smoking Cessation. *J Nurses Prof Dev*. 2018 Sep/Oct;34(5):257-262. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30188478>

Choi, SH, Kim, YH. Effects of Smoking Cessation Intervention Education Program Based on Blended Learning among Nursing Students in South Korea. *Osong Public Health Res Perspect*. 2018 Aug;9(4):185-191. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30159224>

Fu, D, Gratziou, C, Jimenez-Ruiz, C, Faure, M, Ward, B, Ravara, S, Prasad, VM, Mauer-Stender, K, Kaur, J, Ciobanu, A, Huq, SM, Katsaounou, P. The WHO-ERS Smoking Cessation Training Project: the first year of experience. *ERJ Open Res*. 2018 Jul 31;4(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30083549>

Hagimoto, A, Nakamura, M, Masui, S, Bai, Y, Oshima, A. Effects of Trained Health Professionals' Behavioral Counseling Skills on Smoking Cessation Outcomes. *Ann Behav Med*. 2018 Aug 16;52(9):752-761. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30124760>

Shelley, DR, Kyriakos, C, Campo, A, Li, Y, Khalife, D, Ostroff, J. An analysis of adaptations to multi-level intervention strategies to enhance implementation of clinical practice guidelines for treating tobacco use in dental care settings. *Contemp Clin Trials Commun*. 2018 Jul 25;11:142-148. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30094390>

Lammers, D, Zhang, Z, Povierena, I, Pipe, A. Students working against tobacco: A novel educational program to improve Canadian medical students' tobacco counselling skills. *Can Med Educ J*. 2018 May 31;9(2):e72-e78. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30018686>

Loranger, M, Simms, K, Pipe, A. Smoking cessation counselling training in the pre-clerkship curriculum of Canadian medical schools: A national survey. *Can Med Educ J*. 2018 May 31;9(2):e5-e10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30018679>

Birnbaum, S. Moving Beyond the Behavior-Change Framework for Smoking Cessation: Lessons for a Critical Ontology From the Case of Inpatient Psychiatric Units. *J Am Psychiatr Nurses Assoc*. 2018 Jun 1:1078390318779125. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29865901>

Jolicoeur, Denise, Cranos, Caroline L., Frisard, Christine and Pbert, Lori. Evaluation of a Train-the-trainer Program to Build Capacity for Training Tobacco Treatment Specialists. *Nicotine & Tobacco Research*, June 2018. Available from: <http://dx.doi.org/10.1093/ntr/nty125>

Kruse, GR, Rigotti, NA, Raw, M, McNeill, A, Murray, R, Pine-Abata, H, Bitton, A, McEwen, A. Content and Methods used to Train Tobacco Cessation Treatment Providers: An International Survey. *J Smok Cessat*. 2017 Dec;12(4):213-220. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29861787>

Girvalaki, C, Papadakis, S, Vardavas, C, Pipe, AL, Petridou, E, Tsiligianni, I, Lionis, C, Ti, TAN, Crete Partners. Training General Practitioners in Evidence-Based Tobacco Treatment: An Evaluation of the Tobacco Treatment Training Network in Crete (TiTAN-Crete) Intervention. *Health Educ Behav*. 2018 Jun 1:1090198118775481. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29862845>

de Ruijter, D, Candel, M, Smit, ES, de Vries, H, Hoving, C. The Effectiveness of a Computer-Tailored E-Learning Program for Practice Nurses to Improve Their Adherence to Smoking Cessation Counseling Guidelines: Randomized Controlled Trial. *J Med Internet Res*. 2018 May 22;20(5):e193. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29789278>

Sreeramareddy, CT, Ramakrishnareddy, N, Rahman, M, Mir, IA. Prevalence of tobacco use and perceptions of student health professionals about cessation training: results from Global Health Professions Students Survey. *BMJ Open*. 2018 May 26;8(5):e017477. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29804056>

Binnal, A, Gururaghavendran, R, Denny, C, Ahmed, J, Tallada, AK. Tobacco Cessation Scenarios Among Healthcare Profession Students: A Multidisciplinary Study. *Asian Pac J Cancer Prev*. 2018 Apr 27;19(4):1081-1088. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29699368>

Martinez, C, Castellano, Y, Company, A, Guillen, O, Margalef, M, Alicia Arrien, M, Sanchez, C, Caceres, P, Barnoya, J, Fernandez, E, Group of hospital coordinators in the Fruitful study project. Impact of an online training program in hospital workers' smoking cessation interventions in Bolivia, Guatemala and Paraguay. *Gac Sanit*. 2018 Feb 2. pii: S0213-9111(17)30312-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29398107>

Kumar, A, Ward, KD, Mellon, L, Gunning, M, Stynes, S, Hickey, A, Conroy, R, MacSweeney, S, Horan, D, Graduate Entry Programme, Class, Cormican, L, Sreenan, S, Doyle, F. Medical student INtervention to promote effective nicotine dependence and tobacco HEalthcare (MIND-THE-GAP): single-centre feasibility randomised trial results. *BMC Med Educ*. 2017 Dec 11;17(1):249. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29233157>

Muquebil Ali Al Shaban Rodriguez, OW, Alvarez de Morales Gomez-Moreno, E, Ocio Leon, S, Hernandez Gonzalez, MJ, Gomez Simon, M, Fernandez Menendez, MA. Professional training in motivational interviewing as a strategy to overcome the therapeutic nihilism in smoking. Rev Psiquiatr Salud Ment. 2017 Sep 16. pii: S1888-9891(17)30097-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28928058>

Myers Virtue, S, Rotz, ME, Boyd, M, Lykon, JL, Waldron, EM, Theodorou, J. Impact of a novel interprofessional dental and pharmacy student tobacco cessation education programme on dental patient outcomes. J Interprof Care. 2017 Oct 23:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29058946>

Nichter, M, Carkoglu, A, Nichter, M, Ozcan, S, Uysal, MA. Engaging nurses in smoking cessation: Challenges and opportunities in Turkey. Health Policy. 2017 Dec 20. pii: S0168-8510(17)30348-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29277423>

Bobak, A, Raupach, T. Effect of a short smoking cessation training session on smoking cessation behaviour and its determinants among GP trainees in England. Nicotine Tob Res. 2017 Nov 1. pii: 4584087. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29099979>

Ramos, SD, Kelly, M, Schepis, T. Substance Use in Healthcare Workers: Importance of Stress Perception, Smoking Temptation, Social Support, and Humor. Subst Use Misuse. 2017 Nov 27:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29172867>

Chidiac, JE, Mohamed, A, Krishnamoorthy, M, Mahmoud, K, Rajasekaranrathnakumar, G, Palla, M, Levine, DL. US Medical Schools' Awareness of Their Students Who Smoke, Cessation Programs Available, and the Potential Impact on Residency Match. Nicotine Tob Res, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059440>

Diniz-Freitas, M, Insua, A, Keat, R, Fricain, JC, Catros, S, Monteiro, L, Silva, L, Lodi, G, Pispero, A, Albuquerque, R. Web-Based Information on the Treatment of Tobacco Dependence for Oral Health Professionals: Analysis of English-Written Websites. J Med Internet Res. 2017 Oct 20;19(10):e349. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29054831>

Myers Virtue, S, Rotz, ME, Boyd, M, Lykon, JL, Waldron, EM, Theodorou, J. Impact of a novel interprofessional dental and pharmacy student tobacco cessation education programme on dental patient outcomes. J Interprof Care. 2017 Oct 23:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29058946>

Ahmadian, M, Khami, MR, Ahamdi, AE, Razeghi, S, Yazdani, R. Effectiveness of two interactive educational methods to teach tobacco cessation counseling for senior dental students. Eur J Dent. 2017 Jul-Sep;11(3):287-292. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28932135>

Grayson-Sneed, KA, Smith, RC. A research coding method to evaluate a smoking cessation model for training residents-A preliminary report. Patient Educ Couns. 2017 Sep 19. pii: S0738-3991(17)30550-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28947361>

Muquebil Ali Al Shaban Rodriguez, OW, Alvarez de Morales Gomez-Moreno, E, Ocio Leon, S, Hernandez Gonzalez, MJ, Gomez Simon, M, Fernandez Menendez, MA. Professional training in motivational interviewing as a strategy to overcome the therapeutic nihilism in smoking. Rev Psiquiatr Salud Ment. 2017 Sep 16. pii: S1888-9891(17)30097-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28928058>

Sudhakar, K, Pathi, J, Avinash, J, Raju, PVK, Sureshan, V, Vidya, KC. Readiness of Accredited Social Health Activist Workers for Tobacco Cessation Counseling after a Brief Intervention in Odisha, India: A Quasi-experimental Study. *J Contemp Dent Pract*. 2017 Sep 1;18(9):759-764. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28874637>

VanDevanter, N, Katigbak, C, Naegle, M, Zhou, S, Sherman, S, Weitzman, M. Nursing Education to Reduce Use of Tobacco and Alternative Tobacco Products: Change Is Imperative. *J Am Psychiatr Nurses Assoc*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28778128>

7.10.10 Increasing intervention delivery and referrals

Burris, JL, Ostroff, JS, Reilly, EM, Warren, GW, Shelton, RC, Mullett, TW, & Just, ASKQ. ITF. (2024). Longitudinal Results From the Nationwide Just ASK Initiative to Promote Routine Smoking Assessment in American College of Surgeons-Accredited Cancer Programs. *J Clin Oncol*, JCO2400304. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39561316>

Mkuu, RS, Glymph, CC, Lurk, PA, McCraney, MR, LeLaurin, JH, Salloum, RG et al (2024). Participation in Tobacco Cessation Programs Among Medicaid Managed Care Enrollees in Florida. *Healthcare (Basel)*, 12(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39595516>

Gajewski, B, Faseru, B, & Richter, KP. (2024). Desire to Quit Smoking, Opt-Out Tobacco Treatment, and Cessation: A Secondary Analysis of a Randomized Clinical Trial. *JAMA Netw Open*, 7(9), e2433802. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39287950>

Talukder, S, Lappin, JM, Boland, VC, Weaver, N, McRobbie, H, & Courtney, RJ. (2024). Receipt of the 5As intervention for smoking cessation among people with and without mental health disorders. *J Psychiatr Res*, 179, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39213719>

Karadogan, D, Telatar, TG, Kaya, I, Atli, S, Kabil, NK, Marim, F et al. (2024). Effectiveness of immediate appointment scheduling in smoking cessation clinics for patients with chronic airway diseases: Preliminary results from a randomized trial. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39184066>

Baughman, DJ, Rauhut, M, & Anselm, E. (2024). A Lost Opportunity in Tobacco Cessation: Care: Impact of Underbilling in a Large Health System. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39179184>

Wang, Y, Peng, P, Wu, Z, Liu, Y, Wang, C, Tang, J, & Liao, Y. (2024). Boosting Smoking Cessation Intervention Utilization in Chinese Healthcare Providers: A Randomized Controlled Trial of the 'WeChat WeQuit' Medical Education Program. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39083005>

Calle, P, Shao, R, Liu, Y, Hebert, ET, Kendzor, D, Neil, J et al (2024). Towards AI-Driven Healthcare: Systematic Optimization, Linguistic Analysis, and Clinicians' Evaluation of Large Language Models for Smoking Cessation Interventions. *Proc SIGCHI Conf Hum Factor Comput Syst*, 2024. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38912297>

Cummings, KM, Talbot, V, Roberson, A, Bliss, AA, Likins, E, Brownstein, NC et al. (2024). Implementation of an "opt-out" tobacco treatment program in six hospitals in South Carolina. *BMC Health Serv Res*, 24(1), 741. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38886764>

Martinez, C, Feliu, A, Enriquez, M, Anton, L, Castellano, Y, Company, A et al. (2024). Improving tobacco cessation interventions in hospitals: Pre-post evaluation of an innovative health systems intervention in Catalonia (Spain). *Transl Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38916135>

Melzer, AC, Campbell, ME, Hagedorn, HJ, & Fu, SS. (2024). Clinician Views of Proactive Tobacco Treatment Programs: A Qualitative Evaluation. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38831247>

Ebrahimi, A, Henriksen, MBH, Brasen, CL, Hilberg, O, Hansen, TF, Jensen, LH et al. (2024). Identification of patients' smoking status using an explainable AI approach: a Danish electronic health records case study. *BMC Med Res Methodol*, 24(1), 114. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38760718>

Flocke, SA, Albert, E, Lewis, S, Seeholzer, E, & Bailey, SR. (2024). Association of COVID-19 and the prevalence of in-person vs telehealth primary care visits and subsequent impacts on tobacco use assessment and referral for cessation assistance. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38795072>

Bates-Pappas, GE, Schofield, E, Chichester, LR, Kotsen, C, Carter-Bawa, L, Warren, GW, & Ostroff, JS. (2024). Universal Tobacco Screening and Opt-Out Treatment Referral Strategy Among Patients Diagnosed With Cancer by Race and Ethnicity. *JAMA Netw Open*, 7(4), e249525. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38648062>

Teixeira, RS, Galil, AGS, Cupertino, AP, Cartujano-Barrera, F, & Colugnati, FAB. (2024). Electronic Decision-Making Tool for Smoking Cessation (Pare de Fumar Conosco) Versus Standard of Care: A Cost-Effectiveness Analysis. *Value Health Reg Issues*, 42, 100980. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38677062>

Gu, D, Rafferty, H, & Vijayaraghavan, M. (2024). Factors Associated with Smoking Cessation and the Receipt of Cessation Services in a Public, Safety-Net Primary Care System. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38332442>

Haque, MA, Gedara, MLB, Nickel, N, Turgeon, M, & Lix, LM. (2024). The validity of electronic health data for measuring smoking status: a systematic review and meta-analysis. *BMC Med Inform Decis Mak*, 24(1), 33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38308231>

Kearney, LE, Jansen, E, Kathuria, H, Steiling, K, Jones, KC, Walkey, A, & Cordella, N. (2024). Efficacy of Digital Outreach Strategies for Collecting Smoking Data: Pragmatic Randomized Trial. *JMIR Form Res*, 8, e50465. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38335012>

Kwon, OB, Jung, C, Kim, A, Byeon, G, Lee, SJ, & Kim, WJ. (2023). Factors Associated with Smokers Attending More Than One Smoking Cessation Clinic Visit. *J Clin Med*, 12(23). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38068273>

Bird, JE, Nguyen, CV, Hohl, SD, D'Angelo, H, Pauk, D, Adsit, RT et al. (2023). Using information technology to integrate tobacco use treatment in routine oncology care: Lessons learned from the U.S. Cancer Center Cessation Initiative Cancer Centers. *Implement Res Pract*, 4, 26334895231185374. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37790167>

Hayes, KA, Brown, EM, Nonnemaker, J, Juster, H, Ortega-Peluso, C, Farrelly, MC, & Davis, K. (2023). Effectiveness of a media campaign promoting health care provider tobacco dependence treatment. *Prev Med Rep*, 36, 102403. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37753382>

Britton, M, Rogova, A, Chen, TA, Martinez Leal, I, Kyburz, B, Williams, T et al. (2023). Texas tobacco quitline knowledge, attitudes, and practices within healthcare agencies serving individuals with behavioral health needs: A multimethod study. *Prev Med Rep*, 35, 102256. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37752980>

Swong, S, Nicholson, A, Smelson, D, Rogers, ES, El-Shahawy, O, & Sherman, SE. (2023). The Effectiveness of a Telephone Smoking Cessation Program in Mental Health Clinic Patients by Level of Mental Well-Being and Functioning: A Secondary Data Analysis of a Randomized Clinical Trial. *Res Sq*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37674733>

Roberts, MM, Marino, M, Wells, R, Atem, FD, & Balasubramanian, BA. (2023). Differences in Use of Clinical Decision Support Tools and Implementation of Aspirin, Blood Pressure Control, Cholesterol Management, and Smoking Cessation Quality Metrics in Small Practices by Race and Sex. *JAMA Netw Open*, 6(8), e2326905. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37531106>

Burns, A, Gutta, J, Kooreman, H, Spitznagle, M, & Yeager, VA. (2023). Strategic use of tobacco treatment specialists as an innovation for tobacco cessation health systems change within health care organizations. *Health Care Manage Rev*, 48(4), 323-333. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37615942>

Ramsey, AT, Cavazos-Rehg, PA, Chen, LS, & Bierut, LJ. (2023). Leveraging Implementation Science in the Treatment of Tobacco Use Disorder. *Mo Med*, 120(4), 285-291. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37609466>

Jenssen, BP, Schnoll, R, Beidas, RS, Bekelman, J, Bauer, AM, Evers-Casey, S et al. (2023). Cluster Randomized Pragmatic Clinical Trial Testing Behavioral Economic Implementation Strategies to Improve Tobacco Treatment for Patients With Cancer Who Smoke. *J Clin Oncol*, JCO2300355. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37467454>

Mersha, AG, Kennedy, M, Eftekhari, P, Lee, KSK, Upton, P, Segan, C et al (2023). Using the Behaviour Change Wheel and modified Delphi method to identify behavioural change techniques for improving adherence to smoking cessation medications. *BMC Public Health*, 23(1), 1362. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37455312>

Shergina, E, Richter, KP, Makosky Daley, C, Faseru, B, Choi, WS, & Gajewski, BJ. (2023). Using Bayesian hierarchical models for controlled post hoc subgroup analysis of clinical trials: application to smoking cessation treatment in American Indians and Alaska Natives. *J Biopharm Stat*, 1-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37417836>

Xie, L, Yan, Y, Yang, Y, Nan, Y, & Xiao, L. (2023). Evaluation of Smoking Cessation Intervention Effectiveness in Smoking Cessation Clinics - China, 2019-2021. *China CDC Wkly*, 5(21), 469-474. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37405264>

- Yang, MJ, Martinez, U, Fulton, HJ, Maconi, ML, Turner, K, Powell, ST et al. (2023). Qualitative evaluation of the implementation and future sustainability of an e-referral system for smoking cessation at a US NCI-designated comprehensive cancer center: lessons learned. *Support Care Cancer*, 31(8), 483. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37480364>
- Salloum, RG, Romani, M, Bteddini, DS, El-Jardali, F, Lee, JH, Theis, R et al. (2023). An effectiveness-implementation hybrid trial of phone-based tobacco cessation interventions in the Lebanese primary healthcare system: protocol for project PHOENICS. *Implement Sci Commun*, 4(1), 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37365656>
- Chen, J, Cutrona, SL, Dharod, A, Bunch, SC, Foley, KL, Ostasiewski, B et al. (2023). Monitoring the Implementation of Tobacco Cessation Support Tools: Using Novel Electronic Health Record Activity Metrics. *JMIR Med Inform*, 11, e43097. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36862466>
- Tong, EK, Zhu, SH, Anderson, CM, Avdalovic, MV, Amin, AN, Diamant, AL et al. (2023). Implementation, Maintenance, and Outcomes of an Electronic Referral to a Tobacco Quitline Across Five Health Systems. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36977494>
- Richter, KP, Catley, D, Gajewski, BJ, Faseru, B, Shireman, TI, Zhang, C et al. (2023). The Effects of Opt-out vs Opt-in Tobacco Treatment on Engagement, Cessation, and Costs: A Randomized Clinical Trial. *JAMA Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36848129>
- Jessiman-Perreault, G, Dunn, R, Erza, A, Kratchmer, C, Memon, A, Thomson, H, & Allen Scott, L. (2023). Fact or Fiction? The Development and Evaluation of a Tobacco Virtual Health Tool. *Int J Environ Res Public Health*, 20(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36674153>
- Nolan, M, Spicer, A, Remington, P, Malecki, K, & McCarthy, D. (2022). Missing Out: Underutilization of Primary Care by Wisconsin Patients Who Smoke and Its Implications for Tobacco Treatment Access. *WMJ*, 121(4), 263-268. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36637835>
- Tildy, B. E., McNeill, A., Perman-Howe, P. R., & Brose, L. S. (2023). Implementation strategies to increase smoking cessation treatment provision in primary care: a systematic review of observational studies. *BMC Prim Care*, 24(1), 32. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36698052>
- Bhatt, G, Goel, S, Grover, S, Medhi, B, Singh, G, Gill, SS et al. (2022). Development of a multi-component tobacco cessation training package utilizing multiple approaches of intervention development for health care providers and patients attending non-communicable disease clinics of Punjab, India. *Front Public Health*, 10, 1053428. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36530680>
- Bailey, SR, Albert, EL, Seeholzer, EL, Lewis, SA, & Flocke, SA. (2022). Sustained Effects of a Systems-Based Strategy for Tobacco Cessation Assistance. [MS Top Pick]. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36376144>

van Westen-Lagerweij, NA, Hipple Walters, BJ, Potyka, F, Croes, EA, & Willemsen, MC. (2022). Proactive referral to behavioral smoking cessation programs by healthcare staff: a systematic review. [MS Top Pick]. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36394282>

Presant, CA, Ashing, K., Yeung, S, Macalintal, J, Tiep, B, Sandoval, A et al. (2022). Increasing clinician participation in tobacco cessation by an implementation science-based tobacco cessation champion program. *Cancer Causes Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36224501>

Zehner, ME, Kirsch, J A, Adsit, RT, Gorrilla, A, Hayden, K, Skora, A et al. (2022). Electronic health record closed-loop referral ("eReferral") to a state tobacco quitline: a retrospective case study of primary care implementation challenges and adaptations. *Implement Sci Commun*, 3(1), 107. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36209149>

Domlyn, AM, Crowder, C, Eisenson, H, Pollak, KI, Davis, JM, Calhoun, PS, & Wilson, SM. (2022). Implementation mapping for tobacco cessation in a federally qualified health center. *Front Public Health*, 10, 908646. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36117603>

Zijlstra, DN, Bolman, CA, Muris, JW, & de Vries, H. (2022). How to persuade more primary care professionals to adopt a valued smoking cessation referral aid: a cross-sectional study of facilitators and barriers. *BMC Prim Care*, 23(1), 227. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36071372>

Shete, M, & Shete, A. (2022). Applied Artificial Intelligence for Tobacco Cessation in the Era of COVID-19: A Perspective. *Asian Pac J Cancer Prev*, 23(8), 2551-2552. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36037106>

Meyer, AF, Cervenka, A, Lammers, L, & Furst, J. (2022). Integration of a Tobacco Treatment Specialist into Primary Care: Perception from Multidisciplinary Team. *J Smok Cessat*, 2022, 9330393. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35821760>

Nayak, MM, Mazzola, E, Jaklitsch, MT, Drehmer, JE, Nabi-Burza, E, Bueno, R et al. (2022). Feasibility of collecting computer-facilitated patient-reported tobacco use, interest, and preferences for smoking cessation in an outpatient thoracic surgery and oncology setting. *Tob Induc Dis*, 20, 63. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35854879>

Su, CH, Jeng, JS, Tu, ST, Huang, CN, & Yeh, HI. (2022). An Effective Strategy to Activate Physicians to Promote High Cardiovascular Risk Patients to Quit Smoking. *Acta Cardiol Sin*, 38(4), 521-525. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35873124>

McCarthy, DE, Baker, TB, Zehner, ME, Adsit, RT, Kim, N, Zwaga, D et al. (2022). A comprehensive electronic health record-enabled smoking treatment program: Evaluating reach and effectiveness in primary care in a multiple baseline design. *Prev Med*, 107101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35636564>

Soares, A, Khamesipour, A, & Davis, JM. (2022). A Comparison of Recommendations from a Computer-Based Decision System and Tobacco Treatment Specialists: Insights and Lessons Learned. *Stud Health Technol Inform*, 290, 1006-1007. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35673178>

Chung, K, Rafferty, H, Suen, LW, & Vijayaraghavan, M. (2022). System-Level Quality Improvement Initiatives for Tobacco Use in a Safety-Net Health System During the COVID-19 Pandemic. *J Prim Care Community Health*, 13, 21501319221107984. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35748431>

Burris, JL, Borger, TN, Baker, TB, Bernstein, SL, Ostroff, JS, Rigotti, NA, & Joseph, AM. (2022). Proposing a Model of Proactive Outreach to Advance Clinical Research and Care Delivery for Patients Who Use Tobacco. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35474504>

Holland De Sa Neto, H, Habfast-Robertson, I, Hempel-Bruder, C, Durand, M A, Jacot-Sadowski, I, Khazaal, Y et al. (2022). Formative Provider Testing of a New Encounter Decision Aid for Smoking Cessation: Questionnaire Study. *JMIR Form Res*, 6(4), e32960. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35442200>

Thakur, SS, Poddar, P, & Roy, RB. (2022). Real-time prediction of smoking activity using machine learning based multi-class classification model. *Multimed Tools Appl*, 1-23. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35233178>

Huddleston, L, Shoesmith, E, Pervin, J, Lorencatto, F, Watson, J, & Ratschen, E. (2022). A systematic review of mental health professionals, patients and carers' perceived barriers and enablers to supporting smoking cessation in mental health settings. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35018458>

Valencia, CV, Dove, M, & Tong, EK. (2022). Factors Associated With Receipt of Smoking Cessation Advice and Assistance by Health Professionals Among Latino and Non-Latino White Smokers With Medicaid Insurance in California. *JAMA Netw Open*, 5(1), e2144207. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35044467>

Li, M Koide, K., Tanaka, M, Kiya, M, & Okamoto, R. (2021). Factors Associated with Nursing Interventions for Smoking Cessation: A Narrative Review. *Nurs Rep*, 11(1), 64-74. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34968313>

Creswell, PD, McCarthy, DE, Trapskin, P, Sheehy, A, Skora, A, Adsit, RT et al. (2021). Can inpatient pharmacists move the needle on smoking cessation? Evaluating reach and representativeness of a pharmacist-led opt-out smoking cessation intervention protocol for hospital settings. *Am J Health Syst Pharm*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34951621>

Matulewicz, RS, Bassett, JC, Kwan, L, Sherman, SE McCarthy, WJ, Saigal, CS, & Gore, JL. (2021). Using a multilevel implementation strategy to facilitate the screening and treatment of tobacco use in the outpatient urology clinic: A prospective hybrid type I study. *Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34875105>

Passey, ME, Adams, C, Paul, C, Atkins, L, & Longman, JM. (2021). Improving implementation of smoking cessation guidelines in pregnancy care: development of an intervention to address system, maternity service leader and clinician factors. *Implement Sci Commun*, 2(1), 128. [vhttps://www.ncbi.nlm.nih.gov/pubmed/34789339](https://www.ncbi.nlm.nih.gov/pubmed/34789339)

- Talbot, JA, Ziller, EC, & Milkowski, CM. (2021). Use of electronic health records to manage tobacco screening and treatment in rural primary care. *J Rural Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34468036>
- Gibson, B, Kramer, H, Weir, C, Fiol, G, Borbolla, D, Schlechter, CR et al (2021). Workflow analysis for design of an electronic health record-based tobacco cessation intervention in community health centers. *JAMIA Open*, 4(3), ooaa070. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34514352>
- Shelley, D, Cleland, CM, Nguyen, T, Van Devanter, N, Siman, N, Van, MH, & Nguyen, NT. (2021). Effectiveness of a multicomponent strategy for implementing guidelines for treating tobacco use in Vietnam Commune Health Centers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34543422>
- Jenssen, BP, Schnoll, R, Beidas, R, Bekelman, J, Bauer, AM, Scott, C et al. (2021). Rationale and protocol for a cluster randomized pragmatic clinical trial testing behavioral economic implementation strategies to improve tobacco treatment rates for cancer patients who smoke. *Implement Sci*, 16(1), 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34266468>
- Cohen, DJ, Sweeney, SM, Miller, WL, Hall, JD, Miech, EJ, Springer, RJ et al (2021). Improving Smoking and Blood Pressure Outcomes: The Interplay Between Operational Changes and Local Context. *Ann Fam Med*, 19(3), 240-248. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34180844>
- van Westen-Lagerweij, NA, Meeuwse, EG, Croes, EA, Meijer, E, Chavannes, NH, & Willemsen, MC. (2021). The referral of patients to smoking cessation counselling: perceptions and experiences of healthcare providers in general practice. *BMC Health Serv Res*, 21(1), 583. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34140004>
- Cabrita, BMO Galego, MA, Fernandes, AL, Dias, S, Correia, S, Simao, P et al (2021). Follow-up loss in smoking cessation consultation: can we predict and prevent it? *J Thorac Dis*, 13(4), 2331-2338. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34012582>
- Kim, E, Williams, RM, Eyestone, E, Cordon, M, Smith, L, Davis, K et al (2021). Predictors of attrition in a smoking cessation trial conducted in the lung cancer screening setting. *Contemp Clin Trials*, 106, 106429. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33964415>
- Latif, A, Murray, RL, Waters, C, & Leonardi-Bee, J. (2021). Understanding willingness to access and experiences of NHS Stop Smoking Services: a qualitative systematic review with meta-aggregation synthesis. *Public Health*, 194, 216-222. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33962099>
- LeLaurin, JH, Gurka, MJ, Chi, X, Lee, JH, Hall, J, Warren, GW, & Salloum, RG. (2021). Concordance Between Electronic Health Record and Tumor Registry Documentation of Smoking Status Among Patients With Cancer. *JCO Clin Cancer Inform*, 5, 518-526. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33974447>
- Maraqa, B, Nazzal, Z, Jabareen, J, & Al-Shakhrah, K. (2021). Determinants of smoking cessation counseling favorable practice for primary care physicians: A cross-sectional study from Palestine. *J Family Med Prim Care*, 10(3), 1275-1281. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34041165>

- Zijlstra, DN, Muris, JWM, Bolman, C, Elling, JM, Knapen, V, & de Vries, H. (2021). A referral aid for smoking cessation interventions in primary care: study protocol for a randomized controlled trial. *Prim Health Care Res Dev*, 22, e22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34036929>
- Russell, L, Whiffen, R, Chapman, L, Just, J, Dean, E, Ugalde, A, & White, S. (2021). Hospital staff perspectives on the provision of smoking cessation care: a qualitative description study. *BMJ Open*, 11(5), e044489. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34011592>
- Stonesifer, C, Crusco, S, & Rajupet, S. (2021). Improving smoking cessation referrals among elective surgery clinics through electronic clinical decision support. *Tob Prev Cessat*, 7, 14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33644496>
- Khanna, N, Klyushnenkova, E, Rao, V, Siegel, N, & Wolfe, S. (2021). Electronic referrals to the tobacco Quitline: implementation strategies in a large health system to optimize delivery of tobacco cessation to patients. *Transl Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33410484>
- Cilluffo, G, Ferrante, G, Cutrera, R, Piacentini, G, Bignamini, E, Landi, M et al (2020). Barriers and incentives for Italian paediatricians to become smoking cessation promoters: a GARD-Italy Demonstration Project. *J Thorac Dis*, 12(11), 6868-6879. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33282389>
- Hu, L, Li, L, & Ji, J. (2020). Machine learning to identify and understand key factors for provider-patient discussions about smoking. *Prev Med Rep*, 20, 101238. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33224719>
- Yang, H, Lyu, T, Yang, S, Guo, Y, Bian, J et al (2020). A Natural Language Processing Tool to Extract Quantitative Smoking Status from Clinical Narratives. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33173920>
- Dahne, J, Player, M, Carpenter, MJ, Ford, DW, & Diaz, VA. (2020). Evaluation of a Proactive Smoking Cessation Electronic Visit to Extend the Reach of Evidence-Based Cessation Treatment via Primary Care. *Telemed J E Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33085578>
- Basu, S, Yadav, P, Banerjee, B, & Yadav, A. (2020). The effect of a clinic-based behavioral intervention in promoting enrolment in a text-message tobacco cessation program at a rural primary health clinic in Delhi, India. *Tob Prev Cessat*, 6, 27. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32760862>
- Huang, HL, Hong, SH, & Tsai, YC. (2020). Approaches to text mining for analyzing treatment plan of quit smoking with free-text medical records: A PRISMA-compliant meta-analysis. *Medicine (Baltimore)*, 99(29), e20999. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32702841>
- May, JR, Klass, E, Davis, K, Pearman, T, Rittmeyer, S, Kircher, S, & Hitsman, B. (2020). Leveraging Patient Reported Outcomes Measurement via the Electronic Health Record to Connect Patients with Cancer to Smoking Cessation Treatment. *Int J Environ Res Public Health*, 17(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32668758>

Girvalaki, C, Mechili, EA, Papadakis, S, Nikitara, K, Demin, A, Trofor, A et al (2020). Current practices and perceived barriers to tobacco-treatment delivery among healthcare professionals from 15 European countries. The EPACTT Plus project. *Tob Prev Cessat*, 6, 6. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32548343>

Al-Hagabani, MA, Khan, MS, Al-Hazmi, AM, Shaher, BM, & El-Fahel, AO. (2020). Smoking behavior of primary care physicians and its effect on their smoking counseling practice. *J Family Med Prim Care*, 9(2), 1053-1057. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32318466>

Garies, S, Cummings, M, Quan, H, McBrien, K, Drummond, N, Manca, D, & Williamson, T. (2020). Methods to improve the quality of smoking records in a primary care EMR database: exploring multiple imputation and pattern-matching algorithms. *BMC Med Inform Decis Mak*, 20(1), 56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32171301>

Patel, N, Miller, DP, Snaveley, AC, Bellinger, C, Foley, KL, Case, D et al. (2020). A Comparison of Smoking History in the Electronic Health Record With Self-Report. *American Journal of Preventive Medicine*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31982229b>

Groenhouf, TKJ, Koers, LR, Blasse, E, de Groot, M, Grobbee, DE, Bots, ML et al. (2019). Data mining information from EHRs produced high yield and accuracy for current smoking status. *J Clin Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31730918>

Wray, JM, Funderburk, JS, Gass, JC, & Maisto, SA. (2019). Barriers to and Facilitators of Delivering Brief Tobacco and Alcohol Interventions in Integrated Primary Care Settings. *Prim Care Companion CNS Disord*, 21(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31730303>

Juster, HR, Ortega-Peluso, CA, Brown, EM, Hayes, KA, Sneegas, K, Gopez, G, & Lavinghouze, SR. (2019). A Media Campaign to Increase Health Care Provider Assistance for Patients Who Smoke Cigarettes. *Prev Chronic Dis*, 16, E143. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31625868>

Evers-Casey, S, Schnoll, R, Jenssen, BP, & Leone, FT. (2019). Implicit attribution of culpability and impact on experience of treating tobacco dependence. *Health Psychol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31436440>

Palmer, EL, Hassanpour, S, Higgins, J, Doherty, JA, & Onega, T. (2019). Building a tobacco user registry by extracting multiple smoking behaviors from clinical notes. *BMC Med Inform Decis Mak*, 19(1), 141. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31340796>

Wei, PC, Atalag, K, & Day, K. (2019). An openEHR Approach to Detailed Clinical Model Development: Tobacco Smoking Summary Archetype as a Case Study. *Appl Clin Inform*, 10(2), 219-228. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30919398>

Boyko, J, Riley, B, Abramowicz, A, Stockton, L, Lambraki, I, Garcia, J et al. A mixed methods evaluation of capturing and sharing practitioner experience for improving local tobacco control strategies. *Can J Public Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30456744>

- Auriacombe, M, Moriceau, S, Serre, F, Denis, C, Micoulaud-Franchi, JA, de Sevin, E et al. Development and validation of a virtual agent to screen tobacco and alcohol use disorders. *Drug Alcohol Depend*, 2018. 193, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30321739>
- Odukoya, O, Faseru, B, Uguru, N, Jamda, M, Onigbogi, O, James, MO et al. Text messaging promoting physician-led brief intervention tobacco cessation: A before-and-after study among physicians in three tertiary hospitals in Nigeria. *Subst Abus*, 2018. 1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30373478>
- Andres, A, Castellano, Y, Fu, M, Feliu, A, Ballbe, M, Anton, L, Baena, A, Fernandez, E, Martinez, C. Exploring individual and contextual factors contributing to tobacco cessation intervention implementation. *Addict Behav*. 2018 Aug 6;88:163-168. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30205255>
- Berg, KM, Smith, SS, Piper, ME, Fiore, MC, Jorenby, DE. Identifying Differences in Rates of Invitation to Participate in Tobacco Treatment in Primary Care. *WMJ*. 2018 Aug;117(3):111-115. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30193019>
- Borsari, L, Storani, S, Malagoli, C, Filippini, T, Tamelli, M, Malavolti, M, Nicolini, F, Vinceti, M. Impact of Referral Sources and Waiting Times on the Failure to Quit Smoking: One-Year Follow-Up of an Italian Cohort Admitted to a Smoking Cessation Service. *Int J Environ Res Public Health*. 2018 Jun 11;15(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29891823>
- Huo, J, Yang, M, Tina Shih, YC. Sensitivity of Claims-Based Algorithms to Ascertain Smoking Status More Than Doubled with Meaningful Use. *Value Health*. 2018 Mar;21(3):334-340. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29566841>
- McClure, JB, Blasi, PR, Cook, A, Bush, T, Fishman, P, Nelson, J, Anderson, ML, Catz, SL. Oral health 4 life: Design and methods of a semi-pragmatic randomized trial to promote oral health care and smoking abstinence among tobacco quitline callers. *Contemp Clin Trials*. 2017 Jun;57:90-97. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28412230>
- Mujika, A, Arantzamendi, M, Lopez-Dicastillo, O, Forbes, A. Health professionals' personal behaviours hindering health promotion: A study of nurses who smoke. *J Adv Nurs*, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28543954>
- Petersen, AB, Meyer, B, Sachs, BL, Bialous, SA, Cataldo, JK. Preparing nurses to intervene in the tobacco epidemic: Developing a model for faculty development and curriculum redesign. *Nurse Educ Pract*. 2017 Apr 12;25:29-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28463761>
- Rasmussen, M, Fernandez, E, Tonnesen, H. Effectiveness of the Gold Standard Programme compared with other smoking cessation interventions in Denmark: a cohort study. *BMJ Open*, 2017. Feb 27;7(2):e013553. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28242770>
- Sarna, L, Bialous, SA, Wells, M, Brook, J. Impact of a webcast on nurses' delivery of tobacco dependence treatment. *J Clin Nurs*, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28493616>

Wang, Y, Chen, ES, Pakhomov, S, Lindemann, E, Melton, GB. Investigating Longitudinal Tobacco Use Information from Social History and Clinical Notes in the Electronic Health Record. AMIA Annu Symp Proc. 2017 Feb 10;2016:1209-1218. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28269918>

Ye, L, Goldie, C, Sharma, T, John, S, Bamford, M, Smith, PM, Selby, P, Schultz, AS. Tobacco-nicotine education and training for health-care professional students and practitioners: a systematic review. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28371888>

News reports:

World Health Organization. (2024). *WHO clinical treatment guideline for tobacco cessation in adults*. Retrieved from Geneva: <https://www.who.int/publications/i/item/9789240096431>

Ekezie, W, Murray, R, Agrawal, S, Bogdanovica, I, Britton, J, & Leonardi-Bee, J. (2020). Quality of smoking cessation advice in guidelines of tobacco-related diseases: An updated systematic review. *Clinical Medicine*, 20(6), 551-559. Retrieved from <https://europepmc.org/article/MED/33199319>

No authors listed. Experts want doctors to add vaping to youth prevention pitch. Medical Xpress, 2019. June 25, 2019. Available from: <https://medicalxpress.com/news/2019-06-experts-doctors-vaping-youth-pitch.html>

Public Health England (Producer). Tobacco commissioning support 2019 to 2020: principles and indicators *GOV.UK*. Public Health England, 2018. Oct 4, 2018. Available from: <https://www.gov.uk/government/publications/alcohol-drugs-and-tobacco-commissioning-support-pack/tobacco-commissioning-support-pack-2019-to-2020-principles-and-indicators>

White, Sarah. Smoker's aren't getting all the help they need to quit. Herald Sun, 2018. July 25, 2018. Available from: <https://www.pressreader.com/australia/herald-sun/20180725/282020443086681>

National Institute for Health and Care Excellence. Tobacco update: prevention and promotion, cessation and harm reduction. Consultation, 2018. June 18, 2018. Available from: <https://www.nice.org.uk/guidance/indevelopment/gid-ng10086>

Royal College of Physicians. Hiding in plain sight: Treating tobacco dependency in the NHS. Available from: <https://www.rcplondon.ac.uk/projects/outputs/hiding-plain-sight-treating-tobacco-dependency-nhs>

Evans, Harry. Public health must focus on the whole person, not single risk factors. Local Government Chronicle. Mar 8, 2018. Available from: <https://www.lgcplus.com/services/health-and-care/harry-evans-public-health-needs-a-holistic-approach/7023505.article?search=https%3a%2f%2fwww.lgcplus.com%2fsearcharticles%3fqsearch%3d1%26keywords%3dpublic+health+needs+a+holistic+approach>

No authors listed. Health Matters: preventing ill health from alcohol and tobacco use. Gov.uk, 2017. Available from: <https://www.gov.uk/government/publications/health-matters-preventing-ill-health-from-alcohol-and-tobacco/health-matters-preventing-ill-health-from-alcohol-and-tobacco-use>

No author listed. Helping patients quit or reduce smoking: A guide for physicians. Medical News Today, 2016. Oct 4, 2016. Available from: <http://www.medicalnewstoday.com/releases/313251.php>

Donnelly, Laura. Number of smokers getting NHS help to quit has halved. The Telegraph, 2015. Mar 8, 2015. Available from: <http://www.telegraph.co.uk/news/nhs/11455381/Number-of-smokers-getting-NHS-help-to-quit-has-halved.html>

No authors listed. NHS stop smoking services continue to save lives. Medical Xpress, 2015. Mar 12, 2015. Available from: <http://medicalxpress.com/news/2015-03-nhs.html>

No authors listed. Patients who smoke want respect from physicians. Medical Xpress, 2015. Mar 4, 2015. Available from: <http://medicalxpress.com/news/2015-03-patients-respect-physicians.html>

Smyth, Chris. Patients will be ordered to slim down for operations. The Times, 2015. Mar 9, 2015. Available from: <http://www.thetimes.co.uk/tto/health/news/article4376297.ece>

7.10.1 General practitioners (GPs)

Davey, M. 'What we're seeing is not telehealth': alarm over doctors using AI and prescribing without seeing patients. *The Guardian*, 2024. Apr 11, 2024. Retrieved from <https://www.theguardian.com/australia-news/2024/apr/11/doctors-ai-prescriptions-australia-concerns-consumers-health-forum>

Supporting smoking cessation: A guide for health professionals (2024). Retrieved from <https://www.racgp.org.au/getmedia/2f8ffac1-8751-41aa-906f-f0ec7feca048/RACGP-NVP-and-Vaping-Cessation-Consultation-provisional-draft-Dec2023.pdf.aspx>

NICE. Tobacco: treating dependence. *National Institute for Health and Care Excellence*, 2023. Dec 15, 2022. Retrieved from <https://www.nice.org.uk/guidance/qs207/resources/tobacco-treating-dependence-pdf-75547419465157>

Wray, Jennifer M, Funderburk, Jennifer S, Acker, John D, Wray, Laura O and Maisto, Stephen A. A meta-analysis of brief tobacco interventions for use in integrated primary care. *Nicotine and Tobacco Research*, 2017. Sept 16, 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx212/4160115/A-meta-analysis-of-brief-tobacco-interventions-for?redirectedFrom=fulltext>

Bodkin, Henry. GPs 'not bothering to persuade cancer patients to give up smoking'. *Telegraph*, 2017. Sept 13, 2017. Available from: <http://www.telegraph.co.uk/news/2017/09/13/gps-dont-bother-persuading-cancer-patients-give-smoking/>

Collins, Lauren, Smiley, Sabrina, Moore, Rakiya, Graham, Amanda L, Villanti, Andrea C. Doctors' offices: a missed opportunity in tobacco control. *Truth Initiative*, 2017. Apr 24, 2017. Available from: <https://truthinitiative.org/research/doctors-offices-missed-opportunity-tobacco-control>

7.10.2 Hospital-based interventions

British Thoracic Society. (2022). *National Smoking Cessation Audit 2021: Management of Tobacco*. Retrieved from <https://www.brit-thoracic.org.uk/quality-improvement/clinical-audit/national-smoking-cessation-audit-2021/>

No authors listed. NHS Hospitals showing very slow progress on helping people quit smoking, with staff lacking training and the tools to help patients who smoke. *British Thoracic Society*, 2020. June 24, 2020. Retrieved from <https://www.brit-thoracic.org.uk/about-us/pressmedia/2020/smoking-cessation-audit-2019-news-release/>

No authors listed. TSET featured as national model in CDC best practices guide. *Woodward News*, 2020. June 24, 2020. Retrieved from https://www.woodwardnews.net/news/tset-featured-as-national-model-in-cdc-best-practices-guide/article_8f117b94-b60c-11ea-a295-f3bef4060316.html

Keen, M. WDHS launches new quit initiative. *SpecPrint*, 2019. Oct 10, 2019. Available from <https://www.spec.com.au/2019/10/wdhs-launches-new-quit-initiative/>

No authors listed. Hospital butts in to aid smokers kick the habit. *Wangaratta Chronicle*, 2019. Oct 16, 2019. Available from: <https://wangerattachronicle.com.au/2019/10/16/hospital-butts-in-to-aid-smokers-kick-the-habit/>

No authors listed. Initiative aims to help patients quit smoking. *Seymour Telegraph*, 2019. Oct 16, 2019. Available from: <https://customreport.mediaportal.com/#/articlepresenter/e7f2ee1e-31b5-471c-bcc4-f163acad6034/533425979/1256092908?k=ubmndb>

No authors listed. Providing smoking cessation for patients in hospital will save lives. *Medical Xpress*, 2018. July 12, 2018. Available from: <https://medicalxpress.com/news/2018-07-cessation-patients-hospital.html>

No authors listed. The NHS Smokefree Pledge. Smokefree Action (UK), 2018. Jan 12, 2018. Available from: <http://smokefreeaction.org.uk/smokefree-nhs/nhs-smokefree-pledge/>

No authors listed. The NHS Smokefree Pledge. Smokefree Action (UK), 2018. Jan 12, 2018. Available from: <http://smokefreeaction.org.uk/smokefree-nhs/nhs-smokefree-pledge/>

Lasser, KE, Quintiliani, LM, Truong, V, Xuan, Z, Murillo, J, Jean, C and Pbert, L. Effect of Patient Navigation and Financial Incentives on Smoking Cessation Among Primary Care Patients at an Urban Safety-Net Hospital: A Randomized Clinical Trial. *JAMA Intern Med*, 2017. Oct 30, 2017. Available from: <https://jamanetwork.com/journals/jamainternalmedicine/article-abstract/2659556?resultClick=3>

Pack, QR, Priya, A, Lagu, TC, Pekow, PS, Rigotti, NA and Lindenauer, PK. Smoking Cessation Pharmacotherapy Among Smokers Hospitalized for Coronary Heart Disease. *JAMA Intern Med*, Aug 2017. Available from: <http://jamanetwork.com/journals/jamainternalmedicine/article-abstract/2649263?resultClick=24>

7.10.2.1 Emergency department

No authors listed. Smoking rates high in emergency patients. The Tribune, 2016. July 15, 2016. Available from: <http://www.tribuneindia.com/news/health/smoking-rates-high-in-emergency-patients/266297.html>

Wilson, Karen. Pediatric hospitalizations an opportunity to screen parents for tobacco use. AAP News, 2016. July 28, 2016. Available from: <http://www.aappublications.org/news/2016/07/28/QUIIN072816>

No authors listed. The ER docs said 'stop smoking,' and they did! Medical News Today, 2015. May 5, 2015. Available from: <http://www.medicalnewstoday.com/releases/293413.php?tw>

7.10.2.2 In-patient care

No authors listed. Smoking patients kick the habit with health service help. The Chronicle, 2017. May 31, 2017. Available from: <https://www.thechronicle.com.au/news/smoking-patients-kick-habit-health-service-help/3183873/>

7.10.2.3 Surgical care

Cameron, Amanda. Obese people and smokers face delays for routine operations in Bath and North East Somerset. Somerset Live (UK), 2018. April 11, 2018. Available from: <https://www.somersetlive.co.uk/news/health/obese-people-smokers-face-delays-1427485>

Donnelly, Laura. NHS provokes fury with indefinite surgery ban for smokers and obese. The Telegraph, 2017. Oct 23, 2017. Available from: <http://www.telegraph.co.uk/news/2017/10/17/nhs-provokes-fury-indefinite-surgery-ban-smokers-obese/>

No authors listed. Joint briefing: Smoking and surgery. Available from: <https://ash.org.uk/download/joint-briefing-smoking-and-surgery>

Smith, Mark. Patients could be forced to lose weight or stop smoking before they are eligible for routine operations in Wales. Wales Online, 2015. Oct 7, 2015. Available from: <http://www.walesonline.co.uk/news/health/patients-could-forced-lose-weight-10206502>

No authors listed. NHS Devon surgery restriction for smokers and obese plan revealed. BBC News, 2014. Dec 3, 2014. Available from: <http://www.bbc.com/news/uk-england-devon-30318546>

Nolan, Margaret B and Warner, David O. Perioperative tobacco use treatments: putting them into practice. BMJ, 2017. Sept 6, 2017. Available from: <http://www.bmj.com/content/358/bmj.j3340>

7.10.3 Pharmacists

Chrysanthos, N. Slow uptake recorded for vapes from chemists. *The Sunday Age*, 2024. Nov 10, 2024.

The Hon Mark Butler MP. (2024). Pharmacists prepared to help Australians quit vaping [Press release]. Retrieved from <https://www.health.gov.au/ministers/the-hon-mark-butler-mp/media/pharmacists-prepared-to-help-australians-quit-vaping>

No authors listed. High street pharmacies help people stub out smoking. *NHS England*, 2022. March 9, 2022. Retrieved from <https://www.england.nhs.uk/2022/03/high-street-pharmacies-help-people-stub-out-smoking/>

Guidelines for pharmacists providing smoking cessation support. (2021). Retrieved from <https://my.psa.org.au/s/article/Guidelines-for-pharmacists-providing-smoking-cessation-support>

National Institute for Health and Care Excellence. Make use of community pharmacists' skills, says NICE. *National Institute for Health and Care Excellence*, 2020. Jan 1, 2020. Available from <https://www.nice.org.uk/news/article/make-use-of-community-pharmacists-skills-says-nice>

Carson-Chahhoud, KV, Livingstone-Banks, J, Sharrad, KJ, Kopsaftis, Z, Brinn, MP, To-A-Nan, R, & Bond, CM. (2019). Community pharmacy personnel interventions for smoking cessation. *Cochrane Database of Systematic Reviews*(10). Available from: <https://doi.org/10.1002/14651858.CD003698.pub3>

Falvo, Ashlee. Chemist a quit stop. *Sunraysia Daily*, 2018. Feb 19, 2018. Available from: <http://www.sunrasyadaily.com.au/story/5227052/chemist-a-quit-stop/>

Jankovic, Sasa. The latest on smoking cessation in community pharmacy. *chemistanddruggist.co.uk*, 2017. Oct 13, 2017. Available from: <https://www.chemistanddruggist.co.uk/feature/latest-smoking-cessation>

7.10.5 Specialists

Van Slyke, AC, Carr, M, Knox, ADC, Genoway, K and Carr, NJ. Perioperative and long-term smoking behaviors in cosmetic surgery patients. *Plast Reconstr Surg*. 2017 Sep;140(3):503-509. Available from: <https://reference.medscape.com/medline/abstract/28841611>

7.10.6 Allied health professionals

No authors listed. A talk with a nurse can persuade hospital patients to quit smoking: Quit rates triple after short consultation, access to quit aids. *Medical News Today*, 2016. Sept 20, 2016. Available from: <http://www.medicalnewstoday.com/releases/312976.php>

No authors listed. Study shows effectiveness of hospital-initiated smoking cessation programs. *Medical XPress*, 2016. May 25, 2016. Available from: <http://medicalxpress.com/news/2016-05-effectiveness-hospital-initiated-cessation.html>

No authors listed. Canadian study shows effectiveness of hospital-initiated smoking cessation programs. *Bright Surf*, 2016. May 25, 2016. Available from:

http://www.brightsurf.com/news/headlines/119168/Canadian_study_shows_effectiveness_of_hospital-initiated_smoking_cessation_programs_.html

Thomas, D et al. Integrating smoking cessation into routine care in hospitals-a randomized controlled trial. *Addiction*, Apr 2016. Available from:

<http://onlinelibrary.wiley.com/doi/10.1111/add.13239/epdf>

7.10.7 Social and community service organisations

No authors listed. Local action towards a smoke-free future. *Local Government Association*, 2023.

May 18, 2023. Retrieved from <https://www.local.gov.uk/publications/local-action-towards-smoke-free-future>

Action on Smoking and Health, & Cancer Research UK. (2020). *Many Ways Forward: Stop smoking services and tobacco control work in English local authorities*. Available from: <https://ash.org.uk/wp-content/uploads/2020/01/Many-Ways-Forward.pdf>

Action on Smoking and Health. (2019). The quitting dividend for tenants and landlords. Available from: http://ash.org.uk/wp-content/uploads/2019/06/ASH-Briefing_Social-Housing_v4.pdf

7.10.9 Training health professionals in smoking cessation interventions

Jolicoeur, Denise, Cranos, Caroline L., Frisard, Christine and Pbert, Lori. Evaluation of a Train-the-trainer Program to Build Capacity for Training Tobacco Treatment Specialists. *Nicotine & Tobacco Research*, June 2018. Available from: <http://dx.doi.org/10.1093/ntr/nty125>

7.10.10 Increasing intervention delivery and referrals

Baines, E. Reducing smoking to become business of all hospital nurses in region. *Nursing Times*, 2021. June 22, 2021. Retrieved from <https://www.nursingtimes.net/news/hospital/reducing-smoking-to-become-business-of-all-hospital-nurses-in-region-22-06-2021/>