

Tobacco in Australia

Facts & Issues

Relevant news and research

9A.4 People experiencing homelessness

Last updated December 2024

Research:.....	1
9A.4 People experiencing homelessness.....	1
9A.4.1 Trends in the prevalence of smoking	7
9A.4.2 Contribution of smoking to health outcomes and social inequality	7
9A.4.3 Explanations for higher smoking prevalence.....	9
9A.4.4 Interventions for reducing smoking	11
News:	18
9A.4 People experiencing homelessness.....	18
9A.4.1 Trends in the prevalence of smoking	18
9A.4.2 Contribution of smoking to health outcomes and social inequality	18
9A.4.3 Explanations for higher smoking prevalence.....	18
9A.4.4 Interventions for reducing smoking	18

Research:

9A.4 People experiencing homelessness

Jones-Patten, A, Shin, SS, Bounds, DT, & Nyamathi, A. (2023). Discrimination, Mental Health, and Readiness to Quit Smoking. *Clin Nurs Res*, 10547738231183210. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37365813>

tobaccoinaustralia.org.au

Dickerson, D, Cain, M, & Garcia, A. (2023). Primary Psychiatric Diagnoses, Commercialized Tobacco Use, and Homelessness: Comparisons Between Urban American Indian/ Alaska Native and Non-American Indian/Alaska Native Adult Clinical Samples. *Am Indian Alsk Native Ment Health Res*, 30(1), 14-34. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37027498>

Miller, J, Cuby, J, Hall, SM, Stitzer, M, Kushel, M, Appiah, D, & Vijayaraghavan, M. (2023). Tobacco use behaviors and views on engaging in clinical trials for tobacco cessation among individuals who experience homelessness. *Contemp Clin Trials Commun*, 32, 101094. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36852099>

Nemeth, J. M., Glasser, A. M., Hinton, A., Macisco, J. M., Wermert, A., Smith, R., . . . Sasser, G. (2023). Brain Injury Is Prevalent and Precedes Tobacco Use among Youth and Young Adults Experiencing Homelessness. *Int J Environ Res Public Health*, 20(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36982077>

Boozary, LK, Frank-Pearce, SG, Alexander, AC, Sifat, MS, Kurien, J, Waring, JJC et al. (2022). Tobacco use characteristics, treatment preferences, and motivation to quit among adults accessing a day shelter in Oklahoma City. *Drug Alcohol Depend Rep*, 5, 100117. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36844157>

Molina, MF, Hall, SM, Stitzer, M, Kushel, M, Chakravarty, D, & Vijayaraghavan, M. (2022). Contingency management to promote smoking cessation in people experiencing homelessness: Leveraging the electronic health record in a pilot, pragmatic randomized controlled trial. [MS Top Pick]. *PLoS One*, 17(12), e0278870. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36525405>

Mahabee-Gittens, EM, Han, G, & Merianos, AL. (2022). Child Tobacco Smoke Exposure, Indoor Home Characteristics, and Housing Stability among a National Sample of U.S. Children. [MS Top Pick]. *Toxics*, 10(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36355931>

Amiri S. Smoking and alcohol use in unemployed populations: A systematic review and meta-analysis. *Journal of Addictive Diseases*, 2022; 40(2):254-77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34747337>

<https://www.tandfonline.com/doi/full/10.1080/10550887.2021.1981124>

Health Ato and Welfare. Specialist homelessness services: Monthly data. Canberra: AIHW, 2022. Available from: <https://www.aihw.gov.au/reports/homelessness-services/specialist-homelessness-services-monthly-data>.

Ramclam A, Taing M, Kyburz B, Williams T, Casey K, et al. An epidemic and a pandemic collide: Assessing the feasibility of tobacco treatment among vulnerable groups at COVID-19 protective lodging. *Fam Syst Health*, 2022; 40(1):120-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34914487>

Sharbin GK and Rash CJ. Characterizing nicotine withdrawal in smokers experiencing homelessness. *Journal of Substance Abuse Treatment*, 2022:108748. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35241351>

[https://www.journalofsubstanceabusetreatment.com/article/S0740-5472\(22\)00030-7/fulltext](https://www.journalofsubstanceabusetreatment.com/article/S0740-5472(22)00030-7/fulltext)

Australian Institute of Health and Welfare. Specialist homelessness services annual report 2020–21. Canberra: AIHW, 2021. Available from: <https://www.aihw.gov.au/reports/homelessness-services/specialist-homelessness-services-annual-report/contents/about>.

Reuven SM, Chen TA, Zvolensky MJ, Businelle MS, Kendzor DE, et al. Examining the moderating effect of anxiety sensitivity on past-month pain severity and heaviness of smoking among adult smokers experiencing homelessness. *Addictive Behaviors*, 2021; 112:106610. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32861987>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7572684/pdf/nihms-1622944.pdf>

Savoy EJ, Businelle MS, Nguyen N, Chen TA, Neighbors C, et al. Examining moment to moment affective determinants of smoking rate following a quit attempt among homeless daily smokers. *Addictive Behaviors*, 2021; 115:106788. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33360279>

Australian Institute of Health and Welfare. Specialist homelessness services: Monthly data. Cat. no. HOU 321 Canberra: AIHW, 2020. Available from: <https://www.aihw.gov.au/reports/homelessness-services/specialist-homelessness-services-monthly-data>.

Glasser AM, Macisco JM, Miller LM, Garbsch EM, Wermert A, et al. Smoking cessation methods among homeless youth in a midwestern city. *Addictive Behaviors Reports*, 2020; 11:100276. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32426448>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7225613/pdf/main.pdf>

Shadel WG, Tucker JS, Seelam R, Golinelli D, and Siconolfi D. Associations of tobacco advertising appeal with intentions to use alternative tobacco products among young tobacco users experiencing homelessness. *American Journal of Health Promotion*, 2020; 34(2):132-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31581783>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6960346/pdf/nihms-1055482.pdf>

Simmet A, Teut M, Schleicher R, Bscheiden A, and Stroebale-Benschop N. Impact of a smoking cessation program on smoking prevalence and food security among food pantry users - a study protocol for a pragmatic cluster randomised controlled trial. *BMC Public Health*, 2020; 20(1):1124. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32680475>

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7366453/pdf/12889_2020_Article_9232.pdf

1Taing M, Kyburz B, Leal IM, Le K, Chen TA, et al. Clinician training in the adaptation of a comprehensive tobacco-free workplace program in agencies serving the homeless and vulnerably housed. *International Journal of Environmental Research and Public Health*, 2020; 17(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32854185>

https://mdpi-res.com/d_attachment/ijerph/ijerph-17-06154/article_deploy/ijerph-17-06154.pdf?version=1598320699

Vijayaraghavan M and King BA. Advancing housing and health: Promoting smoking cessation in permanent supportive housing. *Public Health Rep*, 2020; 135(4):415-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32353245>

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7383751/pdf/10.1177_0033354920922374.pdf

Collins SE, Nelson LA, Stanton J, Mayberry N, Ubay T, et al. Harm reduction treatment for smoking (hart-s): Findings from a single-arm pilot study with smokers experiencing chronic homelessness. *Substance Abuse*, 2019; 40(2):229-39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30924732>

<https://www.tandfonline.com/doi/full/10.1080/08897077.2019.1572049>

Dawkins L, Ford A, Bauld L, Balaban S, Tyler A, et al. A cross sectional survey of smoking characteristics and quitting behaviour from a sample of homeless adults in Great Britain. *Addictive Behaviors*, 2019; 95:35-40. Available from: <https://www.sciencedirect.com/science/article/pii/S0306460318312632>

Elser H, Hartman-Filson M, Alizaga NM, and Vijayaraghavan M. Exposure to pro- and anti-tobacco messages online and off-line among people experiencing homelessness. *Preventive Medicine Reports*, 2019; 15:100944. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31338285>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6627028/pdf/main.pdf>

Shadel WG, Tucker JS, and Abbott MM. Knowledge of alternative tobacco products in unaccompanied homeless youth. *Tob Regul Sci*, 2019; 5(1):65-75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31289730>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6615893/pdf/nihms-998406.pdf>

Collins SE, Orfaly VE, Wu T, Chang S, Hardy RV, et al. Content analysis of homeless smokers' perspectives on established and alternative smoking interventions. *Int J Drug Policy*, 2018; 51:10-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29144995>

Lantini R, Sillice MA, Fava JL, Jennings E, Rosen RK, et al. Butt why? Exploring factors associated with cigarette scavenging behaviors among adult smokers enrolling in a clinical trial for smoking cessation. *Addictive Behaviors*, 2018; 78:200-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29202347>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5783780/pdf/nihms925926.pdf>

Neisler J, Reitzel LR, Garey L, Kenzdor DE, Hebert ET, et al. Concurrent nicotine and tobacco product use among homeless smokers and associations with cigarette dependence and other factors related to quitting. *Drug and Alcohol Dependence*, 2018; 185:133-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29448145>

Buckley K, Tsu L, Hormann S, Giang K, Bills A, et al. A health sciences student-run smoking cessation clinic experience within a homeless population. *J Am Pharm Assoc (2003)*, 2017; 57(1):109-15 e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27864102>

[https://www.japha.org/article/S1544-3191\(16\)30818-4/pdf](https://www.japha.org/article/S1544-3191(16)30818-4/pdf)

Maddox S and Segan C. Underestimation of homeless clients' interest in quitting smoking: A case for routine tobacco assessment. *Health Promotion Journal of Australia*, 2017; 28(2):160-4. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1071/HE15102>

McNair R, Andrews C, Parkinson S, and Dempsey D. Lgbtq homelessness: Risks, resilience, and access to services in victoria. GALFA LGBTQ Homelessness Research Project 2017. Available from: https://researchbank.swinburne.edu.au/file/e391af0b-f504-403f-bff5-06ecc73e90f5/1/2017-mcnair-lgbtq_homelessness_final.pdf.

Vijayaraghavan M, Hurst S, and Pierce JP. A qualitative examination of smoke-free policies and electronic cigarettes among sheltered homeless adults. *American Journal of Health Promotion*, 2017; 31(3):243-50. Available from: <https://escholarship.org/content/qt82z9d1nw/qt82z9d1nw.pdf?t=p17cuu>

Australian Bureau of Statistics. Census of population and housing: Estimating homelessness methodology. ABS, 2016. Available from: homelessness-methodology/2016#glossary.<https://www.abs.gov.au/methodologies/census-population-and-housing-estimating->

Golinelli D, Tucker JS, and Shadel WG. Racial differences in cigarette smoking among homeless youth. *Nicotine & Tobacco Research*, 2016; 18(12):2283-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27162012>

<https://academic.oup.com/ntr/article-abstract/18/12/2283/2857990?redirectedFrom=fulltext>

Vijayaraghavan M, Guydish J, and Pierce JP. Building tobacco cessation capacity in homeless shelters: A pilot study. *Journal of Community Health*, 2016; 41(5):998-1005. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26983929>

<https://escholarship.org/content/qt21h1w42h/qt21h1w42h.pdf?t=p17cn0>

Businelle MS, Poonawalla IB, Kendzor DE, Rios DM, Cuate EL, et al. Smoking policy change at a homeless shelter: Attitudes and effects. *Addictive Behaviors*, 2015; 40:51-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25222848>

Chen TC and Myers MG. A comprehensive approach to tobacco cessation for the homeless. *Journal of Clinical Psychiatry*, 2015; 76(7):e908-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26231026>

<https://escholarship.org/content/qt1f9027j5/qt1f9027j5.pdf?t=p34f33>

Kendzor DE, Reitzel LR, and Businelle MS. Characterizing stressors and modifiable health risk factors among homeless smokers: An exploratory pilot study. *Health Educ Behav*, 2015; 42(5):642-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25616410>

Ojo-Fati O, John F, Thomas J, Joseph AM, Raymond NC, et al. Integrating smoking cessation and alcohol use treatment in homeless populations: Study protocol for a randomized controlled trial. *Trials*, 2015; 16(1):385. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26320081>

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4552980/pdf/13063_2015_Article_858.pdf

Richards CM, Sharif F, Eischen S, Thomas J, Wang Q, et al. Retention of homeless smokers in the power to quit study. *Nicotine & Tobacco Research*, 2015; 17(9):1104-11. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/25301816>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4627484/pdf/ntu210.pdf>

Shadel WG, Tucker JS, and Golinelli D. Readjusting our priorities: Helping homeless youth quit smoking. *American Journal of Preventive Medicine*, 2015; 49(6):970-3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/26342635>

[https://www.ajpmonline.org/article/S0749-3797\(15\)00334-7/fulltext](https://www.ajpmonline.org/article/S0749-3797(15)00334-7/fulltext)

Stewart HC, Stevenson TN, Bruce JS, Greenberg B, and Chamberlain LJ. Attitudes toward smoking cessation among sheltered homeless parents. *Journal of Community Health*, 2015; 40(6):1140-8.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25980523>

<https://link.springer.com/article/10.1007/s10900-015-0040-2>

Businelle MS, Ma P, Kendzor DE, Reitzel LR, Chen M, et al. Predicting quit attempts among homeless smokers seeking cessation treatment: An ecological momentary assessment study. *Nicotine & Tobacco Research*, 2014; 16(10):1371-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/24893602>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4207873/pdf/ntu088.p> Des Jarlais D. Commentary on reitzel et al. (2014): Is smoking cessation associated with worse comorbid substance use

outcomes among homeless adults? *Addiction*, 2014; 109(12):2105-6. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/25384937>

<https://onlinelibrary.wiley.com/doi/pdfdirect/10.1111/add.12731?download=true>

Warner C, Sewali B, Olayinka A, Eischen S, Wang Q, et al. Smoking cessation in homeless populations: Who participates and who does not. *Nicotine & Tobacco Research*, 2014; 16(3):369-72.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24158227>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3920340/pdf/ntt169.pdf>

Reitzel LR, Kendzor DE, Cao Y, and Businelle MS. Subjective social status predicts quit-day abstinence among homeless smokers. *American Journal of Health Promotion*, 2014; 29(1):43-5. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/25170885>

Okuyemi KS, Thomas JL, Hall S, Nollen NL, Richter KP, et al. Smoking cessation in homeless populations: A pilot clinical trial. *Nicotine & Tobacco Research*, 2007; 8(5):689-99. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200600789841>

Australian Bureau of Statistics. 4105.0 Australian social trends, 2004 housing arrangements: Homelessness. Canberra: ABS, 2004. Available from: <http://www.abs.gov.au/ausstats/abs@.nsf/2f762f95845417aeca25706c00834efa/ddc8dc3787e2d9fcca256e9e0028f91e!OpenDocument>.

Kermode M, Crofts N, Miller P, Speed B, and Streeton J. Health indicators and risks among people experiencing homelessness in Melbourne, 1995-1996. *Australian and New Zealand Journal of Public Health*, 1998; 22(4):464-70.

9A.4.1 Trends in the prevalence of smoking

Vijayaraghavan, M, Elser, H, Delucchi, K, Tsoh, JY, Lynch, K, Weiser, SD, & Riley, ED. (2024). Distinct patterns of cigarette smoking intensity and other substance use among women who experience housing instability. *Addict Behav*, 156, 108066. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38761684>

Glasser AM, Hinton A, Wermert A, Macisco J, and Nemeth JM. Characterizing tobacco and marijuana use among youth combustible tobacco users experiencing homelessness - considering product type, brand, flavor, frequency, and higher-risk use patterns and predictors. *BMC Public Health*, 2022; 22(1):820. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35468777>

Alizaga NM, Hartman-Filson M, Elser H, Halpern-Felsher B, and Vijayaraghavan M. Alternative flavored and unflavored tobacco product use and cigarette quit attempts among current smokers experiencing homelessness. *Addictive Behaviors Reports*, 2020; 12:100280. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32637560>

Golinelli D, Siconolfi D, Shadel WG, Seelam R, and Tucker JS. Patterns of alternative tobacco product use among youth experiencing homelessness. *Addictive Behaviors*, 2019; 99:106088. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31445484>

Tucker JS, Shadel WG, Golinelli D, Seelam R, and Siconolfi D. Correlates of cigarette and alternative tobacco product use among young tobacco users experiencing homelessness. *Addictive Behaviors*, 2019; 95:145-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30921625>

Tucker JS, Shadel WG, Seelam R, Golinelli D, and Siconolfi D. Roll-your-own cigarette smoking among youth experiencing homelessness. *Drug and Alcohol Dependence*, 2019; 205:107632. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31678834>

Tucker JS, Shadel WG, Golinelli D, and Ewing B. Alternative tobacco product use and smoking cessation among homeless youth in Los Angeles county. *Nicotine & Tobacco Research*, 2014; 16(11):1522-6. Available from: <https://pubmed.ncbi.nlm.nih.gov/25145375/>

9A.4.2 Contribution of smoking to health outcomes and social inequality

Onigbogi, O, Pratt, R, Luo, X, Everson-Rose, SA, Cooney, NL, Specker, S, & Okuyemi, K. (2024). Association between psychosocial factors and co-morbid cigarette smoking and alcohol use in a population experiencing homelessness. *Addict Behav Rep*, 19, 100523. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38155753>

Scholze, AR, Alves, JD, Berra, T Z, Ramos, ACV, Pieri, FM, Pillon, SC et al (2022). Tuberculosis among People Living on the Street and Using Alcohol, Tobacco, and Illegal Drugs: Analysis of Territories in Extreme Vulnerability and Trends in Southern Brazil. *Int J Environ Res Public Health*, 19(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35805377>

Tucker JS, Shadel WG, Seelam R, Golinelli D, and Siconolfi D. Co-use of tobacco and marijuana among young people experiencing homelessness in Los Angeles county. *Drug and Alcohol Dependence*, 2020; 207:107809. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31846847>

Garey L, Reitzel LR, Neisler J, Kendzor DE, Zvolensky MJ, et al. Health-related quality of life among homeless smokers: Risk and protective factors of latent class membership. *Behav Med*, 2019; 45(1):40-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29558273>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6148434/pdf/nihms977118.pdf>

Baggett TP, Rigotti NA, and Campbell EG. Cost of smoking among homeless adults. *New England Journal of Medicine*, 2016; 374(7):697-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26886544>

Garey L, Reitzel LR, Kendzor DE, and Businelle MS. The potential explanatory role of perceived stress in associations between subjective social status and health-related quality of life among homeless smokers. *Behav Modif*, 2016; 40(1-2):303-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26530474>

No authors listed. Tobacco use among the homeless population : FAQ. Public Health Law Center (William Mitchell College of Law), 2016. Available from: <http://www.publichealthlawcenter.org/sites/default/files/resources/tclc-homeless-tobacco-FAQ-2016.pdf>.

Baggett TP, Chang Y, Singer DE, Porneala BC, Gaeta JM, et al. Tobacco-, alcohol-, and drug-attributable deaths and their contribution to mortality disparities in a cohort of homeless adults in Boston. *American Journal of Public Health*, 2015; 105(6):1189-97. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25521869>

Carpenter VL, Hertzberg JS, Kirby AC, Calhoun PS, Moore SD, et al. Multicomponent smoking cessation treatment including mobile contingency management in homeless veterans. *Journal of Clinical Psychiatry*, 2015; 76(7):959-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25699616>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4522209/pdf/nihms708165.pdf>

Gozdzik A, Salehi R, O'Campo P, Stergiopoulos V, and Hwang SW. Cardiovascular risk factors and 30-year cardiovascular risk in homeless adults with mental illness. *BMC Public Health*, 2015; 15(1):165. Available from: <https://doi.org/10.1186/s12889-015-1472-4>

<https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/s12889-015-1472-4.pdf>

Hammett P, Fu SS, Lando HA, Owen G, and Okuyemi KS. The association of military discharge variables with smoking status among homeless veterans. *Preventive Medicine*, 2015; 81:275-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26400636>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4679596/pdf/nihms729305.pdf>

Hamner MB. Smoking cessation in homeless veterans. *Journal of Clinical Psychiatry*, 2015; 76(7):e911-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26231027>

<https://www.psychiatrist.com/read-pdf/19756/>

Tucker JS, Shadel WG, Golinelli D, Mullins L, and Ewing B. Sniping and other high-risk smoking practices among homeless youth. *Drug and Alcohol Dependence*, 2015; 154:105-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26160458>

Buu MC, Carter L, Bruce JS, Baca EA, Greenberg B, et al. Asthma, tobacco smoke and the indoor environment: A qualitative study of sheltered homeless families. *The Journal of Asthma*, 2014; 51(2):142-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24147583>

Garner L and Ratschen E. Tobacco smoking, associated risk behaviours, and experience with quitting: A qualitative study with homeless smokers addicted to drugs and alcohol. *BMC Public Health*, 2013; 13:951. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24112218>

9A.4.3 Explanations for higher smoking prevalence

Jones-Patten, A, Shin, SS, Nyamathi, A, & Bounds, D. (2024). "Cigarettes play the equalizer": discrimination experiences and readiness to quit cigarette smoking among African Americans experiencing homelessness: a qualitative analysis. *Addict Sci Clin Pract*, 19(1), 1. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38163885>

Onigbogi, O, Pratt, R, Luo, X, Everson-Rose, SA, Cooney, NL, Specker, S, & Okuyemi, K. (2024). Association between psychosocial factors and co-morbid cigarette smoking and alcohol use in a population experiencing homelessness. *Addict Behav Rep*, 19, 100523. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38155753>

Wrucke, B, Bauer, L, & Bernstein, R. (2022). Factors Associated with Cigarette Smoking in Homeless Adults: Findings From an Outpatient Counseling Clinic. *WMJ*, 121(2), 106-110. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35857684>

Hassett-Walker, C. (2022). The Longitudinal Impact of Arrest, Criminal Conviction, and Incarceration on Smoking Classes. *Tob Use Insights*, 15, 1179173X221089710. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35634273>

Brown HA, Roberts RD, Chen TA, Businelle MS, Obasi EM, et al. Perceived disease risk of smoking, barriers to quitting, and cessation intervention preferences by sex amongst homeless adult concurrent tobacco product users and conventional cigarette-only users. *International Journal of Environmental Research and Public Health*, 2022; 19(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35329321>

https://mdpi-res.com/d_attachment/ijerph/ijerph-19-03629/article_deploy/ijerph-19-03629.pdf?version=1647608060

Garg R, Croston MA, Thompson T, McQueen A, and Kreuter MW. Correlates of smoking discarded cigarettes in a sample of low-income adults. *Addictive Behaviors*, 2022; 128:107237. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35074637>

Patterson JG, Glasser AM, Macisco JM, Hinton A, Wermert A, et al. "I smoked that cigarette, and it calmed me down": A qualitative analysis of intrapersonal, social, and environmental factors influencing decisions to smoke among youth experiencing homelessness. *Nicotine & Tobacco Research*, 2022; 24(2):250-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34605550>

Riley ED, Delucchi K, Rubin S, Weiser SD, Vijayaraghavan M, et al. Ongoing tobacco use in women who experience homelessness and unstable housing: A prospective study to inform tobacco cessation interventions and policies. *Addictive Behaviors*, 2022; 125:107125. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34673360>

Tran DD, Davis JP, Atieh T, Pedersen ER, and Tucker JS. Mental health correlates of quitting cigarette smoking in youth experiencing homelessness. *Addictive Behaviors*, 2022; 130:107289. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35228020>

Pratt R, Pernat C, Kerandi L, Kmiecik A, Strobel-Ayres C, et al. "It's a hard thing to manage when you're homeless": The impact of the social environment on smoking cessation for smokers experiencing homelessness. *BMC Public Health*, 2019; 19(1):635. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31126265>

Baggett TP, Yaqubi A, Berkowitz SA, Kalkhoran SM, McGlave C, et al. Subsistence difficulties are associated with more barriers to quitting and worse abstinence outcomes among homeless smokers: Evidence from two studies in Boston, Massachusetts. *BMC Public Health*, 2018; 18(1):463. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29631559>

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5891993/pdf/12889_2018_Article_5375.pdf

Kim JE, Flentje A, Tsoh JY, and Riley ED. Cigarette smoking among women who are homeless or unstably housed: Examining the role of food insecurity. *J Urban Health*, 2017; 94(4):514-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28589340>

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5533665/pdf/11524_2017_Article_166.pdf

Pinsker EA, Henrikus DJ, Erickson DJ, Call KT, Forster JL, et al. Cessation-related weight concern among homeless male and female smokers. *Preventive Medicine Reports*, 2017; 7:77-85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28593127>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5458131/pdf/main.pdf>

Chen JS, Nguyen AH, Malesker MA, and Morrow LE. High-risk smoking behaviors and barriers to smoking cessation among homeless individuals. *Respir Care*, 2016; 61(5):640-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26860400>

Robinson CD, Rogers CR, and Okuyemi KS. Depression symptoms among homeless smokers: Effect of motivational interviewing. *Substance Use and Misuse*, 2016; 51(10):1393-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27267588>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4929022/pdf/nihms788053.pdf>

Vijayaraghavan M, Tieu L, Ponath C, Guzman D, and Kushel M. Tobacco cessation behaviors among older homeless adults: Results from the hope home study. *Nicotine & Tobacco Research*, 2016; 18(8):1733-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26920648>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4941600/pdf/ntw040.pdf>

Kish DH, Reitzel LR, Kendzor DE, Okamoto H, and Businelle MS. Characterizing concurrent tobacco product use among homeless cigarette smokers. *Nicotine & Tobacco Research*, 2015; 17(9):1156-60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25358660>

Reitzel LR, Kendzor DE, Nguyen N, Regan SD, Okuyemi KS, et al. Shelter proximity and affect among homeless smokers making a quit attempt. *American Journal of Health Behavior*, 2014; 38(2):161-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24629545>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3960295/pdf/nihms529293.pdf>

Reitzel LR, Nguyen N, Eischen S, Thomas J, and Okuyemi KS. Is smoking cessation associated with worse comorbid substance use outcomes among homeless adults? *Addiction*, 2014; 109(12):2098-104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25041459>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4229393/pdf/nihms616331.pdf>

Businelle MS, Cuate EL, Kesh A, Poonawalla IB, and Kendzor DE. Comparing homeless smokers to economically disadvantaged domiciled smokers. *American Journal of Public Health*, 2013; 103 Suppl 2:S218-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24148069>

9A.4.4 Interventions for reducing smoking

Harris, T, Panadero, T, Hoffmann, L, Montgomery, AE, Tsai, J, Gelberg, L, & Gabrielian, S. (2024). Examining Homeless-Experienced Adults' Smoking Cessation Treatment Use Pre- and Post-Entry into Permanent Supportive Housing. *Subst Use*, 18, 29768357241271567. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39398362>

Dai, R, Feng, T, Ma, X, Cao, J, Yang, K, & Fan, J. (2024). PROTOCOL: Effectiveness of behavioral interventions for smoking cessation among homeless persons: A systematic review and meta-analysis. *Campbell Syst Rev*, 20(2), e1416. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38882932>

Martinez Leal, I, Siddiqi, AD, Rogova, A, Britton, M, Chen, TA, Williams, TI, LR. (2024). Enablers and Inhibitors to Implementing Tobacco Cessation Interventions within Homeless-Serving Agencies: A Qualitative Analysis of Program Partners' Experiences. *Cancers (Basel)*, 16(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38893280>

Doody, P, Parkhouse, T, Gao, M, Haasova, S, Livingstone-Banks, J, Cheeseman, H et al(2024). Opportunistic smoking cessation interventions for people accessing financial support settings: A scoping review. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38802984>

McGowan, LJ, John, DA, Kenny, RPW, Joyes, EC, Adams, EA, Shabaninejad, H et al. (2024). Improving oral health and related health behaviours (substance use, smoking, diet) in people with severe and multiple disadvantage: A systematic review of effectiveness and cost-effectiveness of interventions. *PLoS One*, 19(4), e0298885. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38635524>

Jones-Patten, A, Shin, SS, Nyamathi, A, & Bounds, D. (2024). "Cigarettes play the equalizer": discrimination experiences and readiness to quit cigarette smoking among African Americans experiencing homelessness: a qualitative analysis. *Addict Sci Clin Pract*, 19(1), 1. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38163885>

John, DA, McGowan, LJ, Kenny, RPW, Joyes, EC, Adams, EA, Shabaninejad, H et al. (2023). Interventions to improve oral health and related health behaviours of substance use, smoking, and diet in people with severe and multiple disadvantage: a systematic review of effectiveness and cost-effectiveness. *Lancet*, 402 Suppl 1, S58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37997101>

Nemeth, JM, Glasser, AM, Macisco, J, Hinton, A, Wermert, A, Patterson, JG et al. (2023). Identifying Novel Motivation Phase-Specific Cessation Targets for Youth Experiencing Homelessness in the USA. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37725951>

Wilson, SM, Blalock, DV, Young, JR, Griffin, SC, Hertzberg, JS, Calhoun, PS, & Beckham, JC. (2023). Mobile health contingency management for smoking cessation among veterans experiencing homelessness: A comparative effectiveness trial. *Prev Med Rep*, 35, 102311. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37455761>

De Los Reyes, G, Ng, A, Valencia Chavez, J, Apollonio, DE, Kroon, L, Lee, P, & Vijayaraghavan, M. (2023). Evaluation of a Pharmacist-Linked Smoking Cessation Intervention for Adults Experiencing Homelessness. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37401115>

Wang, C, Chen, TA, Britton, M, Businelle, MS, Kendzor, D E, McNeill, LH, & Reitzel, LR. (2023). The Indirect Effect of Smoking Level in the Association Between Urban Stress and Readiness to Quit Smoking among Adults Experiencing Homelessness. *Health Behav Res*, 6(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36969829>

Hansoti, E, Pollio, DE, & North, CS. (2022). A prospective longitudinal study of tobacco use and tobacco use disorder in a homeless population. *Ann Clin Psychiatry*, 34(3), 167-175. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35849769>

Patterson, JG, Macisco, JM, Glasser, AM, Wermert, A, & Nemeth, JM. (2022). Psychosocial factors influencing smoking relapse among youth experiencing homelessness: A qualitative study. *PLoS One*, 17(7), e0270665. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35881608>

- Bhattacharya, M, Ojo-Fati, O, Everson-Rose, SA, Thomas, J L, Miller, JM, Ogedegbe, G et al. (2022). Smoking reduction among homeless smokers in a randomized controlled trial targeting cessation. *Addict Behav*, 133, 107373. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35689905>
- Odukoya, OO, Abdiwahab, EA, Olubodun, T, Azagba, S, Ogunsola, FT, & Okuyemi, KS. (2022). Implementing a smoking cessation intervention for people experiencing homelessness: Participants' preferences, feedback, and satisfaction with the 'power to quit' program. *PLoS One*, 17(6), e0268653. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35749343>
- Pratt, R, Xiong, S, Kmiecik, A, Strobel-Ayres, C, Joseph, A, Rose, S A E et al. (2022). The implementation of a smoking cessation and alcohol abstinence intervention for people experiencing homelessness. *BMC Public Health*, 22(1), 1260. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35761310>
- Hartman-Filson M, Chen J, Lee P, Phan M, Apollonio DE, et al. A community-based tobacco cessation program for individuals experiencing homelessness. *Addictive Behaviors*, 2022; 129:107282. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35184003>
- Pedersen ER, Linnemayr S, Shadel WG, Zutshi R, DeYoreo M, et al. Substance use and mental health outcomes from a text messaging-based intervention for smoking cessation among young people experiencing homelessness. *Nicotine & Tobacco Research*, 2022; 24(1):130-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34375409>
- Radcliffe M, Kroll T, and Frazer K. Voice and choice: Making a case for tailored smoking cessation programmes to support women experiencing homelessness. *Evid Based Nurs*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35473751>
<https://ebn.bmj.com/content/early/2022/04/25/ebnurs-2022-103536>
- Skelton E, Lum A, Cooper LE, Barnett E, Smith J, et al. Addressing smoking in sheltered homelessness with intensive smoking treatment (assist project): A pilot feasibility study of varenicline, combination nicotine replacement therapy and motivational interviewing. *Addictive Behaviors*, 2022; 124:107074. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34509787>
- Durazo A, Hartman-Filson M, Perez K, Alizaga NM, Petersen AB, et al. Smoke-free home intervention in permanent supportive housing: A multifaceted intervention pilot. *Nicotine & Tobacco Research*, 2021; 23(1):63-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32123908>
- Linnemayr S, Zutshi R, Shadel W, Pedersen E, DeYoreo M, et al. Text messaging intervention for young smokers experiencing homelessness: Lessons learned from a randomized controlled trial. *JMIR Mhealth Uhealth*, 2021; 9(4):e23989. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33792551>
- Puljevic C, Snoswell A, Rivas L, Ali MM, de Greef W, et al. 'Money up in smoke': The financial benefits of smoking cessation may be more motivating to people who are homeless than potential health gains. *Drug and Alcohol Review*, 2021; 40(7):1308-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33829571>
<https://onlinelibrary.wiley.com/doi/10.1111/dar.13293>

Rubin SB, Vijayaraghavan M, Weiser SD, Tsoh JY, Cohee A, et al. Homeless women's perspectives on smoking and smoking cessation programs: A qualitative study. *Int J Drug Policy*, 2021; 98:103377. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34481110>

Tucker JS, Linnemayr S, Pedersen ER, Shadel WG, Zutshi R, et al. Pilot randomized clinical trial of a text messaging-based intervention for smoking cessation among young people experiencing homelessness. *Nicotine & Tobacco Research*, 2021; 23(10):1691-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33852730>

Akande M, Cioe PA, Glasser I, and Hirsch E. Resilience is associated with importance of quitting in homeless adult smokers. *Addictive Behaviors*, 2020; 110:106515. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32652387>

Alizaga NM, Nguyen T, Petersen AB, Elser H, and Vijayaraghavan M. Developing Tobacco Control interventions in permanent supportive housing for formerly homeless adults. *Health Promotion Practice*, 2020; 21(6):972-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30971139>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6788936/pdf/nihms-1023962.pdf>

Petersen AB, Elser H, Nguyen T, Alizaga NM, and Vijayaraghavan M. Smoke-free or not: Attitudes toward indoor smoke-free policies among permanent supportive housing residents. *American Journal of Health Promotion*, 2020; 34(1):32-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31537083>

Tucker JS, Pedersen ER, Linnemayr S, Shadel WG, DeYoreo M, et al. A text message intervention for quitting cigarette smoking among young adults experiencing homelessness: Study protocol for a pilot randomized controlled trial. *Addiction Science & Clinical Practice*, 2020; 15(1):11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32075695>

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7031942/pdf/13722_2020_Article_187.pdf

Tucker JS, Shadel WG, Golinelli D, Seelam R, and Siconolfi D. Motivation to quit cigarettes and alternative tobacco products: Prevalence and correlates among youth experiencing homelessness. *Journal of Behavioral Medicine*, 2020; 43(2):318-28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31396821>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7971096/pdf/nihms-1676742.pdf>

Vijayaraghavan M, Elser H, Frazer K, Lindson N, and Apollonio D. Interventions to reduce tobacco use in people experiencing homelessness. *Cochrane Database of Systematic Reviews*, 2020; 12:CD013413. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33284989>

Baggett TP, McGlave C, Kruse GR, Yaqubi A, Chang Y, et al. Smokefreetxt for homeless smokers: Pilot randomized controlled trial. *JMIR Mhealth Uhealth*, 2019; 7(6):e13162. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31165717/>

Baggett TP, Chang Y, Yaqubi A, McGlave C, Higgins ST, et al. Financial incentives for smoking abstinence in homeless smokers: A pilot randomized controlled trial. *Nicotine & Tobacco Research*, 2018; 20(12):1442-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059442>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6236071/pdf/ntx178.pdf>

Neisler J, Reitzel LR, Garey L, Kendzor DE, Hebert ET, et al. The moderating effect of perceived social support on the relation between heaviness of smoking and quit attempts among adult homeless smokers. *Drug and Alcohol Dependence*, 2018; 190:128-32. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30016736>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6084469/pdf/nihms-979282.pdf>

Pinsker EA, Hennrikus DJ, Erickson DJ, Call KT, Forster JL, et al. Trends in self-efficacy to quit and smoking urges among homeless smokers participating in a smoking cessation rct. *Addictive Behaviors*, 2018; 78:43-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29125976>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5783755/pdf/nihms919645.pdf>

Rash CJ, Petry NM, and Alessi SM. A randomized trial of contingency management for smoking cessation in the homeless. *Psychol Addict Behav*, 2018; 32(2):141-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29461070>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5858980/pdf/nihms933194.pdf>

Vijayaraghavan M, Olsen P, Weeks J, McKelvey K, Ponath C, et al. Older african american homeless-experienced smokers' attitudes toward Tobacco Control policies-results from the hope home study. *American Journal of Health Promotion*, 2018; 32(2):381-91. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28893086>

<https://escholarship.org/content/qt763396jh/qt763396jh.pdf?t=p3iyuv>

Sung H and Apollonio DE. Evaluation of Tobacco Control policies in san francisco homeless housing programs. *Health Promotion Practice*, 2017; 18(4):571-80. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28438037>

<https://escholarship.org/content/qt0kn837h5/qt0kn837h5.pdf?t=opohyq>

Wrighting Q, Businelle MS, Kendzor DE, LeBlanc H, and Reitzel LR. Cigarette purchasing patterns, readiness to quit, and quit attempts among homeless smokers. *Nicotine & Tobacco Research*, 2017; 19(12):1526-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27613948>

<https://academic.oup.com/ntr/article-abstract/19/12/1526/2629273?redirectedFrom=fulltext>

Baggett TP, Campbell EG, Chang Y, Magid LM, and Rigotti NA. Posttraumatic stress symptoms and their association with smoking outcome expectancies among homeless smokers in Boston. *Nicotine & Tobacco Research*, 2016; 18(6):1526-32. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/26508393>

Vijayaraghavan M, Hurst S, and Pierce JP. Implementing Tobacco Control programs in homeless shelters: A mixed-methods study. *Health Promotion Practice*, 2016; 17(4):501-11. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/26678988>

<https://escholarship.org/content/qt27b3h4w6/qt27b3h4w6.pdf?t=p17cr8>

Garey L, Reitzel LR, Bakhshaie J, Kendzor DE, Zvolensky MJ, et al. Subjective social status and readiness to quit among homeless smokers. *American Journal of Health Behavior*, 2015; 39(2):157-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25564827>

<https://www.ingentaconnect.com/content/png/ajhb/2015/00000039/00000002/art00001;jsessionid=7en2l961dcqit.x-ic-live-03>

Nguyen MA, Reitzel LR, Kendzor DE, and Businelle MS. Perceived cessation treatment effectiveness, medication preferences, and barriers to quitting among light and moderate/heavy homeless smokers. *Drug and Alcohol Dependence*, 2015; 153:341-5. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/26072221>

Power J, Mallat C, Bonevski B, and Nielsens O. An audit of assessment and outcome of intervention at a quit smoking clinic in a homeless hostel. *Australas Psychiatry*, 2015; 23(5):528-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26139703>

Segan CJ, Maddox S, and Borland R. Homeless clients benefit from smoking cessation treatment delivered by a homeless persons' program. *Nicotine & Tobacco Research*, 2015; 17(8):996-1001.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26180225>

https://watermark.silverchair.com/ntv062.pdf?token=AQECAHi208BE49Ooan9kKhW_Ercy7Dm3ZL_9Cf3qfKAc485ysgAAARowggk2BgkqhkiG9w0BBwaggKnMIIICowIBADCCApwGCSqGSIb3DQEHATAeBgIghkGBZQMEEAS4wEQMUUVwYETtYFogzLxw9AgEQIICbb05_PzE7nTWCn0FNVIUzgQgeU17ij94FnPIBYGIBjyqS62NLU6pi0kZMGL1Nstvf2OZDPNh2-yhy26CXqnIAMdix6Amfp3pntIWP8R2nXtpMLIH6BRTD3OWF23gxMvvhTvzs_ksDXKScf1mggtb1h6o5E2JinLStU4R7Ik1Wafkr_E8fR5wNwtbX8OEX57tAX_OU5BtXalH9uga4Syu4h0NyN9LamDh-o7mbCd18UWkcx-IPG7ZDcK13fCeZwZH5CiR-q3eqLMJY7li-qojYVT3V-wPkyCLGF3qCpt2-DcpsjKolWqAlaqhgSGVn90ZPaPgeKz0ytdDcDt_MeGaYyRbrH7gdYv24Ep4ClIgridDwqf2y8YVps8kECxEsXMaEZAoe8xBINmyHo-fBgl_o0d28kOrijtjnVQMpsvws3Zx9vtt3SimyH5tPri6fnIT6plaf4yahMoXJCsZORSTMabYT2UIV2RH9CpAgag8QkpMyhFITvHHcDs1VS0VaP3ZrI6x2R0Lo5N7INGwO_tAMpiVPIORRU2w23k-2NvcMQVlrbIC6m5YoZZ22H_UrvLhSQxfLx-OJprHTJENhf-tKkZL2iyZuwZNgSbsoQvcB5DCbilbTKJt6_5ppYsie3MRVRKHkSd1aBFM8DQVokgkClkvH_wX2oC8LCKIAz01Hs31MwQxSGkhjICAqtkSw_4yu8a0IPqngFG5PIXkPw5FkzL-EA6GF63Zxo1yw5MyFEHzpb8DsobaPe2Ziil1BH6-uqVUAAlcKlbD8iAmUQVUazKjl_LsHEoLAvOMSchU9t5LRZPrpx2ICafEEsVuEIA

Tucker JS, Shadel WG, Golinelli D, Ewing B, and Mullins L. Motivation to quit and interest in cessation treatment among homeless youth smokers. *Nicotine & Tobacco Research*, 2015; 17(8):990-5.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26180224>

<https://watermark.silverchair.com/ntu261.pdf>

Businelle MS, Kendzor DE, Kesh A, Cuate EL, Poonawalla IB, et al. Small financial incentives increase smoking cessation in homeless smokers: A pilot study. *Addictive Behaviors*, 2014; 39(3):717-20.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24321696>

Connor SE, Scharf DM, Jonkman LJ, and Herbert MI. Focusing on the five a's: A comparison of homeless and housed patients' access to and use of pharmacist-provided smoking cessation treatment. *Research in Social and Administrative Pharmacy*, 2014; 10(2):369-77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24607151>

Shadel WG, Tucker JS, Mullins L, and Staplefoote L. Providing smoking cessation programs to homeless youth: The perspective of service providers. *Journal of Substance Abuse Treatment*, 2014; 47(4):251-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25012554>
[https://www.journalofsubstanceabusetreatment.com/article/S0740-5472\(14\)00091-9/fulltext](https://www.journalofsubstanceabusetreatment.com/article/S0740-5472(14)00091-9/fulltext)

Reitzel LR, Kendzor DE, Cao Y, and Businelle MS. Subjective social status predicts quit-day abstinence among homeless smokers. *American Journal of Health Promotion*, 2013. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24200251>

News:

9A.4 People experiencing homelessness

No authors listed. Smoking cessation support in manchester's homeless hotels during COVID-19. NHS Substance Misuse 2020. Available from: <https://nhssmpa.org/blog/smoking-support-in-manchesters-homeless-hotels-during-covid-19>

Duffy A. Breaking tobacco habit among homeless cuts opioid use, ottawa study finds. Ottawa Citizen, 2018. Available from: <http://ottawacitizen.com/news/local-news/breaking-tobacco-habit-among-homeless-cuts-opioid-use-ottawa-study-finds>

Australian Bureau of Statistics. Census of population and housing: Estimating homelessness. 2018. Available from: <https://www.abs.gov.au/statistics/people/housing/census-population-and-housing-estimating-homelessness/latest-release>

Australian Bureau of Statistics. Census reveals a rise in the rate of homelessness in Australia. ABS, 2018. Available from: <https://www.abs.gov.au/media-centre/media-releases/census-reveals-rise-rate-homelessness-australia>

No authors listed. Young activist focuses on helping the homeless population live tobacco-free. Truth Initiative, 2017. Available from: <https://truthinitiative.org/news/young-activist-focuses-helping-homeless-population-live-tobacco-free>

Norton A. Smoking's grip adds to misery of the homeless. Medical Xpress 2016. Available from: <http://medicalxpress.com/news/2016-02-misery-homeless.html>

9A.4.1 Trends in the prevalence of smoking

9A.4.2 Contribution of smoking to health outcomes and social inequality

9A.4.3 Explanations for higher smoking prevalence

9A.4.4 Interventions for reducing smoking

No authors listed (2023). Homeless Healthcare. *Make Smoking History*. Retrieved from <https://www.makesmokinghistory.org.au/stories-from-the-sector/homeless-healthcare>